DEPARTMENT OF NATIONAL DEVELOPMENT

BUREAU OF MINERAL RESOURCES, GEOLOGY AND GEOPHYSICS

RECORD No. 1965/31

BUREAU OF MINERAL RESOURCES

GEOPHYSICAL LIBRARY

B

MAPS SHOWING THE
RESULTS OF AN AIRBORNE MAGNETIC
AND RADIOMETRIC SURVEY
OF THE KALGOORLIE 1:250,000 AREA,

W A 1957



060351

Map Nos.

G 247-22

G 247-23

G 247-24

G 247-25

Scale 1:126,720

The information contained in this report has been obtained by the Department of National Development as part of the policy of the Commonwealth Government to assist in the exploration and development of mineral resources. It may not be published in any form or used in a company prospectus or statement without the permission in writing of the Director, Bureau of Mineral Resources, Geology and Geophysics.

RECORD No. 1965/31

BUREAU OF MINERAL RESOURCES GEOFHYSICAL LIBRARY
Ref


MAPS SHOWING THE RESULTS OF AN AIRBORNE MAGNETIC AND RADIOMETRIC SURVEY OF THE KALGOORLIE 1: 250,000 AREA,


W A 1957

Map Nos. G 247-22 G 247-23 G 247-24 G 247-25

Scale 1:126,720

The information contained in this report has been obtained by the Department of National Development, as part of the policy of the Commonwealth Government, to assist in the exploration and development of mineral resources. It may not be published in any form or used in a company prospectus or statement without the permission in writing of the Director, Bureau of Mineral Resources, Geology and Geophysics.





BUREAU OF MINERAL RESOURCES, GEOLOGY AND GEOPHYSICS. DEPARTMENT OF NATIONAL DEVELOPMENT, MELBOURNE




MAP SHOWING TOTAL MAGNETIC INTENSITY

MEASURED BY AIRBORNE MAGNETOMETER

AND

RADIOACTIVE ANOMALIES

DETECTED BY AIRBORNE SCINTILLOGRAPH



LEGEND TOPOGRAPHICAL DATA

_Road or Track _____ Aerodrome or Landing Ground

ylknym ____ Rock outcrop Hill feature

MAGNETIC DATA

_____Magnetic Low #### _____Contour/Flight line intersections SCINTILLOGRAPH DATA

EXPLANATORY NOTES


This map was compiled from an airborne survey of the Kalgoor-lie 4-mile area conducted by Bureau of Mineral Resources between April and July 1957; The objects of the survey were (a) to delineate magnetic anomalies which might be associated with mineral deposits or reveal structural trends in the geology of the area and (b) to indicate areas in which uranium minerals might occur.

The survey was made at an altitude of 500 feet above ground level along lines spaced one mile apart. The height of the aircraft was controlled through a radio altimeter. Photo mosaic assemblies were used as a visual aid to navigation and the actual course of the aircraft was plotted from vertical photography taken with a 35-mm camera during flight.

The total magnetic intensity was continuously recorded by an airborne magnetometer installed in a D C. 3 aircraft. The data remain uncorrected for a regional gradient in total magnetic field of 7.5 gammas per mile in a direction S.5° E.

The gamma radiation from the ground was recorded continuously along flight lines by an airborne scintillograph. Anomalies marked on the map indicate where the radioactive intensity was substantially greater than the average intensity of the surrounding area.

No claim is made that the anomalies correspond to uranium deposits. A low-level scintillograph survey by an Auster aircraft was carried out to determine which anomalies warrant investigation on the ground. It is recommended that ground follow-up for uranium minerals should not be undertaken until the results of the Auster survey are inspected.



BUREAU OF MINERAL RESOURCES, GEOLOGY AND GEOPHYSICS, DEPARTMENT OF NATIONAL DEVELOPMENT, MELBOURNE

MAP DATA PROJECTION: Transverse Mercator Australian Series. CONTROL & DETAIL:-Planimetric detail was compiled from Royal Australian Survey Corps photo mosaics delineated by Bureau of Mineral Resources. RELIABILITY:- Planimetric detail: Reliable Geophysical data: Reliability of plotted position of aircraft, within ± 75 yards.

MEASURED BY AIRBORNE MAGNETOMETER AND

RADIOACTIVE ANOMALIES

DETECTED BY AIRBORNE SCINTILLOGRAPH

MAGNETIC CONTOUR INTERVAL 50 GAMMAS

MAP SHOWING

TOTAL MAGNETIC INTENSITY

10 KILOMETRES

TOPOGRAPHICAL DATA River or Creek ____Mine _____Aerodrome or Landing Ground Hill feature MAGNETIC DATA = 500 ______Magnetic Contours


LEGEND

_____Magnetic Low #### _____Contour/Flight line intersections

SCINTILLOGRAPH DATA

This map was compiled from an airborne survey of the Kalgoor-lie 4-mile area conducted by Bureau of Mineral Resources between April and July 1957. The objects of the survey were (a) to delineate magnetic anomalies which might be associated with mineral deposits or reveal structural trends in the geology of the area and (b) to indicate areas in which uranium minerals might occur. The survey was made at an altitude of 500 feet above ground level along lines spaced one mile apart. The height of the aircraft was controlled through a radio altimeter. Photo mosaic assemblies were used as a visual aid to navigation and the actual course of the aircraft was plotted from vertical photography taken with a 35-mm camera during flight. The total magnetic intensity was continuously recorded by an airborne magnetometer installed in a D C, 3 aircraft. The data remain uncorrected for a regional gradient in total magnetic field of 7.5 gammas per mile in a direction S.5° E. The gamma radiation from the ground was recorded continuously along flight lines by an airborne scintillograph. Anomalies marked on the map indicate where the radioactive intensity was substantially greater than the average intensity of the surrounding area. No claim is made that the anomalies correspond to uranium deposits. A low-level scintilligraph survey by an Auster aircraft was carried out to determine which anomalies warrant investigation on the ground. It is recommended that ground follow-up for uranium minerals should not be undertaken until the results of the

EXPLANATORY NOTES



MAP DATA PROJECTION: Transverse Mercator Australian Series. CONTROL & DETAIL:-Planimetric detail was compiled from Royal Australian Survey Corps photo mosaics delineated by Bureau of Mineral Resources. RELIABILITY:- Planimetric detail: Reliable Geophysical data: Reliability of plotted position of aircraft, within ± 75 yards.

20

TOTAL MAGNETIC INTENSITY


MAP SHOWING

40

MEASURED BY AIRBORNE MAGNETOMETER AND

RADIOACTIVE ANOMALIES

DETECTED BY AIRBORNE SCINTILLOGRAPH



LEGEND

50

TOPOGRAPHICAL DATA ____ River or Creek ____Telegraph Line ____ Mine _____Aerodrome or Landing Ground 71977 ____ Rock outcrop

_____Hill feature

MAGNETIC DATA = 500 = _____Magnetic Contours Magnetic Low

_____Contour Flight line intersections SCINTILLOGRAPH DATA

EXPLANATORY NOTES

This map was compiled from an airborne survey of the Kalgoor-lie 4-mile area conducted by Bureau of Mineral Resources between April and July 1957. The objects of the survey were (a) to delineate magnetic anomalies which might be associated with mineral deposits or reveal structural trends in the geology of the area and (b) to indicate areas in which uranium minerals might occur.

The survey was made at an altitude of 500 feet above ground level along lines spaced one mile apart. The height of the aircraft was controlled through a radio altimeter. Photo mosaic assemblies were used as a visual aid to navigation and the actual course of the aircraft was plotted from vertical photography taken with a 35-mm camera during flight.

The total magnetic intensity was continuously recorded by an airborne magnetometer installed in a D C. 3 aircraft. The data remain uncorrected for a regional gradient in total magnetic field of 7.5 gammas per mile in a direction S.5° E.

The gamma radiation from the ground was recorded continuously along flight lines by an airborne scintillograph. Anomalies marked on the map indicate where the radioactive intensity was substantially greater than the average intensity of the surrounding area.


No claim is made that the anomalies correspond to uranium deposits. A low-level scintillograph survey by an Auster aircraft was carried out to determine which anomalies warrant investigation on the ground. It is recommended that ground follow-up for uranium minerals should not be undertaken until the results of the Auster survey are inspected.

MAGNETIC CONTOUR INTERVAL 50 GAMMAS

ELOCATION DIAGRAM KALGOORLIE 4-MILE MAP AREA N.E. G 247-22 S.W. G 247-24 S.W. G 247-24 COMPILED AND DRAWN BY GEOPHYSICAL BRANCH, BUREAU OF MINERAL RESOURCES, GEOLOGY AND GEOPH DEPARTMENT OF NATIONAL DEVELOPMENT, MELBOURNE

DIECTION: Transverse Macrater Australian Series. NTROL & DETAIL: Planimetric detail was compiled from Royal Australian Survey Corps photo mosaics defineted by Bureau of Mineral Resources. LIABILITY: Planimetric detail: Reliability of plotted position of aircraft. within ± 75 yards. MEASURED BY AIRBORNE MAGNETOMETER AND RADIOACTIVE ANOMALIES DETECTED BY AIRBORNE SCINTILLOGRAPH SCALE MILES 2 9 9 9

LEGEND TOPOGRAPHICAL DATA River or Creek Highway Road or Track Railway Fence Telegraph Line Named place Homestead Mine Aerodrome or Landing Ground Place Hill feature



EXPLANATORY NOTES This map was compiled from an airborne survey of the Kalgoorlie 4-mile area conducted by Bureau of Mineral Resources between April and July 1957. The objects of the survey were (a) to delineate magnetic anomalies which might be associated with mineral deposits or reveal structural trends in the geology of the area and (b) to indicate areas in which uranium minerals might occur. The survey was made at an altitude of 500 feet above ground level along lines spaced one mile apart. The height of the aircraft was controlled through a radio altimeter. Photo mosaic assemblies were used as a visual aid to navigation and the actual course of the aircraft was plotted from vertical photography taken with a 35-mm camera during flight. The total magnetic intensity was continuously recorded by an airborne magnetometer installed in a D C. 3 aircraft. The data remain uncorrected for a regional gradient in total magnetic field of 7.5 gammas per mile in a direction 5.5° E. The gamma radiation from the ground was recorded continuously along flight lines by an airborne scintillograph. Anomalies marked on the map indicate where the radioactive intensity was substantially greater than the average intensity of the surrounding area. No claim is made that the anomalies correspond to uranium deposits. A low-level scintillograph survey by an Auster aircraft was carried out to determine which anomalies warrant investigation on the ground. It is recommended that ground follow-up for uranium minerals should not be undertaken until the results of the Auster survey are inspected.