

DEPARTMENT OF NATIONAL DEVELOPMENT
BUREAU OF MINERAL RESOURCES, GEOLOGY AND GEOPHYSICS


RECORD No. 1965/34

UIC 100000

MAPS SHOWING THE
RESULTS OF AN AIRBORNE MAGNETIC
AND RADIOMETRIC SURVEY OF THE
KURNALPI 1:250,000 AREA,

W A 1957

060336x



Map Nos. G 302 - 5
 G 302 - 6
 G 302 - 7
 G 302 - 8

Scale 1:126,720

COMMONWEALTH OF AUSTRALIA

DEPARTMENT OF NATIONAL DEVELOPMENT

BUREAU OF MINERAL RESOURCES, GEOLOGY AND GEOPHYSICS

RECORD No. 1965/34

MAPS SHOWING THE
RESULTS OF AN AIRBORNE MAGNETIC
AND RADIOMETRIC SURVEY OF THE
KURNALPI 1 : 250,000 AREA,
W A 1957


Map Nos. *G 302 - 5*
 G 302 - 6
 G 302 - 7
 G 302 - 8

Scale 1 : 126,720

The information contained in this report has been obtained by the Department of National Development as part of the policy of the Commonwealth Government to assist in the exploration and development of mineral resources. It may not be published in any form or used in a company prospectus or statement without the permission in writing of the Director, Bureau of Mineral Resources, Geology and Geophysics.



LOCATION DIAGRAM



MAP DATA

PROJECTION: Transverse Mercator, Australian Series.

CONTROL & DETAIL:

After Western Australian Department of Lands and Surveys

photo scale compilations.

RELIABILITY: Planimetric detail: Reliable.

Flight lines: Accuracy is generally within 100 yards.

MAP SHOWING

TOTAL MAGNETIC INTENSITY


MEASURED BY AIRBORNE MAGNETOMETER

AND

RADIOMETRIC ANOMALIES

DETECTED BY AIRBORNE SCINTILLOGRAPH

SCALE



MAGNETIC CONTOUR INTERVAL 50 GAMMAS

LEGEND

TOPOGRAPHICAL DATA

River or Creek

Highway

Road or Track

Railway

Fence

Telegraph Line

Named place

Homestead

Mine

Aerodrome or Landing Ground

Rock outcrop

Hill feature

MAGNETIC DATA

Magnetic Contours

Magnetic Low

Contour/Flight-line intersections

SCINTILLOGRAPH DATA

Anomaly

EXPLANATORY NOTES


This map was compiled from an airborne survey of the Kurnalpi 4-mile area conducted by Bureau of Mineral Resources between May and July 1958. The objects of the survey were (a) to delineate magnetic anomalies which might be associated with mineral deposits or reveal structural trends in the geology of the area and (b) to indicate areas in which uranium minerals might occur.

The survey was made with a D.C.3 aircraft at an altitude of 500 feet above ground level along lines spaced one mile apart. The height of the aircraft was controlled through a radio altimeter. Photo mosaic assemblies were used as a visual aid to navigation and the actual course of the aircraft was plotted from vertical photography taken with a 35-mm camera during flight.


The total magnetic intensity was recorded continuously by an airborne magnetometer. The data remain uncorrected for a regional gradient in total magnetic field of 7.5 gammas per mile in a direction S. 5° E.

The gamma radiation from the ground was recorded continuously along flight lines by an airborne scintillograph. Anomalies marked on the map indicate where the radioactive intensity was substantially greater than the average intensity of the surrounding area.

No claim is made that the anomalies correspond to uranium deposits. A low-level scintillograph survey by an Auster aircraft was carried out to determine which anomalies warrant investigation on the ground. It is recommended that ground follow-up for uranium minerals should not be undertaken until the results of the Auster survey are inspected.



LOCATION DIAGRAM



MAP DATA

PROJECTION:- Transverse Mercator, Australian Series.
CONTROL & DETAIL:- After Western Australian Department of Lands and Surveys photo scale compilations.
RELIABILITY:- Planimetric detail: Reliable.
Flight lines: Accuracy is generally within 100 yards.

MAP SHOWING

TOTAL MAGNETIC INTENSITY


MEASURED BY AIRBORNE MAGNETOMETER

AND

RADIOMETRIC ANOMALIES

DETECTED BY AIRBORNE SCINTILLOGRAPH

SCALE



MAGNETIC CONTOUR INTERVAL 50 GAMMAS

LEGEND

TOPOGRAPHICAL DATA

- River or Creek
- Highway
- Road or Track
- Railway
- Fence
- Telegraph Line
- Named place
- Homestead
- Mine
- ✈ Aerodrome or Landing Ground
- ▲ Rock outcrop
- ▲ Hill feature

MAGNETIC DATA

- Magnetic Contours
- Magnetic "Low"
- Contour/Flight-line intersections

SCINTILLOGRAPH DATA

- Anomaly

EXPLANATORY NOTES


This map was compiled from an airborne survey of the Kurnalpi 4-mile area conducted by Bureau of Mineral Resources between May and July 1958. The subjects of the survey were (a) to delineate magnetic anomalies which might be associated with mineral deposits or reveal structural trends in the geology of the area and (b) to indicate areas in which uranium minerals might occur.

The survey was made with a D.C.3 aircraft at an altitude of 500 feet above ground level along lines spaced one mile apart. The height of the aircraft was controlled through a radio altimeter. Photo mosaic assemblies were used as a visual aid to navigation and the actual course of the aircraft was plotted from vertical photography taken with a 35-mm camera during flight.

The total magnetic intensity was recorded continuously by an airborne magnetometer. The data remain uncorrected for a regional gradient in total magnetic field of 7.5 gamma per mile in a direction S. 57° E.


The gamma radiation from the ground was recorded continuously along flight lines by an airborne scintillograph. Anomalies marked on the map indicate where the radioactivity intensity was substantially greater than the average intensity of the surrounding area.

No claim is made that the anomalies correspond to uranium deposits. A low-level scintillograph survey by an Auster aircraft was carried out to determine which anomalies warrant investigation on the ground. It is recommended that ground follow-up for uranium minerals should not be undertaken until the results of the Auster survey are inspected.





LOCATION DIAGRAM



MAP DATA

PROJECTION:- Transverse Mercator, Australian Series.
CONTROL & DETAIL:-
After Western Australian Department of Lands and Surveys
photo scale compilations.
RELIABILITY:- Planimetric detail: Reliable.
Flight lines: Accuracy is generally within 100 yards.

MAP SHOWING

TOTAL MAGNETIC INTENSITY


MEASURED BY AIRBORNE MAGNETOMETER

AND

RADIOMETRIC ANOMALIES

DETECTED BY AIRBORNE SCINTILLOGRAPH

SCALE



MAGNETIC CONTOUR INTERVAL 50 GAMMAS

LEGEND

- TOPOGRAPHICAL DATA
- River or Creek
 - Highway
 - Road or Track
 - Railway
 - Fence
 - Telegraph Line
 - Named place
 - Homestead
 - Mine
 - ✱ Aerodrome or Landing Ground
 - Rock outcrop
 - Hill feature
- MAGNETIC DATA
- Magnetic Contours
 - Magnetic "Low"
 - Contour/flight-line intersections
- SCINTILLOGRAPH DATA
- Anomaly

EXPLANATORY NOTES

This map was compiled from an airborne survey of the Kurnalpi 4-mile area conducted by Bureau of Mineral Resources between May and July 1958. The objects of the survey were (a) to delineate magnetic anomalies which might be associated with mineral deposits or reveal structural trends in the geology of the area and (b) to indicate areas in which uranium minerals might occur.

The survey was made with a D.C.3 aircraft at an altitude of 500 feet above ground level along lines spaced one mile apart. The height of the aircraft was controlled through a radio altimeter. Photo mosaic assemblies were used as a visual aid to navigation and the actual course of the aircraft was plotted from vertical photography taken with a 35-mm camera during flight.

The total magnetic intensity was recorded continuously by an airborne magnetometer. The data remain uncorrected for a regional gradient in total magnetic field of 7.5 gammas per mile in a direction S. 5° E.

The gamma radiation from the ground was recorded continuously along flight lines by an airborne scintillograph. Anomalies marked on the map indicate where the radioactive intensity was substantially greater than the average intensity of the surrounding area.

No claim is made that the anomalies correspond to uranium deposits. A low-level scintillograph survey by an Auster aircraft was carried out to determine which anomalies warrant investigation on the ground. It is recommended that ground follow-up for uranium minerals should not be undertaken until the results of the Auster survey are inspected.