


1975/177
COPY 1
BMR PUBLICATIONS COMPACTUS
(NON-LENDING-SECTION)

DEPARTMENT OF
MINERALS AND ENERGY



BUREAU OF MINERAL RESOURCES,
GEOLOGY AND GEOPHYSICS

Record 1975/177

EAST PAPUA CRUSTAL SURVEY, OCTOBER-DECEMBER 1973:
OPERATIONAL REPORT

by

D.M. FINLAYSON



NON-LENDING COPY

NOT TO BE REMOVED
FROM LIBRARY

The information contained in this report has been obtained by the Department of Minerals and Energy as part of the policy of the Australian Government to assist in the exploration and development of mineral resources. It may not be published in any form or used in a company prospectus or statement without the permission in writing of the Director, Bureau of Mineral Resources, Geology and Geophysics.

BMR
Record
1975/177

C.2

Record 1975/177

EAST PAPUA CRUSTAL SURVEY, OCTOBER-DECEMBER 1973:
OPERATIONAL REPORT

by

D.M. FINLAYSON

CONTENTS

	<u>Page</u>
Participating organizations	
Summary	
1. Introduction (D.M. Finlayson)	1
1.1 Background geology and geophysics	1
1.2 Aims of investigation	5
2. Survey planning and design (D.M. Finlayson)	6
2.1 General	6
2.2 Seismic observation objectives	8
2.3 Gravity observation objective	9
2.4 Detailed survey planning and operational objectives	10
3. Shooting ship operations (J.B. Connelly)	12
3.1 Shooting vessel	12
3.2 Shot firing	13
3.3 Shot instant recording and timing	15
3.4 Shot positioning	16
3.5 Sparker traversing	18
4. Seismic recording operations (B.J. Drummond)	18
4.1 Seismic station positioning	18
4.2 Recording equipment	19
4.3 Recording station operation and servicing	21
4.4 Seismic data processing and plotting	24
5. Gravity observations (D.A. Coutts)	26
5.1 Logistics	26
5.2 Instruments	26
5.3 Gravity data reduction and plotting	27
6. Communications (C.D.N. Collins)	27
7. Comments (D.M. Finlayson)	29
7.1 Data availability, distribution, and acknowledgement	29
7.2 Seismic recording station success rate	29
7.3 Interpretation proposals	34
8. Acknowledgements	34
9. References	36

APPENDICES

1. Summary of PNG operations	40
2. Report on Shoran operations (J. Skates, Navigation Australia Pty Ltd)	49

TABLES

1. Shot information and data
2. Seismic recording site information and data
3. Seismic recording station instrumentation
4. Seismic recording station success rate
5. Seismic data listing
6. Principal facts of gravity observations
7. List of participating personnel

PLATES

1. Geology of eastern Papua (Davies & Smith, 1971)
2. Seismicity of the Papuan Peninsula region
3. East Papua Crustal Survey, shot and recording station locations
4. BMR automatic recording systems at Mt Lawes and Popondetta
5. a) L/V Sir Alan; b) loading explosives at Port Moresby
6. a) Assembling a 1020 kg shot; floatation buoy on left (tractor tubes in net) b) 180 kg shot going over the side; polystyrene buoy in background, hydrophone transmitter buoy and radar target on left.
7. a) SHORAN masts on L/V Sir Alan; b) SHORAN land-based station at Varol
8. Graph of fuse burning rate in 100 m water
9. a) Mt Lamington station recording shot 56; b) BMR seismic tape playback equipment
10. Bouguer anomalies in the Aroa-Port Moresby area from observations made during 1973 (density 2.67 g cm^{-3})
11. Bouguer anomalies in the Yule-Buna area from observations made during 1973 (density 2.67 g cm^{-3})
12. Location of SHORAN land-based stations
13. Schematic diagram of SHORAN system
14. SHORAN zone of possible error due to range measurement variations
15. SHORAN area of coverage for intersection angles 30° - 150°

PARTICIPATING ORGANIZATIONS

Bureau of Mineral Resources, Geology and Geophysics, (BMR)

- Regional Structural Surveys Group, Canberra
- Regional Gravity Group, Canberra
- Geophysical Observatory Group, Port Moresby

Research School of Earth Sciences, Australian National University, Canberra

Geology Department, University of Queensland, St Lucia, Qld

Geological Survey of Papua New Guinea

- Headquarters, Port Moresby
- Vulcanological Observatory Group, Rabaul

Hawaii Institute of Geophysics, University of Hawaii, Honolulu, Hawaii, U.S.A.

Warrnambool Institute of Advanced Education, Warrnambool, Vic

Preston Institute of Technology, Preston Vic

Survey Branch, Department of Services and Property, Canberra.

SUMMARY

During October to December 1973, the Bureau of Mineral Resources, in co-operation with a number of other geophysical institutions, conducted a major seismic and gravity investigation of the large-scale geological structure of the Papuan peninsula of Papua New Guinea. 111 marine seismic shots were fired along traverses both parallel and perpendicular to the northeast and southwest coasts of the peninsula and 43 recording sites were occupied during the survey. Observations of gravity were made at 150 new sites on the peninsula to supplement previous observations, thus completing the regional gravity coverage of the area.

This Record describes the geophysical operations conducted in PNG before and during the main survey period, October to December 1973. Shot and recording station information is listed together with the principal seismic travel-time data and the reduced gravity data. Interpretations based on the results obtained will be presented in later reports.

1. INTRODUCTION

The complex tectonic relations in the Melanesian region have long been recognized, but a full understanding of even current tectonic activity has yet to be achieved. The Bureau of Mineral Resources, Geology and Geophysics (BMR) has played a major role in conducting regional geological and geophysical investigations in Papua New Guinea (PNG). The East Papua Crustal Survey evolved from the need to have more definitive information on the gross structural geology of the Papuan peninsula. Within the framework of the modern concepts of lithospheric plate movements, the peridotite-gabbro-basalt complex of eastern Papua is regarded on the basis of geology as a classic example of an overthrust plate of oceanic mantle and crust caused by the subduction (Davies, 1971; Moores, 1973) of part of the northeast Australian continental margin during the Eocene. This is therefore a comparatively young example of tectonic processes which may account for the origin of ultramafic material in much older geological formations in Australia and elsewhere. The study of the deep structures in eastern Papua should thus add further basic information to our understanding of the tectonic framework of geological provinces and their associated mineral potential.

Planning for the survey started in September 1970 and continued until field survey operations began in October 1973. This Record describes the operations in PNG and documents the equipment used and the seismic and gravity data observed during the survey. The main purpose of the Record is to provide a convenient data source document for reference in interpretative reports which will be published separately.

The organizations that participated directly in the survey are listed on the foreleaf to this Record.

1.1. Background geology and geophysics

Davies & Smith (1971) described the geology of the Papuan peninsula of PNG and gave their interpretation of the tectonic evolution of the area. The following summary is taken from their paper.

'Eastern Papua is a southeasterly-trending mountainous peninsula with islands to the east and southeast, between 7° to 12°S and 146° to 155°E (Pl. 1). The peninsula and islands consist of a linear core of Mesozoic sialic metamorphic rocks flanked by Mesozoic and younger mafic rocks and partly concealed by still younger sedimentary and volcanic rocks. The Mesozoic sialic rocks are exposed in a belt 900 km long and up to 60 km wide. They consist of Cretaceous (and possibly older) sediments which were metamorphosed during the Palaeocene or Eocene. Metamorphic grade is generally greenschist facies, but is higher in the D'Entrecasteaux Islands and on part of Misima Island;

lawsonite occurs mainly within a few kilometres of the Owen Stanley Fault which bounds the mainland metamorphics on the north and northeast. Mesozoic mafic rocks include periodotite, gabbro and basalt of the Papuan Ultramafic Belt, metabasalt exposed in the Suckling Dayman mountain block and on Normanby and the Deboyne Islands, and unmetamorphosed basalt elsewhere on the mainland. These rocks are, at least in part, Cretaceous. Younger mafic rocks include Eocene basalt on the southeastern mainland and upper Oligocene and lower and middle Miocene tuff and lava at scattered localities. Eocene sediments consist of chert and deepwater limestone along the south coast of the mainland at Port Moresby and Magarida, and Eocene clastic sediments inland from Port Moresby and near Tapini. No lower or middle Oligocene rocks are known. Upper Oligocene, Miocene and Pliocene sediments in the Aure Trough (145° to 146° E) have a maximum thickness of about 12 000 m; the sediments are mainly alternating mudstone and greywacke, and are probably turbidites. Middle Miocene reef limestone on the eastern hinge line of the trough at 146° E is 1000 m thick. Middle Miocene and younger clastic sediments in the Cape Vogel Basin (150° E) are at least 4000 m thick. Pliocene and Quarternary volcanic rocks range in composition from basalt to rhyolite and include some potash-rich rocks. Intrusive rocks include Eocene tonalite in the ultramafic belt, Oligocene? gabbro near Port Moresby, middle Miocene granodiorite west of Salamaua, middle Miocene potash-rich intrusives on the southeastern mainland, Pliocene andesitic porphyries near Wau, and Pliocene granodiorite in the D'Entrecasteaux Islands.

'The Cretaceous (and possibly older) sialic sediments are thought to have been metamorphosed during the early Eocene at the time of emplacement of the Papuan Ultramafic Belt. The ultramafic belt is thought to be part of a thrust slice of oceanic mantle and crust which rode over or was underridden by the Cretaceous sediments on a low-angle fault (the Owen Stanley Fault). The metamorphic rocks were partly exposed during the middle or late Eocene but there was no major landmass in the area until the upper Oligocene. During the upper Oligocene, Miocene and Pliocene the sialic metamorphic rocks emerged, perhaps isostatically. Erosion of the resulting mountain block and contemporary volcanism and limestone development contributed great volumes of sediment to the Aure Trough and lesser volumes to the Cape Vogel basin. The history of the area can be interpreted in terms of interaction between Australian and Pacific lithospheric plates and opening of the Coral Sea by rifting.'

Moore (1973) reviewed the geotectonic significance of ultramafic rocks, and grouped the ophiolite complex of eastern Papua with similar structures in Cyprus, the Mediterranean, California, and New Caledonia which are also considered to be suboceanic crust and mantle slabs. The thickness of the mafic material is important in determining whether a simple overthrust model operates during tectonic emplacement of such complexes.

The determination of seismic velocities and structures in eastern Papua and comparison with oceanic layers 2, 3, and 4 are therefore important in deriving realistic tectonic models. The ophiolite body emplacement in eastern Papua is widely regarded as a classic case of collision between a continental mass (Australia) and an oceanic lithospheric plate (Pacific) with resultant overthrusting of oceanic crust and mantle. Davies (1971) described the detailed geology of the Papuan Ultramafic Belt, and indicated that geological evidence for the thickness of the basalt and gabbro components of 8 to 10 km matches the thickness of solid crust in the Solomon Sea and that the surface ultramafic zone may be 4 to 8 km thick.

The geophysical survey work conducted in the east Papuan area is summarized by Finlayson (1971). St John (1970) and Milsom (1973) have interpreted the regional gravity observations in the area, and both have examined the various aspects of the tectonic emplacement of the ophiolitic body. In both interpretations the data can be shown to be compatible with the oceanic crust overthrust hypothesis, but Milsom indicated that some of the geophysical and geological limitations in the area suggest that other types of origin cannot be excluded. The gravity data can be modelled only if there is a Moho about 20 km deep seaward of the ophiolite rock with a thick sedimentary column, rather than a thinner layer of sialic igneous or metamorphic rocks. There are mechanical limitations on the size and shape of the obducted material proposed for the Musa area although tectonic systems can be devised to explain the structure.

Milsom (1973) also considered the possibility of a gravity sliding formation hypothesis but rejected it on a number of grounds, not the least of which is the unlikelihood of the pluto-volcanic extrusion of such a large quantity of ophiolitic material. The proposed possibility of underthrusting of an island-arc by a continental margin is also considered. After the effects of bathymetry are taken into consideration near a Benioff zone, the gravity effect of a downgoing slab is unlikely to be in excess of 20 mGal, whereas the observed net gravity difference across the ophiolite belt in the Ajura Kujara Mountain region is of the order of 50 mGal. The gravity free-air anomaly minimum is commonly displaced seaward relative to a trench owing to sedimentation and fragmentation of the downgoing slab but the regional geology indicates no evidence of such material in east Papua if continental underthrusting had taken place. There also seems to be no evidence of thick sialic crust seaward of the ultramafic belt; in fact the gravity gradient would suggest thinning of the crust towards the Solomon Sea. Milsom presented other geological and geophysical arguments against the island-arc/continental margin collision hypothesis, such as the lack of frontal-arc melange rocks in east Papua and the necessary subsidence of the rear of the arc to account for the observed gravity observations.

Other hypotheses considered by Milsom, such as orogenic thickening suggested by Rabinowitz & Ryan (1970) for the Mediterranean Ridge, are admitted by him to be tenuous, but the possibility that the east Papua ophiolite suite is part of an underthrust marginal basin (Karig, 1972) was not discounted. If this was the case then the crustal layering to be expected in east Papua need not be typically oceanic.

Aeromagnetic surveys have been conducted over the whole of the Papuan peninsula (CGG, 1969, 1971, 1973) and magnetic interpretations have been made in relation to the near-surface geology. This information provides some indication of the near-surface seismic corrections to be expected for some of the shots and recording stations. The data provide information on the structure of magnetic basement throughout the survey areas where topography and vegetation cover preclude the examination of surface rocks.

For the marine areas surrounding the Papuan peninsula, several surveys provide structural information. In the Coral Sea, interpretations have been made by Gardner (1970), J. Ewing et al. (1970), M. Ewing et al. (1970), Finlayson (1968), Krause (1967), Brooks (1969), Tilbury (1975), Mutter (1972), as well as company exploration data listed by Tilbury (op. cit.). In the Solomon Sea structural information is provided by Furumoto et al. (1970), Rose et al. (1968), Von der Borch (1972) and Tilbury (1975).

The east Papuan area has been included in seismotectonic syntheses (Denham, 1969, 1973; Milsom, 1970; Johnson & Molnar, 1972; Krause, 1973; and Carey, 1970) based largely on modern earthquake distribution (Pl. 2) and focal mechanism data. The more recent of these syntheses require a compressional regime between the major Australian and Pacific lithospheric plates, with the smaller Bismarck and Solomon sub-plates lying in the interaction zone. The precise nature of the plate motions is, as yet, not defined. Milsom's (1970) hypothesis of a spreading centre in the Woodlark Basin seems to be confirmed by Luyendyk et al. (1973). The present-day seismic activity in the survey area of the Papuan peninsula is minor. The majority of the earthquakes are on the northeast side of the peninsula and shallow, although some intermediate depth events (70 to 299 km depth) have occurred in the Mt Lamington-Ioma area. Activity increases northwestward towards the major earthquake zones in the Huon Gulf and Huon Peninsula areas, and activity also tends to increase southwestward towards the Woodlark Basin. In the Solomon Sea away from the major active zones, scattered activity occurs with no definite pattern. There is no detected activity in the Coral Sea/western Papua region, and the northeastern boundary of the Australian plate, as defined by seismicity, is now well determined.

A number of volcanological investigations in the Papuan peninsula have been conducted (Taylor, 1958; Jakes & Smith, 1970; Smith, 1973; Johnson et al., 1973). Cainozoic volcanic rocks are widespread on the islands to the north and east of the Papuan mainland, and the Pleistocene to Recent volcanoes of Mt Lamington, Mt Trafalgar, and Mt Victory dominate part of the seismic survey area. The ages of the volcanic rocks tend to become younger from east to west across the region. These rocks may be associated with a current episode of rifting and spreading in the Woodlark Basin and faulting and slipping in eastern Papua as proposed to account for current earthquake activity (Luyendyk et al., 1973).

Smith (1970) has demonstrated from the geomorphology that, in the eastern Papuan peninsula, strong vertical movements have occurred in geologically recent times and that post-Miocene uplift is of the order of 3000-4000 m.

Volcanic rocks of Pliocene age crop out on the Lusancay Islands on the northern edge of the Trobriand Platform and may be representative of the aeromagnetic near-surface basement (CGG, 1971) that extends east to at least the Marshall Bennett Islands. Two exploration drill holes between Goodenough Island and the Trobriand Islands penetrated thick Pliocene and mid-Miocene sequences and bottomed in volcanics, volcaniclastics, and tuffs (Amoco, 1973, a, b). Nubian No. 1 well bottomed at 2.37 km; average velocities varied from 2.02 to 2.38 km/s and interval velocities varied from 2.07 km/s in shales to 3.66 km/s in the lower part of the drill hole (limestones, marls). Goodenough No. 1 well bottomed at 2.84 km; average velocities ranged from 2.28 to 2.45 km/s and interval velocities varied from 2.13 km/s in shaley conglomerates to 3.92 km/s in volcanics and volcaniclastics.

1.2 Aims of investigation

The aims of the geophysical investigations in the east Papuan peninsula during 1973 were as follows:

1. To determine by seismic methods the crustal and upper mantle velocities and structures associated with the Papuan Ultramafic Belt and the neighbouring tectonic provinces to the southwest into the Coral Sea and to the northeast into the Solomon Sea.
2. To complete regional gravity observation coverage in the east Papuan peninsula.
3. To determine the structural boundaries between tectonic provinces by using a unified approach to the interpretation of geological, magnetic, gravity, and seismic data.

4. To further knowledge of the tectonic history of the Melanesian region.

2. SURVEY PLANNING AND DESIGN

2.1 General

The planning of the East Papua Crustal Survey commenced during September 1970 when a meeting of interested geoscientists from inside and outside BMR indicated their support for a crustal investigation in the region. Subsequently a preview report for the survey was produced (Finlayson, 1971) and circulated to possible participants in the project. This report contained a number of proposals for seismic shooting at sea and recording on land, marine seismic profiling, and marine magnetic profiling. After critical review the proposals for seismic shooting and recording were approximately doubled (Pl. 3) and completion of regional gravity coverage for the area was added to the survey objectives.

A number of factors dominated the working-up period before the survey. The major ones were (a) development of seismic tape recording equipment by BMR in time for the survey, (b) shortage of suitable shooting ships willing to undertake such a short survey, (c) station positioning and ship navigation complexities, and (d) assessment of explosives and detonation techniques. These factors are discussed briefly in the following paragraphs. They twice delayed the programmed schedule for the survey and, together with the associated budgeting and contracting problems, placed major constraints on the field operations.

(a) Seismic recording equipment required for a crustal investigation should be compatible with the latest interpretation techniques, which include both analogue and digital signal processing and computer data processing, presentation, and modeling. BMR and the other participating organizations had in recent years been developing seismic tape recording equipment for attended and unattended operation because of the high cost of commercially available equipment suitable for very slow-speed, low-power, long-endurance operation. BMR's development of a four-channel FM tape recording system (Pl. 4) was considerably delayed by other operational requirements within BMR and by attempts to improve its performance. These delays were the major cause for postponing the survey.

(b) A shooting ship for the survey was chartered through the Contracts Board of the Department of Supply. There were very few suitable vessels in Australian or PNG ports whose owners were willing to undertake a contract of only 8-10 weeks. The postponement of the survey meant calling for tenders more than once.

None of the final tenders was entirely suitable, but after a considerable amount of negotiation between BMR and Contracts Board, Department of Shipping and Transport, PNG Department of Transport, Port Moresby Harbour Master and the tenderers, the L/V Sir Alan was eventually engaged.

(c) The positioning of the seismic recording stations and navigation of the shooting vessel necessitated major review exercises by the Survey Branch, Department of Services and Property, to assess the problems of achieving the desired accuracy of 0.1 km over the whole survey area. Various systems offered by commercial surveying companies were assessed in conjunction with the topographic surveying being conducted in the survey area by the Army, Department of Civil Aviation, and by the Survey Branch. After various reconnaissance visits to sites, the Survey Branch supervised contractors who determined the geographic locations of the seismic recording stations during March to May 1973 (see ch. 4.1), and different contractors who determined locations of the shots during shooting operations (see ch. 3.4).

(d) Various types of explosives were available for the kind of shooting required for the survey. However during 1971 West Australian Petroleum Pty Ltd had donated to BMR over 300 tonnes of Du Pont WW explosive which were surplus to their needs. This explosive was packaged in 30-kg metal containers designed for detonation at shallow depths. If water penetrated the containers, the nitramon explosive was rendered useless; thus a series of trials had to be conducted in order to perfect a method for deep shooting. Two series of trials were conducted off Fremantle (where the explosive was stored) in cooperation with the Navy, and a final series was conducted off Bermagui, NSW during May 1972 by the BMR personnel who were to be responsible for shipborne operations during the survey in PNG. The trials were successful, and 66 tonnes of this explosive was freighted to Port Moresby and stored in an extension built on to the PNG Department of Works magazine.

A number of other factors had to be taken into account at the planning stage. The weather in the PNG region restricted the survey to the doldrum periods between the northwest monsoon and the southeast trade wind seasons. These periods (April-May and October-November) were the only ones when there was a reasonable probability that moderate to good flying conditions in the mountains onshore would coincide with smooth to slight swell conditions for marine operations in both the Coral and Solomon Seas (Willcox, 1973).

The necessity for the seismic recording stations to be placed near villages and airstrips and that the sites be surveyed highlighted the problem of public relations. Land in PNG is owned predominantly by villages and families and not by the government. Land disputes constitute a major source of trouble for government and police authorities, and surveyors are generally

regarded with suspicion by villagers. Thus every effort was made to ensure that all authorities at the District and Sub-district level were kept informed about the nature of the nature of the survey and their assistance was always sought when visits to villages were required. This time and effort was well spent and the resulting co-operation with the local populations could not have been better.

The liaison between BMR and the other participating organizations constituted a major part of the work of survey administration. The commitments of the participant staff to lecturing and other geophysical work necessitated continuous assessment of forward programming to best meet their needs and requirements.

2.2 Seismic observation objectives

Suggestions from interested geoscientists regarding the scope of the investigation were sought early in the planning stages. Working within budget limitations, the number of sets of recording equipment available, and the time available for field operations, it soon became apparent that not all suggestions could be undertaken. Thus it was decided to investigate only the structures of the Papuan Ultramafic Belt and not those connected with the rifting at the eastern end of the Papuan peninsula and in the Woodlark Basin. The Papuan peninsula between Salamaua and Tufi was chosen as the survey area, with emphasis on the line through Port Moresby and Popondetta.

Experience gained by BMR staff during the interpretation of the 1967/1969 surveys in the New Britain-New Ireland region was extremely valuable in determining the survey design. In particular these surveys indicated that the most useful data came from recording stations which remained in the same position for the whole survey period. Fixed stations enable the interpreter to ensure that at least the recording station delay times are approximately constant over the seismic wave cone of emergence round the station, and that one has to consider only the variability of the shot-point delay times in the analysis. Probable interpretation methods must also be considered at the design stage of the survey. The modern trend is to construct a series of seismic record sections along profiles of shots and stations and interpret these by computer modelling and least squares optimization techniques. However, a rigid adherence to profiles would not survey all the essential geological features. The time-term interpretation method enables a larger area to be surveyed less intensively by admitting seismic arrivals from all azimuths. However, only the average structure over the cone of emergence of seismic waves is achieved, and the time-term interpretation method may not be appropriate for the expected high structural relief in the east Papuan area.

The adopted recording station pattern covered the whole survey area and ensured adequate coverage along two profiles parallel to the northeast and southwest coasts (and geological strike), and along two profiles across the strike of geological structures from Port Moresby to Popondetta and from Yule Island to Salamaua (Pl. 3). A shot pattern was chosen that ensured that the stations parallel to the coast recorded at 10-15 km shot intervals out to distances of a minimum of 150 km, and shot intervals of 40-50 km out to distances of 300 km. The shot patterns in the Coral and Solomon Seas were designed to ensure that coastal stations recorded data out to distances of at least 300 km wholly within the Coral Sea and Solomon Sea Basins.

Particular attention was given to the placing of stations in areas of geological importance. Salamaua, Lake Trist, Garaina, Karakaru, Gorari, Tetebedi, Namudei, and Musa Dam stations were designed to be either on or close to outcropping ultramafic rock. The stations at Guari, Tapini, Woitape, and Efogi were closely associated with the Owen Stanley metamorphics. Lamington, Popondetta, Afore, Oro Bay, and Tufi were associated with Pleistocene to Recent volcanics. Stations such as Lae, Kerema, Cape Rodney, Esa Ala, Lindenhafen, and Iron Range (Qld) were used to ensure that the extremities of the survey profiles were adequately covered for interpretation purposes.

Very few sets of equipment were repositioned during the shooting period. When shooting changed from the Coral Sea to the Solomon Sea, the equipment sets at Kerema, Kwikila, and Bereina were moved to Finschhafen, Lindenhafen, and Kwikila respectively.

In an attempt to standardize the transmitted energy from each shot point, only two shot sizes were used, 1020 kg and 180 kg (convenient packages of 34 and 6 cans of explosive, each containing 30 kg). It was estimated that the 1020-kg shots would be recorded out to distances of at least 400 km, and the 180-kg shots out to at least 150 km, based on experience in other areas of PNG.

Some of the marine areas in which shooting was conducted had not been covered adequately by marine seismic profiling, which was considered desirable to calculate corrections. Consequently a set of marine seismic profiling equipment was installed on board the shooting vessel.

2.3 Gravity observation objective

The objective of the gravity survey was to complete regional gravity coverage of the seismic survey area and thus enable concurrent gravity and seismic interpretation. St John (1970) and Milsom (1974, 1973) had conducted gravity surveys over large areas of eastern Papua, but there were significant gaps in the coverage in the area southwest of the Owen Stanley Ranges. BMR marine gravity observations had been made in the Gulf of Papua

and northern Coral Sea and along the northeast coast of Papua and Huon Gulf (Mutter, 1972; Tilbury, 1975). Rose et al. (1968) reported the gravity observations made by various institutions in the Solomon Sea, but there are still significant gaps in the marine coverage off the northeast Papuan coast.

The regional helicopter gravity survey work was undertaken concurrently with the seismic work in order to use the helicopter logistic facilities engaged for the seismic work more productively.

The desirable gravity observation grid of stations at 11-km spacing was not possible in the mountainous and swampy terrain of Papua, and observation sites were chosen on an opportunity basis in clearings approximately 11 km apart where the helicopter could land.

2.4 Detailed survey planning and operational objectives

The large number of scientific institutions, government departments in Canberra, Melbourne and Port Moresby, contractors, sub-contractors, and individuals involved in a project like the East Papua Crustal survey necessitated first-class liaison and communications to ensure that when they came together in the survey area, operations proceeded smoothly with the minimum wastage of time and effort.

The logistic support required for the establishment and maintenance of the recording station network was extensively researched with contingency plans forming an integral part of the exercise. Two major reconnaissance surveys for potential recording station sites were conducted by staff from Port Moresby Geophysical Observatory, and from BMR and the Survey Branch, Canberra. Logistic support available at each site was assessed by these surveys and by the PNG Chief Government Geologist, Port Moresby in co-operation with the PNG Department of District Administration. The positioning of the potential seismic station sites by the Survey Branch and the contractors before the main seismic survey (ch. 4.1) enabled further data on each site to be gathered. All these data and information, together with both ground and air photographs, were issued to the geophysicists responsible for setting up and operating the various seismic stations.

The survey area was topographically divided in two by the Owen Stanley Ranges, and it was therefore decided to provide survey logistic support from two offices, the main headquarters in Port Moresby and another sub-headquarters in Popondetta. Houses were rented in these two towns for both offices and sleeping quarters for a number of survey staff. Port Moresby and Popondetta were linked by a scheduled airline service and both offices were linked by telephone.

In order to conduct the survey effectively it was regarded as essential to establish a first-class radio network, so that all groups and individuals operating throughout the large survey area would be kept informed several times per day about survey progress. Only by this means could the survey react quickly to the many logistic contingencies which arose every day. 100W SSB Codan transceivers were chosen to operate at the two offices and on board the shooting ship 25W SSB Codan transceivers were selected for use by the field personnel and contractors (see ch. 6).

Port Moresby was chosen for the survey headquarters because of the logistic facilities available. It was essential that survey personnel have easy access to scheduled airline services both from Australia and within PNG, a good selection of air charter companies for both fixed wing and helicopter hire (using the Department of Civil Aviation period contract), car, truck, and crane hire companies, PNG government departments, consumable stores suppliers, good harbour facilities, shipwrights, and storage facilities.

In order to keep the survey planning according to a schedule, critical path assessments were made throughout 1973 on all items of administration, staffing, equipment procurement, shipping, and testing up to the point of firing shot number 1.

The shipping of stores from Australia was arranged through the Department of Supply. The 66 tonnes of explosives was shipped to Port Moresby 10 months before the survey and stored in the PNG Works Department magazine at Burundi near the Table Top Geophysical Observatory. All other survey equipment was shipped to Port Moresby on MV Tenos, which arrived in Port Moresby on 11 October after many delays owing to dock strikes. The equipment was packed in three containers, one 6.1 x 2.4 x 2.4 m (20 x 8 x 8 ft), the second 3.7 x 2.4 x 2.4 m (12 x 8 x 8 ft), and the third 2.4 x 2.4 x 2.4 m (8 x 8 x 8 ft). These containers were offloaded from Tenos straight onto L/V Sir Alan which was used as the shooting ship (see ch. 3). Tenos also carried the SHORAN navigation equipment required for positioning the shooting ship.

BMR had the use of a Department of Civil Aviation warehouse off Lawes Road in Port Moresby for the storage and testing of all equipment for the duration of the survey. This warehouse was conveniently situated near the offices of the Port Moresby Geophysical Observatory and the PNG Geological Survey. Strict security precautions were kept regarding the use of the warehouse because of the prevalence of theft in that area. At the end of the survey all equipment was packed into the containers at the warehouse and shipped back through Sydney to Canberra.

A detailed program of all survey operations in the form of a BMR Record was distributed to all participants before their arrival in PNG (Finlayson, 1973). This program was stipulated as essential reading for all participants. It detailed the organizational, logistic, and communications structure for the entire survey from the time the first personnel arrived in PNG until the last person left. It listed details of all vehicle, shipping, and aircraft movements for the mobilization and demobilization of the survey and the modus-operandi for the duration of seismic shooting and recording period. The production of and adherence to this document contributed largely to the overall success of the survey with very little wastage of time.

The philosophy behind the detailed field operation programming was to break the survey into a number of semi-independent units which would be able to proceed with their own program even if weather, transport, or communications difficulties arose temporarily in certain local areas. Thus senior BMR officers were in charge of the survey headquarters in Port Moresby, the sub-headquarters in Popondetta, and on board the shooting ship L/V Sir Alan. The mobilization, servicing, and demobilization of seismic stations were divided into three sectors with their own, largely independent, transport arrangements. The operations in 'blue sector' northwest of Port Moresby and the 'green sector' southeast of Port Moresby were controlled from the survey headquarters. The operations in 'red sector' on the northeast side of the Owen Stanley Ranges were controlled from the sub-headquarters in Popondetta. The logistics for the positioning and repositioning of SHORAN land-based stations were controlled from survey headquarters. Inevitably most aircraft and helicopter operations were controlled from Port Moresby where the air charter companies were based, but in some instances aircraft were hired for operations out of Lae. A summary of survey operations is given in Appendix 1.

3. SHOOTING SHIP OPERATIONS

The speed and efficiency of the shooting ship in a survey of this type largely determines the overall length of the survey period. When tenders were called for the charter of a shooting vessel there were very few replies. The charter was not particularly attractive to ship owners as it was for a comparatively short duration involving non-routine operations in a remote locality. A contract was finally placed only after lengthy negotiations between BMR and a number of government departments, both in Australia and PNG, and various private companies.

3.1 Shooting vessel

The shooting ship chartered for the survey was the landing craft L/V Sir Alan owned by Seafreight Pty Ltd, Lae. The

vessel was 39.6 m long and consisted of a main cargo deck which occupied the entire forward section of the ship, a bridge which occupied the entire width of the after section of the ship, and a very small after-deck about 2 m wide (Pl. 5).

The cargo deck was 30.5 m long by 9.2 m wide, and the gunwales were 1.5 m above the after part of the deck and 2.4 m above the forward part. A folding door across the front of the vessel allowed motor vehicles access to the deck, and a 3-tonne derrick was mounted at the rear of the deck.

The hold, which extended under most of the cargo deck, was entered through a 2 x 3 m hatch at the rear of the deck. The bridge contained cabins for the crew and messing facilities, and the after-deck merely allowed access to the rear of the ship for mooring and similar functions. Considerable modifications were required to the ship to make it usable as a shooting ship. The hold, which was used to store the explosives, was completely lined with timber as required by PNG Department of Transport explosive regulations. A shooting platform was erected in the port side of the ship adjacent to the entrance to the hold (Pl. 6). The platform was about 3 m square and surfaced with wood. On the platform itself a set of steel rollers was mounted horizontally about 0.5 m above the floor of the platform, projecting about 0.5 m over the side of the ship.

Three containers and a caravan were mounted on the forward deck. One container was used as sleeping accommodation for the BMR personnel, another was used to house the shot timing and radio communications equipment and the third housed the marine sparker power supplies and capacitor banks. The caravan was used as a recreation area, and contained shower/washing facilities and some storage cupboards. At the stern of the ship a cable drum for storing the hydrophone streamer was mounted over the stern, and a wire mesh cage was added to the stern to provide sufficient space for maintaining and handling both the hydrophone streamer and a hydrophone string used by the shot timing system. SHORAN navigation equipment was installed on the bridge; receiving and transmitting aerials for this equipment were mounted on top of the bridge (Pl. 7).

3.2 Shot firing

The explosive used during the survey was Du Pont Nitramon WW packed in 30-kg cans approximately 25 cm in diameter and 60 cm long. The explosive was donated to BMR by West Australian Petroleum Pty Ltd. Three series of test firings with this explosive were conducted by BMR, two off Fremantle, WA, and the other off Bermagui (NSW) to determine the most efficient shot firing procedures. One limitation on the use of the explosive was that if water penetrated the can, the explosive material was rendered useless; thus the shot package could not be kept at depth in water for any great length of time. The shooting procedure was largely designed to cater for this limitation.

The shots were built up 'in situ' on the shooting platform while the ship was under way (Pl. 6). A sheet of 19-mm plywood was placed on the rollers and anchored in place by a steel pin. The shot was constructed on the plywood. Shot and plywood were then launched over the side of the ship with a recovery rope attached to the plywood. Two shot sizes were adopted, 1020 kg and 180 kg, based on the expected distances over which they were to be recorded. To construct a 1020-kg shot, a sheet of wire mesh was laid on the plywood and a simple wooden frame laid on top of this. 34 cans of explosives were laid across the frame in five rows of decreasing length to form a truncated pyramid. Another frame was then placed on the top and the wire mesh bent up around and secured with rope. Two steel bands were passed round the wooden frames binding them together. The 180-kg shots required only six cans, and were placed in pyramid fashion on a single wooden frame and bound with steel banding and rope. All shot information and data are listed in Table 1.

The shots were fired with safety fuse and primer charge, the fuse was lit on board the ship and the shot then pushed over the side from the roller platform. They were supported at a depth of 100 metres by a large buoy, and attached to this was a small buoy supporting a hydrophone and radio transmitter, which was used to transmit the shot instant to the ship.

The details of fuse firing mechanism were as follows: Du Pont 'Sword' brand fuse was crimped to a No. 6 detonator and the detonator inserted into a 1 lb Du Pont HDP-1 primer, which was securely tied with plastic banding tape to one of the 30 kg cans of explosive. Some ICI fuse recommended by the manufacturers for underwater use was also tried for a few shots, but its reliability was soon shown to be much inferior to the 'Sword' fuse. It was therefore not used further.

Initially two completely separate fuse/primer systems were attached to both large and small shots, but later in the survey three to four systems were used to ensure complete instant detonation. Six misfires (shots 21, 35, 58, 2 x 64, 79) were attributed to a) failure of a booster to detonate the charge (some hydrophone records clearly show a booster firing several tenths of a second before the main charge) and b) fuse failure due to water penetration. Water penetration of the fuse was definitely shown to occur with some I.C.I. fuse which was tried. This fuse, when lowered to depths of 100 metres, was always extinguished by the penetration of water to the cordite element. Du Pont 'Sword' fuse on the other hand did not suffer from this defect and was used throughout most of the survey after an emergency airlift of a further supply from Brisbane to Lae half-way through the survey.

The procedure adopted for firing and launching the shot was as follows. The shots were timed to detonate in the period 5 to 10 minutes past the hour. Seven-minute fuses were used on the large shots to allow sufficient time for the ship to pull away from the shot. The firing procedure was started at 1 minute before the hour for large shots, and on the hour for small shots which had a shorter fuse. The time of starting the firing procedure was controlled by the person operating the shot timing equipment. He started a stop-watch either on the hour or a minute later depending on the size of the shot. The shot was launched exactly one minute after the stop watch was started; the fuses were lit by the shooter about 5 s before this on instruction from the person controlling timing operations. Once the shot was launched the rope connecting it to the flotation buoy had to be paid out rapidly taking great care that it did not snag on the ship. After the flotation buoy with the shot instant transmitter buoy attached was launched, the time at which the shot reached a depth of 100 metres (as indicated by a pull on the buoy) was recorded. The length of fuse and the total time for it to burn were also recorded, and from these figures the rates of burning at depth were computed. These values are graphed in Plate 8. The average time taken for a large shot to reach 100 m depth was 85 s and for a small shot 101 s.

3.3 Shot instant recording and timing

Two completely separate shot instant recording systems were used to safeguard against the failure of one of them. The first system, consisting of a hydrophone and modified walkie-talkie radio transmitter, was attached to the small buoy floating directly above the shot and transmitted to a walkie-talkie receiver on the ship, where the signal was recorded on a Sanei Visigraph multichannel recorder at paper speeds of either 2, 10, or 20 cm/s. The second system consisted of a string of 12 Geospace MP-8B hydrophones, with the output recorded on a 12-channel SIE RS/4 recorder with a paper speed of 30 cm/s. The hydrophone string was streamed out behind the ship in a direct line between it and the shot, after the shot had been launched. In addition to recording the shot instant, the latter system was also used to determine the water depth at the shot location by measuring the time delay between the direct water wave and the reflected wave from the sea bottom. The distance between the shot and the ship was measured by the ship's radar using a radar reflector tied to the top of the walkie-talkie transmitter buoy.

A dual system of timing was also used. It consisted of a Labtronics time signal receiver tuned to the Australian Post Office time signal transmitter VNG, and a BMR digital clock (NCE-1). Both clock and radio were recorded on the Visigraph recorder, but the RS/4 had only one time channel, and the digital clock time code was recorded on this after several attempts to get a good radio signal onto it had failed.

The procedure for recording the shot instant was controlled by the person who scheduled the shot launching. After recording the time taken for the shot to sink he and an assistant returned to the equipment cabin. During this period the SHORAN transmitter was turned off because it interfered with the Labtronics time signal receiver, the walkie-talkie receiver, and the clock. The clock was reset to the correct time and all systems were checked to see that they were operational. The Visigraph was turned on about 2 minutes before the shot was due.

The SIE 12-channel RS/4 recorder and its associated hydrophones, the clock, and the Labtronics time signal receiver were very reliable; however, the system of walkie-talkie transceivers between the buoy and the ship was less reliable. This last system suffered from the lack of a suitable hydrophone, problems with waterproofing the transceiver on the buoy, and difficulties in tuning the receiver on ship so that noise did not swamp the signal from the hydrophone. The hydrophones used for this system throughout most of the survey were of a disposable type used in sonobuoys (Aquatronics Model 1210), and the entire stock of ten was used up before the survey was complete. These hydrophones proved very difficult to test on deck because they would still respond to a direct tap even when their response in water was much below specification. They were eventually replaced by a Geospace MP-8B hydrophone and no further trouble was experienced. The use of the MP-8B also overcame most of the trouble with tuning the walkie-talkie receiver on the ship; this trouble appears to have been caused by the Aquatronics hydrophone gradually losing sensitivity. The problems with waterproofing the transmitter on the buoy were overcome by placing the whole unit in part of the tubular plastic container in which sonobuoys are packed, and sealing the lid with large quantities of 'Scotch' tape.

3.4 Shot positioning

The positions of the majority of the shots were determined using a SHORAN navigation system which was supplied under contract by Navigation Australian Pty Ltd of Perth W.A. The system is a radio distance measuring system which operates in the V.H.F./U.H.F. frequency band. Distance is determined by measuring the phase difference between a transmitted wave from a mobile station and the wave retransmitted back to the originating station by a land-based station. The position of the originating station is then computed by triangulation using several land-based stations. The accuracy of any single distance measurement was quoted by Navigation Australia as ± 15 m, and in most cases this gave a position accurate to within 100 m, which was the accuracy aimed at. However, the azimuth difference between the ship and the shore-based stations is important in determining the positional uncertainty, which may be considerably distorted when azimuth differences are between 0° and 30° and between 150° and

180° (Appendix 2). During the survey the system was used successfully at distances up to 340 km.

For this survey, the mobile station was installed on the ship and three land-based retransmitting stations were deployed on the highest convenient trig stations. As the survey covered a very wide area, the land-based stations had to be moved for the various stages of the survey; this was accomplished mainly by helicopter and fixed-wing aircraft. The positions of the land stations which were not on existing survey markers were determined before the survey by Decca Surveys Australia Pty Ltd under contract to the Commonwealth Department of Services and Property. These stations were tied to existing survey marks by triangulation using a Decca Trisponder Survey System 202A (see chapter 4.1).

Three position fixes were taken during the shot firing sequence, one as the shot was launched, one when the shot fired, and one when the support buoys were being picked up. The position taken when the shot was launched was given the most weight in calculating a final position for the shot because it was regarded as the most reliable bearing in mind all wind and tide effects. The other two were used as confirmation and to provide evidence of drifting due to sea currents and wind. The fix taken as the shot was fired was related to the shot position by the distance and direction of the marker buoy from the ship. The distance from the ship to a metal reflector on the marker buoy was measured using the ship's radar.

For shots 46-55 no two land SHORAN stations were within range, and these shots were positioned mainly by triangulation using prominent topographic features and trig stations whose distances were found by radar. For shots 46, 47, and 48 the station at Hood Point was used to give one SHORAN distance, and this was used in conjunction with radar distances. The positions of these shots are not as accurate as those determined by SHORAN; some of those more distant from land may be as much as 400 m in error.

The checks made in determining the position of shots 30 and 106 were not entirely satisfactory. A three-way fix was obtained on shot 30 from Kerema, Gubbins Pt, and Hood Pt and the three distances could not be tied in to a single location. The position given in Table 1 for this shot is considered to be the most likely. For shot 106 the position given by radar, which in some cases was used to navigate the ship to the correct shot location, disagreed with that given by the SHORAN fixes. This conflict could not be resolved and the position given in Table 1 for shot 106 is the SHORAN position.

Navigation Australia Pty Ltd produced a report on their operations during the BMR contract period. This is reproduced in Appendix 2.

3.5 Sparker traversing

Sparker traversing was undertaken during the survey as breaks in the shooting program allowed; the locations of these traverses are shown in Plate 3. The power source consisted of a bank of Egerton, Germeshausen and Greer (EGG) power supplies and capacitor banks which were capable of delivering 7,000 joules, but which were used at 5,000 joules for most of the survey. The power was fed to an EGG three-electrode sparker, and reflections were detected on a Geotech model 24257 hydrostreamer containing one set of twelve hydrophones and another set of eight. An EGG recorder model 254 was used.

The complete system could be thoroughly tested only on board the ship on which it was installed, but considerable effort was made to overhaul all the equipment before the survey. All the power supplies and capacitor banks were installed in a 2.4 x 2.4 x 2.4 m (8 ft x 8 ft x 8 ft) container in Canberra and shipped to Port Moresby. However the Geotech hydrostreamer was incorrectly assembled during commercial overhaul, and this resulted in very poor seismic reflection profile records.

The time and manpower required to repair the equipment and get it operational were not available until after the crustal seismic shooting operations had been perfected. Unfortunately A. Spence, the geophysicist in charge of maintaining and operating the equipment, was required to return to Canberra on 15 November.

No good profiling records were obtained from areas not already covered by the BMR 1970 marine cruise in the Gulf of Papua and Bismarck Sea (Tilbury, 1975).

4. SEISMIC RECORDING OPERATIONS

4.1 Seismic station positioning

Two reconnaissance surveys of possible seismic station sites were conducted, one in November 1971 by I.B. Everingham of the Port Moresby Geophysical Observatory, and the other during February 1973 by D.M. Finlayson and D.A. Coutts of BMR Canberra and V. Ingham of the Survey Branch, Department of Services and Property, Canberra. The site information gathered during these two surveys and information collected by A. Renwick, PNG Chief Government Geologist, together with local maps and aerial photography, enabled the sites for survey pegs to be chosen which would be reasonably close to the expected seismometer sites.

During March to May 1973 V. Ingham of Survey Branch supervised the determination of the latitude and longitude of the selected sites by the contractors Decca Survey Australia Ltd

(Decca Survey Australia, 1973). The accuracy requirement for the positions was ± 0.07 minute of arc in latitude and longitude with respect to the Australian Map Grid (AMG).

The topography of the area largely influenced the survey method used. Positions were determined by trilateration using a Decca Trisponder 202A Survey System with the Distance Measuring Unit (DMU) mounted in a Bell 206A Jet Ranger Helicopter. Most sites were fixed by measuring distances to three known survey control points previously co-ordinated with respect to the AMG. Where three direct ties were not possible, measurement checks were made between adjacent recording sites or intermediate points on a local origin with connections to the AMG system.

Two distance-measuring methods were used. The first method set the trisponder remote beacon over a known co-ordinated point, and the slant range was measured to the DMU in the helicopter hovering closely over the secondary station. If hills or vegetation intervened, an observer at the secondary station controlled a helicopter pass high over the station using a Wild T2 theodolite fitted with an optical plummet attachment. With good VHF communications, the pass could be as high as 1000 m above the secondary station. If the line to be measured was too long because of terrain difficulties a baseline crossing method was used in which trisponder remotes were set up at each end of the line, and the two slant ranges were measured from the helicopter during several passes across the line. The two distances were measured simultaneously from two DMU's recording on a tape recorder. In all cases the height of the helicopter was based on altimeter measurements checked against known heights at survey control stations.

Each survey point was marked with a 2-m long stainless steel rod driven into the ground, and its location was identified by photographing with respect to nearby buildings and features and by magnetic bearing and taped distance sketch maps of the immediate vicinity of the peg.

Seismometer sites were chosen by the geophysicist setting up the recording station equipment. The distances and magnetic bearings of these from the survey peg were measured by the geophysicist using a measuring tape and prismatic compass. The final seismometer positions were computed by the Survey Branch, and these data are listed in Table 2. They were added to the survey files maintained on each recording site.

4.2 Recording equipment

In addition to the 4 permanent observatories normally operated in the survey area by BMR and the Rabaul Vulcanological Observatory, 37 sets of field recording equipment were provided by BMR, the Australian National University, Queensland University,

Melbourne University, the Hawaii Institute of Geophysics, and the Rabaul Vulcanological Observatory. A total of 43 recording station sites, including observatories, was used to record the explosions. Not all sites were occupied for the entire survey. Details of the equipment and servicing at the various recording sites are given in Table 3. All seismic recording stations used the VNG radio time signals transmitted by the Australian Post Office as the time reference standard.

BMR equipment BMR operated 22 sets of recording equipment. Of these, 2 were the observatories at Port Moresby (PMG) and Lae (LAT), 19 were automatic field seismographs, and one, at Konedobu, was a manually operated set using a pen recorder. The Port Moresby Observatory is one of the World Wide Standard Seismograph Network stations.

The 19 automatic seismographs used slow-speed tape recorders (Pl. 4). Of these, 6 used Precision Instrument (PI) tape recorders, on which the high and low gain seismic channel and the VNG time signals from a Labtronics radio receiver were frequency modulated before recording on tape. A 50-Hz coded time signal from a digital clock was recorded also in the direct record mode. The remaining 13 stations used Akai four-channel tape recorders modified for slow-speed recording. In these systems only the two seismic channels were frequency modulated. The radio and clock signals were both recorded in the direct record mode. All remote seismographs used Willmore Mk II seismometers with calibrators, BMR TAM5 amplifiers giving high and low gain amplification, BMR NCE-1 digital clocks, and, in the case of the Akai recorders, BMR TMF1 modulators. Labtronics radio receivers tuned to VNG on 12.5 kHz were used as a time reference for the digital clocks. The clocks in all remote seismographs were programmed to switch on the tape recorder and labtronics receiver for the first 15 minutes of each hour between 0700 and 1800 EST.

Australian National University equipment The nine sets of field equipment operated by ANU used magnetic tape recorders. All recording was done in the direct record mode. ANU used Willmore Mk II seismometers, and amplifiers (giving high and low gain amplification) and clocks designed and manufactured by ANU. Their recorders were Sony four-channel recorders modified for continuous slow-speed recording (Muirhead & Simpson, 1972).

University of Queensland equipment The University of Queensland installed an observatory at Iron Range in Queensland for the duration of the survey in an attempt to reverse the profiles across the Coral Sea. The equipment, however, malfunctioned, and only a small number of shots were recorded. In addition to the Iron Range station, the University also provided three sets of field equipment for use in PNG. One set, using a Sprengnether recorder, was run continuously at Tufi. Another set, using a TEAC FM/DR four-channel cassette recorder, was also run at Tufi

and manually operated at the time of each shot. The third field set was identical to the cassette recorder at Tufi and was used initially at Kwikila and later moved to Lindenhafen to reverse the lines in the Coral Sea. All of the Queensland University seismographs used Willmore Mk II seismometers, and the three sets used in New Guinea used BMR-designed TAM5 amplifiers. The two sets using cassette recorders recorded high and low gain seismic signals and time signals from Labtronics radios in frequency modulated form.

University of Melbourne equipment Three sets of equipment were provided by the University of Melbourne and used at Morobe, Garaina, and the third set initially at Kerema and later at Finschhafen. Willmore Mk II seismometers were used. Amplifiers and frequency modulators designed at the University of Melbourne were used, and the seismic signal was stacked with time signals from a transistor radio and recorded on single-channel cassette tape recorders. The time signals were separated from the seismic signals by band-pass filters during playback. The equipment was operated manually for each shot.

Hawaii Institute of Geophysics equipment The Hawaii Institute of Geophysics (HIG) established an array of three geophones at Killerton. Timing was provided by a Sanyo radio tuned to VNG and two chronometers. Recording was through a Mandrel Industries SPA-1-6 six-channel amplifier onto tape in a TEAC 4-channel FM/DR cassette tape recorder. The equipment was operated manually at the time of the shots.

The HIG also chartered a yacht, the Kathleen Gillette from Rabaul, which was stationed at the northeastern end of the Solomon Sea lines in an attempt to record the explosions on their neutral buoyancy 'Yellow Bird' hydrophone streamer. The attempt was unsuccessful and no refracted arrivals were recorded; the only energy recorded was direct water wave energy from the shots.

PNG Geological Survey equipment The Rabaul Vulcanological Observatory of the PNG Geological Survey operated two permanent observatories in the survey area. The seismic signal at the Mt Lamington (LMG) observatory was telemetered into Popondetta where it was recorded on a Sprengnether drum recorder using smoked paper (Pl. 9). The station at Esa Ala (ESA) records the signal photographically on 35-mm film. A temporary field station was operated at Kupiano for the duration of the survey. A Willmore Mk I seismometer was used, and recordings were made on a Sprengnether smoked-paper drum recorder manually operated during the time of the shots.

4.3 Recording station operation and servicing

The permanent seismic observatory stations within the survey area operated by BMR and the PNG Geological Survey were serviced daily by arrangement with local inhabitants. These

stations were Pt Moresby, Lamington, Lae, and Esa Ala. No special arrangements were made for survey shot recording except that the recording speed of the Lamington drum recorder was doubled to improve timing resolution.

The temporary field stations of the University of Melbourne, the University of Queensland, HIG and the PNG Geological Survey all required an operator to be on hand for each shot, and they were therefore located at sites where accommodation was available. The nearest accommodation to the Killerton station operated by HIG was at Popondetta, so the equipment was installed in the back of a hired truck and the operator commuted to Killerton each day.

The stations operated manually were Killerton, Konedobu, Kupiano, Kerema, Tufi, Garaina, Morobe, Finschhafen, and Lindenhafen. The operators at these stations had to be in constant radio communication with survey HQ in order to ensure that recordings were made at the correct time (see ch. 6). Local arrangements were made to accommodate the operators with PNG Administration staff, at commercial guest houses, or with plantation owners. These operators were made self-sufficient in terms of equipment and supplies for the duration of the station operation. Only Tufi required an emergency clock to be flown in at short notice.

Near the end of the shooting period, staff from Melbourne had to return to Australia because of teaching commitments and the operation of the Garaina and Morobe stations was continued with the active help of Joan Russell and Lynn Cultack, who resided at these places, and added a feminine touch to an otherwise male-dominated survey.

The ANU seismic tape equipment had a very low power requirement (Muirhead & Simpson, 1972) and could operate continuously on dry cells for about 4 weeks. This endurance was used to advantage by putting the 9 sets of ANU equipment at the most remote sites; these were all either in the Owen Stanley Ranges or on the northeast coast (Salamaua, Lake Trist, Karukaru, Cape Ward Hunt, Kui, Tetebedi, Nanudei, Musa Dam, and Afore). The only practicable access to many of these sites was by helicopter, thus the light weight of the equipment and its small size made it attractive for helicopter installation and servicing. The equipment required only one service during the whole survey.

The installation and maintenance of the 19 BMR automatic seismic tape recording systems required a major logistic operation throughout the shooting period. 9 of the recording systems had been field-tested early in 1973 in the Bowen Basin of Queensland and many of their deficiencies were known, but the added climatic changes and duration of the survey in PNG high-lighted yet more deficiencies. Only 3 of the 19 sets operated without breakdown during the survey.

The BMR field stations used lead-acid accumulators as a power source because of the large current drains required during operation. A fully charged set of two 75 Ah 12V batteries lasted seven to eight days, after which time it was changed. An additional 75 Ah battery was required at stations using PI tape recorders because of the current drain and polarity reversal of these recorders. Where possible, servicing was done using road access to the site. However, as roads in Papua New Guinea are generally poor, only sites around Port Moresby and Popondetta could be serviced in this manner. Where road access was impractical aircraft were used. Many stations were established near airstrips so that they could be serviced by either fixed-wing aircraft or helicopter.

At the beginning of the survey, arrangements were made to have batteries charged, where possible, at each recording site. For example, the proprietor of the trading store at Woitape was able to charge batteries for use at the Woitape station, and the batteries for the Yule Island station were charged at the mission nearby. However, often such arrangements could not be made or were not fully reliable. A base station was therefore set up at Tapini in order to recharge and service all of the stations in the northwest of the survey area. This arrangement also proved unsuitable because the airstrip at Tapini was usually closed by inclement weather from about ten a.m. It soon became clear that the simplest way to ensure reliable servicing of stations was to work from Port Moresby and Popondetta. The only BMR station not serviced in this manner was the station at Cape Rodney, which was in the care of a PNG Geological Survey officer stationed at Kupiano, about an hour's drive from Cape Rodney.

The tapes on the Akai tape recorders last approximately one month, so that the need arose to replace them during one of the service visits approximately half-way through the survey. The PI tapes were long enough to last the whole survey period.

Many of the faults which occurred in the BMR equipment were obscure and cropped up after the equipment had apparently been left operating perfectly. Only one or two component failures were detected during the survey. Many faults were attributed to connections and cables which corroded badly in the PNG climate. The coatings on the electronic boards did not stand up to fair wear and tear. Some faults were due to badly charged batteries where outside assistance was used, but with the necessity of using lead-acid accumulators and the stringent regulations governing transport of corrosive materials in light aircraft, this was difficult to avoid. Many of the crystal clock failures were attributed to the air temperature in the equipment bins being above the crystal oven temperature. Clock failures produced a multitude of symptoms ranging from irregular tape speeds to failures in the ON/OFF programming. It is possible that the ON/OFF programming of the tape recording system introduced tran-

sients into components and systems which would not have occurred had the system been operating continuously. However the system power drain and tape-speed limitations precluded continuous operation. Two stations (Malalaua and Mt Lawes) were damaged by floodwater during the survey.

Many BMR stations were visited twice per week during the survey instead of once per week as originally intended. The field experience in PNG demonstrated that the BMR systems will require at least the following improvements to be viable for further field operation:

- 1) Reduction in power consumption
- 2) Reduction in bulk and weight
- 3) Reduction in cables and pin connections
- 4) Use of improved playback system to allow for variation in tape speed.

Many of these improvements are now being implemented.

4.4 Seismic data processing and plotting

At the conclusion of the survey all participants prepared a full set of analogue seismic records from their tape recordings using the playback facilities at their various institutions (Pl. 9).

Some playback difficulties were experienced by BMR and other organizations. Not all recording quality was good, and the initial failure of the BMR final Akai $\frac{1}{4}$ -inch tape playback system meant that a temporary playback system had to be set up which was not entirely suitable. This was later replaced with a system capable of handling less than perfect tapes. Other participants experienced similar setbacks in the quality of data. The ANU system at Namudei had no clock time code and hence no useful recordings were obtained. The time code at Karukaru required filtering before it could be identified. Melbourne recording equipment had both seismic and time signals on the single-track cassette tape, and some difficulty was experienced in separating them on playback.

111 shots were fired, of which 5 were small shots (64-68) fired in the Solomon Sea in an endeavor to locate the HIG charter vessel Kathleen Gillette. These 5 were not recorded by the land recording stations. Of the remaining 104 shots, the recording success rate varied considerably depending on conditions at the recording sites. The 'success rate' of the various stations as determined by the data accessed to the computer file is listed in Table 4.

Some participants picked the seismic arrival times from their own records, but many forwarded records to BMR for this to be done. The picking of arrivals was checked by a second and sometimes a third geophysicist.

Each arrival was assigned an accuracy -

1 < 0.1 s
0.1 s ≤ 2 < 0.5 s
0.5 s ≤ 3

The accuracy indicated the estimated error in determining the time of the onset of the arrival, and included components from (a) the error in the clock time used to pick the onset, (b) parallax errors due to non-alignment of tape recorder heads during the record and playback modes, and (c) the difficulty in determining exactly where the arrival begins. Each arrival was also assigned a quality, which is subjective. The quality was defined as GOOD, FAIR, or POOR depending on such factors as amplitude of the signal, signal to noise ratio and frequency, and was agreed upon by at least two geophysicists. Such a classification is useful in applying weights to each point in, say, least squares analyses.

Travel-times, qualities, and accuracies were punched into cards, together with distance and azimuth data for computer processing similar to that described by Cull (1973). Shot-to-station distances were computed on the Australian National Spheroid using program ROBINS 2. Listings of the data were obtained using program REFDAT 2. A full set of time/distance plots were produced by PLOTIT 2 and examined for any obviously spurious results. Where these were found, checks were made on the original records to remove any errors or badly picked arrivals.

Participants were sent updated listings and copies of the plots as they came to hand. A disc and tape file of the updated data was kept in the computer at CSIRO to allow ready access.

A listing of the travel time data qualities and accuracies is given in Table 5. All travel times have had a correction to mean sea level applied for both the shot depths and station elevations. In these corrections, the P wave travel-time in sea water (velocity 1.5 km/s) was replaced with the travel-time in a medium with velocity of 4.0 km/s and thickness equal to the depth of water. The station correction reduced the travel-time by the elevation/4.0 km/s.

In Tables 2-5, permanent observatories have internationally recognized three-letter mnemonics, and temporary field stations have two-letter mnemonics.

5. GRAVITY OBSERVATIONS

5.1 Logistics

Regional helicopter gravity survey work was conducted during the East Papua Crustal Survey when the helicopter was not being used to establish or service seismic recording stations or SHORAN base stations.

Two 1:250 000 Sheet areas within the crustal survey boundaries had no previous gravity coverage (AROA and YULE), and two had only partial coverage (PORT MORESBY and BUNA). These four adjoining Sheet areas formed a composite block near the centre of the crustal survey area. This block was readily accessible from Port Moresby and Popondetta.

The initial part of the gravity project was carried out using Port Moresby as a main base, moving daily observation bases progressively farther out as coverage was completed. A Bell 206A Jetranger (VH-CSU) from Helicopter Utilities was deployed for this work. Flight patterns were based on the method of cell-flying outlined by Vale (1962) and Hastie and Walker (1962). In some areas the planned station spacing of 11 km could not be achieved owing to expanses of swamp, total coverage by jungle, or precipitous terrain. It was often necessary to distort severely the standard pattern to ensure that cell centres used were readily identifiable for future occupation.

The gravity operational base was later moved to Popondetta and then to Tapini to fit in with crustal survey requirements. A Bell 206B helicopter (VH-FJR) from Helitrans was in use at this stage, and its superior performance at high altitude compared with the 206A was of advantage when working in the Owen Stanley Ranges.

In all, 132 stations were occupied - some of them more than once. Only 3 of these stations had been occupied in previous surveys.

5.2 Instruments

The gravity meter used on the survey was LaCoste & Romberg G252. This instrument recorded very good drift characteristics despite the harsh operating conditions in Papua New Guinea. The meter remained on heat throughout the survey and no accidental rough treatment was recorded.

Other than at isogal stations no ties were made to previous surveys, owing to the lack of tie point information. The main gravity base used at Port Moresby was the 1973 Soviet site on the tarmac at the airstrip (7390.0176), which was

adjusted to the 1967 isogal value. This station was conveniently close to the helicopter hangar. Isogal stations were also occupied at Woitape and Kokoda.

Elevations were determined by Mechanism microbarometers and a Wallace and Tiernan altimeter. The altimeter was used in the Owen Stanley Ranges where elevations rose to more than 2000 metres above mean sea level (MSL), the upper limit of operation for the microbarometers. The highest point observed was on Mount Scratchley (3810 m).

Microbarometer drift was low when operating on the coastal plains, but rose to as much as 16 m in 2 hours when working in the mountains. For logistic reasons it was often necessary to site the base instruments in a valley (with comparatively stable air mass), and to observe the field instruments high on the main range where local storms sometimes produced erratic pressure variations. PNG Department of Lands, Surveys and Mines surveyors have stated that errors of up to 30 m are known at some trig points. Four trig points were occupied during the survey, and several observations were taken at MSL along the southern coast.

5.3 Gravity data reduction and plotting

Raw data from the field sheets were transferred to punched cards and processed on the Cyber 76 using the Regional Gravity Group program GRVHTS. The data were then transferred to magnetic tape, and a principal facts listing was produced by use of program AMENDS. The program CONTOUR was then used to plot a Bouguer anomaly map. The principle facts for the gravity observations made during 1973 are contained in Table 6 and contour plots of the simple Bouguer gravity values using density 2.67 t m^{-3} are shown in Pl. 10 for the Aroa-Port Moresby area and Pl. 11 for the Yule-Buna area. No terrain corrections have been applied to the data contoured in Pls 10 and 11.

6. COMMUNICATIONS

Radio communications were maintained throughout the survey area between all participating parties, with base stations established at Port Moresby and Popondetta.

Codan Type 6801 100 watt single side band transceivers were used at Port Moresby, Popondetta and on board the shooting ship Sir Alan. Sixteen 25 watt Codan Type 6924 single side band transceivers were used by the field parties and SHORAN operators, including the shipborne SHORAN operator on board Sir Alan. Power for each 100 watt transceiver was supplied from a Codan Type 7113 power supply run off 240 volt mains. 12 volt lead-acid batteries were normally used to power the 25 watt transceivers.

Single-wire aeriels were used and adjusted to give maximum transmission and reception strength. Codan Type 7208 antenna tuners were used to obtain maximum signal strength from the 100 watt transceivers.

The frequency normally used was 7435 kHz, but this proved unsatisfactory for communication before about 9.30 am owing to poor radio conditions and interference. A frequency of 4525 kHz was therefore used for early morning schedules. SHORAN communications were normally conducted on 6815 kHz.

Reception was generally good, even across the Owen Stanley Ranges, up to distances of more than 400 km. However at times it was difficult or impossible to receive some stations and, where necessary, messages were relayed via more favourably placed stations. It was also possible to contact headquarters at Port Moresby and Popondetta by telephone from some Post Offices, but generally speaking the Post Office communications were not as reliable as our own.

Regular communications sessions were held three times daily (07.30, 11.30, and 16.30 EST) to deal with general traffic as well as to announce the known shooting program. Shots were fired as near as possible to five minutes past the hour. Confirmation of expected shot time and charge size was given 30 minutes preceding the shot hour, and repeated 15 minutes preceding the shot hour. Communications were then left entirely to the SHORAN operators until the shot was fired. Confirmation or otherwise that the shot had been successfully fired was given two to three minutes later. Fifteen minutes after the shot hour, the approximate shot-time was given, as well as expected time and charge size of the next shot. Exact times and positions of shots were relayed during the daily communications sessions.

It was essential to have prior knowledge of the shot time for the operation of the manually operated field stations so that the recording equipment could be switched on shortly before the shot and switched off as soon as possible after successful firing had been confirmed.

Inter-party communication could be carried out freely at all times other than during regular schedules and shot-firing procedures. All these communication procedures were regarded as being well suited to the survey requirements, and the care taken before the survey in the choice of equipment and frequencies proved worthwhile as judged by those who had experience of similar previous survey work.

7. COMMENTS

A workshop of scientific personnel who took part in the East Papua Crustal Survey was held in BMR during the period 9-17 January 1975. It was suggested there that paragraphs be included in the Operations Report commenting on the availability of data and the success rate of the various recording stations. The workshop also discussed the various aspects of interpretation of the data and what efforts the various participants were making towards publication of interpretative papers.

7.1 Data availability, distribution, and acknowledgement

The data presented in this Record have been derived from the analogue seismic records and the BMR gravity data bank. The picking of the seismic arrivals is by its nature a subjective process even though the geophysicists involved have tried to allocate a quality and accuracy to each arrival. No attempt has been made to pick every possible arrival on the seismic wave train, and the significance of many of the arrivals listed may be difficult to determine. The data listings however do represent a starting point for interpretation, and listings and plots of the data in various configurations are available to any geoscientist, on request, from BMR.

Copies of analogue records from all the stations are held in BMR and any requests for these will be referred to the institution which recorded the data for approval before being distributed. Requesting geoscientists should expect to bear the cost of data listing and record reproduction.

The recordings from most stations were made on magnetic tapes using various recording systems, and these are held by the various participants for replay on their specialist playback systems. Requests for tape copies will be referred to the participants involved.

Geoscientists requesting data and records are asked to outline the purpose for which the data and records are to be used. Geoscientists publishing interpretations based on the data from the East Papua Crustal Survey are asked to acknowledge the participation of the following organizations: Bureau of Mineral Resources, Geology and Geophysics; Australian National University; the Universities of Queensland and Hawaii; the Geological Survey of Papua New Guinea; the Warrnambool Institute of Advanced Education, and the Preston Institute of Technology.

7.2 Seismic recording station success rate

Some idea of the reasons behind the relative success of the various recording stations is desirable but very difficult to

gauge reliably. Table 4 gives the success rate of the various stations in recording a wave train which could be identified with the various shots. It gives no idea of the quality of the recording. The following comments on the success at the various stations are solely the personal opinion of the editor, who was also the Party Leader for the survey. The reason for including comments on station operation is to, perhaps, enable future surveys of this type to benefit from the experience of this survey. Where organizations and personnel are alluded to, any adverse comment should be taken as objective criticism and hopefully should enable future survey planners to make the necessary allowances.

Details of the equipment at each station are contained in Table 3 and some comments on the sites are contained in Table 2.

Station 1, Port Moresby - High success rate resulting from careful site selection for observatory in quiet area with piers on bedrock. The relatively slow recording speed (60 mm/min) and photographic recording limits the detail seen in a seismic wave train.

Station 2, Daugo I - Site on concrete block in sand on top of coral reef; wind and surf noise caused by proximity to sea (100 m).

Station 3, Konedobu - Site at BMR Observatory office in Lawes Road; not good because of traffic noise and poor rock foundation. Some loss of record owing to avoidable instrumental faults.

Station 4, Aroa - Site in soil on airfield on edge of coconut plantation, approximately 2 km from sea and 0.5 km from road; thus traffic, wind and surf noise prevelant. Seismometer cable cut by grass cutter, clock faults.

Station 5, Yule I - Reasonably good coastal site on concrete foundations and apparently operated well, but subsequent playback revealed instrument faults not detected in the field. Instrument design should be improved. Tapes may give further records when improved BMR playback is available. One battery failure reported.

Station 6, Kubuna - Quiet site despite seismometer being only in topsoil; high success rate.

Station 7, Bereina - Catastrophic instrument failure despite repeated attempts to rectify in field. Brought back to Port Moresby for complete overhaul after shot 51.

- Station 8, Iron Range (Cape York Peninsula) - Station operated by an unskilled DCA employee at the airfield. Heavy earth-moving equipment on the airfield generated excessive microseismic background, but this was not known until after the survey. More attention should have been made to ensure a rigorous equipment and site check before the important few days shooting across the Coral Sea.
- Station 9, Malalaua - Poor site on unconsolidated topsoil on airfield. Heavy rain and flooding made equipment and airfield inoperable; routine checks by inexperienced operator from Kerema failed to reveal equipment faults.
- Station 10, Kerema - Inexperienced operator, experiental recording equipment, and poor site conditions resulted in poor success rate. Station operating only for shots 1 to 50.
- Station 11, Guari - Repeated instrument failure; incorrect recording speed could not be compensated for on initial playback. This may be catered for in improved BMR playback and subsequently result in some record return.
- Station 12, Tapini - Site on previously established observatory seismic site. Good record return may be improved with further playback.
- Station 13, Woitape - Variable recording speed resulted in poor success rate; this may be improved with better BMR playback system.
- Station 14, Lamington - Established observatory site on side of Mt Lamington volcano; very high success rate despite relatively low instrument magnification.
- Station 15, Efogi - Noisy site on airstrip in rugged country; recording speed variations only partly compensated for on playback; further recovery expected when new BMR playback available.
- Station 16, Kupiano - Site in town with considerable traffic and ocean noise. Smoked paper records difficult to read and virtually impossible to reproduce. Recording speed too slow to identify detail in seismic wave train.
- Station 17, Cape Rodney - Poor site in unconsolidated soil on airfield alongside beach. Some instrument faults.
- Station 18, Gorari - Traffic noise owing to proximity of road and village.
- Station 19, Karukaru - Catastrophic instrument failure; clock and radio time code noise problems; some recovery may be achieved on further playback.

Station 20, Tufi - High success rate; careful instrument operation by skilled operator.

Station 21, Namudei - Catastrophic instrument failure (no timing).

Station 22, Afore - Good success rate despite poor site conditions.

Station 23, Tetebedi - Good success rate on relatively poor site.

Station 24, Kokoda - Not very good success rate owing to site in the middle of town with consequent noise. Site should have been moved out of town.

Station 25, Popondetta - Fair success rate on poor site near road. Instrument faults required repeated attention.

Station 26, Oro Bay - High-gain channel not registered on tape despite positive monitoring signal; clock faults. Some recovery may be achieved with improved BMR playback.

Station 27, Killerton - Fair success rate despite late setting up and poor site conditions.

Station 28, Owers Corner - Very good success rate despite poor site in jungle, a tape jam, and a clock programming fault.

Station 29, Ioma - Good success rate despite apparently poor site conditions.

Station 30, Mt Lawes - Excellent success rate on good hard rock site. One battery failure caused by local flood.

Station 31, Morobe - Good success rate with experimental equipment and experienced operator. Possibly higher success rate could have been achieved with improved playback system.

Station 32, Garaina - Good success rate with experimental equipment and experienced operator. Possibly higher success rate could have been achieved with improved playback.

Station 33, Kui - Fair success rate on poor site.

Station 34, Sirinumu Dam - Good success rate on relatively poor site near dam spillway. One tape twisting fault.

Station 35, Salamaua - Very good success rate on hard rock site.

Station 36, Finschhafen - Poor site, experimental equipment, and inexperienced operator. Station operating only for shots 56 to 111.

Station 37, Lindenhafen - Poor site on beach, inexperienced operator, instrument troubles. Station operating only for shots 56 to 111.

Station 38, Lae - Observatory outstation, poor site.

Station 39, Esa'Ala - Observatory outstation, instrument failure.

Station 40, Lake Trist - Good return, poor site conditions.

Station 41, Musa Dam - Very good return, good hard rock site.

Station 42, Cape Ward Hunt - Very good return, despite poor site near sea.

Station 43, Kwikila - Good success rate, inexperienced operator, but experienced supervision for shots 1 to 51; instrument change for shots 53 to 111.

Kathleen Gillette marine recording - Considerable effort was made by HIG to position a recording station in the Solomon Sea. The complete failure of the recording system was very disappointing and indicated that it would have been prudent to test the system thoroughly near Port Moresby before going to the Solomon Sea. The navigation of the Kathleen Gillette was inadequate for an exercise of this type.

Some lessons can be learnt from the overall performance:

1. Site testing and preparation pays great dividends. Hard rock sites are desirable in areas where traffic noise is a problem, but many sites with unconsolidated sediment performed well provided they were sufficiently removed from roads, towns, villages, trees, and sea. Local testing for selection of the site can improve the S/N ratio, e.g. Mt Lawes where care was taken to get a site away from weathered rock onto hard rock in a small road cutting.
2. Automatic tape recording equipment is an advantage in rugged country where it is difficult to position and maintain a skilled operator. Equipment can be located remote from traffic noise. However, such equipment must be thoroughly reliable because the penalties of instrument failure are high when service visits are only at weekly or monthly intervals. Thus highly skilled operators must be in charge of all aspects of setting up such

equipment, and final equipment operating tests must be rigorous and more prolonged than for a manually operated station where faults are readily apparent.

3. Equipment systems must be thoroughly designed and tested from the recording stage through to the final playback stage before embarking on expensive surveys. Recording systems should incorporate both a high-gain and a low-gain channel to guard against swamping of the high-gain channel with strong seismic signals.
4. Unskilled operators should be used only where there is close supervision by an experienced seismic operator.
5. Shot size should always be greater than the minimum estimated to record over the distance to obtain good first arrivals. A large number of small shots are desirable as well as the larger shots.

7.3 Interpretation proposals

The main interpretation effort for this survey will probably be within BMR and HIG. At the end of 1975 two interpretative publications were in press (Finlayson et al., in press a, b) and a short statement had been made to the American Geophysical Union 1974 Fall Meeting (Boyles & Furumoto, 1974).

8. ACKNOWLEDGEMENTS

During the East Papua Crustal Survey there were innumerable people whose willing help and encouragement greatly assisted the survey personnel conducting work in unfamiliar surroundings. In particular, participants would like to thank the following for their part in contributing towards the success of the survey:

A. Renwick, PNG Chief Government Geologist, and his successor H.L. Davies and their staff; R. Blaikie, Principal Officer Lands, Department of the Chief Minister and Developmental Administration, his assistant C. Waite and their staff; E. Eade, Executive Officer, DCA, G. Stevens, Superintendent of Supply and Transport, DCA, D. Fisher, Shipping Officer, DCA, and staff; P. Michael, Senior Engineer, PNG Works Department; G. Perkins, Radio Branch, Department of Posts and Telegraphs; Capt. Janulus, Harbour Master, Port Moresby; P. Dirkis, Director, PNG Dept of Water Resources; R.J.S. Cooke O.I.C., Vulcanological Observatory, Rabaul, and staff; N. Munro, Manager, Coastal Tug and Barge, Port Moresby, J. Kennish, Manager, Seafreight Pty Ltd, Port Moresby; B. Edwards, COMPAC shipping agent manager; D. Read and R.B. Halstead, Marine Survey Branch, PNG Dept of Transport;

R. Behan, shipwright; F. Keays, Navigation Australia Pty Ltd, Perth; H. Grieve, Helicopter Utilities Pty Ltd, Port Moresby; A. Kamadira, Du Pont Aust. Ltd, Brisbane.

Numerous people at the recording stations sites gave assistance to the survey. Lynn Cutlack at Morobe and Joan Russell at Garaina are thanked for taking over seismic recording duties when university staff had to return to Australia. Others who greatly assisted were A. Karukaru, DC Northern District, D. Butler, DDC, R. Webster, ADC Popondetta; J. Sabire, Engineer in charge Rouna No. 2 Power Station for Sirinimu Dam; M. Anderson, DC Kwikila; A. Hutton and P. Russell, Garaina; P. Cook, Dept of Post and Telegraphs, for Mt Lawes; A. Siuoa ADC and G. Pople, post master, Tufi; K. Wallace, ADC, Kerema; Father Riehl, Catholic Mission Yule I.; P. Briggs, ADC Waitape; H. Sabben, ADC, Kokoda; J. Lawton, manager South Pacific Timbers, Kui; A. Pingo, PO Afore; J. Land PO Ioma; J. McGaven, ADC Kupiano; C. Konea, Anglican Mission, Gorari; R. Baira and P. Millar, Seventh Day Adventist Mission, Tetebedi; M. Lot, schoolteacher, Salamaua; Dr M. Dowell, Anglican Mission Hospital, Oro Bay; F. Jove, Anglican Mission, Namudie; D. Longhurst, Plantation Manager, Aroa; Father Bohn, Catholic Mission, Kubuna; S. Cutlack, ADC, Morobe; R. Hoad, ADC, Tapini. At other sites the cooperation of the PNG Administration is gratefully acknowledged.

Lamington and Esa'Ala seismic station were maintained respectively by F. Dira and P. Dianbari of the Rabaul Vulcanological Observatory staff for the duration of the survey.

BMR wishes to thank West Australian Petroleum Pty Ltd (WAPET) for donating the explosives to BMR for crustal investigations in the Australian region.

9. REFERENCES

- AMOCO AUSTRALIAN EXPLORATION CO., 1973a - Goodenough No. 1 well completion report. Bur. Miner. Resour. Aust. Petrol. Search Subs. Acts Rep. 73/228 (unpubl.).
- AMOCO AUSTRALIAN EXPLORATION CO., 1973b - Nubium No. 1 well completion report. Ibid., 73/238 (unpubl.).
- BROOKS, J.A., 1969 - Rayleigh waves in southern New Guinea II. A shear velocity profile. Bull. seis. Soc. Am., 59(5), 2017-38.
- BROYLES, M.L., & FURUMOTO, A.S., 1974 - Crustal structure of east Papua from 1973 crustal survey. EOS, Trans. Am. geophys. Union, 56(12), 1146.
- CAREY, S.W., 1970 - Australia, New Guinea and Melanesia in the current revolution in concepts of the evolution of the earth. Search, 1(5), 178-89.
- CULL, J.P., 1973 - Computer processing of seismic refraction data. Bur. Miner. Resour. Aust. Rec. 1973/121 (unpubl.).
- COMPAGNIE GENERAL DE GEOPHYSIQUE (CGG), 1969 - Papuan Basin and Basic Belt aeromagnetic survey, Territory of Papua and New Guinea. Bur. Miner. Resour. Aust. Rec. 1969/58 (unpubl.).
- COMPAGNIE GENERAL DE GEOPHYSIQUE (CGG), 1971 - Eastern Papua aeromagnetic survey, Part 1; northeastern portion (mainly offshore) in 1969. Ibid., 1971/67 (unpubl.).
- COMPAGNIE GENERAL DE GEOPHYSIQUE (CGG), 1973 - Eastern Papua aeromagnetic survey, Part 2; southwestern panel (onshore) flown in 1970-71. Ibid., 1973/60 (unpubl.).
- DAVIES, H.L., 1971 - Periodotite-gabbro-basalt complex in eastern Papua: an overthrust of oceanic mantle and crust. Bur. Miner. Resour. Aust. Bull. 128.
- DAVIES, H.L., & SMITH, I.E., 1971 - Geology of eastern Papua. Bull. geol. Soc. Am., 82, 3299-312.
- DECCA SURVEY AUSTRALIA LTD, 1973 - Recording station survey for Papua and New Guinea Crustal Survey, 19 March - 5 May. Decca Survey Australia Ltd Rep. 386 (unpubl.).
- DENHAM, D., 1969 - Distribution of earthquakes in the New Guinea - Solomon Island region. J. geophys. Res., 73, 4290.

- DENHAM, D., 1973 - Seismicity, focal mechanisms and the boundaries of the Indian-Australian Plate. In COLEMAN, P.J. (ed.) - THE WESTERN PACIFIC ISLAND ARCS, MARGINAL SEAS, GEO-CHEMISTRY. Perth, Univ. W. Aust. Press.
- EWING, M., HAWKINS, L.V., & LUDWIG, W.J., 1970 - Crustal structure of the Coral Sea. J. geophys. Res., 75(11), 1953-62.
- EWING, J.I., HOUTZ, R.E., & LUDWIG, W.J., 1970 - Sediment distribution in the Coral Sea. J. geophys. Res., 75(11), 1963-1972.
- FINLAYSON, D.M., 1968 - First arrival data from the Carpentaria Region Upper Mantle Project (CRUMP). J. geol. Soc. Aust., 15(1), 33-50.
- FINLAYSON, D.M., 1971 - Preview report, eastern Papua crustal survey. Bur. Miner. Resour. Aust. Rec. 1971/118 (unpubl.).
- FINLAYSON, D.M., 1973 - Program for East Papua Crustal Survey, October - November 1973. Ibid., 1973/116 (unpubl.).
- FINLAYSON, D.M., MUIRHEAD, K.J., WEBB, J.P., GIBSON, G., FURUMOTO, A.S., COOKE, R.J.S., & RUSSELL, A.J., in press (a) - Seismic investigation of the Papuan Ultramafic Belt. Geophys. J. roy. ast. Soc.
- FINLAYSON, D.M., DRUMMOND, B.J., COLLINS, C.D.N., AND CONNELLY J.B., in press (b) - Crustal structure under the Mount Lamington region of Papua New Guinea. In JOHNSON, R.W. (ed.) - VOLCANISM IN AUSTRALASIA. Elsevier.
- FURUMOTO, A.S., HUSSONG, D.M., CAMPBELL, J.F., SUTTON, G.H., MALAHOFF, A., ROSE, J.C., & WOOLLARD, G.P., 1970 - Crustal and upper mantle structure of the Solomon Islands as revealed by seismic refraction survey of Nov-Dec 1966. Pacific Science, 24(3), 315-32.
- GARDNER, J.V., 1970 - Submarine geology of the Western Coral Sea. Bull. geol. Soc. Am., 81, 2599-614.
- HASTIE, L.M., & WALKER, D.G., 1962 - Two methods of gravity traversing with helicopters. Bur. Miner. Resour. Aust. Rec. 1962/134 (unpubl.).
- JAKES, P., & SMITH, I.E., 1970 - High potassium calc-alkaline rocks from Cape Nelson, eastern Papua. Mineral. Petrology, 28, 259-71.
- JOHNSON, R.W., MACKENZIE, D.E., SMITH, I.E., & TAYLOR, G.A.M., 1973 - Distribution and petrology of late Cenozoic volcanoes in Papua New Guinea. In COLEMAN, P.J. (ed.) - THE WESTERN PACIFIC ISLAND ARCS, MARGINAL SEAS, GEOCHEMISTRY. Perth, Univ. W. Aust. Press.

- JOHNSON, T., & MOLNAR, P., 1972 - Focal mechanisms and plate tectonics of the southwest Pacific. J. geophys. Res., 77, 5000-32.
- KARIG, D., 1972 - Remnant arcs. Bull. geol. Soc. Am., 83, 1057-1068.
- KRAUSE, D.C., 1967 - Bathymetry and geological structure of the northwestern Tasman Sea - Coral Sea - South Solomon Sea area of the southwestern Pacific Ocean. N.Z. Dep. Sci. Ind. Res. Bull. 183.
- KRAUSE, D.C., 1973 - Crustal plates of the Bismarck and Solomon Seas. In FRASER, R. (ed.) - OCEANOGRAPHY OF THE SOUTH PACIFIC, Wellington, N.Z. Nat. Comm. UNESCO.
- LUYENDYK, B.P., MACDONALD, K.C., & BRYAN, W.B., 1973 - Rifting history of the Woodlark Basin in the southwest Pacific. Bull. geol. Soc. Am., 84, 1125-34.
- MILSOM, J.S., 1970 - Woodlark Basin, a minor center of sea-floor spreading in Melanesia. J. geophys. Res., 75, 7335-39.
- MILSOM, J.S., 1973 - Papuan Ultramafic Belt: gravity anomalies and the emplacement of ophiolites. Bull. geol. Soc. Am., 84, 2243-59.
- MOORES, E.M., 1973 - Geotectonic significance of ultramafic rocks. Earth-Sci. Rev., 9, 241-58.
- MUIRHEAD, K.J., & SIMPSON, D.W., 1972 - A three-quarter watt seismic station. Bull. seism. Soc. Am., 62, 985-990.
- MUTTER, J.C., 1972 - Marine geophysical survey of the Bismarck Sea and Gulf of Papua, 1970: a structural analysis of the Gulf of Papua and northwest Coral Sea region. Bur. Miner. Resour. Aust. Rec. 1972/134 (unpubl.).
- RABINOWITZ, P.D., & RYAN, W.B.F., 1970 - Gravity anomalies and crustal shortening in the eastern Mediterranean. Tectonophysics, 10, 585-608.
- ROSE, J.C., WOOLLARD, G.P., & MALAHOFF, A., 1968 - Marine gravity and magnetic studies of the Solomon Islands. Am. geophys. Union, geophys. Mono. 12, 579-410.
- SMITH, I.E., 1970 - Late Cainozoic uplift and geomorphology in southeastern Papua. Search, 1(5), 222-25.
- SMITH, I.E., 1973 - Late Cainozoic volcanism in the southeast Papuan islands. Bur. Miner. Resour. Aust. Rec. 1973/67 (unpubl.).

ST JOHN, V.P., 1970 - The gravity field and structure of Papua and New Guinea. APEA J., 41-55.

TAYLOR, G.A.M., 1958 - The 1951 eruption of Mount Lamington, Papua. Bur. Miner. Res. Aust. Bull. 38.

TILBURY, L.A., 1975 - Geophysical results from the Gulf of Papua and Bismarck Sea. Bur. Miner. Resour. Aust. Rec. 1975/115 (unpubl.).

VALE, K.R., 1962 - Reconnaissance gravity surveys using helicopters for oil search in Australia. Bur. Miner. Resour. Aust. Aust. Rec. 1962/130.

VON DER BORCH, C.C., 1972 - Marine geology of the Huon Gulf region of New Guinea. Bur. Miner. Resour. Aust. Bull. 127.

WILLCOX, J.B., 1973 - Preview report for the marine geophysical survey of the Gulf of Papua and the Bismarck Sea, 1970. Bur. Miner. Resour. Aust. Rec. 1973/38 (unpubl.).

APPENDIX I

SUMMARY OF PNG OPERATIONS

1971	22-30 Nov.	Seismic station reconnaissance by I.B. Everingham.
1973	20 Jan.	Explosives leave Brisbane on board <u>Coral Chief</u>
	13-23 Feb.	Seismic station reconnaissance by D.M. Finlayson, D.A. Coutts, V. Ingham.
	19 Mar.	Decca seismic station positioning survey begins.
	5 May	Decca survey ends.
	23 Aug.	All seafreight equipment packed in 3 containers leaves BMR.
	2 Sept.	SHORAN equipment leaves Perth.
	4 Sept.	Accumulators shipped Sydney on board <u>Coral Chief</u> .
	17 Sept.	D.M. Finlayson arrives Port Moresby.
	18 Sept.	L/V <u>Sir Alan</u> at slipway.
	19 Sept.	Seafreight containers on shipping company wharf, Sydney. J. Somerville, B. Carr arrive Port Moresby. <u>Tenos</u> sailing schedule put back 1 week, all survey operations delayed 1 week.
	20 Sept.	Survey office opens.
	21 Sept.	DCA warehouse ready for equipment. Field transmitters arrive.
	22 Sept.	Seismic noise test at Owens Corner and Sirinumu Dam.
	23 Sept.	Seismic noise tests at Table Top Observatory and Port Moresby area.
	24 Sept.	Explosives inspected at Burundi magazine.
	25 Sept.	Accumulators arrive off <u>Coral Chief</u> . Radio transmitter tests.
	26 Sept.	<u>Tenos</u> delayed Melbourne.
	27 Sept.	Seismic noise test Mt Lawes.
	28 Sept.	Airfreight arrives. Air charters being organized.
	29 Sept.	Seismic noise tests Kwikila.
	30 Sept.	Seismic noise tests Port Moresby.

- 1 Oct. D.M. Finlayson and I. Ripper visit Popondetta to make arrangements for survey sub-head-quarters.
Radio transmitter tests from Popondetta to Port Moresby.
- 2 Oct. Arrangements with DCA and Water Resources.
D.A. Coutts arrives.
- 3 Oct. Sir Alan at Steamships slipway for repairs.
- 4 Oct. D.A. Coutts begins helicopter gravity flying with Helicopter Utilities Bell 206A.
- 5 Oct. Helicopter fuel taken to Aroa by Toyota.
Tenos delayed in Sydney by strike.
- 6 Oct. Tenos sails from Sydney.
Explosive magazine on Sir Alan being constructed.
- 7 Oct. Seismic noise tests at Aroa.
- 8 Oct. Inspected caravan for Sir Alan. Ordered stores.
- 9 Oct. J. Skates, Navigation Aust. Pty Ltd arrives (SHORAN) Discussions with PNG Admin.
- 10 Oct. Sir Alan contract begins, still at Steamships slipway; no loadline certificate.
3 SHORAN operators arrive.
- 11 Oct. Tenos arrives Port Moresby.
Sir Alan loadline certificate finally cleared with PNG Marine Branch, Dept of Transport and Harbour Master.
Mann, Spence, Connelly, Drummond, Cherry, Petkovic, Ryan, Parker, Rynn, Russell, Hutton, 1 SHORAN operator arrive Port Moresby.
3 containers offloaded from Tenos onto Sir Alan.
Equipment offloading begins.
- 12 Oct. SHORAN equipment offloaded from Tenos.
Gibson, Cleary, Muirhead arrive.
Survey Briefing.
- 13 Oct. Equipment preparation.
Sir Alan number 3 engine US, radar not installed, echo sounder US.
- 14 Oct. Sir Alan fitting out continues.
Murphy (HIG) arrives and goes to Rabaul to look for recording ship Kathline Gillette

- 15 Oct. Sir Alan fitting out.
SHORAN land base station installed Varol by helicopter.
Webb arrives.
- 16 Oct. Recording station equipment deployment begins by air in Blue, Green Sectors.
2 DC3 charters to Popondetta with Red Sector equipment.
- 17 Oct. Gubbins Pt SHORAN station established.
Red Sector recording station deployment begins from Popondetta.
Caravan arrives for Sir Alan; shooting platform complete.
- 18 Oct. Kerema SHORAN station established.
W.A. Wiebenga arrives for supervisory visit.
Recording station establishment in all sectors continues.
- 19 Oct. SHORAN stations at Varol, Gubbins Pt, Kerema reported operational.
John Hyslop, Survey Branch, navigator arrives.
Furumoto and Broyles arrive from Hawaii.
Timber delivered Sir Alan; still problems with 3rd engine gearbox.
- 20 Oct. Sir Alan gear box reported O.K.; all ship-borne recording O.K.
Helitrans helicopter US with radio trouble Lae.
- 21 Oct. Sir Alan sails for shakedown cruise.
1 small shot misfired; problems with SHORAN.
Muirhead returns to Canberra.
- 22 Oct. Sir Alan compass swinging 6-9 am; Dept of Transport (Marine) inspection not fully satisfactory.
Servicing of recording stations continues in all Sectors.
HIG recording equipment still in Customs.
Refrigeration engineers on Sir Alan; echo sounder and radar still being repaired; engine oil leak fixed.
- 23 Oct. Sir Alan finishes compass swinging 9 am; passed inspection by Dept of Transport (Marine).
1250 cans explosives loaded on Sir Alan from Burundi magazine.
BMR Geotech streamer cable finally found on wharf.

- 24 Oct. Geotech cable installed on Sir Alan.
Radar, echo sounder and outboard motor finally fixed.
HIG recording equipment out of Customs and sent to Popondetta.
Sir Alan sails 1700 for anchorage outside harbour.
- 25 Oct. Shot 1 fired 0805; weather not too good.
Recording station servicing continues.
Shot 2 fired 1204; shot 3 fired 1605.
Helicopter gravity work started by Coutts on NE side of Owen Stanley Mts.
- 26 Oct. Shot 4 fired 1205; shot 5 fired 1705.
Monitoring of shots encouraging.
- 27 Oct. Shot 6 fired 0803; shot 7 fired 1205; shot 8 fired 1606.
Sir Alan having problems with uphole transmitter; explosives rope breaking; larger stronger support buoys required. Weather a lot better.
Station servicing continues.
- 28 Oct. Shot 9 fired 0905; shot 10 fired 1205; shot 11 fired 1605.
Sir Alan not satisfied with ICI fuse.
- 29 Oct. Sir Alan calls at Yule I to pick up spares but rain prevented plane landing.
Shot 12 fired 1405; shot 13 fired 1805.
Varol SHORAN station dismantled and returned to Port Moresby for transfer to Hood Pt.
- 30 Oct. Shot 14 fired 0707; shot 15 fired 1004; shot 16 fired 1205; shot 17 fired 1406; shot 18 fired 1705.
Bob Mitaguay (HIG) arrives Port Moresby.
W.A. Wiebenga returns Canberra.
- 31 Oct. Shot 19 fired 1406; Sir Alan en route to Yule I.
HIG marine equipment arrives in Pt Moresby and consigned to Lae.
New fuse ordered from Du Pont, Brisbane.
- 1 Nov. Station servicing continues.
Tractor tube buoys and other spares flown to Yule I and picked up by Sir Alan.
Hood Pt SHORAN station established by road.
Shot 20 fired 1406; shot 21 fired 1705 (misfire at 1605).

- 2 Nov. Shot 22 fired 0805; shot 23 fired 1006; shot 24 fired 1204; shot 25 fired 1707 (SHORAN troubles at 1505 and 1605). Bad flying weather; Ryan struck at Guari. Hood Pt SHORAN in trouble; spares driven down.
- 3 Nov. No aircraft charters available (serious problem of aircraft serviceability). Shot 26 fired 0810; shot 27 fired 1408; shot 28 fired 1805.
- 4 Nov. Airfast helicopter picks up Ryan from Guari and Connelly from Woitape. Shot 29 fired 0905; shot 30 fired 1205.
- 5 Nov. Shot 31 fired 0806; shot 32 fired 1206; shot 33 fired 1606. Kerema SHORAN station demobilised and equipment brought to Port Moresby using Airfast helicopter and 2 Islander flights.
- 6 Nov. Shot 34 fired 0804; shot 35 fired 1305 (misfire at 1005); shot 36 fired 1505; shot 37 fired 1705. Coutts begins helicopter gravity work flying out of Tapini. J.C. Dooley arrives Pt Moresby for supervisory visit. SHORAN station at Bae established by helicopter flying from Port Moresby.
- 7 Nov. Shot 38 fired 0806; shot 39 fired 1306; shot 40 fired 1505; shot 41 fired 1705. Sir Alan anchored outside Pt Moresby harbour for night.
- 8 Nov. Sir Alan docks 0620; explosives loading all day. Gubbins Pt SHORAN station demobilized to Pt Moresby using Airfast helicopter and 2 Islander flights.
9. Nov. Sir Alan sails 1800; 3 crew missing delays sailing.
- 10 Nov. Coutts begins helicopter gravity work Kwikila area. Shot 42 fired 0805; shot 43 fired 1005; shot 44 fired 1306; shot 45 fired 1505. Spence stays on Sir Alan to try to solve sparker streamer problems.

- 11 Nov. Shot 46 fired 0805; shot 47 fired 1106;
shot 48 fired 1705.
Bae SHORAN station dismantled and returned to
Pt Moresby.
Recording station servicing continues.
- 12 Nov. Shot 49 fired 1005; shot 50 fired 1605.
Kerema recording station packed up and
returned to Pt Moresby.
Dooley and Coutts fly Crowley helicopter to
Markham valley laser geodimeter sites.
Hood Pt SHORAN dismantled and returned to Pt
Moresby by road.
- 13 Nov. Shot 51 fired 0806; shot 52 fired 1606.
Bad weather for flying, lots of rain.
Kwikila manual station returned to Pt Moresby.
- 14 Nov. Automatic station set up at Kwikila.
Shot 53 fired 0806; shot 54 fired 1206;
shot 55 fired 1605.
Air Nuigini DC3 charter to Popondetta with 2
sets SHORAN for Killerton and Spear I.
Finlayson flies Helitrans to Popondetta;
inspects Popondetta, Tufi, Killerton.
Helicopter medical emergency delays opera-
tions. Sir Alan calls at Tufi.
- 15 Nov. Killerton and Spear I SHORAN station opera-
tional.
Sir Alan sails to Killerton.
Air Nuigini DC3 charter to Finschhafen
cancelled (aircraft unserviceable)
Finlayson, Skates go Helitrans to Morobe and
Lae; pilot seriously ill.
Spence leaves Sir Alan at Tufi.
- 16 Nov. Shot 56 fired 0806; shot 57 fired 1006;
shot 58 fired 1205; shot 59 fired 1506;
shot 60 fired 1705.
Air Nuigini DC3 charter to Finschhafen
completed. Carr gets Macair charter to
Gasmata for Lindenhafen recording station.
Dooley and Spence return Canberra.
Parker sets up Finschhafen recording station.
- 17 Nov. Station servicing continues.
Shot 61 fired 0804; shot 62 fired 1006;
shot 63 fired 1306; (misfire at 1705).
Problems at Finschhafen; SHORAN site not
cleared;
New Helitrans pilot arrives from Cairns.

- 18 Nov. Shots 64 - 68 small shots fired to try to locate HIG ship Kathleen Gillette (didn't know where it was).
Sir Alan reports serious doubts about ICI fuse. Not worth continuing until replaced.
Sir Alan heads for Lae.
Bad weather at Finschhafen prevents helicopter installing SHORAN.
- 19 Nov. New DuPont fuse arrives Pt Moresby and Hutton takes it accompanied baggage to Lae.
Finschhafen SHORAN operational.
Sir Alan en route to Lae; sparker system still not operating.
- 20 Nov. Sir Alan docks Lae, refuels and picks up new fuse.
Shot 69 fired 1605.
Killerton SHORAN station moved to Cape Ward Hunt by helicopter.
- 21 Nov. Shot 70 fired 0804; shot 71 fired 1005;
shot 72 fired 1109; shot 73 fired 1305;
shot 74 fired 1504; shot 75 fired 1705.
Furumoto left PNG for Hawaii.
Routine recording station servicing continues.
- 22 Nov. Shot 76 fired 0708; shot 77 fired 0905;
shot 78 fired 1008; shot 79 fired 1605
(misfires at 1205 and 1305); shot 80 fired 1805.
- 23 Nov. Shot 81 fired 0803; shot 82 fired 1005; shot 83 fired 1109; shot 84 fired 1208; shot 85 fired 1506; shot 86 fired 1612; shot 87 fired 1708.
Gibson and Russel leave PNG for Melbourne; Garaina and Morobe recording stations left with local operators.
- 24 Nov. Shot 88 fired 0805; shot 89 fired 1003;
shot 90 fired 1108; shot 91 fired 1305;
shot 92 fired 1503; shot 93 fired 1608;
shot 94 fired 1805.
Webb leaves PNG for Brisbane.
Routine recording station servicing continues.
- 25 Nov. Shot 95 fired 1212; shot 96 fired 1505;
shot 97 fired 1805.

Mitaguay and Murphy return Pt Moresby after finishing recording on Kathleen Gillette in Solomon Sea. Not hopeful of results. Appraisal made of BMR recording station performance; not too good; massive logistic support required compared with ANU equipment.

- 26 Nov. Shot 98 fired 0903; shot 99 fired 1206; shot 100 fired 1409; shot 101 fired 1604; shot 102 fired 1705.
Mitaguay and Murphy leave PNG for Hawaii.
- 27 Nov. Shot 103 fired 0804; shot 104 fired 1006; shot 105 fired 1204; shot 106 fired 1404; shot 107 fired 1607; shot 108 fired 1704.
Shooting expected to finish tomorrow; various preparations made for demobilization.
- 28 Nov. Shot 109 fired 0806; shot 110 fired 1105; shot 111 fired 1405. End of seismic shooting.
Demobilization of recording station begins. Finschhafen SHORAN demobilized to airstrip.
- 29 Nov. Demobilization in all Sectors continues. Air Nuigini engineers strike delays charter of DC3.
Sir Alan trying to get sparker traverses in Solomon Sea, returning via Trobriand Is.
- 30 Nov. Sir Alan returning to Pt Moresby via Samarai. Spear I SHORAN demobilized to Tufi.
Demobilization continues using all aircraft available.
Air Nuigini DC3 charter delayed again.
- 1 Dec. PNG Self Government Day (Public Holiday).
Cape Ward Hunt SHORAN demobilized to Popondetta.
All demobilization in Blue and Green Sectors complete.
All Red Sector demobilized to Popondetta and awaiting DC3 charter.
- 2 Dec. Air Nuigini DC3 charter to pick up SHORAN and recording equipment from Finschhafen completed.
Equipment packing continues in Pt Moresby.
- 3 Dec. Sir Alan docks at 6.30 a.m. Shipwrights on board cutting of equipment.
Bad weather cancelled flights to Tufi.

- 4 Dec. Air Nuigini DC3 charter to Popondetta completed. All personnel back in Pt Moresby but still one set SHORAN gear at Tufi. Difficulties getting hold of large crane and trucks for containers on Sir Alan. Sir Alan moves to main wharf.
- 5 Dec. 3 containers and caravan lifted off Sir Alan. Containers moved to warehouse off Lawes Road. Packing of equipment into containers started. Sir Alan stripped of nearly all BMR and SHORAN equipment. Rynn, Dent, Broyles, Parker and 2 SHORAN crew left PNG. One Islander flight to Tufi completed for SHORAN gear.
- 6 Dec. Another Islander flight to Tufi completed; all gear in Pt Moresby. Sir Alan cleared of all remaining equipment; end of Seafreight charter. Ryan, Connelly, Petkovic, Collins left PNG.
- 7 Dec. All equipment finally packed in 3 containers. Containers locked, sealed and consignment documents completed through DCA. All hire vehicle documentation completed; all financial matters cleared up with Accountant. Survey Office closed. Skates (SHORAN) still packing some equipment.
- 8 Dec. Finlayson, Mann, Carr, Drummond, Cherry, Somerville, and one SHORAN operator left PNG 3.30 a.m.

APPENDIX 2

REPORT BY NAVIGATION AUSTRALIA PTY LTD FOR BUREAU OF MINERAL RESOURCES, GEOLOGY AND GEOPHYSICS; EAST PAPUA CRUSTAL SURVEY OCTOBER 1973 - DECEMBER 1973

1. SHORAN SYSTEM

Includes the shipboard units of the basic Shoran system for navigation. These shipboard units are Range Indicators IP-186/APN84 and Radio Transmitters T-342/APN84. The function of this equipment is to provide direct reading of the slant range ship to shore station distances.

The transmitter sends out radar signals which are received and re-transmitted by the two Shoran base stations. The range indicator received these re-transmitted signals, and the operator superimposes the returned video pulse upon reference marker pulses on the indicating scope. This in turn reveals in miles and decimals, on associated dials, the distance to each base station.

Total distance covered = Elapsed time x velocity.

Knowing the geographical or grid position of the base stations, it is possible to pre-compute ranges for selected locations or lines.

The Shoran system operates in the VHF/UHF section of the radio spectrum. In normal operation, three separate frequencies are used. Two of the frequencies are transmitted alternatively by the shipboard station to each base station. The third frequency is used by the base stations to re-transmit the received pulses back to the shipboard station.

Both bases operate on the same frequency so as to be able to operate with a single receiver on the shipboard station.

The basic equipment used in originating and terminating the signal at the mobile station are shown in diagrammatic form in Plate 13. This equipment consists of a signal source (Pulse Generator) transmitter, receiver, and indicator unit which makes up the shipboard station, and a receiver, transmitter at each base station.

Owing to the propagation characteristics of VHF/UHF radio signals, the tendency is to travel in a straight line. Refraction will occur in the atmosphere to some extent but exact determination of this refraction is dependent upon varying factors such as atmospheric conditions, temperature inversion layer, signal strength, together with base and mobile station elevations.

Under certain conditions, abnormally long Shoran ranges may be obtained. These ranges occur due to the previously mentioned temperature inversion layer. This layer has a high refractive index occurring within the first few thousand feet of the atmosphere and has the effect of containing radio waves near the Earth's surface. The ranges possible under these conditions could exceed 250 nautical miles and it is possible to predict the occurrence of a temperature inversion layer during certain seasons in various areas of the world.

Shoran equipment, under normal marine conditions, properly calibrated, has an accuracy of ± 50 feet on a single range. Under geodetic conditions and applying meteorological index corrections, together with refractive index to the measured distance, accuracies of 1:50 000 can be obtained.

Positional accuracy is related to the intersection angle of the Shoran range circles (Pl. 14). In normal operations, the angle of intersection is kept between 30 and 150 degrees as in Plate 15.

Ambiguity can arise by being on the opposite side of the base line as in island stations or peninsulas, and by not noting multiples of 100 miles range.

The 1-mile and 10-mile scale should be frequently checked against the 100-mile scale to remove any possibility of being either 1 or 10 miles out of position.

2. SURVEY AREA

The survey was carried out along the northeast and southwest coasts of the Papuan peninsula.

The proposed shot pattern (refer Plate 1 - Record 1973/116 - "Program for East Papua Crustal Survey") was basically adhered to, and is indicated on the location map - (Pl. 12).

The following Shoran base stations were occupied during the survey. The co-ordinates are based on the Australian National Spheroid.

<u>Station</u>	<u>Latitude (S)</u>	<u>Longitude (E)</u>
Varol T1014	09° 28' 03.761"	147° 06' 17.835"
Bae T1052	09° 36' 50.944"	147° 22' 51.853"
Gubbins Point Eccentric	08° 59' 55.241"	146° 35' 30.524"
Kerema AA 103	08° 00' 13.567"	145° 48' 20.372"
Hood Point Eccentric	10° 06' 12.672"	147° 43' 27.157"
Spear Island	09° 00' 00.817"	149° 07' 57.801"

Killerton	08° 37' 12.27"	148° 20' 31.27"
Cape Ward Hunt Eccentric	08° 03' 46.186"	148° 07' 36.652"
Finschhafen Eccentric	06° 38' 59.963"	147° 45' 34.373"

3. SURVEY DETAIL

3.1 Personnel and Equipment Movements

The Commonwealth provided all forms of transport within Papua New Guinea to place Shoran personnel and equipment at the base station site.

Extensive use was made of both fixed wing and rotary wing aircraft during the survey, under a DCA Period Contract. Aircraft movements were arranged in liaison with the party leader, Mr D.M. Finlayson.

3.2 Radio Communication

The Commonwealth provided 25 watt Codan SSB transceivers. Shoran personnel were permitted to transmit on 6825 kHz and this facility enabled survey work to proceed without interference from general radio traffic, on 7435 kHz and 4525 kHz.

3.3 Shoran Frequencies

Mobile transmitters	230/250 MHz
Base transmitters	300 MHz

3.4 Calibration Shoran Chain 1A

Preliminary calibration tests were carried out on Friday and Saturday, 19th and 20th October.

The mobile equipment was set up on Varol, and the known line from Varol to Gubbins Point used as a test range.

Final calibration was made on Wednesday 24th October. A series of measurements were taken from Sir Alan berthed at the A.P.C. Wharf in Port Moresby, to Varol. Eccentric points were established on the wharf, and a survey connection made to local co-ordinated survey marks. The observations, and computation of the distance from the wharf to Varol, were carried out by Surveyor G. Thompson of DCA Surveys. The adopted slant distance from the Sir Alan to Varol was 3.056 miles.

Setting up Figures for Mobile

Range Indicator R123

	<u>Rate H.F. T24</u>	<u>Drift L.F. T23</u>
Mech. Zero =	00.000 $\pm$ 0	00.000 $\pm$ 0
Test =	99.773	99.773
Tuning Counter =	143	107
Gain =	6.3	5.5
Zero set =	99.868	99.873

Range Indicator R122

	<u>Range H.F. T24</u>	<u>Drift L.F. T23</u>
Mech. Zero =	00.000 $\pm$ 0	00.000 $\pm$ 0
Test =	99.773	99.773
Tuning Counter =	141	097
Gain =	4.3	5.5
Zero set =	99.868	99.873

Figures for T22 with either R123 or R122 are:

Mech. Zero = 00.000 $\pm$ 0
 Test = 99.773
 Zero set = 99.868 H.F. Mode

Base settings

	<u>Transmitter</u>	<u>Delay Box Position</u>
Base 1	T4 Working T7 Backup	5 5
Base 2	T5 Working T8 Backup	5 5
Base 3	T6 Working T9 Backup	5 5

Note:

All gain controls adjusted to full pulse height plus half a gain division. Base gain controls set for Delay Box meter reading of 60 for steady mode, and a reading of 30 for switching mode.

Line Crossings

Additional tests of the Shoran equipment were accomplished with three base line crossings.

(i) Varol - Gubbins Point Eccentric

Date	Time	Operator
28.10.73	0750	R. Mason

Measured Distance

Rate	Drift	Total
Varol	Gubbins	Distance
32.586	15.023	47.609 miles*

Computed Distance 47.610 miles

(ii) Gubbins Point Eccentric - Kerema

Date	Time	Operator
29.10.73	1210	R. Mason

Measured Distance

Rate	Drift	Total
Gubbins	Kerema	Distance
9.248	77.749	86.997 miles

Computed Distance 86.992 miles

(iii) Finschhafen Eccentric - Cape Ward Hunt Eccentric

Date	Time	Operator
22.11.73	1830	R. Mason

Measured Distance

Rate	Drift	Total
Finschhafen	Cape Ward Hunt	Distance
86.343	13.965	100.308 miles

Computed Distance 100.306 miles

* Editor's note - all miles referred to are statute miles.

3.5 Performance

No major delays were incurred through failure of the Shoran equipment.

On Sunday 25 November a delay of four hours occurred owing to lack of signals, caused by adverse atmospheric conditions.

It was not possible to obtain regular three range fixes. Factors contributing to this were:

- (a) Lack of signals owing to adverse atmospheric conditions.
- (b) The necessity to fire shots within the first five minutes of the hour.
- (c) The ship had to maintain headway during the bomb drop, and then move to a safe stand-off position while waiting for the bomb to explode.

To obtain an accurate three way fix the vessel would be required to stop, to allow ranges to be measured to all three base stations.

Time did not allow many three-way fixes to be taken. In some of those obtained the angle of cut of one intersection invalidated the accuracy required.

The maximum Shoran range was 210.419 miles, from Kerema to Shot No. 29.

4. SURVEY COMPUTATIONS

The bearings and distances from the Shoran base stations to each of the proposed shot points were computed before departure from Perth.

All computations were carried out on a Hewlett Packard 9810A Calculator, using precise geodetic formulae, on the Australian National Spheroid.

Initially the precomputed bearings and distances were used to help position the survey ship before shot-firing. However, as the times of shot firing were more critical than the ship's position, the precomputations were not strictly adhered to.

Navigation was effected with the aid of range arc charts prepared by the Commonwealth navigator on board Sir Alan J.W. Hyslop.

Provisional shot position computations were carried out by J. Hyslop on board ship, by hand, using a Hewlett Packard 35 Pocket Calculator.

In addition to this, the Navigation Australia supervisor computed the shot firing positions on a H.P. 9810A Calculator, made available by the Commonwealth Department of Works, Port Moresby.

Precise geodetic formulae were used, and the results obtained quickly, with a minimum of effort.

A copy of the computations undertaken have been forwarded to BMR.

5. WORK PROGRESS

8th Sept. '73	Equipment ex Perth.
9th Oct.	Personnel ex Perth.
10th Oct.	Personnel arrive Port Moresby.
12th Oct.	Equipment offloaded from M.V. <u>Tenos</u> . Survey briefing.
14th-15th Oct.	Fitting Shoran masts and antennae <u>Sir Alan</u> .
16th-18th Oct.	Shoran base stations established at Varol, Gubbins Point and Kerema.
21st Oct.	<u>Sir Alan</u> on shakedown cruise.
24th Oct.	<u>Sir Alan</u> departs Port Moresby at 1710 hours.
25th Oct.	Shots 1, 2 and 3 fired.
26th Oct.	Shots 4 and 5 fired.
29th Oct.	Shoran station at Varol closed down - equipment returned to Port Moresby.
1st-2nd Nov.	Shoran station established at Hood Point.
5th Nov.	Shoran station at Kerema closed down - equipment returned to Port Moresby.
6th Nov.	Shoran station established at Bae.
8th Nov.	<u>Sir Alan</u> returns to Port Moresby - end of first part of project. 41 shots fired.
	Shoran station at Gubbins Point closed down - equipment returned to Port Moresby.
9th Nov.	<u>Sir Alan</u> departs Port Moresby at 1800.
11th Nov.	Shoran station at Bae closed down - equipment returned to Port Moresby.

12th Nov. Shoran station at Hood Point closed down - equipment returned to Port Moresby.

14th-15th Nov. Shoran stations established at Killerton and Spear Island. Establishment of Spear Island delayed by medical emergency on Kokoda trail. Helicopter diverted to bring sick man out to Popondetta.

16th Nov. Shoran equipment ex Port Moresby to Finschhafen. One day late due to aircraft unserviceability. Helicopter pilot ill; base station equipment cannot be established on hill.

17th Nov. Replacement helicopter pilot arrives Finschhafen ex Cairns.

18th Nov. Shoran station established at Finschhafen. Sir Alan sailing Lae - project delayed through faulty fuses.

20th Nov. Shoran station at Killerton closed down. Shifted to Cape Ward Hunt by helicopter.

21st Nov. Shoran station at Cape Ward Hunt operational at 0945.

28th Nov. Final shot fired - No. 111. Shoran station at Finschhafen closed down - equipment returned to Finschhafen airstrip. Air Niugini DC3 charter Pon-Finsch-Pom delayed (until 2nd Dec) aircraft unserviceable due to engineers strike.

30th Nov. Shoran station at Cape Ward Hunt closed down. Equipment returned to Popondetta by helicopter.

1st Dec. Shoran station at Spear Island closed down. Equipment returned to Tufi by helicopter.

2nd Dec. Shoran equipment returned to Port Moresby from Finschhafen.

3rd Dec. Sir Alan returns to Port Moresby - project completed. Scheduled return of Shoran equipment from Tufi to Port Moresby delayed (until 5th Dec) by aircraft unserviceability and bad weather.

5th Dec. Two members Shoran party depart Port Moresby
Shoran equipment flown from Tufi to Port
Moresby.

6th-10th Dec. Packing up Shoran equipment at DCA warehouse.

7th-11th Dec. Shoran party departs Port Moresby.
7th Jan '74 Equipment ex Port Moresby - E.T.A. Perth 27th
Jan.

6. PERSONNEL

J. SKATES L.S	Supervisor
R. MASON	Mobile Operator
W. GRAY	Base Operator
J. VERMEULEN	Base Operator
G. WALLIS	Base Operator

7. RECOMMENDATIONS FOR FUTURE SIMILAR PROJECTS

- (a) If possible, obtain the exclusive services of an aircraft that could take a complete base station in one load, with short take-off and landing capabilities.
- (b) That a Hewlett Packard 9810A or similar calculator be used to compute post plot positions, on site or nearby base, using geodetic formulae to obtain real time results.

J. SKATES
LICENCED SURVEYOR

251073

EAST PAPUA CRUSTAL SURVEY 1973

THIS LISTING WAS WRITTEN BY REF DAT 3 ON 29/07/76
VELOCITY USED FOR TERRAIN CORRECTIONS = 4.00

THE SURVEY COMMENCED ON 25 OCTOBER AND FINISHED ON 28 NOV.
111 SHOTS WERE FIRED. RECORDINGS WERE MADE AT 43 SITES.
PARTICIPATING ORGANISATIONS WERE ---

- | | |
|---------------------------------------|----------------------------|
| 1. BMR | 19 FIELD RECORDERS + 3 OBS |
| 2. AUSTRALIAN NATIONAL UNIVERSITY | 9 FIELD RECORDERS |
| 3. UNIVERSITY OF QUEENSLAND | 3 FIELD RECORDERS |
| 4. UNIVERSITY OF MELBOURNE | 3 FIELD RECORDERS |
| 5. RA'BAUL VOLCANOLOGICAL OBSERVATORY | 1 FIELD RECORDER + 2 OBS |
| 6. HAWAII INSTITUTE OF GEOPHYSICS | 1 FIELD RECORDER + |
| | 1 SHIPBORNE RECORDER |

LOCATION		ABREVIATION	LATITUDE	LONGITUDE	ELEVATION	INSTITUTION	
R 1	PT. MORESBY	PMG	09 24.4	147 09.5	67.0	BMR	-0.0
R 2	DAUGO I.	DI	09 30.5	147 02.7	3.0	BMR	-0.0
R 3	KONEDOBU	KD	09 28.3	147 09.6	70.0	BMR	-0.0
R 4	AROA	AA	09 01.7	146 48.1	3.0	BMR	-0.0
R 5	YULE I.	YE	08 50.4	146 32.3	10.0	BMR	-0.0
R 6	KUBUNA	KB	08 41.5	146 45.3	60.0	BMR	-0.0
R 7	BEREINA	BA	08 38.1	146 30.6	15.0	BMR	-0.0
R 8	IRON RANGE	IR	12 47.1	143 18.3	20.0	QLD	-0.0
R 9	MALALAU	MA	08 04.6	146 09.7	5.0	BMR	-0.0
R 10	KEREMA	KM	07 58.2	145 46.7	10.0	MELB	-0.0
R 11	GUARI	GJ	08 07.9	146 52.5	2300.0	BMR	-0.0
R 12	TAPINI	TI	08 21.4	146 59.0	914.0	BMR	-0.0
R 13	WOITAPE	WP	08 32.7	147 14.9	1474.0	BMR	-0.0
R 14	LAMINGTON	LMG	08 55.2	148 09.1	1200.0	RAB	-0.0
R 15	EFOGI	EI	09 09.3	147 39.6	1158.0	BMR	-0.0
R 16	KUPIANO	KP	10 04.5	148 10.9	20.0	RAB	-0.0
R 17	CAPE RODNEY	CR	10 11.0	148 23.3	5.0	BMR	-0.0
R 18	GORARI	GO	08 55.1	147 52.5	450.0	BMR	-0.0
R 19	KARUKARU	KK	08 38.9	147 39.4	200.0	ANU	-0.0
R 20	TUFI	TF	09 04.8	149 18.8	18.0	QLD	-0.0
R 21	NAMUDEI	ND	09 28.7	148 19.6	395.0	ANU	-0.0
R 22	AFORE	AF	09 08.6	148 23.2	700.0	ANU	-0.0
R 23	TETEBEDI	TT	09 09.7	148 04.0	995.0	ANU	-0.0
R 24	KOKODA	KA	08 52.9	147 44.1	396.0	BMR	-0.0
R 25	POPONDETTA	PP	08 46.4	148 13.2	120.0	BMR	-0.0
R 26	ORO BAY	OB	08 53.6	148 28.9	20.0	BMR	-0.0
R 27	KILLERTON	KL	08 37.5	148 20.8	2.0	HIG	-0.0
R 28	OWERS CNR.	OC	09 21.8	147 29.2	550.0	BMR	-0.0
R 29	IOMA	IA	08 21.8	147 49.5	45.0	BMR	-0.0
R 30	MT. LAWES	ML	09 20.2	147 14.0	400.0	BMR	-0.0
R 31	MOROBE	ME	07 47.7	147 35.6	2.0	MELB	-0.0
R 32	GARAINA	GA	07 53.4	147 08.2	715.0	MELB	-0.0
R 33	KUI	KU	07 29.2	147 16.3	10.0	ANU	-0.0
R 34	SIRINUMU DAM	SD	09 28.9	147 26.6	460.0	BMR	-0.0
R 35	SALAMAU	SL	07 03.2	147 03.1	5.0	ANU	-0.0
R 36	FINSCHHAFEN	FF	06 37.0	147 51.5	8.0	MELB	-0.0
R 37	LINDENHAFEN	LF	06 14.8	150 27.3	5.0	QLD	-0.0
R 38	LAE	LAT	06 39.2	147 00.0	72.0	BMR	-0.0
R 39	ESA ALA	ESA	09 44.4	150 48.7	46.0	RAB	-0.0
R 40	LAKE TRIST	LT	07 28.9	146 57.3	1450.0	ANU	-0.0
R 41	MUSA DAM	MD	09 32.6	148 41.0	150.0	ANU	-0.0
R 42	CAPE WARD HUNT	CW	08 03.9	148 07.3	5.0	ANU	-0.0
R 43	KWIKILA	KW	09 48.6	147 40.2	71.0	QDBM	-0.0
S 1	SHOT 1		09 40.9	146 52.6	2100.0	25OCT	100.0
S 2	SHOT 2		09 37.6	146 58.9	1930.0		100.0
S 3	SHOT 3		09 31.6	146 55.3	1500.0		100.0
S 4	SHOT 4		09 34.7	147 02.4	1250.0	26OCT	100.0
S 5	SHOT 5		09 28.0	146 50.1	850.0		100.0
S 6	SHOT 6		09 25.3	146 46.2	806.0	27OCT	100.0
S 7	SHOT 7		09 21.9	146 42.9	932.0		100.0
S 8	SHOT 8		09 15.9	146 37.5	796.0		100.0
S 9	SHOT 9		09 12.0	146 34.9	505.0	28OCT	100.0
S 10	SHOT 10		09 07.7	146 29.8	1101.0		100.0
S 11	SHOT 11		09 01.4	146 26.8	838.0		100.0
S 12	SHOT 12		08 57.0	146 21.5	600.0	29OCT	100.0
S 13	SHOT 13		08 52.0	146 17.4	712.0		100.0
S 14	SHOT 14		08 47.1	146 13.3	451.0	30OCT	100.0
S 15	SHOT 15		08 41.9	146 08.6	545.0		100.0
S 16	SHOT 16		08 37.0	146 04.1	738.0		100.0

180 KG 08 03 07.40
 180 KG 12 04 06.00
 180 KG 16 04 17.57
 1020 KG 12 05 53.80
 1020 KG 17 05 27.70
 180 KG 08 03 18.44
 180 KG 12 04 13.04
 1020 KG 16 06 29.43
 180 KG 09 04 11.93
 180 KG 12 04 05.42
 1020 KG 16 05 58.37
 180 KG 14 04 09.08
 180 KG 18 04 08.93
 1020 KG 07 07 36.86
 180 KG 10 04 03.02
 180 KG 12 05 34.57

S 17	SHOT	17	08 32.2	100.0		100.0	1020	KG	14 06	48.90
S 18	SHOT	18	08 18.9	64.0		64.0	1020	KG	17 07	57.77
S 19	SHOT	19	08 18.3	100.0	31OCT	100.0	1020	KG	14 06	15.23
S 20	SHOT	20	08 58.6	1309.0	1NOV	100.0	1020	KG	14 06	33.55
S 21	SHOT	21	09 03.3	1582.0		100.0	180	KG	17 04	13.34
S 22	SHOT	22	09 08.5	1799.0	2NOV	100.0	180	KG	08 05	00.98
S 23	SHOT	23	09 14.1	1830.0		100.0	1020	KG	10 06	41.93
S 24	SHOT	24	09 17.3	1865.0		100.0	180	KG	12 04	57.19
S 25	SHOT	25	09 32.0	1747.0		100.0	1020	KG	17 07	02.82
S 26	SHOT	26	09 53.1	1807.0	3NOV	100.0	1020	KG	08 10	00.21
S 27	SHOT	27	10 15.2	1220.0		100.0	1020	KG	14 08	32.51
S 28	SHOT	28	10 38.9	1268.0		100.0	1020	KG	18 06	08.40
S 29	SHOT	29	10 56.4	1390.0	4NOV	100.0	1020	KG	09 06	21.74
S 30	SHOT	30	10 48.7	1271.0		100.0	1020	KG	12 09	54.46
S 31	SHOT	31	10 37.3	1155.0	5NOV	100.0	1020	KG	08 06	16.45
S 32	SHOT	32	10 23.9	1485.0		100.0	1020	KG	12 06	49.23
S 33	SHOT	33	10 10.3	2088.0		100.0	1020	KG	16 06	25.66
S 34	SHOT	34	10 01.3	2238.0	6NOV	100.0	180	KG	08 04	55.18
S 35	SHOT	35	09 58.0	2155.0		100.0	1020	KG	13 05	52.94
S 36	SHOT	36	09 52.7	2198.0		100.0	180	KG	15 05	02.73
S 37	SHOT	37	09 48.0	2197.0		100.0	180	KG	17 05	14.16
S 38	SHOT	38	09 43.9	2178.0	7NOV	100.0	1020	KG	08 06	12.68
S 39	SHOT	39	09 46.8	947.0		100.0	1020	KG	13 06	10.64
S 40	SHOT	40	09 43.3	989.0		100.0	180	KG	15 05	01.50
S 41	SHOT	41	09 38.4	1056.0		100.0	180	KG	17 05	02.28
S 42	SHOT	42	09 52.6	905.0	10NOV	100.0	180	KG	08 05	00.62
S 43	SHOT	43	09 58.9	1141.0		100.0	180	KG	10 05	05.20
S 44	SHOT	44	10 04.4	691.0		100.0	1020	KG	13 06	10.98
S 45	SHOT	45	10 08.6	1141.0		100.0	180	KG	15 04	58.01
S 46	SHOT	46	10 09.9	1077.0	11NOV	100.0	180	KG	08 05	04.58
S 47	SHOT	47	10 10.6	380.0		100.0	1020	KG	11 06	07.40
S 48	SHOT	48	10 20.4	1050.0		100.0	1020	KG	17 06	22.80
S 49	SHOT	49	10 25.6	1537.0	12NOV	100.0	1020	KG	10 05	58.44
S 50	SHOT	50	10 32.7	527.0		100.0	1020	KG	16 06	04.18
S 51	SHOT	51	10 25.0	613.0	13NOV	100.0	1020	KG	08 06	21.21
S 52	SHOT	52	09 41.0	654.0		100.0	1020	KG	16 06	07.15
S 53	SHOT	53	09 39.2	304.0	14NOV	100.0	1020	KG	08 06	05.16
S 54	SHOT	54	09 29.7	425.0		100.0	1020	KG	12 06	03.13
S 55	SHOT	55	09 12.1	348.0		100.0	1020	KG	16 05	56.95
S 56	SHOT	56	08 24.1	66.0	16NOV	66.0	1020	KG	08 06	12.32
S 57	SHOT	57	08 19.4	110.0		100.0	180	KG	10 06	22.85
S 58	SHOT	58	08 18.6	73.0		73.0	180	KG	12 05	29.94
S 59	SHOT	59	08 14.9	805.0		100.0	1020	KG	15 06	26.13
S 60	SHOT	60	08 09.7	2100.0		100.0	180	KG	17 04	00.47
S 61	SHOT	61	08 03.5	3300.0	17NOV	100.0	180	KG	08 04	03.95
S 62	SHOT	62	08 00.1	4411.0		100.0	1020	KG	10 06	13.15
S 63	SHOT	63	07 46.5	5138.0		100.0	1020	KG	13 06	04.81
S 64	SHOT	64	07 37.6	0.0	18NOV	100.0	90	KG	12 27	04
S 65	SHOT	65	07 23.7	-0.0		100.0	90	KG	15 34	53
S 66	SHOT	66	07 16.9	-0.0		100.0	30	KG	16 51	
S 67	SHOT	67	07 13.7	-0.0		100.0	30	KG	17 59	
S 68	SHOT	68	07 13.7	-0.0		100.0	30	KG	18 15	
S 69	SHOT	69	06 49.1	330.0	20NOV	100.0	1020	KG	16 05	37.33
S 70	SHOT	70	06 56.4	282.0	21NOV	100.0	180	KG	08 04	23.35
S 71	SHOT	71	07 03.4	446.0		100.0	1020	KG	10 05	36.23
S 72	SHOT	72	07 08.0	641.0		100.0	180	KG	11 09	02.82
S 73	SHOT	73	07 14.8	324.0		100.0	1020	KG	13 05	43.05
S 74	SHOT	74	07 18.1	765.0		100.0	180	KG	15 04	02.17
S 75	SHOT	75	07 22.3	280.0		100.0	1020	KG	17 05	21.02
S 76	SHOT	76	07 19.0	824.0	22NOV	100.0	180	KG	07 08	55.61
S 77	SHOT	77	07 13.9	1392.0		100.0	1020	KG	09 05	33.76
S 78	SHOT	78	07 09.3	1877.0		100.0	180	KG	10 08	46.65

S 79	SHOT	79	07	03.8	147	33.8	2500.0		100.0	1020	KG	16	05	36.64
S 80	SHOT	80	06	54.1	147	42.8	1595.0		100.0	1020	KG	18	09	34.10
S 81	SHOT	81	07	27.3	147	28.0	293.0	23NOV	100.0	180	KG	08	03	56.99
S 82	SHOT	82	07	33.6	147	34.1	248.0		100.0	1020	KG	10	05	26.25
S 83	SHOT	83	07	35.8	147	39.2	261.0		100.0	180	KG	11	09	05.00
S 84	SHOT	84	07	38.4	147	42.3	578.0		100.0	180	KG	12	08	58.08
S 85	SHOT	85	07	42.6	147	46.2	813.0		100.0	1020	KG	15	06	48.42
S 86	SHOT	86	07	45.9	147	50.0	110.0		100.0	180	KG	16	12	00.34
S 87	SHOT	87	07	48.1	147	53.4	1052.0		100.0	180	KG	17	08	53.63
S 88	SHOT	88	07	54.1	148	11.7	840.0	24NOV	100.0	1020	KG	08	05	29.72
S 89	SHOT	89	07	48.0	148	17.5	1328.0		100.0	180	KG	10	03	59.63
S 90	SHOT	90	07	43.6	148	21.9	2443.0		100.0	180	KG	11	08	55.05
S 91	SHOT	91	07	38.9	148	26.1	2182.0		100.0	1020	KG	13	05	30.16
S 92	SHOT	92	07	32.5	148	33.2	3864.0		100.0	180	KG	15	03	45.75
S 93	SHOT	93	07	27.8	148	36.1	4858.0		100.0	180	KG	16	08	51.62
S 94	SHOT	94	07	23.6	148	41.6	5912.0		100.0	1020	KG	18	05	37.12
S 95	SHOT	95	07	04.0	149	59.4	6352.0	25NOV	100.0	1020	KG	12	12	35.81
S 96	SHOT	96	07	15.2	149	48.2	4491.0		100.0	1020	KG	15	05	23.00
S 97	SHOT	97	07	27.7	149	36.1	5535.0		100.0	1020	KG	18	05	35.70
S 98	SHOT	98	08	00.4	148	10.9	573.0	26NOV	100.0	180	KG	09	03	48.40
S 99	SHOT	99	08	13.5	148	17.8	73.0		73.0	810	KG	12	06	08.25
S100	SHOT	100	08	20.2	148	21.4	37.0		37.0	180	KG	14	09	47.94
S101	SHOT	101	08	28.4	148	27.3	49.0		49.0	180	KG	16	04	23.50
S102	SHOT	102	08	33.3	148	29.3	53.0		53.0	180	KG	17	09	18.55
S103	SHOT	103	08	39.8	148	31.2	53.0	27NOV	53.0	180	KG	08	04	02.28
S104	SHOT	104	08	43.7	148	41.5	66.0		66.0	810	KG	10	06	11.92
S105	SHOT	105	08	49.2	148	47.7	68.0		68.0	180	KG	12	04	11.81
S106	SHOT	106	08	51.0	148	52.7	62.0		62.0	180	KG	14	04	16.44
S107	SHOT	107	08	57.4	148	55.7	53.0		53.0	810	KG	16	07	45.04
S108	SHOT	108	08	58.4	148	59.9	53.0		53.0	180	KG	17	04	34.94
S109	SHOT	109	08	58.3	149	12.4	62.0	28NOV	62.0	690	KG	08	06	18.87
S110	SHOT	110	08	53.6	149	27.5	406.0		100.0	810	KG	11	05	29.67
S111	SHOT	111	08	32.4	149	26.9	100.0		100.0	810	KG	14	05	30.93

TABLE 3
SEISMIC RECORDING STATION INSTRUMENTATION

In the following table, the following abbreviations have been used for the recording equipment indicated:

AKAI Tape Recording System - WILLMORE MK II Seismometer, .75 sec free period
TAM5 Amplifier and Bandpass Filter
TMF1 or TMF2 Modulator
LABTRONICS Radio tuned to VNG
NCE-1 Low Power Digital Clock
AKAI 4-channel Tape Deck modified for
slow speed recording, automatically switched
for the first 1/4 hour every hour between 0700 and 1600

PI Tape Recording System - WILLMORE MK II Seismometer, .75 sec free period
TAM5 Amplifier and Bandpass Filter
LABTRONICS Radio tuned to VNG
NCE-1 Low Power Digital Clock
PRECISION INSTRUMENT (PI) 5100D FM/DR
7 channel Tape Recorder automatically
switched for the first 1/4 hour every hour
between 0700 and 1600

ANU Tape Recording System - WILLMORE MK II Seismometer
ANU Designed Amplifier
ANU Designed Crystal Clock
National Radio tuned to VNG
Sony Direct Record 4 channel Tape Recorder
modified for continuous slow speed recording

STATION NAME	STATION ABBREVIATION AND SURVEY NUMBER	INSTITUTION PROVIDING EQUIPMENT	PERSONNEL SERVICING EQUIPMENT	FREQUENCY OF SERVICE	EQUIPMENT
Port Moresby Observatory	PMG (1)	BMR	BMR	Daily	-WORLD WIDE STANDARD SEISMOGRAPH SET (3 component (Z,N,E) seismometers, $T_s=1.0$, $T_g=0.75$, Nominal Magnification 25,000, Recorder UED DR 273, 60 mm/min).
Daugo Island	DI (2)	BMR	BMR	Every 6-8 days	AKAI tape recording system
Konedobu	KD (3)	BMR	BMR	Manual operation	-WILLMORE MK 1 Seismometer -TAM5 amplifier and bandpass filter -LABTRONICS radio tuned to VNG -HELLAGE HELCOSCRIPTOR HE 16 pen recorder
Aroa	AA (4)	BMR	BMR	Every 6-8 days	PI tape recording system
Yulo Island	YE (5)	BMR	BMR	"	AKAI tape recording system
Kubuna	KB (6)	BMR	BMR	"	AKAI tape recording system
Bereina	BA (7)	BMR	BMR	"	AKAI tape recording system
Iron Range	IR (8)	QLD	Dept. Civil Aviation	Daily	WILLMORE MK II Seismometer, UED preamplifier HELICORDER amplifier and recorder LABTRONICS clock LABTRONICS radio tuned to VNG
Nalunaga	NA (9)	BMR	BMR	Every 6-8 days	AKAI tape recording system
Koroma	KM (10)	MELB	BMR	Manual operation	-WILLMORE MK II Seismometer, free period 1 second -MELB designed amplifier and filter -MELB designed modulator -Transistor radio tuned to VNG, time signals superimposed on seismic signal -SANYO M-2000 single channel cassette tape recorder
Guari	GU (11)	BMR	BMR	Every 6-8 days	AKAI tape recording system
Tapini	TI (12)	BMR	BMR	Every 6-8 days	AKAI tape recording system
Whitape	WP (13)	BMR	BMR	Every 6-8 days	AKAI tape recording system
Lamington Observatory	LMG (14)	RAB	RAB	Daily	-WILLMORE MK II Seismometer, free period 1 second -24 db pad between seismometer and subcarrier modulator -Type TM-B2 modulator (local design) -PHILLIPS type FM1680 radio transmitter -PHILLIPS type FM1680 radio receiver -local design Type DM demodulator -LABTRONICS Type 705 chronometer -SPRENGNETHILL type R6038 recorder, smoked paper record.
Erogi	EI (15)	BMR	BMR	Every 6-8 days	AKAI tape recording system

STATION NAME	STATION ABBREVIATION AND SURVEY NUMBER	INSTITUTION PROVIDING EQUIPMENT	PERSONNEL SERVICING EQUIPMENT	FREQUENCY OF SERVICE	EQUIPMENT
Kupiano	KP (16)	RAB	RAB	Manually operated	WILLMORE MK I Seismometer, free period .60 sec PNEUM. INFLER (Local Design) PEN AMPLIFIER MFE Type A-655 SPRINGMETER recorder type M6034 Smoked paper record
Cape Rodney	CR (17)	BMR	RAB	Every 6-8 days	AKAI tape recording system
Goruri	GU (18)	BMR	BMR	Every 6-8 days	PI tape recording system
Karukaru	KK (19)	ANU	ANU	Once during survey	ANU tape recording system
Tufi	TF (20)	QID	QID	Manually operated	2 sets were operated (a) WILLMORE MK II Seismometer TAM 5 amplifier and bandpass filter TEAC 4 channel DR/FR cassette recorder LABRONICS radio tuned to VNG LABRONICS clock (b) WILLMORE MK II Seismometer TAM 5 amplifier and bandpass filter SPRINGMETER Recorder-continuous operation
Namudi	ND (21)	ANU	ANU	Once during survey	ANU tape recording system
Afara	AF (22)	ANU	ANU	Once during survey	ANU tape recording system
Teteladi	TT (23)	ANU	ANU	Once during survey	ANU tape recording system
Kokoda	KA (24)	BMR	BMR	Every 6-8 days	AKAI tape recording system
Ponondetta	PP (25)	BMR	BMR	Every 6-8 days	PI tape recording system
Ova Bay	OB (26)	BMR	BMR	Every 6-8 days	AKAI tape recording system
Killerton	KL (27)	HIG	HIG	Manually operated	-2 x MARK II 1 Hz geophones -1 x 4 Hz multi-spread type geophone -SANYO transistor radio tuned to VNG -2 chronometers -RANDOLPH INDUSTRIES SFA-1-6 6 channel amplifier -TEAC 4-channel R-70 DR/FR cassette recorder
Owera Gornar	OG (28)	BMR	BMR	Every 6-8 days	PI tape recording system
Toma	TA (29)	BMR	BMR	Every 6-8 days	AKAI tape recording system
Mount Lawton	ML (30)	BMR	BMR	Every 6-8 days	PI tape recording system
Morobe	ME (31)	MELB	MELB	Manually operated	-WILLMORE MK II Seismometer, free period 1 sec -MELB designed amplifier and filter -MELB designed modulator -Transistor radio tuned to VNG, time signals superimposed on seismic signal -SANYO R-2000 single channel cassette tape recorder
Gardina	GA (32)	MELB	MELB	Manually operated	-WILLMORE MK II Seismometer, free period 1 sec -MELB designed amplifier and filter -MELB designed modulator -Transistor radio tuned to VNG-time signals superimposed on seismic signal -SANYO R-2000 single channel cassette tape recorder
Kui	KU (33)	ANU	ANU	Once during survey	ANU tape recording system
Nirindanu Dam	ND (34)	BMR	BMR	Every 6-8 days	PI tape recording system
Salanua	SL (35)	ANU	ANU	Once during survey	ANU tape recording system
Wincknefen	WF (36)	MELB	BMR	Manually operated	Same equipment that was operated at Kerema
Lindenaufer	LF (37)	QID	BMR	Manually operated	WILLMORE MK II Seismometer TAM 5 amplifier and bandpass filter LABRONICS CLOCK LABRONICS radio tuned to VNG TEAC 4 channel DR/FR cassette tape recorder
Lae Observatory	LAT (38)	BMR	BMR	Daily	(a) WILLMORE Seismometer (2), $T_s = 0.7$ sec $T_g = 0.7$ sec ULD DR 271 drum recorder (b) WOOD ANDERSON Seismometer (2), $T_s = 0.7$ sec ULD DR 271 drum recorder
Bas Ala	ESA (39)	RAB	RAB	Daily	-BENIOFF VR 107.5 kg seismometer, $T_s = 1.0$ sec, $T_g = 0.2$ sec -Magnification (x) 38 000 -Record speed (photographic) 45 mm/min
Lake Trist	LT (40)	ANU	ANU	Once during survey	ANU tape recording system
Musa Dam	MD (41)	ANU	ANU	Once during survey	ANU tape recording system
Cape Ward Hunt	CW (42)	ANU	ANU	Once during survey	ANU tape recording system
Kwikila	KW (43)	(a) QID (b) BMR	BMR	(a) manually operated (b) every 6-8 days	(a) Until 7th Nov 1973 - WILLMORE MK II Seismometer TAM 5 amplifier and bandpass filter LABRONICS clock LABRONICS radio tuned to VNG 4 channel TEAC FR/DR 4 channel cassette tape recorder (b) From 14/11/73 to 28/11/73 - AKAI tape recording system

TABLE 4

Seismic Recording Station Success Rate

Station Number	Station	Number of shots recorded	Number possibly recorded	Percentage Success
1	Port Moresby	100	106	94
2	Daugo I	53	106	50
3	Konedobu	54	106	51
4	Aroa	63	106	59
5	Yule I	33	106	31
6	Kubuna	93	106	88
7	Bereina	8	50	16
8	Iron Range	0	106	0
9	Malalaua	30	79	38
10	Kerena	13	48	27
11	Guari	27	106	25
12	Tapini	80	106	75
13	Woitape	18	106	17
14	Lamington	101	106	95
15	Efogi	43	106	41
16	Kupiano	52	106	49
17	Cape Rodney	45	106	42
18	Gorari	66	106	62
19	Karukaru	0	106	0
20	Tufi	87	106	82
21	Namudei	0	106	0
22	Afore	64	106	60
23	Tetebedi	80	106	75
24	Kokoda	39	106	37
25	Popondetta	45	106	42
26	Oro Bay	4	106	4
27	Killerton	50	99	50

TABLE 4 (Cont.)

28	Owers Corner	100	106	94
29	Ioma	75	106	71
30	Mt Lawes	104	106	98
31	Morobe	53	106	50
32	Garaina	69	106	65
33	Kui	57	106	54
34	Sirinunu Dam	79	106	75
35	Salamaua	88	106	83
36	Finschhafen	23	47	49
37	Lindenhafen	6	49	12
38	Lae	30	106	28
39	Esa Ala	18	106	17
40	Lake Trist	65	106	61
41	Musa	94	106	89
42	Cape Ward Hunt	95	106	90
43	Kwikila	82	104	77

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC (SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
1	1	PT.MORESBY	PMG	43.4	45.5	10.72 20.42	GOOD 0.50 GOOD 1.00	9.91 19.61	BMR	4.49 14.19
2	1	PT.MORESBY	PMG	31.1	38.6	8.62 11.32	GOOD 0.50 FAIR 1.00	7.88 10.58	BMR	3.99 6.69
3	1	PT.MORESBY	PMG	29.2	63.0	7.66	GOOD 0.50	7.10	BMR	3.45
4	1	PT.MORESBY	PMG	23.0	34.4	5.67 8.37	GOOD 0.50 FAIR 1.00	5.21 7.91	BMR	2.33 5.03
5	1	PT.MORESBY	PMG	36.1	79.4	8.17	GOOD 0.50	7.87	BMR	3.36
6	1	PT.MORESBY	PMG	42.7	87.8	10.20 12.40 21.40	GOOD 0.50 FAIR 1.00 FAIR 1.00	9.92 12.12 21.12	BMR	4.58 6.78 15.78
7	1	PT.MORESBY	PMG	48.9	95.4	11.60 22.10 25.60	GOOD 0.50 GOOD 1.00 GOOD 1.00	11.27 21.77 25.27	BMR	5.16 15.66 19.16
8	1	PT.MORESBY	PMG	60.6	105.0	13.21	GOOD 0.50	12.93	BMR	5.36
9	1	PT.MORESBY	PMG	67.4	109.9	14.71	GOOD 0.50	14.55	BMR	6.13
10	1	PT.MORESBY	PMG	79.0	113.0	16.92	GOOD 0.50	16.52	BMR	6.64
11	1	PT.MORESBY	PMG	89.0	118.5	18.47	GOOD 0.50	18.18	BMR	7.05
12	1	PT.MORESBY	PMG	101.4	119.9	19.95 22.05 24.55 36.35	GOOD 0.50 GOOD 1.00 GOOD 1.00 FAIR 1.00	19.75 21.85 24.35 36.15	BMR	7.08 9.18 11.68 23.48
13	1	PT.MORESBY	PMG	112.6	122.1	21.70 29.30	GOOD 0.50 GOOD 1.00	21.46 29.06	BMR	7.38 14.98
14	1	PT.MORESBY	PMG	123.8	123.8	23.55 43.75 51.15	GOOD 0.50 FAIR 1.00 FAIR 1.00	23.42 43.62 51.02	BMR	7.94 28.14 35.54
15	1	PT.MORESBY	PMG	136.4	125.1	24.39 25.99 28.29	FAIR 0.50 GOOD 0.50 GOOD 1.00	24.22 25.82 28.12	BMR	7.17 8.77 11.07
16	1	PT.MORESBY	PMG	148.3	126.2	25.74 27.84 32.24 34.04	GOOD 0.50 FAIR 1.00 FAIR 0.50 FAIR 1.00	25.49 27.59 31.99 33.79	BMR	6.95 9.05 13.45 15.25
17	1	PT.MORESBY	PMG	160.4	127.0	27.12 29.62 31.72 51.92	GOOD 0.50 GOOD 0.50 FAIR 1.00 FAIR 1.00	27.13 29.63 31.73 51.93	BMR	7.08 9.58 11.68 31.88
18	1	PT.MORESBY	PMG	190.2	129.5	35.55	GOOD 0.50	35.55	BMR	11.77

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						39.41	FAIR	1.00	39.41		15.63
						43.45	GOOD	1.00	43.45		19.67
						47.25	FAIR	1.00	47.25		23.47
19	1	PT.MORESBY	PMG	233.6	121.6	37.01	GOOD	0.50	37.02	BMR	7.82
20	1	PT.MORESBY	PMG	107.8	116.3	21.09	GOOD	0.50	20.61	BMR	7.13
21	1	PT.MORESBY	PMG	108.3	111.1	21.50	GOOD	0.50	20.90	BMR	7.37
22	1	PT.MORESBY	PMG	110.0	105.5	22.06	GOOD	0.50	21.38	BMR	7.63
						25.26	FAIR	1.00	24.58		10.83
						28.56	GOOD	1.00	27.88		14.13
						32.06	FAIR	1.00	31.38		17.63
23	1	PT.MORESBY	PMG	118.0	99.3	22.81	GOOD	0.50	22.11	BMR	7.36
						29.11	FAIR	1.00	28.41		13.66
						31.71	FAIR	1.00	31.01		16.26
24	1	PT.MORESBY	PMG	120.4	96.3	23.35	GOOD	0.50	22.64	BMR	7.59
25	1	PT.MORESBY	PMG	148.2	84.7	26.32	GOOD	0.50	25.66	BMR	7.13
						31.32	GOOD	1.00	30.66		12.13
						54.82	GOOD	1.00	54.16		35.63
26	1	PT.MORESBY	PMG	175.9	72.6	28.63	GOOD	0.50	27.94	BMR	5.95
						36.83	GOOD	0.50	36.14		14.15
27	1	PT.MORESBY	PMG	212.4	64.0	33.33	GOOD	0.50	32.88	BMR	6.33
						45.73	FAIR	1.00	45.28		18.73
28	1	PT.MORESBY	PMG	259.6	58.2	39.24	GOOD	0.50	38.77	BMR	6.32
						44.34	FAIR	1.00	43.87		11.42
						49.44	GOOD	1.00	48.97		16.52
29	1	PT.MORESBY	PMG	297.0	55.4	43.20	GOOD	0.50	42.68	BMR	5.56
						46.10	FAIR	0.50	45.58		8.46
						62.10	GOOD	0.50	61.58		24.46
						75.90	GOOD	1.00	75.38		38.26
30	1	PT.MORESBY	PMG	265.9	54.4	39.38	GOOD	0.50	38.91	BMR	5.67
						46.18	FAIR	1.00	45.71		12.47
						49.48	FAIR	1.00	49.01		15.77
						69.88	FAIR	1.00	69.41		36.17
31	1	PT.MORESBY	PMG	225.8	53.6	35.39	GOOD	0.50	34.97	BMR	6.11
						44.79	FAIR	1.00	44.37		16.11
32	1	PT.MORESBY	PMG	180.8	52.8	29.71	GOOD	0.50	29.15	BMR	6.55
						37.31	GOOD	1.00	36.75		14.15
						40.61	FAIR	1.00	40.05		17.45
33	1	PT.MORESBY	PMG	133.0	50.6	23.98	GOOD	0.50	23.18	BMR	6.55
						28.38	FAIR	1.00	27.58		10.95
						45.18	FAIR	1.00	44.38		27.75
34	1	PT.MORESBY	PMG	105.0	49.7	20.48	GOOD	0.50	19.62	BMR	6.49

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						34.88	GOOD 1.00	34.02		20.89
35	1	PT.MORESBY	PMG	93.6	48.6	18.93 29.93 57.63	GOOD 0.50 FAIR 1.00 FAIR 1.00	18.10 29.10 56.80	BMR	6.40 17.40 45.10
36	1	PT.MORESBY	PMG	78.7	48.5	15.93 44.63	GOOD 0.50 GOOD 1.00	15.08 43.78	BMR	5.24 33.94
37	1	PT.MORESBY	PMG	64.5	47.6	13.50 18.70 34.50	GOOD 0.50 FAIR 1.00 GOOD 1.00	12.65 17.85 33.65	BMR	4.59 9.79 25.59
38	1	PT.MORESBY	PMG	52.8	47.1	12.76	GOOD 0.50	11.92	BMR	5.32
39	1	PT.MORESBY	PMG	43.5	341.6	10.10	GOOD 0.50	9.76	BMR	4.33
40	1	PT.MORESBY	PMG	34.1	353.1	8.64	GOOD 0.50	8.29	BMR	4.02
41	1	PT.MORESBY	PMG	26.3	11.2	6.96	GOOD 0.50	6.58	BMR	3.29
42	1	PT.MORESBY	PMG	55.9	338.5	12.24 13.44 14.84 16.54 30.94	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	11.92 13.12 14.52 16.22 30.62	BMR	4.93 6.13 7.53 9.23 23.63
43	1	PT.MORESBY	PMG	68.8	337.5	14.46 15.46 18.36 20.36 27.76 31.50	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	14.04 15.04 17.94 19.94 27.34 31.14	BMR	5.44 6.44 9.34 11.34 18.74 22.54
44	1	PT.MORESBY	PMG	83.1	332.4	16.18 29.68	GOOD 0.50 FAIR 1.00	15.95 29.45	BMR	5.56 19.06
45	1	PT.MORESBY	PMG	96.4	327.6	18.65 21.35 32.15 33.65	GOOD 0.50 FAIR 1.00 FAIR 0.50 FAIR 0.50	18.23 20.93 31.73 33.23	BMR	6.18 8.88 19.68 21.18
46	1	PT.MORESBY	PMG	106.3	322.0	21.08 22.28	GOOD 0.50 FAIR 1.00	20.69 21.89	BMR	7.40 8.60
47	1	PT.MORESBY	PMG	115.3	317.6	21.76 27.96	GOOD 0.50 FAIR 1.00	21.65 27.85	BMR	7.24 13.44
48	1	PT.MORESBY	PMG	171.2	307.0	28.76 34.26 37.76	GOOD 0.50 FAIR 1.00 FAIR 1.00	28.38 33.88 37.38	BMR	6.98 12.48 15.98
49	1	PT.MORESBY	PMG	225.8	229.8	35.83	GOOD 0.50	35.25	BMR	7.03
50	1	PT.MORESBY	PMG	292.5	295.3	41.87 51.87	GOOD 0.50 FAIR 1.00	41.70 51.70	BMR	5.14 15.14
51	1	PT.MORESBY	PMG	399.6	285.9	57.74	GOOD 0.50	57.54	BMR	7.59

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						66.54 71.64	FAIR 1.00 FAIR 1.00	66.34 71.44		16.39 21.49
52	1	PT.MORESBY	PMG	381.6	274.3	65.00 68.60 71.60	GOOD 0.50 FAIR 0.50 FAIR 0.50	64.78 68.38 71.38	BMR	17.08 20.68 23.68
53	1	PT.MORESBY	PMG	325.2	274.6	56.32 57.52 61.12	FAIR 0.50 GOOD 0.50 FAIR 1.00	56.25 57.45 61.05	BMR	15.60 16.80 20.40
54	1	PT.MORESBY	PMG	274.9	271.8	42.25 45.67 48.75 50.05 52.85 62.55 76.05	GOOD 1.00 GOOD 1.00 GOOD 1.00 FAIR 1.00 GOOD 1.00 FAIR 1.00 FAIR 1.00	42.13 45.55 48.63 49.93 52.73 52.43 75.93	BMR	7.76 11.18 14.26 15.56 18.36 28.06 41.56
55	1	PT.MORESBY	PMG	255.4	264.7	40.33 43.23 44.23 46.13 50.03	GOOD 1.00 GOOD 1.00 FAIR 1.00 FAIR 1.00 GOOD 1.00	40.24 43.14 44.14 46.04 49.94	BMR	8.31 11.21 12.21 14.11 18.01
56	1	PT.MORESBY	PMG	191.2	234.4	32.65 33.25 34.55 37.65 56.25 58.95	GOOD 1.00 GOOD 1.00 FAIR 1.00 FAIR 1.00 FAIR 1.00 GOOD 1.00	32.65 33.25 34.55 37.65 56.25 58.95	BMR	8.75 9.35 10.65 13.75 32.35 35.05
57	1	PT.MORESBY	PMG	202.4	233.6	33.22 34.12	FAIR 0.50 GOOD 0.50	33.22 34.12	BMR	7.92 8.82
58	1	PT.MORESBY	PMG	206.6	233.9	33.90	FAIR 0.50	33.90	BMR	8.08
59	1	PT.MORESBY	PMG	217.0	233.7	35.61 37.41 38.91	GOOD 0.50 FAIR 1.00 FAIR 1.00	35.33 37.13 38.63	BMR	8.21 10.01 11.51
60	1	PT.MORESBY	PMG	230.2	233.1	37.57	FAIR 0.50	36.76	BMR	7.99
61	1	PT.MORESBY	PMG	242.2	231.9	40.38	GOOD 0.50	39.58	BMR	9.31
62	1	PT.MORESBY	PMG	255.7	232.4	42.58 42.88 47.48 54.38 59.78	FAIR 0.50 GOOD 0.50 FAIR 1.00 FAIR 1.00 FAIR 1.00	40.83 41.13 45.73 52.63 58.03	BMR	8.87 9.17 13.77 20.67 26.07
63	1	PT.MORESBY	PMG	291.2	231.5	48.92 49.72 56.92	GOOD 0.50 FAIR 0.50 FAIR 1.00	46.87 47.67 54.87	BMR	10.47 11.27 18.47
69	1	PT.MORESBY	PMG	286.6	177.4	44.30 45.50	GOOD 1.00 FAIR 1.00	44.21 45.41	BMR	8.39 9.59

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 49.30	REMARKS QUAL ACC(SEC) FAIR 1.00	TT MSL (SEC) 49.21	INST	TT-D/ 8.00 (SEC) 13.39
70	1	PT.MORESBY	PMG	273.2	177.1	45.98	POOR 0.50	45.91	BMR	11.76
73	1	PT.MORESBY	PMG	239.0	181.2	37.76 43.96	GOOD 0.50 FAIR 1.00	37.68 43.88	BMR	7.80 14.00
74	1	PT.MORESBY	PMG	233.2	183.3	37.84	FAIR 1.00	37.58	BMR	8.43
75	1	PT.MORESBY	PMG	226.1	185.4	35.89 44.99	GOOD 0.50 FAIR 1.00	35.82 44.92	BMR	7.56 16.66
76	1	PT.MORESBY	PMG	232.7	186.7	38.00 38.60	POOR 0.50 GOOD 0.50	37.71 38.31	BMR	8.63 9.23
79	1	PT.MORESBY	PMG	263.0	189.7	43.17 45.27 50.17 50.07 71.37	GOOD 0.50 GOOD 0.50 GOOD 0.50 FAIR 1.00 FAIR 1.00	42.20 44.30 49.20 49.10 70.40	BMR	9.32 11.42 16.32 16.22 37.52
80	1	PT.MORESBY	PMG	283.7	192.4	45.51 47.61 55.81	GOOD 0.50 GOOD 0.50 GOOD 1.00	44.91 47.01 55.21	BMR	9.45 11.55 19.75
81	1	PT.MORESBY	PMG	218.5	188.9	35.62 37.42 41.12	GOOD 0.50 GOOD 0.50 GOOD 1.00	35.55 37.35 41.05	BMR	8.24 10.04 13.74
82	1	PT.MORESBY	PMG	209.2	192.4	34.36 36.36 38.66	GOOD 0.50 GOOD 0.50 FAIR 1.00	34.31 36.31 38.61	BMR	8.16 10.16 12.46
83	1	PT.MORESBY	PMG	207.5	195.2	34.01 36.11	GOOD 0.50 FAIR 0.50	33.95 36.05	BMR	8.02 10.12
84	1	PT.MORESBY	PMG	204.4	197.1	34.73	GOOD 0.50	34.54	BMR	8.99
85	1	PT.MORESBY	PMG	199.4	199.7	33.20 37.90	GOOD 0.50 GOOD 0.50	32.92 37.62	BMR	7.99 12.69
86	1	PT.MORESBY	PMG	196.2	202.2	33.68 36.08	GOOD 0.50 FAIR 0.50	33.68 36.08	BMR	9.16 11.56
87	1	PT.MORESBY	PMG	194.9	204.3	33.99 35.19 38.19	GOOD 0.50 FAIR 0.50 FAIR 1.00	33.61 34.81 37.81	BMR	9.25 10.45 13.45
88	1	PT.MORESBY	PMG	201.8	214.3	34.82 37.72 39.12	GOOD 0.50 FAIR 1.00 FAIR 1.00	34.53 37.43 38.83	BMR	9.30 12.20 13.60
89	1	PT.MORESBY	PMG	217.1	215.0	37.01 41.21 42.21	GOOD 0.50 FAIR 0.50 FAIR 0.50	36.52 40.72 41.72	BMR	9.38 13.58 14.58
90	1	PT.MORESBY	PMG	228.4	215.5	38.79	FAIR 0.50	37.84	BMR	9.29

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						39.49	GOOD 0.50	38.54		9.99
91	1	PT.MORESBY	PMG	239.9	215.7	40.48 42.28	FAIR 0.50 GOOD 0.50	39.64 41.44	BMR	9.65 11.45
92	1	PT.MORESBY	PMG	257.2	216.6	44.29	POOR 1.00	42.76	BMR	10.61
93	1	PT.MORESBY	PMG	267.3	216.4	45.72	FAIR 0.50	43.79	BMR	10.37
94	1	PT.MORESBY	PMG	279.6	217.1	47.52 49.92 57.92	GOOD 0.50 FAIR 0.50 FAIR 1.00	45.16 47.56 55.56	BMR	10.21 12.61 20.61
95	1	PT.MORESBY	PMG	405.3	230.1	62.52 64.02	GOOD 0.50 FAIR 0.50	59.98 61.48	BMR	9.32 10.82
96	1	PT.MORESBY	PMG	376.3	230.5	57.43 60.83 68.73	GOOD 0.50 FAIR 1.00 FAIR 1.00	55.65 59.05 66.95	BMR	8.61 12.01 19.91
99	1	PT.MORESBY	PMG	181.0	223.7	30.27 31.57 43.67 46.77	GOOD 0.50 GOOD 0.50 FAIR 1.00 FAIR 1.00	30.27 31.57 43.67 46.77	BMR	7.65 8.95 21.05 24.15
100	1	PT.MORESBY	PMG	177.1	228.0	32.38	POOR 1.00	32.37	BMR	10.24
101	1	PT.MORESBY	PMG	176.0	234.0	30.23 33.43	GOOD 0.50 GOOD 0.50	30.23 33.43	BMR	8.23 11.43
102	1	PT.MORESBY	PMG	174.0	237.1	30.38 36.48	GOOD 0.50 GOOD 1.00	30.38 36.48	BMR	8.63 14.73
103	1	PT.MORESBY	PMG	170.8	241.1	30.40	GOOD 0.50	30.40	BMR	9.05
104	1	PT.MORESBY	PMG	184.5	245.9	31.96	GOOD 0.50	31.96	BMR	8.90
105	1	PT.MORESBY	PMG	191.2	250.0	33.37 35.07 36.27 39.07	GOOD 0.50 FAIR 1.00 FAIR 1.00 FAIR 1.00	33.37 35.07 36.27 39.07	BMR	9.47 11.17 12.37 15.17
106	1	PT.MORESBY	PMG	198.8	251.8	34.34 40.74	GOOD 0.50 FAIR 1.00	34.34 40.74	BMR	9.49 15.89
107	1	PT.MORESBY	PMG	200.8	255.5	34.32 39.62 41.82	GOOD 0.50 FAIR 1.00 FAIR 1.00	34.32 39.62 41.82	BMR	9.22 14.52 16.72
108	1	PT.MORESBY	PMG	207.8	256.5	36.82	FAIR 0.50	36.82	BMR	10.84
109	1	PT.MORESBY	PMG	230.2	257.8	38.76	GOOD 0.50	38.76	BMR	9.98
110	1	PT.MORESBY	PMG	259.1	257.1	41.15 43.15 47.95	FAIR 0.50 GOOD 0.50 FAIR 0.50	41.03 43.03 47.83	BMR	8.65 10.65 15.45
111	1	PT.MORESBY	PMG	269.4	249.0	44.59	FAIR 0.50	44.60	BMR	10.92

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 48.89	REMARKS QUAL ACC(SECS) FAIR 1.00	TT MSL (SEC) 48.90	INST	TT-D/ 8.00 (SEC) 15.22
1	2	DAUGO I.	DI	26.6	44.0	8.75 13.60	GOOD 0.10 GOOD 0.50	7.96 12.81	BMR	4.63 9.48
2	2	DAUGO I.	DI	14.8	28.0	6.04 8.01	FAIR 0.50 FAIR 0.50	5.32 7.29	BMR	3.47 5.44
3	2	DAUGO I.	DI	13.7	81.5	5.05	GOOD 0.10	4.50	BMR	2.79
4	2	DAUGO I.	DI	7.3	4.1	1.86	GOOD 0.10	1.42	BMR	.44
5	2	DAUGO I.	DI	23.5	101.3	6.48 13.48	GOOD 0.10 GOOD 0.50	6.20 13.20	BMR	3.26 10.26
6	2	DAUGO I.	DI	31.7	107.6	8.61 10.64 18.79	GOOD 0.10 POOR 0.50 FAIR 0.50	8.35 10.38 18.53	BMR	4.38 6.41 14.56
7	2	DAUGO I.	DI	39.6	113.6	10.12 12.77 15.66	GOOD 0.10 FAIR 0.50 FAIR 0.50	9.80 12.45 15.34	BMR	4.85 7.50 10.39
8	2	DAUGO I.	DI	53.4	120.3	12.64 13.70 16.09 18.03	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	12.38 13.44 15.83 17.77	BMR	5.71 6.77 9.16 11.10
9	2	DAUGO I.	DI	61.3	123.8	14.08 15.34	FAIR 0.50 GOOD 0.50	13.94 15.20	BMR	6.28 7.54
10	2	DAUGO I.	DI	73.5	124.9	16.08 16.87 17.43 19.09 20.64	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	15.70 16.49 17.05 18.71 20.26	BMR	6.51 7.30 7.86 9.52 11.07
11	2	DAUGO I.	DI	84.9	129.2	17.95 18.30	FAIR 0.50 GOOD 0.10	17.67 18.02	BMR	7.06 7.41
12	2	DAUGO I.	DI	97.5	129.3	19.93 22.05 23.42 23.73	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	19.75 21.87 23.24 23.55	BMR	7.56 9.68 11.05 11.36
13	2	DAUGO I.	DI	109.2	130.6	21.49 22.07 22.94 24.82 25.52 25.88	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	21.26 21.84 22.71 24.59 25.29 25.65	BMR	7.61 8.19 9.06 10.94 11.64 12.00
14	2	DAUGO I.	DI	120.8	131.5	22.83 23.63 24.22	FAIR 0.50 GOOD 0.50 FAIR 0.50	22.71 23.51 24.10	BMR	7.61 8.41 9.00
15	2	DAUGO I.	DI	133.6	132.2	24.34	POOR 1.00	24.18	BMR	7.48

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						25.28	POOR 1.00	25.12		8.42
						26.24	FAIR 0.50	26.08		9.38
						27.00	FAIR 0.50	26.84		10.14
16	2	DAUGO I.	DI	145.8	132.6	25.74	POOR 1.00	25.50	BMR	7.28
						28.42	FAIR 0.50	28.18		9.96
						29.83	FAIR 0.50	29.59		11.37
						33.63	FAIR 0.50	33.39		15.17
17	2	DAUGO I.	DI	158.0	132.9	27.97	POOR 1.00	27.99	BMR	8.24
						29.14	POOR 0.50	29.16		9.41
						30.21	POOR 0.50	30.23		10.48
						31.65	POOR 0.50	31.67		11.92
						32.97	POOR 0.50	32.99		13.24
18	2	DAUGO I.	DI	188.5	134.5	35.40	FAIR 0.50	35.42	BMR	11.85
						36.32	FAIR 0.50	36.34		12.77
						41.37	GOOD 0.50	41.39		17.82
20	2	DAUGO I.	DI	102.7	125.0	21.00	GOOD 0.10	20.53	BMR	7.69
						23.85	FAIR 0.50	23.38		10.54
						35.86	GOOD 0.50	35.39		22.55
21	2	DAUGO I.	DI	101.8	119.5	21.01	GOOD 0.10	20.43	BMR	7.70
						21.54	FAIR 0.50	20.96		8.23
22	2	DAUGO I.	DI	102.0	113.5	20.98	GOOD 0.50	20.31	BMR	7.56
						23.68	FAIR 0.50	23.01		10.26
23	2	DAUGO I.	DI	108.3	106.3	21.50	GOOD 0.10	20.82	BMR	7.28
						28.78	FAIR 0.10	28.10		14.56
						30.23	POOR 0.50	29.55		16.01
24	2	DAUGO I.	DI	110.0	102.8	22.31	GOOD 0.50	21.61	BMR	7.86
						24.47	FAIR 0.50	23.77		10.02
25	2	DAUGO I.	DI	135.1	88.9	24.55	GOOD 0.10	23.90	BMR	7.01
						25.36	GOOD 0.50	24.71		7.82
						26.68	FAIR 0.50	26.03		9.14
						30.54	FAIR 0.50	29.89		13.00
27	2	DAUGO I.	DI	196.2	65.3	32.21	GOOD 0.10	31.78	BMR	7.25
						33.46	FAIR 0.50	33.03		8.50
28	2	DAUGO I.	DI	243.2	58.9	37.28	GOOD 0.10	36.83	BMR	6.43
29	2	DAUGO I.	DI	280.4	55.8	41.53	FAIR 0.50	41.03	BMR	5.98
30	2	DAUGO I.	DI	249.2	54.8	37.87	GOOD 0.50	37.42	BMR	6.27
						38.89	FAIR 0.50	38.44		7.29
31	2	DAUGO I.	DI	209.1	54.0	33.00	GOOD 0.10	32.59	BMR	6.46
						42.12	GOOD 0.10	41.71		15.58
32	2	DAUGO I.	DI	164.0	53.2	27.49	GOOD 0.50	26.95	BMR	6.45
						34.55	FAIR 0.50	34.01		13.51
						49.52	FAIR 0.50	48.98		28.48

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
33	2	DAUGO I.	DI	116.2	50.9	21.90 22.81 30.89	GOOD 0.50 GOOD 0.10 GOOD 0.50	21.11 22.02 30.10	BMR	6.59 7.50 15.58
34	2	DAUGO I.	DI	88.2	50.0	18.13 19.07 21.71 56.79 58.75	GOOD 0.10 GOOD 0.10 FAIR 1.00 FAIR 0.50 GOOD 0.50	17.28 18.22 20.86 55.94 57.90	BMR	6.26 7.20 9.84 44.92 46.88
35	2	DAUGO I.	DI	76.9	48.8	16.53 17.96 49.07	GOOD 0.10 FAIR 0.50 GOOD 1.00	15.72 17.15 48.26	BMR	6.10 7.53 38.64
36	2	DAUGO I.	DI	61.9	48.6	13.92 16.01 16.62 18.86	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	13.09 15.18 15.79 18.03	BMR	5.35 7.44 8.05 10.29
37	2	DAUGO I.	DI	47.7	47.5	11.95 12.79 28.29	GOOD 0.50 FAIR 0.50 GOOD 0.50	11.12 11.96 27.46	BMR	5.16 6.00 21.50
38	2	DAUGO I.	DI	36.0	46.7	9.82 15.57 23.17	GOOD 0.10 GOOD 0.50 GOOD 0.50	9.00 14.75 22.35	BMR	4.50 10.25 17.85
39	2	DAUGO I.	DI	39.8	318.9	9.72 13.37 24.54	GOOD 0.50 FAIR 0.50 GOOD 0.50	9.40 13.05 24.22	BMR	4.42 8.07 19.24
40	2	DAUGO I.	DI	28.9	324.8	7.98 8.83 12.54 15.80 17.10	GOOD 0.50 FAIR 0.50 FAIR 0.50 GOOD 0.50 GOOD 0.50	7.64 8.49 12.20 15.46 16.76	BMR	4.03 4.88 8.59 11.85 13.15
41	2	DAUGO I.	DI	16.3	333.3	5.29 5.91 8.83	FAIR 0.50 GOOD 0.50 FAIR 0.50	4.92 5.54 8.46	BMR	2.89 3.51 6.43
42	2	DAUGO I.	DI	52.4	321.0	12.15 14.22	GOOD 0.50 FAIR 0.50	11.85 13.92	BMR	5.30 7.37
43	2	DAUGO I.	DI	65.2	323.4	14.38 15.89 40.87 41.79	FAIR 0.50 FAIR 0.50 GOOD 0.50 FAIR 0.50	13.98 15.49 40.47 41.39	BMR	5.83 7.34 32.32 33.24
44	2	DAUGO I.	DI	80.6	320.8	16.36 17.32	FAIR 0.50 GOOD 0.50	16.14 17.10	BMR	6.07 7.03
45	2	DAUGO I.	DI	95.0	317.6	18.87 19.23 19.80 21.01	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	18.47 18.83 19.40 20.61	BMR	6.59 8.95 7.52 8.73

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 23.67	REMARKS QUAL ACC(SEC) FAIR 0.50	TT MSL (SEC) 23.27	INST	TT-D/ 8.00 (SEC) 11.39
47	2	DAUGO I.	DI	116.6	309.3	22.02 22.81	GOOD 0.10 FAIR 0.50	21.93 22.72	BMR	7.36 8.15
48	2	DAUGO I.	DI	175.1	301.6	29.13 33.33 40.25	POOR 1.00 POOR 1.00 GOOD 0.50	23.77 32.97 39.89	BMR	6.88 11.08 18.00
49	2	DAUGO I.	DI	231.5	295.9	36.44 40.69 44.71	FAIR 0.50 FAIR 0.50 FAIR 0.50	35.88 40.13 44.15	BMR	6.94 11.19 15.21
56	2	DAUGO I.	DI	207.9	233.8	34.94 35.47 36.12 38.77 47.84	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	34.96 35.49 36.14 38.79 47.86	BMR	8.97 9.50 10.15 12.80 21.87
57	2	DAUGO I.	DI	219.1	233.1	38.19	POOR 1.00	38.21	BMR	10.82
59	2	DAUGO I.	DI	233.6	233.3	38.81	GOOD 0.50	38.55	BMR	9.35
62	2	DAUGO I.	DI	272.4	232.1	55.64	GOOD 0.10	53.91	BMR	19.86
85	2	DAUGO I.	DI	214.3	201.8	37.16 41.76	GOOD 0.50 FAIR 0.50	36.89 41.49	BMR	10.11 14.71
100	2	DAUGO I.	DI	193.9	228.0	33.46 37.26	GOOD 0.50 FAIR 0.50	33.47 37.27	BMR	9.23 13.03
104	2	DAUGO I.	DI	200.5	244.4	34.89	GOOD 0.50	34.91	BMR	9.84
2	3	KONEDOBU	KD	26.0	48.8	6.80 10.80	GOOD 0.10 GOOD 0.10	6.06 10.06	BMR	2.81 6.81
3	3	KONEDOBU	KD	26.9	76.9	7.65 11.63	GOOD 0.10 FAIR 0.50	7.09 11.07	BMR	3.72 7.70
4	3	KONEDOBU	KD	17.7	48.2	4.84	GOOD 0.10	4.38	BMR	2.17
5	3	KONEDOBU	KD	35.7	90.9	8.47	GOOD 0.10	8.17	BMR	3.71
6	3	KONEDOBU	KD	43.2	97.4	10.51	GOOD 0.10	10.23	BMR	4.83
7	3	KONEDOBU	KD	50.3	103.6	11.96	GOOD 0.10	11.63	BMR	5.34
8	3	KONEDOBU	KD	63.1	111.3	14.07	GOOD 0.10	13.79	BMR	5.91
9	3	KONEDOBU	KD	70.3	115.4	15.02	GOOD 0.10	14.86	BMR	6.07
10	3	KONEDOBU	KD	82.2	117.6	17.40 17.78	FAIR 0.10 GOOD 0.10	17.00 17.38	BMR	6.72 7.10
11	3	KONEDOBU	KD	92.8	122.4	19.10 22.33	GOOD 0.10 FAIR 0.50	18.81 22.04	BMR	7.21 10.44
12	3	KONEDOBU	KD	105.3	123.3	21.17	GOOD 0.50	20.97	BMR	7.81

SHOT	RECORDS	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
13	3	KONEDOB	KD	116.7	125.1	22.85	GOOD 0.10	22.61	BMR	8.02
14	3	KONEDOB	KD	128.1	126.4	23.99 28.11	GOOD 0.50 FAIR 0.50	23.85 27.97	BMR	7.84 11.96
17	3	KONEDOB	KD	164.9	128.9	29.90 28.50	FAIR 1.00 FAIR 1.00	29.91 28.51	BMR	9.29 7.89
18	3	KONEDOB	KD	195.0	131.1	40.53	FAIR 1.00	40.53	BMR	16.15
20	3	KONEDOB	KD	111.3	119.5	22.05 23.55 35.45	GOOD 0.10 FAIR 0.50 FAIR 1.00	21.56 23.06 34.96	BMR	7.65 9.15 21.05
21	3	KONEDOB	KD	111.3	114.5	22.36	GOOD 0.10	21.76	BMR	7.85
23	3	KONEDOB	KD	119.5	102.8	22.97	GOOD 0.10	22.27	BMR	7.33
33	3	KONEDOB	KD	128.7	53.1	23.40 28.94	GOOD 0.10 FAIR 1.00	22.60 28.14	BMR	6.51 12.05
35	3	KONEDOB	KD	89.2	52.2	18.26 24.06 31.26 36.26	GOOD 0.10 FAIR 1.00 FAIR 1.00 FAIR 1.00	17.43 23.23 30.43 35.43	BMR	6.28 12.08 19.28 24.28
36	3	KONEDOB	KD	74.2	52.7	15.77 16.95 21.27	GOOD 0.10 FAIR 0.50 FAIR 0.50	14.92 16.10 20.42	BMR	5.65 6.83 11.15
38	3	KONEDOB	KD	48.3	53.5	11.92 14.98 19.62	GOOD 0.10 GOOD 0.50 FAIR 1.00	11.08 14.14 18.78	BMR	5.04 8.10 12.74
39	3	KONEDOB	KD	36.7	338.3	9.06	GOOD 0.10	8.72	BMR	4.13
40	3	KONEDOB	KD	27.9	351.7	7.50 12.70	GOOD 0.10 FAIR 1.00	7.14 12.34	BMR	3.66 8.86
41	3	KONEDOB	KD	19.4	15.9	5.72 7.64	GOOD 0.10 GOOD 0.10	5.34 7.26	BMR	2.91 4.83
42	3	KONEDOB	KD	49.2	335.6	12.10	FAIR 0.50	11.78	BMR	5.63
43	3	KONEDOB	KD	62.2	335.1	13.56	GOOD 0.50	13.14	BMR	5.37
44	3	KONEDOB	KD	76.7	330.1	15.67 19.42 25.52	GOOD 0.10 FAIR 0.50 FAIR 1.00	15.44 19.19 25.29	BMR	5.85 9.60 15.70
47	3	KONEDOB	KD	110.0	315.1	21.10 21.54 23.90 29.60	GOOD 0.10 FAIR 0.10 FAIR 0.50 FAIR 0.50	20.99 21.43 23.79 29.49	BMR	7.24 7.68 10.04 15.74
48	3	KONEDOB	KD	166.8	305.0	35.80	POOR 1.00	35.42	BMR	14.57

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
49	3	KONEDOBU	KD	222.1	298.2	35.26 39.06	GOOD 0.10 FAIR 1.00	34.68 38.48	BMR	6.92 10.72
50	3	KONEDOBU	KD	289.3	294.0	42.62	FAIR 0.50	42.45	BMR	6.29
56	3	KONEDOBU	KD	195.4	232.6	33.18	FAIR 0.50	33.18	BMR	8.75
59	3	KONEDOBU	KD	221.1	232.2	35.87	FAIR 0.50	35.59	BMR	7.95
62	3	KONEDOBU	KD	260.0	231.1	44.05	FAIR 0.50	42.30	BMR	9.80
69	3	KONEDOBU	KD	293.8	177.4	46.47	FAIR 0.50	46.38	BMR	9.66
73	3	KONEDOBU	KD	246.1	181.2	39.75	FAIR 0.50	39.67	BMR	8.90
75	3	KONEDOBU	KD	233.2	185.2	37.48	FAIR 0.50	37.41	BMR	8.26
77	3	KONEDOBU	KD	250.0	187.7	40.74 46.14	GOOD 0.10 POOR 1.00	40.22 45.62	BMR	8.97 14.37
79	3	KONEDOBU	KD	270.0	189.4	44.36	FAIR 0.50	43.39	BMR	9.64
82	3	KONEDOBU	KD	216.2	192.0	35.50 37.85	GOOD 0.50 FAIR 1.00	35.45 37.80	BMR	8.42 10.77
83	3	KONEDOBU	KD	214.4	194.6	36.50	FAIR 0.50	36.44	BMR	9.64
84	3	KONEDOBU	KD	211.3	196.5	35.72	FAIR 0.50	35.53	BMR	9.12
85	3	KONEDOBU	KD	206.1	199.0	34.83 41.08 42.58	GOOD 0.50 FAIR 1.00 FAIR 1.00	34.55 40.80 42.30	BMR	8.78 15.03 16.53
86	3	KONEDOBU	KD	202.8	201.4	35.36	FAIR 1.00	35.36	BMR	10.01
87	3	KONEDOBU	KD	201.4	203.5	35.47	GOOD 0.50	35.09	BMR	9.91
88	3	KONEDOBU	KD	207.7	213.2	35.90	GOOD 0.10	35.61	BMR	9.64
89	3	KONEDOBU	KD	222.9	213.9	41.77	FAIR 1.00	41.28	BMR	13.41
91	3	KONEDOBU	KD	245.7	214.7	42.34	GOOD 0.50	41.50	BMR	10.79
94	3	KONEDOBU	KD	285.2	216.2	48.58 51.38 56.28	GOOD 0.50 FAIR 1.00 FAIR 1.00	46.22 49.02 53.92	BMR	10.57 13.37 18.27
98	3	KONEDOBU	KD	197.2	214.7	35.50 32.40	FAIR 0.50 POOR 1.00	35.31 32.21	BMR	10.66 7.56
99	3	KONEDOBU	KD	186.1	222.1	32.65	FAIR 0.50	32.65	BMR	9.39
109	3	KONEDOBU	KD	231.6	256.0	40.33	POOR 1.00	40.33	BMR	11.38
110	3	KONEDOBU	KD	260.6	255.6	45.33	POOR 1.00	45.21	BMR	12.64
1	4	AROA	AA	72.7	353.5	17.12	GOOD 0.50	16.33	BMR	7.24

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						18.42	FAIR 0.50	17.63		8.54
						21.72	POOR 0.50	20.93		11.84
						23.89	FAIR 0.50	23.10		14.01
						26.82	FAIR 0.50	26.03		16.94
						30.72	FAIR 0.50	29.93		20.84
2	4	AROA	AA	69.1	343.3	15.60	GOOD 0.10	14.88	BMR	6.24
						22.25	FAIR 0.50	21.53		12.89
						29.94	FAIR 0.50	29.22		20.58
						34.12	FAIR 0.50	33.40		24.76
3	4	AROA	AA	56.7	346.5	13.57	GOOD 0.10	13.02	BMR	5.94
						21.35	POOR 0.50	20.80		13.72
						23.75	POOR 0.50	23.20		16.12
						38.55	FAIR 0.50	38.00		30.92
4	4	AROA	AA	66.2	336.7	13.59	GOOD 0.10	13.15	BMR	4.87
						16.88	FAIR 0.50	16.44		8.16
						21.88	POOR 1.00	21.44		13.16
						29.76	POOR 0.50	29.32		21.04
						33.68	POOR 0.50	33.24		24.96
5	4	AROA	AA	48.6	355.7	11.25	GOOD 0.10	10.97	BMR	4.89
						14.12	GOOD 0.10	13.84		7.76
						40.02	FAIR 0.50	39.74		33.66
						46.02	FAIR 0.50	45.74		39.66
6	4	AROA	AA	43.6	4.6	11.16	GOOD 0.10	10.90	BMR	5.45
						13.03	FAIR 0.50	12.77		7.32
						15.16	FAIR 0.50	14.90		9.45
						16.11	GOOD 0.50	15.85		10.40
						18.58	FAIR 0.50	18.32		12.87
7	4	AROA	AA	38.4	14.4	10.47	GOOD 0.10	10.15	BMR	5.35
						12.80	FAIR 0.50	12.48		7.68
						14.67	FAIR 0.50	14.35		9.55
						19.41	POOR 0.50	19.09		14.29
						27.97	POOR 0.50	27.65		22.85
						32.97	POOR 0.50	32.65		27.85
8	4	AROA	AA	32.6	36.6	9.30	GOOD 0.10	9.04	BMR	4.97
						11.98	FAIR 0.50	11.72		7.65
						15.58	FAIR 0.50	15.32		11.25
						16.98	POOR 0.50	16.72		12.65
						20.48	POOR 0.50	20.22		16.15
9	4	AROA	AA	30.8	51.9	8.87	GOOD 0.10	8.73	BMR	4.88
						11.68	FAIR 0.50	11.54		7.69
						21.88	FAIR 0.50	21.74		17.89
						25.48	POOR 0.50	25.34		21.49
						32.48	POOR 0.50	32.34		28.49
10	4	AROA	AA	35.3	71.8	10.11	GOOD 0.10	9.73	BMR	5.31
						12.75	FAIR 0.50	12.37		7.95
						20.53	POOR 0.50	20.15		15.73
						23.89	POOR 0.50	23.51		19.09
						26.79	POOR 1.00	26.41		21.99

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 28.89	REMARKS QUAL ACC(SEC) POOR 0.50	TT MSL (SEC) 28.51	INST	TT-D/ 8.00 (SEC) 24.09
11	4	AROA	AA	39.0	90.8	10.54 13.34 14.84 19.64 47.04	GOOD 0.10 FAIR 0.50 POOR 0.50 POOR 0.50 POOR 0.50	10.26 13.06 14.56 19.36 46.76	BMR	5.39 8.19 9.69 14.49 41.89
12	4	AROA	AA	49.5	100.1	18.63 25.73	POOR 0.50 POOR 0.50	18.45 25.55	BMR	12.26 19.36
13	4	AROA	AA	59.0	107.7	13.67 15.73 19.04 24.89	FAIR 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	13.44 15.50 18.81 24.66	BMR	6.07 8.13 11.44 17.29
14	4	AROA	AA	69.2	112.9	15.57 17.15 21.05 26.01 30.91 51.35	GOOD 0.10 GOOD 0.10 POOR 0.50 FAIR 0.50 POOR 0.50 POOR 0.50	15.45 17.03 20.93 25.89 30.79 51.23	BMR	8.80 8.38 12.28 17.24 22.14 42.58
15	4	AROA	AA	81.1	116.8	17.80 18.73 20.74 22.69 25.99	GOOD 0.10 FAIR 0.10 POOR 0.50 FAIR 0.50 POOR 0.50	17.64 18.57 20.58 22.53 25.83	BMR	7.51 8.44 10.45 12.40 15.70
16	4	AROA	AA	92.6	119.5	19.96 23.94 30.09 38.14 39.74 41.14	GOOD 0.10 FAIR 0.10 POOR 0.10 POOR 0.50 POOR 0.50 FAIR 0.50	19.72 23.70 29.85 37.90 39.50 40.90	BMR	8.15 12.13 18.28 26.33 27.93 29.33
18	4	AROA	AA	133.6	126.3	25.64 26.89 39.74	POOR 0.50 FAIR 0.50 POOR 0.50	25.66 26.91 39.76	BMR	8.96 10.21 23.06
21	4	AROA	AA	62.0	87.3	15.10 16.68 19.88 22.98 28.38	GOOD 0.10 GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	14.52 16.10 19.30 22.40 27.80	BMR	6.77 8.35 11.55 14.65 20.05
22	4	AROA	AA	68.0	79.4	16.04 16.32 18.64 31.04	FAIR 0.50 GOOD 0.10 FAIR 0.50 POOR 1.00	15.37 15.65 17.97 30.37	BMR	6.87 7.15 9.47 21.87
23	4	AROA	AA	80.6	73.6	17.80 18.59 24.29 28.79 43.19	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	17.12 17.91 23.61 28.11 44.51	BMR	7.04 7.83 13.53 18.03 34.43
24	4	AROA	AA	85.6	70.4	18.75	GOOD 0.10	18.05	BMR	7.35

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						19.53	FAIR	0.50	18.83		8.13
						22.53	POOR	0.50	21.83		11.13
						30.63	POOR	0.50	29.93		19.23
						33.13	FAIR	0.50	32.43		21.73
25	4	AROA	AA	122.0	62.8	45.41	FAIR	0.50	44.76	BMR	29.51
						52.31	FAIR	0.50	51.66		36.41
						63.81	FAIR	0.50	63.16		47.91
28	4	AROA	AA	254.9	45.5	38.43	POOR	0.50	37.98	BMR	6.12
						38.91	GOOD	0.50	38.46		6.60
						43.95	POOR	0.50	43.50		11.64
29	4	AROA	AA	294.4	44.3	43.50	FAIR	0.50	43.00	BMR	6.20
31	4	AROA	AA	226.6	39.1	35.20	FAIR	0.50	34.79	BMR	6.47
						36.00	POOR	0.50	35.59		7.27
						37.00	POOR	0.50	36.59		8.27
32	4	AROA	AA	184.1	34.7	30.06	POOR	0.50	29.52	BMR	6.51
						34.82	FAIR	1.00	34.28		11.27
						40.12	FAIR	0.50	39.58		16.57
33	4	AROA	AA	141.5	26.7	26.22	GOOD	0.10	25.43	BMR	7.75
						34.59	FAIR	0.50	33.80		16.12
						62.09	FAIR	0.50	61.30		43.62
34	4	AROA	AA	117.2	20.4	22.47	GOOD	0.10	21.62	BMR	6.97
						25.57	FAIR	0.50	25.72		11.07
						44.27	FAIR	0.50	43.42		28.77
35	4	AROA	AA	108.4	16.7	21.48	FAIR	0.50	20.67	BMR	7.12
						22.17	GOOD	0.10	21.36		7.81
						23.01	FAIR	0.50	22.20		8.65
						25.24	POOR	1.00	24.43		10.88
						41.67	FAIR	0.50	40.86		27.31
36	4	AROA	AA	96.1	11.9	19.92	POOR	0.50	19.09	BMR	7.08
						20.15	GOOD	0.10	19.32		7.31
						34.02	FAIR	0.50	33.19		21.18
						35.72	FAIR	0.50	34.89		22.88
						38.02	FAIR	0.50	37.19		25.18
38	4	AROA	AA	77.8	359.6	17.32	GOOD	0.10	16.50	BMR	6.77
						20.73	FAIR	0.50	19.91		10.18
						29.38	FAIR	0.50	28.56		18.83
						42.26	FAIR	0.50	41.44		31.71
39	4	AROA	AA	98.5	327.5	19.86	GOOD	0.50	19.54	BMR	7.23
						22.51	FAIR	1.00	22.19		9.88
						28.29	POOR	1.00	27.97		15.66
						43.60	FAIR	0.50	43.28		30.97
41	4	AROA	AA	75.7	333.2	16.99	POOR	0.50	16.62	BMR	7.16
						20.32	FAIR	0.50	19.95		10.49
						31.76	FAIR	0.50	31.39		21.93
43	4	AROA	AA	124.1	328.1	24.14	GOOD	0.10	23.74	BMR	8.23

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						27.83 31.53	FAIR 0.50 POOR 0.50	27.43 31.13		11.92 15.62
44	4	AROA	AA	139.2	326.1	25.22 26.73 29.62 35.70 37.37 41.12	GOOD 0.10 FAIR 0.50 GOOD 0.50 FAIR 0.10 POOR 0.50 POOR 0.50	25.00 26.51 29.40 35.48 37.15 40.90	BMR	7.60 9.11 12.00 18.08 19.75 23.50
45	4	AROA	AA	153.1	323.6	28.67 32.17	FAIR 0.10 POOR 0.50	28.27 31.77	BMR	9.13 12.63
46	4	AROA	AA	163.5	320.2	29.84 32.34 35.64	FAIR 0.50 POOR 0.50 POOR 0.50	29.47 31.97 35.27	BMR	9.03 11.53 14.83
47	4	AROA	AA	172.6	317.3	29.48 31.19 36.67 40.82 41.82 42.82	GOOD 0.50 FAIR 0.50 GOOD 0.10 POOR 0.50 POOR 0.50 POOR 0.50	29.39 31.10 36.58 40.73 41.73 42.73	BMR	7.82 9.53 15.01 19.16 20.16 21.16
48	4	AROA	AA	227.9	309.4	36.35 44.41 57.12	FAIR 0.50 FAIR 0.50 FAIR 0.50	35.99 44.05 56.76	BMR	7.50 15.56 28.27
50	4	AROA	AA	346.6	298.7	50.63 61.83 67.73	FAIR 0.50 FAIR 0.50 POOR 0.50	50.48 61.68 67.58	BMR	7.16 18.36 24.26
51	4	AROA	AA	450.0	289.6	22.05 5.20	POOR 0.50 POOR 1.00	21.87 5.02	BMR	-34.39 -51.24
56	4	AROA	AA	206.9	250.3	35.75	GOOD 0.10	35.77	BMR	9.90
57	4	AROA	AA	217.0	248.8	36.79 38.64 45.46	GOOD 0.10 FAIR 0.50 FAIR 0.50	36.81 38.66 45.48	BMR	9.69 11.54 18.36
58	4	AROA	AA	221.3	248.8	37.27	FAIR 1.00	37.29	BMR	9.62
59	4	AROA	AA	231.1	247.9	38.38	FAIR 0.50	38.12	BMR	9.23
61	4	AROA	AA	254.0	244.9	44.63 46.02	POOR 0.50 FAIR 0.50	43.35 44.74	BMR	11.60 12.99
62	4	AROA	AA	267.7	244.7	45.96 49.06	GOOD 0.50 POOR 0.50	44.23 47.33	BMR	10.76 13.86
63	4	AROA	AA	301.7	242.5	51.54 54.59	GOOD 0.50 FAIR 0.50	49.51 52.56	BMR	11.80 14.85
69	4	AROA	AA	245.8	186.1	38.88 43.20 45.78	FAIR 0.50 POOR 0.50 FAIR 0.10	38.81 43.13 45.71	BMR	8.09 12.41 14.99

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 49.39	REMARKS QUAL ACC(SEC) POOR 0.50	TT MSL (SEC) 49.32	INST	TT-D/ 8.00 (SEC) 18.60
71	4	AROA	AA	221.1	189.5	39.28	POOR 0.50	39.16	BMR	11.53
73	4	AROA	AA	202.0	192.7	34.37	POOR 0.50	34.30	BMR	9.05
74	4	AROA	AA	198.1	195.4	33.50 34.84	POOR 0.50 FAIR 0.50	33.25 34.59	BMR	8.49 9.83
75	4	AROA	AA	193.0	198.2	33.34 39.44	FAIR 0.10 FAIR 0.50	33.29 39.39	BMR	9.17 15.27
77	4	AROA	AA	211.7	200.1	37.20 38.93 46.21 51.25	FAIR 0.50 FAIR 0.10 FAIR 0.50 FAIR 0.50	36.70 38.43 45.71 50.75	BMR	10.23 11.96 19.24 24.28
79	4	AROA	AA	233.0	201.1	41.37 45.15	POOR 0.50 FAIR 0.50	40.42 44.20	BMR	11.29 15.07
80	4	AROA	AA	255.8	203.1	44.91	POOR 1.00	44.32	BMR	12.35
97	4	AROA	AA	353.8	240.5	57.20	FAIR 0.50	55.01	BMR	10.78
98	4	AROA	AA	189.4	233.2	33.99 37.30	GOOD 0.10 FAIR 0.50	33.82 37.13	BMR	10.15 13.46
99	4	AROA	AA	187.0	241.5	32.45 36.46	FAIR 0.50 FAIR 0.10	32.47 36.48	BMR	9.09 13.10
101	4	AROA	AA	192.0	251.2	34.37	FAIR 0.50	34.38	BMR	10.38
104	4	AROA	AA	210.5	260.8	36.78 37.19 38.80	FAIR 0.10 FAIR 0.10 FAIR 0.50	36.80 37.21 38.82	BMR	10.48 10.89 12.50
107	4	AROA	AA	234.0	267.9	39.71	FAIR 0.10	39.72	BMR	10.47
110	4	AROA	AA	292.5	266.9	48.13 54.53	FAIR 0.10 POOR 0.50	48.03 54.43	BMR	11.47 17.87
1	5	YULE I.	YE	100.2	338.2	21.83 22.48 23.12 24.12 25.56 28.50	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	21.04 21.69 22.33 23.33 25.77 27.71	BMR	8.51 9.16 9.80 10.80 13.24 15.18
2	5	YULE I.	YE	99.7	330.7	20.89 25.07	GOOD 0.50 FAIR 0.50	20.17 24.35	BMR	7.70 11.88
3	5	YULE I.	YE	86.8	331.0	18.65 19.52 20.24	FAIR 0.50 GOOD 0.50 FAIR 0.50	18.10 18.97 19.69	BMR	7.25 8.12 8.84
4	5	YULE I.	YE	98.5	325.9	18.87 21.90	GOOD 0.50 GOOD 0.50	18.42 21.45	BMR	6.11 9.14

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 27.28	REMARKS QUAL ACC(SEC) FAIR 0.50	TT MSL (SEC) 26.83	INST	TT-D/ 8.00 (SEC) 14.52
5	5	YULE I.	YE	76.6	334.8	16.37 17.07	FAIR 0.50 GOOD 0.50	16.09 16.79	BMR	6.51 7.21
12	5	YULE I.	YE	23.2	58.4	7.65 8.35	GOOD 0.50 FAIR 0.50	7.47 8.17	BMR	4.57 5.27
13	5	YULE I.	YE	27.5	83.9	8.77 10.93 14.37	GOOD 0.50 FAIR 0.50 FAIR 0.50	8.54 10.70 14.14	BMR	5.11 7.27 10.71
14	5	YULE I.	YE	35.4	99.9	10.08 12.12 13.42 19.50	GOOD 0.10 GOOD 0.10 FAIR 0.50 FAIR 0.50	9.96 12.00 13.30 19.38	BMR	5.53 7.57 8.87 14.95
15	5	YULE I.	YE	46.2	109.9	12.47 14.09 16.15	GOOD 0.10 FAIR 0.10 FAIR 0.10	12.31 13.93 15.99	BMR	6.54 8.16 10.22
16	5	YULE I.	YE	57.3	115.6	14.16 16.12 18.14	FAIR 0.50 FAIR 0.50 FAIR 0.50	13.92 15.88 17.90	BMR	6.76 8.72 10.74
17	5	YULE I.	YE	68.9	119.2	15.65 17.84 19.00 19.68	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	15.67 17.86 19.02 19.70	BMR	7.06 9.25 10.41 11.09
18	5	YULE I.	YE	98.0	126.4	21.11 21.86 27.06	GOOD 0.10 FAIR 0.50 GOOD 0.50	21.12 21.87 27.07	BMR	8.87 9.62 14.82
19	5	YULE I.	YE	143.9	114.4	26.90 28.15 32.13 36.41	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 1.00	26.92 28.17 32.15 36.43	BMR	8.93 10.19 14.17 18.45
20	5	YULE I.	YE	32.4	62.2	9.83 11.22 13.08	GOOD 0.50 FAIR 0.50 FAIR 0.50	9.36 10.75 12.61	BMR	5.31 6.70 8.56
21	5	YULE I.	YE	40.7	54.2	11.57 13.40 15.67	GOOD 0.50 FAIR 0.50 FAIR 0.50	10.99 12.82 15.09	BMR	5.90 7.73 10.00
22	5	YULE I.	YE	50.5	48.7	12.89 13.39 28.49	FAIR 0.50 GOOD 0.50 GOOD 0.50	12.22 12.72 27.82	BMR	5.91 6.41 21.51
23	5	YULE I.	YE	65.2	48.0	15.29 16.01 16.89 17.99 28.26	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	14.61 15.33 16.21 17.31 27.58	BMR	6.46 7.18 8.06 9.16 19.43
24	5	YULE I.	YE	71.6	46.2	15.21	FAIR 0.50	15.51	BMR	6.56

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						17.51	FAIR	0.50	16.81		7.86
						28.83	FAIR	0.50	28.13		19.18
						43.31	FAIR	0.50	43.21		34.26
25	5	YULE I.	YE	110.5	46.1	21.38	GOOD	0.50	20.73	BMR	6.92
						22.38	FAIR	0.50	21.73		7.92
						25.95	FAIR	0.50	25.30		11.49
27	5	YULE I.	YE	198.7	38.2	32.35	FAIR	0.50	31.92	BMR	7.08
						33.01	FAIR	0.50	32.58		7.74
						34.37	FAIR	0.50	33.94		9.10
						36.22	FAIR	0.50	35.79		10.95
						39.29	FAIR	0.50	38.86		14.02
						42.25	FAIR	0.50	41.82		16.98
32	5	YULE I.	YE	188.3	23.8	30.58	GOOD	0.50	30.04	BMR	6.50
						32.19	FAIR	0.50	31.65		8.11
						36.20	GOOD	0.50	35.66		12.12
						39.43	FAIR	0.50	38.89		15.35
						42.29	FAIR	0.50	41.75		18.21
33	5	YULE I.	YE	151.3	13.2	27.35	POOR	0.50	26.56	BMR	7.65
						29.30	FAIR	0.50	28.51		9.60
						34.50	FAIR	0.50	33.71		14.80
40	5	YULE I.	YE	121.4	323.4	23.84	GOOD	0.10	23.50	BMR	8.32
						24.90	FAIR	0.50	24.56		9.38
						26.37	FAIR	0.50	26.03		10.85
41	5	YULE I.	YE	108.6	324.5	21.91	FAIR	0.50	21.54	BMR	7.97
						22.56	GOOD	0.50	22.19		8.62
						24.45	POOR	0.50	24.08		10.51
						25.18	POOR	0.50	24.81		11.24
42	5	YULE I.	YE	144.9	322.2	26.50	FAIR	0.50	26.19	BMR	8.08
						27.75	FAIR	0.50	27.44		9.33
						29.96	FAIR	0.50	29.65		11.54
43	5	YULE I.	YE	157.7	323.1	27.94	POOR	0.50	27.54	BMR	7.83
						28.99	FAIR	0.50	28.59		8.88
						29.65	POOR	0.50	29.25		9.54
						31.60	POOR	0.50	31.20		11.49
44	5	YULE I.	YE	173.1	321.9	29.53	GOOD	0.50	29.31	BMR	7.67
						31.79	POOR	0.50	31.57		9.93
						32.88	FAIR	0.50	32.66		11.02
						37.82	FAIR	0.50	37.60		15.96
						43.92	FAIR	0.50	43.70		22.06
45	5	YULE I.	YE	187.4	320.2	31.55	FAIR	0.50	31.15	BMR	7.72
						34.27	FAIR	0.50	33.87		10.44
						35.49	FAIR	0.50	35.09		11.66
						37.01	FAIR	0.50	36.61		13.18
46	5	YULE I.	YE	198.2	317.6	32.86	GOOD	0.50	32.48	BMR	7.71
						33.76	FAIR	0.50	33.38		8.61
						38.98	FAIR	0.50	38.60		13.83

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
47	5	YULE I.	YE	207.7	315.3	33.77 38.79 41.52	GOOD 0.10 FAIR 0.50 FAIR 0.50	33.68 38.70 41.43	BMR	7.72 12.74 15.47
48	5	YULE I.	YE	263.5	308.9	40.27 41.69 42.86 47.12	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	39.91 41.33 42.50 46.76	BMR	6.97 8.39 9.56 13.82
49	5	YULE I.	YE	316.8	303.4	47.46 55.33	GOOD 0.50 FAIR 0.50	46.90 54.77	BMR	7.30 15.17
75	5	YULE I.	YE	185.5	208.8	33.71 44.81	FAIR 1.00 FAIR 0.50	33.66 44.76	BMR	10.47 21.57
1	6	KUBUNA	KB	110.3	353.0	22.92 25.95 27.16 28.24 31.05 33.07	GOOD 0.10 FAIR 0.50 FAIR 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	22.11 25.14 26.35 27.43 30.24 32.26	BMR	8.33 11.36 12.57 13.65 16.46 18.48
2	6	KUBUNA	KB	106.4	346.4	21.34 23.30 24.54 26.64 29.01	GOOD 0.10 FAIR 0.50 FAIR 0.10 FAIR 0.50 GOOD 0.50	20.60 22.56 23.80 25.90 28.27	BMR	7.30 9.26 10.50 12.60 14.97
3	6	KUBUNA	KB	94.2	348.7	19.41 21.86 28.39	GOOD 0.10 FAIR 0.50 FAIR 0.50	18.85 21.30 27.83	BMR	7.07 9.52 16.05
4	6	KUBUNA	KB	103.0	342.2	19.09	GOOD 0.10	18.63	BMR	5.76
5	6	KUBUNA	KB	86.2	354.1	17.24 26.64	GOOD 0.10 FAIR 0.50	16.94 26.34	BMR	6.17 15.57
6	6	KUBUNA	KB	80.8	358.8	16.88 19.58	GOOD 0.10 FAIR 0.10	16.60 19.30	BMR	6.50 9.20
7	6	KUBUNA	KB	74.6	3.4	16.08	GOOD 0.10	15.75	BMR	6.43
8	6	KUBUNA	KB	65.0	12.7	14.59	GOOD 0.10	14.32	BMR	6.19
9	6	KUBUNA	KB	59.4	18.7	13.44 15.19 19.11	GOOD 0.10 FAIR 0.50 FAIR 0.50	13.28 15.03 18.95	BMR	5.86 7.61 11.53
10	6	KUBUNA	KB	56.0	30.5	12.70 13.27	FAIR 0.50 GOOD 0.10	12.30 12.87	BMR	5.30 5.87
11	6	KUBUNA	KB	50.0	42.8	12.39 12.64	GOOD 0.10 POOR 0.10	12.10 12.35	BMR	5.85 6.10
12	6	KUBUNA	KB	52.2	56.8	12.40 13.83	GOOD 0.10 FAIR 0.50	12.21 13.64	BMR	5.68 7.11

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						16.79	FAIR	0.50	16.60		10.07
						18.04	FAIR	0.50	17.85		11.32
13	6	KUBUNA	KB	54.7	69.3	12.82	GOOD	0.10	12.58	BMR	5.74
						13.68	FAIR	0.50	13.44		6.60
						15.04	FAIR	0.50	14.80		7.96
14	6	KUBUNA	KB	59.6	80.1	13.84	GOOD	0.10	13.71	BMR	6.26
15	6	KUBUNA	KB	67.3	89.4	15.44	GOOD	0.10	15.27	BMR	6.86
						19.71	FAIR	0.50	19.54		11.13
16	6	KUBUNA	KB	76.0	96.3	16.82	GOOD	0.10	16.57	BMR	7.07
						17.87	FAIR	0.50	17.62		8.12
						19.17	FAIR	0.50	18.92		9.42
17	6	KUBUNA	KB	85.8	101.6	17.94	GOOD	0.10	17.95	BMR	7.22
18	6	KUBUNA	KB	110.9	112.1	22.31	GOOD	0.10	22.31	BMR	8.45
19	6	KUBUNA	KB	160.9	105.5	28.64	GOOD	0.10	28.65	BMR	8.54
						32.20	FAIR	0.50	32.21		12.10
						35.99	FAIR	0.50	36.00		15.89
						37.41	FAIR	0.50	37.42		17.31
20	6	KUBUNA	KB	61.2	59.0	14.41	GOOD	0.10	13.93	BMR	6.28
21	6	KUBUNA	KB	69.6	54.8	16.10	GOOD	0.10	15.51	BMR	6.81
						17.35	FAIR	0.50	16.76		8.06
22	6	KUBUNA	KB	79.3	51.2	17.86	GOOD	0.10	17.18	BMR	7.26
24	6	KUBUNA	KB	100.3	48.9	20.81	GOOD	0.10	20.10	BMR	7.56
						23.71	FAIR	0.50	23.00		10.46
25	6	KUBUNA	KB	139.1	48.0	25.00	GOOD	0.10	24.34	BMR	6.95
						26.50	GOOD	0.10	25.84		8.45
26	6	KUBUNA	KB	180.8	43.2	29.32	GOOD	0.10	28.63	BMR	6.03
						32.36	FAIR	0.50	31.67		9.07
						34.07	FAIR	0.50	33.38		10.78
27	6	KUBUNA	KB	226.4	40.4	34.63	POOR	0.50	34.18	BMR	5.88
						35.65	GOOD	0.10	35.20		6.90
						41.06	FAIR	0.50	40.61		12.31
28	6	KUBUNA	KB	279.2	39.3	40.94	GOOD	0.50	40.47	BMR	5.57
						42.25	FAIR	0.50	41.78		6.88
						43.88	FAIR	0.50	43.41		8.51
29	6	KUBUNA	KB	319.0	38.9	46.61	GOOD	0.10	46.09	BMR	6.22
						48.88	GOOD	0.50	48.36		8.49
						64.06	GOOD	0.50	63.54		23.67
						68.36	FAIR	0.50	67.84		27.97
						70.76	FAIR	0.50	70.24		30.37
30	6	KUBUNA	KB	290.6	36.3	42.34	GOOD	0.10	41.87	BMR	5.55

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 48.39	REMARKS QUAL ACC(SEC) FAIR 0.50	TT MSL (SEC) 47.92	INST	TT-D/ 8.00 (SEC) 11.60
31	6	KUBUNA	KB	253.9	32.9	38.21 38.91 42.49 45.89 48.09	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	37.79 38.49 42.07 45.47 47.67	BMR	6.05 6.75 10.33 13.73 15.93
32	6	KUBUNA	KB	213.4	27.9	33.50 35.43 38.68 44.68 52.08	GOOD 0.10 FAIR 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	32.95 34.88 38.13 44.13 51.53	BMR	6.27 8.20 11.45 17.45 24.85
33	6	KUBUNA	KB	173.8	19.7	30.66 33.35 34.16 36.01 41.85 45.51	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	29.86 32.55 33.36 35.21 41.05 44.71	BMR	8.13 10.82 11.63 13.48 19.32 22.98
34	6	KUBUNA	KB	151.4	13.7	27.76 30.95 33.52	GOOD 0.10 POOR 1.00 FAIR 1.00	26.90 30.09 32.66	BMR	7.97 11.16 13.73
35	6	KUBUNA	KB	143.4	10.4	25.43 25.75 26.74	GOOD 0.10 GOOD 0.10 GOOD 0.10	24.60 24.92 25.91	BMR	6.68 7.00 7.99
36	6	KUBUNA	KB	132.1	6.4	25.21 25.34 28.51 33.61	GOOD 0.10 GOOD 0.10 FAIR 0.50 FAIR 0.50	24.36 24.49 27.66 32.76	BMR	7.85 7.98 11.15 16.25
37	6	KUBUNA	KB	122.6	1.5	23.18 23.61 24.11 28.36	POOR 1.00 FAIR 0.50 GOOD 0.10 GOOD 0.50	22.33 22.76 23.26 27.51	BMR	7.01 7.44 7.94 12.19
38	6	KUBUNA	KB	115.2	357.2	22.41 22.99	GOOD 0.50 FAIR 0.50	21.57 22.15	BMR	7.17 7.75
39	6	KUBUNA	KB	133.6	334.2	24.36 25.45 26.90	GOOD 0.10 FAIR 0.50 GOOD 0.50	24.02 25.11 26.56	BMR	7.32 8.41 9.86
40	6	KUBUNA	KB	123.8	336.9	23.39 23.86 24.97	GOOD 0.10 FAIR 0.10 FAIR 0.50	23.04 23.51 24.62	BMR	7.56 8.03 9.14
41	6	KUBUNA	KB	112.0	339.5	21.80 22.24 24.72 29.62 39.14	GOOD 0.10 GOOD 0.10 GOOD 0.50 FAIR 0.50 FAIR 0.50	21.42 21.86 24.34 29.24 38.76	BMR	7.42 7.86 10.34 15.24 24.76
43	6	KUBUNA	KB	159.2	333.6	27.84	FAIR 0.50	27.43	BMR	7.53

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
44	6	KUBUNA	R	173.8	331.5	29.27 31.64 47.23	GOOD 0.10 GOOD 0.50 FAIR 0.50	29.04 31.41 47.00	BMR	7.31 9.68 25.27
45	6	KUBUNA	KB	187.0	329.1	31.10 33.48 37.13	GOOD 0.10 GOOD 0.50 FAIR 0.50	30.69 33.07 36.72	BMR	7.31 9.69 13.34
47	6	KUBUNA	KB	204.7	323.3	33.11 36.54 38.54 41.24	GOOD 0.10 GOOD 0.50 FAIR 0.10 FAIR 0.50	33.01 36.44 38.44 41.14	BMR	7.42 10.85 12.85 15.55
48	6	KUBUNA	KB	256.9	315.1	39.60 44.45 47.52	GOOD 0.10 GOOD 0.50 FAIR 0.50	39.22 44.07 47.14	BMR	7.11 11.96 15.03
49	6	KUBUNA	KB	307.3	308.4	46.11 50.51 55.14 59.23	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	45.53 49.93 54.56 58.65	BMR	7.12 11.52 16.15 20.24
50	6	KUBUNA	KB	370.5	303.3	53.77 62.77	FAIR 1.00 FAIR 0.50	53.61 62.61	BMR	7.29 16.29
52	6	KUBUNA	KB	439.1	284.1	64.30	POOR 1.00	64.08	BMR	9.20
54	6	KUBUNA	KB	331.5	285.3	52.13 60.63	FAIR 1.00 FAIR 0.50	52.01 60.51	BMR	10.57 19.07
55	6	KUBUNA	KB	304.2	280.5	48.58 50.61	GOOD 0.10 FAIR 0.50	48.49 50.52	BMR	10.46 12.49
62	6	KUBUNA	KB	259.1	252.7	44.69 46.22 52.01	GOOD 0.10 FAIR 0.50 FAIR 0.50	42.94 44.47 50.26	BMR	10.55 12.08 17.87
69	6	KUBUNA	KB	209.6	188.6	35.81 37.32 41.93	GOOD 0.10 FAIR 0.50 FAIR 0.50	35.73 37.24 41.85	BMR	9.53 11.04 15.65
70	6	KUBUNA	KB	196.1	188.9	34.45 34.86 36.41	GOOD 0.50 FAIR 0.10 FAIR 0.50	34.39 34.80 36.35	BMR	9.87 10.28 11.83
71	6	KUBUNA	KB	185.6	193.0	31.48 33.36 33.82 37.68	FAIR 0.50 GOOD 0.10 FAIR 0.50 FAIR 0.50	31.35 33.23 33.69 37.55	BMR	8.15 10.03 10.49 14.35
72	6	KUBUNA	KB	178.2	194.7	30.43 31.65	GOOD 0.50 FAIR 0.50	30.22 31.44	BMR	7.94 9.16
73	6	KUBUNA	KB	167.3	197.2	28.91 29.89 36.96	GOOD 0.10 FAIR 0.50 FAIR 0.50	28.83 29.81 36.88	BMR	7.92 8.90 15.97

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
74	6	KUBUNA	KB	164.3	200.6	29.29 30.09	GOOD 0.10 FAIR 0.50	29.03 29.33	BMR	8.49 9.29
75	6	KUBUNA	KB	160.1	204.2	28.78 38.38	FAIR 0.50 FAIR 0.50	28.72 38.32	BMR	8.70 18.30
76	6	KUBUNA	KB	168.1	205.2	29.51 33.18	GOOD 0.50 FAIR 0.50	29.22 32.89	BMR	8.21 11.88
77	6	KUBUNA	KB	179.4	205.8	32.23 33.71 35.79	GOOD 0.10 GOOD 0.50 FAIR 0.50	31.71 33.19 35.27	BMR	9.29 10.77 12.85
78	6	KUBUNA	KB	189.5	206.2	34.05	GOOD 1.00	33.34	BMR	9.65
79	6	KUBUNA	KB	200.9	206.3	35.44 36.61 37.99	GOOD 0.10 GOOD 0.50 FAIR 0.10	34.47 35.64 37.02	BMR	9.36 10.53 11.91
80	6	KUBUNA	KB	224.4	208.0	39.37 39.96 44.90 46.86	FAIR 0.50 GOOD 0.10 FAIR 0.50 FAIR 0.50	38.77 39.36 44.30 46.26	BMR	10.72 11.31 16.25 18.21
82	6	KUBUNA	KB	154.0	215.6	26.11 27.22 29.46 34.68	GOOD 0.10 FAIR 0.10 GOOD 0.50 FAIR 0.50	26.06 27.17 29.41 34.63	BMR	6.81 7.92 10.16 15.38
83	6	KUBUNA	KB	156.4	219.2	27.92 29.37 31.19	FAIR 0.50 GOOD 0.50 GOOD 0.10	27.86 29.31 31.13	BMR	8.31 9.76 11.58
84	6	KUBUNA	KB	156.5	221.9	27.48 28.64 29.92 31.58	GOOD 0.50 GOOD 0.10 GOOD 0.50 GOOD 0.50	27.30 28.46 29.74 31.40	BMR	7.73 8.89 10.17 11.83
85	6	KUBUNA	KB	155.9	225.8	27.17 28.33 30.12	GOOD 0.10 GOOD 0.50 FAIR 0.50	26.89 28.05 29.84	BMR	7.40 8.56 10.35
86	6	KUBUNA	KB	156.9	229.1	27.14 28.48 29.37 31.49	FAIR 0.50 GOOD 0.10 FAIR 0.10 FAIR 0.50	27.15 28.49 29.38 31.50	BMR	7.53 8.87 9.76 11.88
87	6	KUBUNA	KB	159.1	231.7	28.64 29.51 30.04 36.61	GOOD 0.50 GOOD 0.10 FAIR 0.10 GOOD 0.10	28.26 29.13 29.66 36.23	BMR	8.37 9.24 9.77 16.34
88	6	KUBUNA	KB	181.1	241.0	31.71 31.99 32.52 45.29	GOOD 0.50 GOOD 0.10 FAIR 0.10 GOOD 0.10	31.42 31.70 32.23 45.00	BMR	8.78 9.06 9.59 22.36

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
89	6	KUBUNA	KB	195.9	239.7	34.24 34.47 35.32 40.78	GOOD 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.50	33.75 33.98 34.83 40.29	BMR	9.26 9.49 10.34 15.80
90	6	KUBUNA	KB	207.0	238.8	35.56 36.63 37.18 43.94 47.94	GOOD 0.50 FAIR 0.50 FAIR 0.10 GOOD 0.50 GOOD 0.50	34.61 35.68 36.23 42.99 46.99	BMR	8.74 9.81 10.36 17.12 21.12
91	6	KUBUNA	KB	218.2	237.9	37.53 38.99 42.14	GOOD 0.50 FAIR 0.10 FAIR 0.10	36.69 38.15 41.30	BMR	9.42 10.88 14.03
92	6	KUBUNA	KB	235.5	237.2	41.61	GOOD 0.50	40.08	BMR	10.65
93	6	KUBUNA	KB	244.7	236.1	43.14	GOOD 0.50	41.21	BMR	10.62
94	6	KUBUNA	KB	257.4	235.9	45.43 49.64	GOOD 0.50 FAIR 0.50	43.07 47.28	BMR	10.89 15.10
95	6	KUBUNA	KB	399.4	243.0	62.52 64.64 70.64 78.18	GOOD 0.10 FAIR 0.50 FAIR 1.00 FAIR 1.00	59.98 62.10 68.10 75.64	BMR	10.05 12.17 18.17 25.71
96	6	KUBUNA	KB	371.8	244.4	57.35 57.64 64.86	FAIR 0.50 GOOD 0.10 FAIR 0.50	55.57 55.86 63.08	BMR	9.09 9.38 16.60
97	6	KUBUNA	KB	342.0	246.3	54.19 56.80	GOOD 0.10 FAIR 0.50	51.98 54.59	BMR	9.23 11.84
98	6	KUBUNA	KB	174.5	244.1	29.99 30.60 33.03	FAIR 0.50 GOOD 0.50 FAIR 0.50	29.81 30.42 32.85	BMR	7.99 8.60 11.03
99	6	KUBUNA	KB	177.4	253.0	29.73 30.24 30.84 32.28 36.08	FAIR 0.50 GOOD 0.50 FAIR 0.10 GOOD 0.10 GOOD 0.10	29.73 30.24 30.84 32.28 36.08	BMR	7.56 8.07 8.67 10.11 13.91
100	6	KUBUNA	KB	180.7	257.3	31.02 33.12	FAIR 0.50 FAIR 0.50	31.01 33.11	BMR	8.43 10.53
101	6	KUBUNA	KB	188.7	261.5	32.38 33.29 35.73	FAIR 0.50 GOOD 0.50 FAIR 0.50	32.38 33.29 35.73	BMR	8.79 9.70 12.14
102	6	KUBUNA	KB	191.4	265.3	33.86 34.45	FAIR 0.50 GOOD 0.10	33.86 34.45	BMR	9.93 10.52
103	6	KUBUNA	KB	194.3	268.9	33.94 34.81	GOOD 0.50 GOOD 0.10	33.92 34.81	BMR	9.63 10.52

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
104	6	KUBUNA	KB	213.2	270.9	36.32 36.98 37.56	GOOD 1.00 FAIR 0.50 FAIR 0.50	36.32 36.98 37.56	BMR	9.67 10.33 10.91
105	6	KUBUNA	KB	224.9	273.4	38.58	GOOD 0.50	38.58	BMR	10.47
106	6	KUBUNA	KB	234.3	274.1	39.44 42.44	GOOD 0.50 FAIR 0.50	39.44 42.44	BMR	10.45 13.15
108	6	KUBUNA	KB	248.7	277.0	41.36	GOOD 0.50	41.36	BMR	10.27
109	6	KUBUNA	KB	271.5	276.3	44.16 45.10 47.61	GOOD 0.50 GOOD 0.10 FAIR 0.50	44.16 45.10 47.61	BMR	10.22 11.16 13.67
110	6	KUBUNA	KB	298.3	274.1	47.47 48.17 54.26 60.92	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	47.36 48.06 54.15 60.81	BMR	10.07 10.77 16.86 23.52
111	6	KUBUNA	KB	296.9	266.5	46.05 46.90 48.04	GOOD 0.50 GOOD 0.10 FAIR 0.50	46.06 46.91 48.05	BMR	8.95 9.80 10.94
19	7	BEREINA	BA	133.2	106.0	25.66 29.44	GOOD 0.50 GOOD 0.50	25.68 29.46	BMR	9.03 12.81
20	7	BEREINA	BA	45.6	34.0	12.15 15.83	GOOD 0.10 FAIR 0.50	11.68 15.36	BMR	5.98 9.66
21	7	BEREINA	BA	55.2	32.8	14.04 15.78	GOOD 0.50 GOOD 0.50	13.46 15.20	BMR	6.56 8.30
22	7	BEREINA	BA	66.0	31.9	15.95 15.62	FAIR 0.50 GOOD 0.50	15.28 14.95	BMR	7.03 6.70
23	7	BEREINA	BA	80.3	34.3	18.29	GOOD 0.50	17.61	BMR	7.57
24	7	BEREINA	BA	87.1	33.9	19.35 19.62	FAIR 0.50 GOOD 0.10	18.65 18.92	BMR	7.76 8.03
25	7	BEREINA	BA	125.3	37.6	24.82 28.82 53.57	GOOD 0.50 GOOD 0.50 FAIR 0.50	24.17 28.17 52.92	BMR	8.51 12.51 37.26
26	7	BEREINA	BA	168.7	35.0	101.38	GOOD 0.50	100.70	BMR	79.62
8	9	MALALAU	MA	141.0	338.7	26.79 28.34 30.71	FAIR 0.50 GOOD 0.50 FAIR 0.50	26.53 28.08 30.45	BMR	8.90 10.45 12.82
11	9	MALALAU	MA	109.3	343.3	22.77 23.53 26.69 29.54	FAIR 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	22.49 23.25 26.41 29.26	BMR	8.83 9.59 12.75 15.60
12	9	MALALAU	MA	99.0	347.3	19.28	POOR 1.00	19.10	BMR	6.72

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						20.24	POOR 1.00	20.06		7.68
						23.48	POOR 1.00	23.30		10.92
						30.14	POOR 1.00	29.96		17.58
13	9	MALALAU	MA	88.5	350.8	18.67	POOR 1.00	18.44	BMR	7.38
						19.92	POOR 1.00	19.69		8.63
14	9	MALALAU	MA	78.6	355.2	17.47	GOOD 0.10	17.35	BMR	7.53
						18.67	GOOD 0.10	18.55		8.73
						21.02	FAIR 0.50	20.90		11.08
						33.66	FAIR 0.50	33.54		23.72
						38.18	FAIR 0.50	38.06		28.24
						39.30	GOOD 0.10	39.18		29.36
15	9	MALALAU	MA	68.8	1.7	16.39	GOOD 0.50	16.23	BMR	7.63
						17.38	GOOD 0.10	17.22		8.62
						19.11	FAIR 0.50	18.95		10.35
						21.93	FAIR 0.50	21.77		13.17
16	9	MALALAU	MA	60.6	9.8	14.99	POOR 0.50	14.75	BMR	7.18
						16.27	GOOD 0.50	16.03		8.46
17	9	MALALAU	MA	54.2	20.2	12.95	GOOD 0.10	12.97	BMR	6.20
						15.05	GOOD 0.50	15.07		8.30
						20.44	FAIR 0.50	20.46		13.69
						23.50	FAIR 0.50	23.52		16.75
18	9	MALALAU	MA	45.8	54.9	12.15	GOOD 0.50	12.16	BMR	6.44
						12.80	GOOD 0.50	12.81		7.09
						14.10	FAIR 0.50	14.11		8.39
19	9	MALALAU	MA	93.3	74.4	20.55	GOOD 0.10	20.57	BMR	8.91
						24.66	FAIR 0.50	24.68		13.02
						25.95	FAIR 0.50	25.97		14.31
20	9	MALALAU	MA	100.4	352.6	21.31	GOOD 0.10	20.84	BMR	8.29
						22.31	FAIR 0.10	21.84		9.29
						25.34	POOR 0.50	24.87		12.32
22	9	MALALAU	MA	117.8	358.3	24.83	FAIR 0.50	24.16	BMR	9.44
						25.25	GOOD 0.10	24.58		9.86
23	9	MALALAU	MA	128.3	3.1	24.82	GOOD 0.50	24.14	BMR	8.10
						26.70	FAIR 0.50	26.02		9.98
						32.33	FAIR 0.50	31.65		15.61
						36.96	FAIR 0.50	36.28		20.24
25	9	MALALAU	MA	165.6	13.3	31.12	POOR 1.00	30.47	BMR	9.77
26	9	MALALAU	MA	208.4	16.3	35.12	POOR 1.00	34.45	BMR	8.40
						36.78	FAIR 0.50	36.11		10.06
						38.64	FAIR 0.50	37.97		11.92
35	9	MALALAU	MA	212.7	349.3	38.77	FAIR 0.50	37.96	BMR	11.37
						42.00	FAIR 1.00	41.19		14.60
						45.58	FAIR 0.50	44.77		18.18
						49.08	FAIR 0.50	48.27		21.68

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 51.05	REMARKS QUAL ACC(SEC) FAIR 0.50	TT MSL (SEC) 50.24	INST	TT-D/ 8.00 (SEC) 23.65
36	9	MALALAU	MA	205.6	345.7	33.25 34.61 38.23	POOR 0.50 POOR 0.50 FAIR 0.50	32.42 33.78 37.40	BMR	6.72 8.08 11.70
37	9	MALALAU	MA	200.4	341.9	35.98 36.97 40.35	FAIR 0.50 FAIR 0.50 FAIR 0.50	35.15 36.14 39.52	BMR	10.10 11.09 14.47
38	9	MALALAU	MA	196.3	338.7	37.46 38.40 42.22	FAIR 0.50 FAIR 0.50 FAIR 0.50	36.64 37.58 41.40	BMR	12.10 13.04 16.86
39	9	MALALAU	MA	225.2	326.7	41.86 45.22 48.31 51.11	POOR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	41.54 44.90 47.99 50.79	BMR	13.39 16.75 19.84 22.64
44	9	MALALAU	MA	265.9	326.0	46.64 50.09 51.81 54.37	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	46.42 49.87 51.59 54.15	BMR	13.19 16.64 18.36 20.92
47	9	MALALAU	MA	298.4	320.9	54.99 60.49	POOR 0.50 FAIR 0.50	54.90 60.40	BMR	17.60 23.10
49	9	MALALAU	MA	401.1	310.1	55.52 57.00 60.51 62.98	POOR 1.00 FAIR 0.50 FAIR 0.50 FAIR 0.50	54.96 56.44 59.95 62.42	BMR	4.82 6.30 9.81 12.28
69	9	MALALAU	MA	169.6	214.8	32.11 36.57	GOOD 0.50 FAIR 0.50	32.04 36.50	BMR	10.84 15.30
71	9	MALALAU	MA	155.6	223.5	29.77	GOOD 0.50	29.65	BMR	10.20
73	9	MALALAU	MA	147.2	231.3	28.47 30.30 52.15	GOOD 0.10 FAIR 0.10 GOOD 0.50	28.40 30.23 52.08	BMR	10.00 11.83 33.68
75	9	MALALAU	MA	152.7	239.2	29.56	GOOD 0.50	29.51	BMR	10.42
77	9	MALALAU	MA	171.4	236.8	32.65 35.28	GOOD 0.10 FAIR 0.50	32.15 34.78	BMR	10.72 13.35
79	9	MALALAU	MA	191.0	234.0	36.24 40.45	GOOD 0.10 FAIR 0.50	35.28 39.49	BMR	11.41 15.62
80	9	MALALAU	MA	215.0	232.7	39.65 48.39	GOOD 0.50 FAIR 0.50	39.06 47.80	BMR	12.19 20.93
8	10	KEREMA	KM	170.9	326.9	28.57	POOR 1.00	28.31	MELB	6.95
11	10	KEREMA	KM	137.8	327.7	25.60 28.03 32.43	FAIR 0.50 FAIR 0.50 FAIR 0.50	25.32 27.75 32.15	MELB	8.10 10.53 14.93

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
13	10	KEREMA	KM	114.1	330.4	23.37	POOR 1.00	23.14	MELB	8.88
15	10	KEREMA	KM	90.0	333.4	19.06 23.88 30.28	GOOD 0.50 FAIR 0.50 FAIR 0.50	18.90 23.72 30.12	MELB	7.65 12.47 18.87
16	10	KEREMA	KM	78.3	335.9	17.54 21.13	GOOD 0.50 FAIR 0.50	17.30 20.89	MELB	7.51 11.10
17	10	KEREMA	KM	66.9	339.4	15.14	GOOD 0.50	15.16	MELB	6.80
18	10	KEREMA	KM	38.5	352.8	10.25	GOOD 0.10	10.26	MELB	5.45
19	10	KEREMA	KM	60.3	52.1	14.96	GOOD 0.50	14.98	MELB	7.44
20	10	KEREMA	KM	124.2	333.7	24.33 44.65 23.25	FAIR 0.50 POOR 0.50 FAIR 0.50	23.86 44.18 22.78	MELB	8.33 28.65 7.25
23	10	KEREMA	KM	144.3	345.8	26.26 33.82 37.52 44.11	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	25.58 33.14 36.84 43.43	MELB	7.54 15.10 18.80 25.39
25	10	KEREMA	KM	173.0	358.6	29.23 28.48 40.38	GOOD 0.50 FAIR 0.50 FAIR 0.50	28.58 27.83 39.73	MELB	6.96 6.21 18.11
27	10	KEREMA	KM	255.6	8.9	40.09 70.69 74.39 88.49	POOR 1.00 GOOD 0.50 FAIR 0.50 GOOD 0.50	39.66 70.26 73.96 88.06	MELB	7.71 38.31 42.01 56.11
31	10	KEREMA	KM	294.8	5.9	44.25	POOR 0.50	43.84	MELB	6.99
3	11	GUARI	GU	154.4	358.1	28.17	FAIR 0.50	27.01	BMR	7.71
4	11	GUARI	GU	161.0	353.5	28.30	GOOD 0.50	27.28	BMR	7.16
5	11	GUARI	GU	147.7	1.7	24.80	FAIR 0.50	23.94	BMR	5.48
7	11	GUARI	GU	137.5	7.4	25.16	FAIR 0.50	24.27	BMR	7.08
8	11	GUARI	GU	128.3	12.4	24.07	GOOD 0.50	23.24	BMR	7.20
9	11	GUARI	GU	122.5	15.3	22.87	FAIR 0.50	22.15	BMR	6.84
10	11	GUARI	GU	117.8	20.7	23.48	FAIR 0.50	22.52	BMR	7.80
11	11	GUARI	GU	109.3	25.6	21.73	FAIR 0.50	20.88	BMR	7.22
20	11	GUARI	GU	114.2	35.1	22.15	FAIR 0.50	21.11	BMR	6.83
69	11	GUARI	GU	146.4	187.1	25.62 35.37 45.47	GOOD 0.50 FAIR 0.50 FAIR 0.50	24.98 34.73 44.83	BMR	6.68 16.43 26.53

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
70	11	GUARI	GU	132.9	187.5	21.95 25.85	POOR 0.50 FAIR 0.50	21.33 25.23	BMR	4.71 8.61
71	11	GUARI	GU	122.3	193.5	19.17 23.27	POOR 1.00 FAIR 1.00	18.48 22.58	BMR	3.19 7.29
73	11	GUARI	GU	104.4	200.4	17.95	GOOD 0.50	17.31	BMR	4.26
74	11	GUARI	GU	102.1	205.9	17.83	FAIR 0.50	17.01	BMR	4.25
75	11	GUARI	GU	99.1	212.0	17.78	GOOD 0.50	17.16	BMR	4.77
76	11	GUARI	GU	107.4	212.9	20.19 22.39	POOR 0.50 FAIR 0.50	19.34 21.54	BMR	5.92 8.12
77	11	GUARI	GU	118.8	213.1	20.84 20.97	GOOD 0.50 FAIR 0.50	19.76 19.89	BMR	4.91 5.04
79	11	GUARI	GU	140.5	212.7	24.96	FAIR 0.50	23.43	BMR	5.87
80	11	GUARI	GU	164.5	214.2	31.20 32.50	POOR 0.50 GOOD 0.50	30.04 31.34	BMR	9.48 10.78
81	11	GUARI	GU	99.3	221.1	16.61 17.21	POOR 1.00 FAIR 0.50	15.98 16.58	BMR	3.57 4.17
82	11	GUARI	GU	99.2	230.4	16.65	GOOD 0.50	16.04	BMR	3.64
83	11	GUARI	GU	104.3	235.4	17.70 19.30	FAIR 0.50 FAIR 0.50	17.08 18.68	BMR	4.05 5.65
85	11	GUARI	GU	109.2	244.6	19.68	FAIR 0.50	18.84	BMR	5.19
88	11	GUARI	GU	147.7	260.0	25.28	GOOD 0.50	24.43	BMR	5.97
91	11	GUARI	GU	180.1	252.6	30.74	GOOD 0.50	29.34	BMR	6.83
94	11	GUARI	GU	216.6	247.7	39.18 40.58	POOR 0.50 FAIR 0.50	36.26 37.66	BMR	9.18 10.58
99	11	GUARI	GU	157.0	273.7	27.35 29.85	FAIR 0.50 FAIR 0.50	26.79 29.29	BMR	7.17 9.67
1	12	TAPINI	TI	147.0	4.6	27.41 33.81 36.42	FAIR 0.50 GOOD 0.50 FAIR 0.50	26.39 32.79 35.40	BMR	8.02 14.42 17.03
2	12	TAPINI	TI	140.5	.1	26.42 28.78 31.96	GOOD 0.10 FAIR 0.50 FAIR 0.50	25.47 27.83 31.01	BMR	7.91 10.27 13.45
3	12	TAPINI	TI	129.6	3.0	24.68 27.38 27.97 30.82	GOOD 0.10 FAIR 0.10 FAIR 0.50 FAIR 0.10	23.91 26.61 27.20 30.05	BMR	7.71 10.41 11.00 13.85
4	12	TAPINI	TI	135.3	357.3	24.70	GOOD 0.50	24.03	BMR	7.11

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						25.09	GOOD	0.50	24.42		7.50
						31.23	FAIR	0.50	30.56		13.64
						44.45	FAIR	0.50	43.78		26.86
5	12	TAPINI	TI	123.8	7.6	23.00	GOOD	0.50	22.49	BMR	7.02
						24.90	FAIR	0.50	24.39		8.92
						28.73	FAIR	0.50	28.22		12.75
6	12	TAPINI	TI	120.1	11.3	22.75	GOOD	0.50	22.26	BMR	7.25
						23.65	FAIR	0.50	23.16		8.15
						29.55	FAIR	0.50	29.06		14.05
						31.55	FAIR	0.50	31.06		16.05
7	12	TAPINI	TI	115.4	14.8	22.11	FAIR	0.10	21.57	BMR	7.14
						24.40	FAIR	0.50	23.86		9.43
						28.76	FAIR	0.50	28.22		13.79
8	12	TAPINI	TI	107.9	21.4	21.31	GOOD	0.10	20.82	BMR	7.34
9	12	TAPINI	TI	103.2	25.4	20.57	GOOD	0.10	20.20	BMR	7.30
						22.45	FAIR	0.50	22.08		9.18
10	12	TAPINI	TI	100.8	32.1	20.51	FAIR	0.10	19.90	BMR	7.30
						21.44	FAIR	0.50	20.83		8.23
						23.07	FAIR	0.50	22.46		9.86
11	12	TAPINI	TI	94.5	38.7	19.12	GOOD	0.10	18.62	BMR	6.80
13	12	TAPINI	TI	94.9	53.6	19.14	GOOD	0.10	18.69	BMR	6.82
						20.53	FAIR	0.50	20.08		8.21
						22.16	FAIR	0.50	21.71		9.84
14	12	TAPINI	TI	96.3	60.6	19.31	GOOD	0.10	18.96	BMR	6.93
						20.41	FAIR	0.50	20.06		8.03
15	12	TAPINI	TI	99.9	67.8	20.34	FAIR	0.50	19.95	BMR	7.47
						25.39	FAIR	0.50	25.00		12.52
16	12	TAPINI	TI	104.8	74.1	21.06	POOR	0.50	20.60	BMR	7.50
						21.53	FAIR	0.10	21.07		7.97
						23.97	FAIR	0.50	23.51		10.41
17	12	TAPINI	TI	111.0	79.7	21.56	GOOD	0.10	21.36	BMR	7.48
						29.45	FAIR	0.50	29.25		15.37
						34.36	FAIR	0.50	34.16		20.28
18	12	TAPINI	TI	128.0	92.1	24.59	GOOD	0.10	24.38	BMR	8.38
						26.69	POOR	0.10	26.48		10.48
19	12	TAPINI	TI	180.4	91.9	31.18	FAIR	0.10	30.98	BMR	8.43
						39.88	POOR	0.50	39.68		17.13
20	12	TAPINI	TI	103.6	48.6	20.65	GOOD	0.10	19.95	BMR	7.00
21	12	TAPINI	TI	112.6	46.7	22.55	GOOD	0.10	21.74	BMR	7.67
						25.10	FAIR	0.50	24.29		10.22
						27.16	FAIR	0.50	26.35		12.28

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 29.76	REMARKS QUAL ACC(SEC) FAIR 0.50	TT MSL (SEC) 28.95	INST	TT-D/ 8.00 (SEC) 14.88
22	12	TAPINI	TI	122.9	45.1	24.35 25.91 27.51 30.40	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.10	23.45 25.01 26.61 29.50	BMR	8.09 9.65 11.25 14.14
23	12	TAPINI	TI	137.5	45.1	25.03 26.42 30.22	FAIR 0.50 FAIR 0.50 FAIR 0.50	24.12 25.51 29.31	BMR	6.93 8.32 12.12
24	12	TAPINI	TI	144.0	44.4	26.22 27.72 29.52	FAIR 0.50 FAIR 0.50 FAIR 0.50	25.30 26.80 28.60	BMR	7.30 8.80 10.60
25	12	TAPINI	TI	182.9	44.7	30.00 33.49 34.92 39.14	FAIR 0.10 GOOD 0.10 FAIR 0.50 FAIR 0.50	29.12 32.61 34.04 38.26	BMR	6.26 9.75 11.18 15.40
26	12	TAPINI	TI	225.2	41.4	35.29 45.29 51.19	FAIR 0.50 FAIR 0.50 FAIR 0.50	34.39 44.39 50.29	BMR	6.24 16.24 22.14
27	12	TAPINI	TI	271.0	39.4	40.28 47.18 55.28 57.48 61.48 67.08	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	39.62 46.52 54.62 56.82 60.82 66.42	BMR	5.74 12.64 20.74 22.94 26.94 32.54
31	12	TAPINI	TI	298.6	33.1	37.22	FAIR 0.50	36.59	BMR	-7.74
32	12	TAPINI	TI	257.9	29.0	38.64	POOR 0.50	37.87	BMR	5.63
35	12	TAPINI	TI	185.3	16.0	30.85 33.32 35.03	GOOD 0.50 GOOD 0.50 GOOD 0.50	29.81 32.28 33.99	BMR	6.65 9.12 10.83
37	12	TAPINI	TI	162.1	10.1	28.40 30.90 36.10	FAIR 0.50 GOOD 0.50 GOOD 0.50	27.34 29.84 35.04	BMR	7.08 9.58 14.78
38	12	TAPINI	TI	153.3	7.3	27.31 33.13	GOOD 0.10 FAIR 0.50	26.26 32.08	BMR	7.10 12.92
39	12	TAPINI	TI	160.8	348.1	28.34 31.62	GOOD 0.50 GOOD 0.50	27.79 31.07	BMR	7.69 10.97
40	12	TAPINI	TI	152.8	351.1	27.55	POOR 0.50	26.98	BMR	7.88
41	12	TAPINI	TI	142.6	354.3	26.62 29.10	GOOD 0.50 GOOD 0.50	26.03 28.51	BMR	8.20 10.68
44	12	TAPINI	TI	198.4	343.0	32.95 35.65 39.15	GOOD 0.50 GOOD 0.50 GOOD 0.50	32.51 35.21 38.71	BMR	7.71 10.41 13.91

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
47	12	TAPINI	TI	223.5	334.2	38.60	POOR 0.50	38.28	BMR	10.34
48	12	TAPINI	TI	269.2	324.5	42.30 49.10	FAIR 0.50 FAIR 0.50	41.71 48.51	BMR	8.06 14.86
50	12	TAPINI	TI	372.9	310.3	63.52	FAIR 0.50	63.14	BMR	16.53
55	12	TAPINI	TI	289.5	288.6	44.95	FAIR 0.50	44.65	BMR	8.46
56	12	TAPINI	TI	175.2	271.5	28.78 31.98	GOOD 0.50 GOOD 0.50	28.57 31.77	BMR	6.67 9.87
59	12	TAPINI	TI	195.0	266.3	30.77 31.37	FAIR 0.50 GOOD 0.50	30.28 30.88	BMR	5.90 6.50
61	12	TAPINI	TI	213.0	261.0	38.23 41.23 47.33	FAIR 1.00 GOOD 0.50 GOOD 0.50	36.72 39.72 45.82	BMR	10.10 13.10 19.20
62	12	TAPINI	TI	226.0	259.9	42.49	FAIR 0.50	40.53	BMR	12.28
63	12	TAPINI	TI	256.4	255.3	42.48 45.28 56.18	GOOD 0.50 FAIR 0.50 FAIR 0.50	40.22 43.02 53.92	BMR	8.17 10.97 21.87
69	12	TAPINI	TI	170.2	182.1	28.43 31.13	GOOD 0.50 GOOD 0.50	28.13 30.83	BMR	6.86 9.56
70	12	TAPINI	TI	156.8	181.9	28.10 29.90	POOR 0.50 FAIR 0.50	27.82 29.62	BMR	8.22 10.02
71	12	TAPINI	TI	144.7	186.6	25.41 27.91 35.01	FAIR 0.50 GOOD 0.50 GOOD 0.50	25.07 27.57 34.67	BMR	6.98 9.48 16.58
72	12	TAPINI	TI	136.8	188.5	27.61 31.31	POOR 1.00 FAIR 1.00	27.19 30.89	BMR	10.09 13.79
73	12	TAPINI	TI	125.2	191.2	21.71 23.51	GOOD 0.50 GOOD 0.50	21.42 23.22	BMR	5.77 7.57
74	12	TAPINI	TI	121.2	195.6	20.38 23.78 26.93	GOOD 0.50 GOOD 0.50 FAIR 0.50	19.91 23.31 26.51	BMR	4.76 8.16 11.36
75	12	TAPINI	TI	116.3	200.4	19.26 23.16	GOOD 0.50 GOOD 0.50	18.98 22.88	BMR	4.45 8.35
76	12	TAPINI	TI	124.0	202.0	23.33 27.23	FAIR 0.50 FAIR 0.50	22.83 26.73	BMR	7.33 11.23
77	12	TAPINI	TI	135.2	203.0	22.78 24.78	FAIR 1.00 GOOD 0.50	22.05 24.05	BMR	5.15 7.15
79	12	TAPINI	TI	156.7	204.1	29.79	FAIR 0.50	28.61	BMR	9.02
80	12	TAPINI	TI	180.0	206.5	29.49	POOR 0.50	28.68	BMR	6.18

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						32.83 36.39	GOOD GOOD	0.50 0.50	32.02 35.58		9.52 13.08
81	12	TAPINI	TI	113.1	208.1	18.71 21.13	GOOD FAIR	0.50 0.50	18.43 20.85	BMR	4.29 6.71
82	12	TAPINI	TI	109.2	216.2	18.00	GOOD	0.10	17.74	BMR	4.09
83	12	TAPINI	TI	111.9	221.3	18.56 20.57 24.99	GOOD FAIR FAIR	0.50 0.50 0.50	18.29 20.30 24.72	BMR	4.30 6.31 10.73
84	12	TAPINI	TI	112.3	225.1	19.27 20.79 22.11	GOOD GOOD FAIR	0.10 0.50 0.50	18.87 20.39 21.71	BMR	4.83 6.35 7.67
85	12	TAPINI	TI	112.4	230.4	19.49	GOOD	0.10	19.00	BMR	4.95
86	12	TAPINI	TI	114.3	235.0	19.77	GOOD	0.10	19.56	BMR	5.27
87	12	TAPINI	TI	117.3	238.4	21.10	GOOD	0.50	20.51	BMR	5.85
88	12	TAPINI	TI	142.7	249.3	24.73 29.83 32.70	GOOD FAIR GOOD	0.10 0.50 0.50	24.22 29.32 32.19	BMR	6.39 11.49 14.36
89	12	TAPINI	TI	156.8	246.8	27.10 34.16	GOOD FAIR	0.10 0.50	26.40 33.46	BMR	6.80 13.86
90	12	TAPINI	TI	167.5	245.3	29.33 30.17 33.28	GOOD FAIR FAIR	0.50 0.50 0.50	28.17 29.01 32.12	BMR	7.23 8.07 11.18
91	12	TAPINI	TI	178.2	243.8	30.42 33.47 36.42	GOOD FAIR FAIR	0.50 0.50 0.50	29.37 32.42 35.37	BMR	7.09 10.14 13.09
92	12	TAPINI	TI	195.2	242.4	33.73 35.83 39.43 43.63	GOOD FAIR FAIR FAIR	0.50 0.50 0.50 0.50	31.99 34.09 37.69 41.89	BMR	7.59 9.69 13.29 17.49
93	12	TAPINI	TI	204.0	240.9	32.45 38.05	POOR GOOD	0.50 0.50	30.31 35.91	BMR	4.81 10.41
94	12	TAPINI	TI	216.6	240.4	39.31 40.96	GOOD FAIR	0.50 0.50	36.74 38.39	BMR	9.66 11.31
95	12	TAPINI	TI	361.1	246.5	57.74 59.27 66.17	GOOD FAIR FAIR	0.10 0.50 0.50	54.99 56.52 63.42	BMR	9.85 11.38 18.28
96	12	TAPINI	TI	334.1	248.4	52.87	GOOD	0.50	50.88	BMR	9.11
97	12	TAPINI	TI	305.2	250.9	47.78	GOOD	0.50	45.36	BMR	7.21
98	12	TAPINI	TI	137.6	253.6	24.26	FAIR	1.00	23.86	BMR	6.66

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
99	12	TAPINI	TI	145.4	264.2	24.56 27.60 31.16	GOOD 0.50 GOOD 0.10 FAIR 0.50	24.35 27.39 30.95	BMR	6.17 9.21 12.77
101	12	TAPINI	TI	162.6	274.4	27.16 27.62 30.71	GOOD 0.10 GOOD 0.50 GOOD 0.50	26.94 27.40 30.49	BMR	6.62 7.08 10.17
104	12	TAPINI	TI	192.5	282.2	31.64 34.54 37.84	GOOD 0.50 GOOD 0.50 GOOD 0.50	31.43 34.33 37.63	BMR	7.37 10.27 13.57
105	12	TAPINI	TI	205.9	284.3	36.55	GOOD 0.50	36.34	BMR	10.60
107	12	TAPINI	TI	224.1	287.1	35.78 38.94 40.27	FAIR 0.50 GOOD 0.50 GOOD 0.50	35.56 38.72 40.05	BMR	7.55 10.71 12.04
109	12	TAPINI	TI	254.0	285.4	40.58 42.08 45.68	GOOD 0.50 FAIR 0.50 FAIR 0.50	40.37 41.87 45.47	BMR	8.62 10.12 13.72
110	12	TAPINI	TI	278.8	282.1	45.08 48.08 58.78	GOOD 0.50 GOOD 0.50 FAIR 0.50	44.75 47.75 58.45	BMR	9.90 12.90 23.60
1	13	WOITAPE	WP	132.2	18.0	26.12 26.58 32.43	GOOD 0.10 GOOD 0.50 FAIR 0.50	24.96 25.42 31.27	BMR	8.44 8.90 14.75
3	13	WOITAPE	WP	114.4	18.3	22.47	GOOD 0.10	21.56	BMR	7.26
4	13	WOITAPE	WP	116.6	11.3	22.33 27.04 40.76	GOOD 0.10 FAIR 0.50 FAIR 0.50	21.52 26.23 39.95	BMR	6.94 11.65 25.37
7	13	WOITAPE	WP	108.0	32.9	21.56	GOOD 0.50	20.88	BMR	7.38
8	13	WOITAPE	WP	105.1	40.8	20.15	GOOD 0.50	19.52	BMR	6.39
9	13	WOITAPE	WP	103.1	45.4	20.26 26.91 28.21	GOOD 0.10 GOOD 0.50 GOOD 0.50	19.75 26.40 27.70	BMR	6.86 13.51 14.81
10	13	WOITAPE	WP	104.9	52.1	21.43	GOOD 0.10	20.68	BMR	7.57
11	13	WOITAPE	WP	102.9	59.1	21.01	GOOD 0.50	20.37	BMR	7.50
14	13	WOITAPE	WP	116.1	76.8	23.27	GOOD 0.10	22.78	BMR	8.27
15	13	WOITAPE	WP	122.8	82.1	24.12 27.69 29.30	GOOD 0.10 GOOD 0.50 GOOD 0.50	23.59 27.16 28.77	BMR	8.24 11.81 13.42
16	13	WOITAPE	WP	130.1	86.6	26.55 30.13	GOOD 0.10 GOOD 0.50	25.95 29.53	BMR	9.68 13.26

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 31.91	REMARKS QUAL ACC(SEC) GOOD 0.50	TT MSL (SEC) 31.31	INST	TT-D/ 8.00 (SEC) 15.04
23	13	WOITAPE	WP	147.7	59.0	26.73	GOOD 0.10	25.68	BMR	7.22
71	13	WOITAPE	WP	165.1	175.6	31.62	FAIR 1.00	31.14	BMR	10.50
73	13	WOITAPE	WP	143.7	178.1	28.46	GOOD 0.10	28.03	BMR	10.06
74	13	WOITAPE	WP	137.6	181.5	23.73	FAIR 1.00	23.12	BMR	5.92
85	13	WOITAPE	WP	108.8	211.9	18.78	GOOD 0.10	18.15	BMR	4.55
88	13	WOITAPE	WP	126.3	235.6	23.29	GOOD 0.50	22.64	BMR	6.86
91	13	WOITAPE	WP	164.1	232.7	29.36	GOOD 0.10	28.17	BMR	7.65
1	14	LAMINGTON	LMG	163.5	59.1	29.35 31.05 39.25	FAIR 0.50 FAIR 0.50 FAIR 0.50	28.26 29.96 38.16	RAB	7.82 9.52 17.72
2	14	LAMINGTON	LMG	150.5	58.8	28.95	POOR 0.50	27.93	RAB	9.12
3	14	LAMINGTON	LMG	150.9	63.7	27.38 28.48 31.08	FAIR 0.50 GOOD 0.10 FAIR 0.50	26.53 27.63 30.23	RAB	7.67 8.77 11.37
4	14	LAMINGTON	LMG	142.2	59.3	24.35 24.95 25.85 28.55	FAIR 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	23.61 24.21 25.11 27.81	RAB	5.83 6.43 7.33 10.03
5	14	LAMINGTON	LMG	156.8	67.4	28.15 29.45	GOOD 0.10 FAIR 0.50	27.57 28.87	RAB	7.97 9.27
6	14	LAMINGTON	LMG	161.7	70.0	28.71 29.41	FAIR 0.50 GOOD 0.10	28.15 28.85	RAB	7.93 8.63
7	14	LAMINGTON	LMG	165.4	72.8	30.11 36.01	GOOD 0.10 GOOD 0.50	29.50 35.40	RAB	8.82 14.72
8	14	LAMINGTON	LMG	172.1	77.3	30.72 31.22	GOOD 0.10 GOOD 0.10	30.16 30.66	RAB	8.65 9.15
10	14	LAMINGTON	LMG	183.4	82.9	32.13	GOOD 0.50	31.45	RAB	8.52
11	14	LAMINGTON	LMG	187.8	86.6	32.88 34.28 47.98	GOOD 0.10 FAIR 0.50 FAIR 0.50	32.30 33.70 47.40	RAB	8.83 10.23 23.93
12	14	LAMINGTON	LMG	197.3	89.2	38.07	POOR 1.00	37.59	RAB	12.93
13	14	LAMINGTON	LMG	204.9	91.8	34.82	FAIR 1.00	34.30	RAB	8.68
14	14	LAMINGTON	LMG	212.8	94.2	35.49 40.89 44.09 46.29	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	35.07 40.47 43.67 45.87	RAB	8.47 13.87 17.07 19.27

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 53.09	REMARKS QUAL ACC(SEC) FAIR 0.50	TT MSL (SEC) 52.67	INST	TT-D/ 8.00 (SEC) 26.07
15	14	LAMINGTON	LMG	222.3	96.5	37.13	FAIR 1.00	36.67	RAB	8.89
16	14	LAMINGTON	LMG	231.7	98.5	38.38	POOR 1.00	37.84	RAB	8.88
17	14	LAMINGTON	LMG	241.4	100.3	39.05 43.15 48.55	GOOD 0.10 FAIR 0.50 FAIR 0.50	38.78 42.88 48.28	RAB	8.60 12.70 18.10
18	14	LAMINGTON	LMG	265.1	104.8	41.98 45.18	FAIR 0.50 FAIR 1.00	41.70 44.90	RAB	8.56 11.76
19	14	LAMINGTON	LMG	316.2	102.6	48.72 50.32 52.72 56.12	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	48.45 50.04 52.45 55.84	RAB	8.92 10.52 12.92 16.32
20	14	LAMINGTON	LMG	206.1	88.4	34.90	GOOD 0.50	34.13	RAB	8.37
21	14	LAMINGTON	LMG	210.9	86.1	35.91 38.01	FAIR 1.00 FAIR 1.00	35.03 37.13	RAB	8.67 10.77
22	14	LAMINGTON	LMG	216.7	83.6	36.67	GOOD 0.50	35.70	RAB	8.61
23	14	LAMINGTON	LMG	228.4	81.4	36.82 46.82 72.42	GOOD 0.10 GOOD 0.50 FAIR 0.50	35.84 45.84 71.44	RAB	7.29 17.29 42.89
25	14	LAMINGTON	LMG	265.6	75.4	41.53 46.43 47.93 52.43 154.13	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	40.58 45.48 46.98 51.48 153.18	RAB	7.38 12.28 13.78 18.28 119.98
26	14	LAMINGTON	LMG	296.8	69.1	44.74 58.34 132.74 160.44	GOOD 0.10 GOOD 0.50 FAIR 0.50 FAIR 0.50	43.77 57.37 131.77 159.47	RAB	6.67 20.27 94.67 122.37
27	14	LAMINGTON	LMG	334.0	64.0	49.44 55.94 65.44 72.14 74.64	FAIR 0.50 POOR 0.50 POOR 0.50 POOR 0.50 POOR 0.50	48.71 55.21 64.71 71.41 73.91	RAB	6.96 13.46 22.96 29.66 32.16
28	14	LAMINGTON	LMG	380.9	60.1	54.55 62.85 66.85 70.55	FAIR 0.50 POOR 1.00 POOR 1.00 POOR 1.00	53.80 62.10 66.10 69.80	RAB	6.19 14.49 18.49 22.19
29	14	LAMINGTON	LMG	417.7	57.9	59.31	FAIR 1.00	58.51	RAB	6.30
30	14	LAMINGTON	LMG	386.4	57.5	55.59 59.39	GOOD 0.50 FAIR 0.50	54.84 58.64	RAB	6.54 10.34
31	14	LAMINGTON	LMG	346.2	57.3	50.30	FAIR 0.50	49.59	RAB	6.32

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME	REMARKS	TT MSL	INST	TT-D/ 8.00
						(SEC)				
						70.40	POOR 0.50	69.69		26.42
						72.90	POOR 0.50	72.19		28.92
						75.90	POOR 0.50	75.19		31.92
32	14	LAMINGTON	LMG	301.1	57.3	45.02	FAIR 0.50	44.18	RAB	6.54
33	14	LAMINGTON	LMG	253.0	57.0	44.29	GOOD 1.00	43.20	RAB	11.58
						47.09	POOR 0.50	46.00		14.38
						110.29	FAIR 0.50	109.20		77.58
34	14	LAMINGTON	LMG	224.9	57.3	40.77	POOR 1.00	39.62	RAB	11.51
						85.57	GOOD 0.50	84.42		56.31
35	14	LAMINGTON	LMG	213.5	57.3	35.11	GOOD 0.50	34.00	RAB	7.31
						39.31	FAIR 0.50	38.20		11.51
						51.21	FAIR 0.50	50.10		23.41
						81.51	POOR 1.00	80.40		53.71
36	14	LAMINGTON	LMG	198.7	57.9	33.62	FAIR 0.50	32.49	RAB	7.65
						36.12	FAIR 0.50	34.99		10.15
						67.22	FAIR 0.50	66.09		41.25
37	14	LAMINGTON	LMG	184.5	58.3	31.79	FAIR 0.50	30.66	RAB	7.60
						34.29	FAIR 0.50	33.16		10.10
						55.79	FAIR 0.50	54.66		31.60
38	14	LAMINGTON	LMG	172.9	58.8	30.57	GOOD 0.50	29.45	RAB	7.83
						32.27	POOR 0.50	31.15		9.53
						33.67	FAIR 0.50	32.55		10.93
						51.27	FAIR 0.50	50.15		28.53
39	14	LAMINGTON	LMG	134.7	45.2	25.01	GOOD 0.50	24.39	RAB	7.55
						25.61	GOOD 0.10	24.99		8.15
						29.51	FAIR 0.50	28.89		12.05
						31.41	FAIR 0.50	30.79		13.95
						33.61	FAIR 0.50	32.99		16.15
40	14	LAMINGTON	LMG	137.4	49.9	25.95	GOOD 0.10	25.31	RAB	8.14
						27.55	FAIR 0.50	26.91		9.74
						32.75	FAIR 0.50	32.11		14.94
						36.35	FAIR 0.50	35.71		18.54
41	14	LAMINGTON	LMG	139.3	55.2	25.97	GOOD 0.10	25.31	RAB	7.89
						28.17	FAIR 0.50	27.51		10.09
						31.27	POOR 0.50	30.61		13.19
						31.97	FAIR 0.50	31.31		13.89
42	14	LAMINGTON	LMG	138.0	40.0	25.73	GOOD 0.10	25.13	RAB	7.88
						27.53	POOR 0.50	26.93		9.68
						33.33	POOR 0.50	32.73		15.48
43	14	LAMINGTON	LMG	143.6	35.2	26.55	GOOD 0.10	25.85	RAB	7.90
						27.05	GOOD 0.10	26.35		8.40
44	14	LAMINGTON	LMG	145.8	29.0	26.67	GOOD 0.10	26.15	RAB	7.93
						27.17	GOOD 0.50	26.65		8.43
						28.97	POOR 1.00	28.45		10.23

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 33.17	REMARKS QUAL ACC (SECS) POOR 1.00	TT MSL (SEC) 32.65	INST	TT-D/ 8.00 (SEC) 14.43
45	14	LAMINGTON	LMG	147.0	23.1	26.64 27.24 30.04 32.64	GOOD 0.10 GOOD 0.10 POOR 1.00 POOR 1.00	25.94 26.54 29.34 31.94	RAB	7.57 8.17 10.97 13.57
46	14	LAMINGTON	LMG	144.5	17.7	26.27 26.77 29.57 33.07	GOOD 0.10 FAIR 0.50 POOR 1.00 POOR 0.50	25.60 26.10 28.90 32.40	RAB	7.53 8.03 10.83 14.33
47	14	LAMINGTON	LMG	142.5	12.7	25.95 26.25 28.35 30.25	GOOD 0.10 GOOD 0.10 FAIR 1.00 POOR 1.00	25.56 25.86 27.96 29.86	RAB	7.75 8.05 10.15 12.05
48	14	LAMINGTON	LMG	159.5	350.0	27.95 31.85	GOOD 0.10 POOR 1.00	27.29 31.19	RAB	7.35 11.25
49	14	LAMINGTON	LMG	187.8	332.4	31.31 32.51 34.21	GOOD 0.50 GOOD 0.10 FAIR 0.50	30.45 31.65 33.35	RAB	6.97 8.17 9.87
53	14	LAMINGTON	LMG	229.9	290.5	38.59 52.29	FAIR 1.00 FAIR 1.00	38.23 51.93	RAB	9.49 23.19
54	14	LAMINGTON	LMG	177.5	290.9	26.32 30.42 39.82 45.82	FAIR 1.00 FAIR 1.00 FAIR 1.00 FAIR 1.00	25.91 30.01 39.41 45.41	RAB	3.72 7.82 17.22 23.22
55	14	LAMINGTON	LMG	148.6	282.0	23.40 25.10 26.50 27.60 46.00	FAIR 0.50 FAIR 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	23.02 24.72 26.12 27.22 45.62	RAB	4.45 6.15 7.55 8.65 27.05
56	14	LAMINGTON	LMG	73.8	219.0	13.73 57.13	GOOD 0.10 FAIR 1.00	13.45 56.85	RAB	4.22 47.62
57	14	LAMINGTON	LMG	85.2	219.2	14.80 15.60 17.50 31.30	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	14.52 15.32 17.22 31.02	RAB	3.87 4.67 6.57 20.37
58	14	LAMINGTON	LMG	89.0	220.6	15.31 16.21 19.31 35.31	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	15.03 15.93 19.03 35.03	RAB	3.90 4.80 7.90 23.90
59	14	LAMINGTON	LMG	99.3	221.5	16.52 18.82 40.82	GOOD 0.10 FAIR 0.50 FAIR 1.00	15.96 18.26 40.26	RAB	3.54 5.84 27.84
60	14	LAMINGTON	LMG	112.7	221.8	18.78 21.88	GOOD 0.10 FAIR 0.50	17.69 20.79	RAB	3.60 6.70

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
61	14	LAMINGTON	LMG	125.5	220.5	21.70 22.00 43.10	GOOD 0.50 GOOD 0.10 FAIR 0.50	20.12 20.42 41.52	RAB	4.43 4.73 25.83
62	14	LAMINGTON	LMG	138.2	222.7	24.59 29.29	GOOD 0.50 POOR 1.00	22.56 27.26	RAB	5.28 9.98
63	14	LAMINGTON	LMG	174.0	223.2	30.71 31.71	GOOD 0.50 GOOD 0.50	28.38 29.38	RAB	6.63 7.63
69	14	LAMINGTON	LMG	262.8	152.3	35.92 40.62 53.62	GOOD 0.50 GOOD 0.50 GOOD 0.50	35.55 40.25 53.25	RAB	2.70 7.40 20.46
70	14	LAMINGTON	LMG	251.4	150.7	41.10	POOR 1.00	40.75	RAB	9.33
71	14	LAMINGTON	LMG	234.7	151.5	32.72 36.72 67.32	FAIR 1.00 FAIR 0.50 FAIR 0.50	32.30 36.30 66.90	RAB	2.97 6.97 37.57
72	14	LAMINGTON	LMG	225.5	151.3	31.13	POOR 1.00	30.63	RAB	2.45
73	14	LAMINGTON	LMG	212.5	150.7	30.70 36.40 46.70 66.20	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 1.00	30.33 36.03 46.33 65.83	RAB	.77 9.47 19.77 39.27
74	14	LAMINGTON	LMG	203.1	151.8	29.78 34.68	POOR 1.00 FAIR 0.50	29.23 34.13	RAB	3.85 8.75
75	14	LAMINGTON	LMG	192.6	152.8	27.93 34.23	FAIR 1.00 FAIR 0.50	27.58 33.88	RAB	3.51 9.81
76	14	LAMINGTON	LMG	195.5	155.2	28.34 32.34 36.14 39.04	POOR 1.00 FAIR 1.00 FAIR 1.00 FAIR 0.50	27.77 31.77 35.57 38.47	RAB	3.33 7.33 11.13 14.03
77	14	LAMINGTON	LMG	201.6	157.9	29.69 33.19 36.59 41.39	POOR 1.00 FAIR 0.50 GOOD 0.50 FAIR 0.50	28.89 32.39 35.79 40.59	RAB	3.69 7.19 10.59 15.39
78	14	LAMINGTON	LMG	207.4	160.3	29.85	POOR 1.00	28.85	RAB	2.93
79	14	LAMINGTON	LMG	215.3	162.5	31.31 35.31 45.31 49.81	POOR 1.00 FAIR 0.50 FAIR 0.50 POOR 1.00	30.06 34.06 44.06 48.56	RAB	3.14 7.14 17.14 21.64
80	14	LAMINGTON	LMG	228.4	167.8	36.35 38.75	POOR 1.00 FAIR 0.50	35.47 37.87	RAB	6.92 9.32
81	14	LAMINGTON	LMG	178.7	155.1	25.96 28.46 33.36	POOR 1.00 FAIR 0.50 FAIR 0.50	25.61 28.11 33.01	RAB	3.27 5.77 10.67

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
82	14	LAMINGTON	LMG	143.6	156.9	24.10 26.20 32.20	GOOD 1.00 GOOD 0.50 FAIR 0.50	23.76 25.86 31.86	RAB	3.31 5.41 11.41
83	14	LAMINGTON	LMG	156.3	159.5	25.25	GOOD 0.50	24.91	RAB	5.37
84	14	LAMINGTON	LMG	149.9	160.9	23.57 24.27	POOR 0.50 GOOD 0.50	23.10 23.80	RAB	4.36 5.06
85	14	LAMINGTON	LMG	140.3	162.6	21.83 22.73	GOOD 0.50 FAIR 0.50	21.26 22.16	RAB	3.73 4.63
86	14	LAMINGTON	LMG	132.5	164.7	20.61 25.51 32.61	FAIR 0.50 FAIR 0.50 FAIR 0.50	20.33 25.23 32.33	RAB	3.77 8.67 15.77
87	14	LAMINGTON	LMG	127.0	166.9	21.52 22.52	FAIR 0.50 GOOD 0.50	20.86 21.86	RAB	4.98 5.98
88	14	LAMINGTON	LMG	112.7	182.4	19.73 21.23 23.73	GOOD 0.10 POOR 0.50 POOR 0.50	19.15 20.65 23.15	RAB	5.07 6.57 9.07
89	14	LAMINGTON	LMG	124.8	187.1	21.22 29.62 36.12	GOOD 0.50 FAIR 0.50 FAIR 0.50	20.44 28.84 35.34	RAB	4.84 13.24 19.74
90	14	LAMINGTON	LMG	134.1	190.1	23.00 26.20	GOOD 0.10 POOR 1.00	21.77 24.97	RAB	5.01 8.21
91	14	LAMINGTON	LMG	144.1	192.5	25.09	GOOD 0.50	23.97	RAB	5.95
92	14	LAMINGTON	LMG	158.7	196.2	28.40 33.20	GOOD 0.50 FAIR 0.50	26.59 31.39	RAB	6.75 11.55
93	14	LAMINGTON	LMG	168.6	197.1	30.23	GOOD 0.50	28.01	RAB	6.94
94	14	LAMINGTON	LMG	179.1	199.4	31.83 34.43 42.83 51.63	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	29.18 31.78 40.18 48.98	RAB	6.80 9.40 17.80 26.60
95	14	LAMINGTON	LMG	288.2	224.6	44.84 53.94 76.54	GOOD 0.50 FAIR 0.50 POOR 1.00	42.01 51.11 73.71	RAB	5.99 15.09 37.69
96	14	LAMINGTON	LMG	259.1	224.5	39.85 66.65 131.45	GOOD 0.10 POOR 1.00 POOR 1.00	37.78 64.58 129.38	RAB	5.40 32.20 97.00
97	14	LAMINGTON	LMG	227.0	224.6	36.35 45.25 73.55 112.25	GOOD 0.50 FAIR 0.50 FAIR 0.50 POOR 1.00	33.86 42.76 71.06 109.76	RAB	5.48 14.38 42.68 81.38
98	14	LAMINGTON	LMG	101.1	181.9	17.64	GOOD 0.10	17.17	RAB	4.53

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 21.54	REMARKS QUAL ACC(SEC) FAIR 0.50	TT MSL (SEC) 21.07	INST	TT-D/ 8.00 (SEC) 8.43
99	14	LAMINGTON	LMG	78.5	191.7	14.28	GOOD 0.10	14.00	RAB	4.19
100	14	LAMINGTON	LMG	68.4	179.3	12.47	GOOD 0.10	12.18	RAB	3.63
101	14	LAMINGTON	LMG	59.6	214.0	11.40 13.50	GOOD 0.10 FAIR 0.50	11.11 13.21	RAB	3.66 5.76
102	14	LAMINGTON	LMG	54.8	222.5	11.14 14.34	GOOD 0.10 FAIR 0.50	10.85 14.05	RAB	4.00 7.20
103	14	LAMINGTON	LMG	49.5	235.0	11.02 12.12	GOOD 0.10 FAIR 0.50	10.73 11.83	RAB	4.55 5.65
104	14	LAMINGTON	LMG	63.1	250.3	12.23 18.53	GOOD 0.10 FAIR 0.50	11.95 18.25	RAB	4.06 10.36
105	14	LAMINGTON	LMG	71.6	261.1	13.34 16.94 19.84 26.14	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	13.06 16.66 19.56 25.86	RAB	4.11 7.71 10.61 16.91
106	14	LAMINGTON	LMG	80.3	264.4	14.21 18.91 29.31	GOOD 0.10 FAIR 0.50 FAIR 0.50	13.93 18.63 29.03	RAB	3.89 8.59 18.99
107	14	LAMINGTON	LMG	85.5	272.7	15.31 17.51	GOOD 0.50 FAIR 0.50	15.02 17.22	RAB	4.34 6.54
108	14	LAMINGTON	LMG	93.3	273.6	15.51 16.31 17.21 30.31	FAIR 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	15.22 16.02 16.92 30.02	RAB	3.56 4.36 5.26 18.36
109	14	LAMINGTON	LMG	116.2	272.7	20.08 20.58 31.58 34.08	GOOD 0.10 FAIR 0.50 FAIR 0.50 GOOD 0.50	19.80 20.30 31.30 33.80	RAB	5.27 5.77 16.77 19.27
110	14	LAMINGTON	LMG	143.8	268.7	24.78 26.28 31.48 41.58	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	24.38 25.88 31.08 41.18	RAB	6.41 7.91 13.11 23.21
111	14	LAMINGTON	LMG	148.7	253.5	23.32 24.12 26.92 47.02	FAIR 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	23.05 23.85 26.65 46.75	RAB	4.46 5.26 8.06 28.16
1	15	EFOGI	EI	103.9	56.0	21.12	GOOD 0.50	20.04	BMR	7.05
2	15	EFOGI	EI	91.0	55.1	18.52 20.69 23.20	GOOD 0.50 GOOD 0.50 GOOD 0.50	17.51 19.68 22.19	BMR	6.13 8.30 10.81
3	15	EFOGI	EI	90.9	63.2	18.43	GOOD 0.10	17.59	BMR	6.23

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						19.43 21.14	GOOD FAIR	0.50 0.50	18.59 20.30		7.23 8.94
4	15	EFOGI	EI	82.7	55.5	15.74 17.06 18.46 19.45	GOOD GOOD FAIR FAIR	0.50 0.10 0.50 0.50	15.01 16.33 17.73 18.72	BMR	4.67 5.99 7.39 8.38
5	15	EFOGI	EI	97.0	69.2	18.48 19.04	GOOD FAIR	0.10 0.10	17.91 18.47	BMR	5.78 6.34
6	15	EFOGI	EI	102.1	73.3	20.05 20.76 23.73 24.76	GOOD FAIR FAIR FAIR	0.50 0.50 0.50 0.50	19.50 20.21 23.18 24.21	BMR	6.74 7.45 10.42 11.45
7	15	EFOGI	EI	106.4	77.5	20.82 24.26	GOOD GOOD	0.50 0.50	20.22 23.66	BMR	6.92 10.36
8	15	EFOGI	EI	114.4	84.0	22.08 23.74	GOOD FAIR	0.10 0.50	21.53 23.19	BMR	7.23 8.89
9	15	EFOGI	EI	118.6	87.7	22.79 24.48	GOOD FAIR	0.10 0.50	22.36 24.05	BMR	7.54 9.23
10	15	EFOGI	EI	127.9	91.4	70.18 71.72	GOOD FAIR	0.10 0.50	69.51 71.05	BMR	53.52 55.06
11	15	EFOGI	EI	134.2	96.3	70.57 73.12	GOOD FAIR	0.10 0.50	70.00 72.55	BMR	53.23 55.78
12	15	EFOGI	EI	144.9	99.1	11.73 14.24	GOOD FAIR	0.10 0.50	11.26 13.77	BMR	-6.85 -4.34
13	15	EFOGI	EI	154.0	102.0	12.85 18.85	FAIR FAIR	0.50 0.50	12.34 18.34	BMR	-6.91 -9.91
14	15	EFOGI	EI	163.4	104.6	74.14	GOOD	0.50	73.73	BMR	53.31
20	15	EFOGI	EI	153.2	97.5	28.69 33.68	GOOD FAIR	0.10 0.50	27.93 32.92	BMR	8.78 13.77
23	15	EFOGI	EI	171.9	87.2	30.80 34.00 38.57	GOOD POOR FAIR	0.50 1.00 1.00	29.83 33.03 37.60	BMR	8.34 11.54 16.11
42	15	EFOGI	EI	87.0	23.5	18.73	GOOD	0.50	18.14	BMR	7.26
43	15	EFOGI	EI	95.8	17.5	19.20 19.86	GOOD GOOD	0.50 0.50	18.51 19.17	BMR	6.54 7.20
44	15	EFOGI	EI	102.9	9.3	19.59 20.45 23.88 26.88	GOOD GOOD GOOD FAIR	0.50 0.10 0.50 0.50	19.08 19.94 23.37 26.37	BMR	6.22 7.08 10.51 13.51
45	15	EFOGI	EI	109.4	1.8	20.93	GOOD	0.10	20.24	BMR	6.57

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						21.40	GOOD 0.10	20.71		7.04
						26.27	FAIR 0.50	25.58		11.91
						31.40	FAIR 0.50	30.71		17.04
						35.62	GOOD 0.50	34.93		21.26
46	15	EFOGI	EI	112.2	354.7	21.26	GOOD 0.10	20.60	BMR	6.57
						24.34	POOR 0.50	23.68		9.65
						37.03	POOR 0.50	36.37		22.34
47	15	EFOGI	EI	115.3	348.6	21.67	GOOD 0.10	21.29	BMR	6.88
						22.25	FAIR 0.10	21.87		7.46
						24.34	FAIR 0.50	23.96		9.55
48	15	EFOGI	EI	154.4	328.0	27.16	GOOD 0.10	26.51	BMR	7.21
						32.40	FAIR 0.50	31.75		12.45
						48.65	FAIR 0.50	48.00		28.70
49	15	EFOGI	EI	198.9	314.9	33.16	GOOD 0.10	32.31	BMR	7.45
						42.25	FAIR 0.50	41.40		16.54
50	15	EFOGI	EI	259.6	306.2	40.11	GOOD 0.50	39.67	BMR	7.22
						42.71	GOOD 0.10	42.27		9.82
						46.95	FAIR 0.50	46.51		14.06
						49.05	FAIR 0.50	48.61		16.16
						52.66	FAIR 0.50	52.22		19.77
						56.16	FAIR 0.50	55.72		23.27
54	15	EFOGI	EI	222.9	279.5	37.26	GOOD 0.50	36.86	BMR	9.00
						40.39	FAIR 0.50	39.99		12.13
						47.89	GOOD 0.10	47.49		19.63
						49.93	FAIR 0.50	49.53		21.67
						38.34	GOOD 0.50	37.94		10.08
55	15	EFOGI	EI	199.4	271.3	33.06	GOOD 0.50	32.69	BMR	7.77
						34.88	FAIR 0.50	34.51		9.59
						38.27	FAIR 0.50	37.90		12.98
						41.66	FAIR 0.50	41.29		16.37
						44.58	FAIR 0.50	44.21		19.29
59	15	EFOGI	EI	156.3	230.0	24.52	GOOD 0.10	23.97	BMR	4.43
						25.69	FAIR 0.50	25.14		5.60
						27.18	FAIR 0.50	26.63		7.09
						33.87	FAIR 0.10	33.32		13.78
62	15	EFOGI	EI	195.3	229.1	32.42	GOOD 0.10	30.40	BMR	5.98
						34.21	FAIR 0.50	32.19		7.77
						36.73	FAIR 0.50	34.71		10.29
						38.28	FAIR 0.50	36.26		11.84
77	15	EFOGI	EI	213.8	174.2	34.24	GOOD 0.50	33.45	BMR	6.72
						35.03	GOOD 0.50	34.24		7.51
						36.73	FAIR 0.50	35.94		9.21
						39.79	FAIR 0.10	39.00		12.27
						40.56	FAIR 0.50	39.77		13.04
						42.93	FAIR 0.50	42.14		15.41
						47.02	FAIR 0.50	46.23		19.50
96	15	EFOGI	EI	316.2	228.1	47.79	GOOD 0.50	45.73	BMR	6.21

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						49.01	GOOD	0.50	46.95		7.43
						50.05	FAIR	0.50	47.99		8.47
						51.17	GOOD	0.50	49.11		9.59
						55.25	GOOD	0.50	53.19		13.67
99	15	EFOGI	EI	124.5	214.2	21.76	GOOD	0.50	21.49	BMR	5.93
						40.16	FAIR	0.50	39.89		24.33
100	15	EFOGI	EI	118.6	220.2	21.56	POOR	1.00	21.28	BMR	6.45
						25.78	POOR	1.00	25.50		10.67
101	15	EFOGI	EI	115.5	229.2	19.66	GOOD	0.50	19.38	BMR	4.95
						20.85	FAIR	0.10	20.57		6.14
						25.34	FAIR	0.50	25.06		10.53
102	15	EFOGI	EI	112.7	233.9	19.70	GOOD	0.50	19.42	BMR	5.34
						20.14	FAIR	0.10	19.86		5.78
						21.69	FAIR	0.50	21.41		7.33
						25.12	GOOD	0.50	24.84		10.76
103	15	EFOGI	EI	109.1	240.0	19.74	GOOD	0.50	19.46	BMR	5.83
						22.56	FAIR	0.50	22.28		8.65
104	15	EFOGI	EI	122.9	247.3	22.19	GOOD	0.50	21.92	BMR	6.55
105	15	EFOGI	EI	130.2	253.4	24.42	FAIR	0.50	24.15	BMR	7.87
						28.68	FAIR	0.50	28.41		12.13
107	15	EFOGI	EI	141.2	261.0	24.54	FAIR	0.50	24.26	BMR	6.61
						26.44	GOOD	0.50	26.16		8.51
						27.95	GOOD	0.50	27.67		10.02
						30.11	GOOD	0.50	29.83		12.18
108	15	EFOGI	EI	148.5	262.1	25.15	FAIR	0.50	24.87	BMR	6.31
						26.00	GOOD	0.50	25.72		7.16
						28.81	GOOD	0.10	28.53		9.97
109	15	EFOGI	EI	171.2	263.1	28.53	GOOD	0.50	28.26	BMR	6.86
						31.23	FAIR	0.50	30.96		9.56
						34.93	FAIR	0.50	34.66		13.26
						51.53	FAIR	0.50	51.26		29.86
110	15	EFOGI	EI	199.8	261.5	34.98	GOOD	0.50	34.59	BMR	9.62
						36.58	GOOD	0.50	36.19		11.22
						38.88	FAIR	0.50	38.49		13.52
						43.56	FAIR	0.50	43.17		18.20
111	15	EFOGI	EI	208.2	250.8	34.42	FAIR	0.50	34.16	BMR	8.13
						35.02	GOOD	0.10	34.76		8.73
						37.69	FAIR	0.50	37.43		11.40
						48.94	FAIR	0.50	48.68		22.65
1	16	KUPIANO	KP	149.6	107.0	28.25	FAIR	0.50	27.45	RAB	8.75
2	16	KUPIANO	KP	140.7	110.7	27.05	FAIR	0.50	26.32	RAB	8.74
4	16	KUPIANO	KP	136.8	113.8	23.25	POOR	1.00	22.80	RAB	5.70

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						25.05	GOOD 0.50	24.60		7.50
						26.45	FAIR 0.50	26.00		8.90
						30.55	FAIR 1.00	30.10		13.00
5	16	KUPIANO	KP	162.4	114.6	29.35	FAIR 0.50	29.06	RAB	8.76
11	16	KUPIANO	KP	223.2	121.5	39.98	FAIR 1.00	39.70	RAB	11.80
						43.68	FAIR 1.00	43.40		15.50
						47.18	POOR 1.00	46.90		19.00
14	16	KUPIANO	KP	258.3	123.7	40.26	FAIR 0.50	40.14	RAB	7.85
						46.26	POOR 1.00	46.14		13.85
						48.96	FAIR 0.50	48.84		16.55
						54.76	FAIR 0.50	54.64		22.35
						58.06	POOR 0.50	57.94		25.65
20	16	KUPIANO	KP	241.7	120.3	46.16	FAIR 0.50	45.69	RAB	15.47
23	16	KUPIANO	KP	246.8	112.3	38.55	POOR 1.00	37.86	RAB	7.01
						43.65	POOR 0.50	42.96		12.11
						50.55	FAIR 0.50	49.86		19.01
25	16	KUPIANO	KP	266.5	103.2	39.08	FAIR 0.50	38.43	RAB	5.12
						52.28	FAIR 0.50	51.63		18.32
26	16	KUPIANO	KP	280.6	94.5	51.72	POOR 1.00	51.04	RAB	15.97
						54.72	FAIR 0.50	54.04		18.97
27	16	KUPIANO	KP	303.1	86.5	57.35	POOR 1.00	56.91	RAB	19.03
29	16	KUPIANO	KP	368.2	75.2	52.40	POOR 0.50	51.89	RAB	5.87
						68.40	POOR	67.89		21.87
30	16	KUPIANO	KP	337.5	76.3	48.65	POOR 1.00	48.19	RAB	6.00
						62.65	POOR	62.19		20.00
						70.65	FAIR 0.50	70.19		28.00
31	16	KUPIANO	KP	299.5	78.6	44.65	POOR 1.00	44.24	RAB	6.80
						51.95	FAIR 0.50	51.54		14.10
						57.15	FAIR 0.50	56.74		19.30
32	16	KUPIANO	KP	258.1	82.2	37.87	FAIR 0.50	37.33	RAB	5.06
						47.87	POOR 1.00	47.33		15.06
						50.37	POOR 1.00	49.83		17.56
						52.67	FAIR 0.50	52.13		19.86
						60.57	FAIR 1.00	60.03		27.76
						82.37	POOR 1.00	81.83		49.56
33	16	KUPIANO	KP	214.9	87.3	41.64	FAIR 0.50	40.85	RAB	13.99
						45.14	FAIR 0.50	44.35		17.49
35	16	KUPIANO	KP	182.8	93.9	30.56	GOOD 0.50	29.74	RAB	6.89
						34.36	GOOD 0.50	33.54		10.69
						41.56	FAIR 1.00	40.74		17.89
						44.76	FAIR 1.00	43.94		21.09
						61.06	POOR 1.00	60.24		37.39
38	16	KUPIANO	KP	155.5	104.2	27.41	GOOD 0.50	26.58	RAB	7.14

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						29.61	FAIR 0.50	28.78		9.34
						32.21	POOR 1.00	31.38		11.94
						35.51	FAIR 0.50	34.68		15.24
						42.01	POOR 1.00	41.18		21.74
						45.21	FAIR 0.50	44.38		24.94
39	16	KUPIANO	KP	103.8	108.4	20.96	GOOD 0.50	20.63	RAB	7.66
						23.36	FAIR 0.50	23.03		10.06
						26.26	FAIR 0.50	25.93		12.96
						32.16	FAIR 0.50	31.83		18.86
						37.36	FAIR 0.50	37.03		24.06
40	16	KUPIANO	KP	114.9	110.0	22.64	GOOD 0.50	22.30	RAB	7.93
						26.34	FAIR 0.50	26.00		11.63
						32.54	POOR 1.00	32.20		17.83
41	16	KUPIANO	KP	126.8	112.4	24.60	GOOD 0.50	24.23	RAB	8.38
						26.80	FAIR 0.50	26.43		10.58
						28.70	FAIR 1.00	28.33		12.48
						32.80	FAIR 0.50	32.43		16.58
42	16	KUPIANO	KP	94.5	103.5	18.87	GOOD 0.50	18.56	RAB	6.77
43	16	KUPIANO	KP	86.5	96.1	19.23	GOOD 0.50	18.83	RAB	8.01
44	16	KUPIANO	KP	73.8	90.2	15.61	GOOD 0.50	15.39	RAB	6.16
						17.11	FAIR 0.50	17.39		8.16
						19.11	GOOD 0.50	18.89		9.66
45	16	KUPIANO	KP	61.1	82.9	13.32	GOOD 0.50	12.92	RAB	5.28
						14.82	FAIR 0.50	14.42		6.78
						18.82	FAIR 0.50	18.42		10.78
46	16	KUPIANO	KP	48.0	78.1	11.61	GOOD 0.50	11.23	RAB	5.23
						16.31	FAIR 1.00	15.93		9.93
47	16	KUPIANO	KP	36.3	72.0	8.85	GOOD 0.50	8.76	RAB	4.22
						9.15	FAIR 0.50	9.06		4.52
						12.65	FAIR 0.50	12.56		8.02
						15.05	FAIR 0.50	14.96		10.42
49	16	KUPIANO	KP	91.9	295.0	18.04	GOOD 0.50	17.47	RAB	5.99
						30.04	FAIR 1.00	29.47		17.99
50	16	KUPIANO	KP	160.4	288.8	25.48	GOOD 0.50	25.33	RAB	5.28
						27.78	FAIR 0.50	27.63		7.58
						49.98	FAIR 1.00	49.83		29.78
51	16	KUPIANO	KP	273.8	277.7	41.92	GOOD 0.50	41.73	RAB	7.51
						44.62	FAIR 1.00	44.43		10.21
						48.32	POOR 1.00	48.13		13.91
						62.92	FAIR 1.00	62.73		28.51
52	16	KUPIANO	KP	271.3	260.6	43.91	GOOD 0.50	43.70	RAB	9.79
						47.31	FAIR 0.50	47.10		13.19
						50.41	FAIR 0.50	50.20		16.29
						53.61	FAIR 0.50	53.40		19.49

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
53	16	KUPIANO	KP	216.6	257.4	34.87 38.07 45.77	GOOD 0.50 FAIR 0.50 FAIR 0.50	34.81 38.01 45.71	RAB	7.73 10.93 18.63
54	16	KUPIANO	KP	174.4	248.3	30.62 32.72 34.92	GOOD 0.50 FAIR 0.50 GOOD 0.50	30.51 32.61 34.81	RAB	8.71 10.81 13.01
55	16	KUPIANO	KP	171.6	235.6	30.02 35.62	GOOD 1.00 FAIR 1.00	29.94 35.54	RAB	8.49 14.09
56	16	KUPIANO	KP	190.0	193.1	32.42 38.32	GOOD 0.50 FAIR 1.00	32.43 38.33	RAB	8.68 14.58
57	16	KUPIANO	KP	200.2	194.6	33.45 69.45	GOOD 0.50 FAIR 1.00	33.47 69.47	RAB	8.44 44.44
59	16	KUPIANO	KP	211.5	197.1	34.62 40.82	FAIR 0.50 FAIR 1.00	34.35 40.55	RAB	7.91 14.11
62	16	KUPIANO	KP	246.5	201.4	41.86	GOOD 0.50	40.12	RAB	9.31
63	16	KUPIANO	KP	279.5	204.4	47.38 52.48	GOOD 0.50 FAIR 0.50	45.35 50.45	RAB	10.41 15.51
71	16	KUPIANO	KP	353.2	161.0	56.50 61.70	FAIR 1.00 FAIR 1.00	56.38 61.58	RAB	12.23 17.43
77	16	KUPIANO	KP	324.3	165.9	50.33 53.83	FAIR 1.00 FAIR 1.00	49.82 53.32	RAB	9.29 12.79
82	16	KUPIANO	KP	286.2	166.4	34.43 45.13 47.13	GOOD 0.50 FAIR 1.00 GOOD 1.00	34.39 45.09 47.09	RAB	-1.39 9.31 11.31
85	16	KUPIANO	KP	265.5	170.2	39.58 42.68 43.68	FAIR 1.00 FAIR 1.00 GOOD 1.00	39.31 42.41 43.41	RAB	6.12 9.22 10.22
88	16	KUPIANO	KP	240.4	180.3	40.01 42.21 44.91	GOOD 0.50 FAIR 0.50 FAIR 0.50	39.73 41.93 44.63	RAB	9.68 11.88 14.58
91	16	KUPIANO	KP	269.8	185.9	46.06 48.66	POOR 0.50 GOOD 0.50	45.23 47.83	RAB	11.51 14.11
94	16	KUPIANO	KP	301.9	190.7	52.29 60.39 62.39	POOR 1.00 FAIR 0.50 FAIR 0.50	49.94 58.04 60.04	RAB	12.20 20.30 22.30
96	16	KUPIANO	KP	359.5	209.6	55.06	FAIR 1.00	53.29	RAB	8.35
101	16	KUPIANO	KP	179.7	189.6	32.33	POOR 0.50	32.34	RAB	9.87
102	16	KUPIANO	KP	171.5	191.3	32.45	POOR 1.00	32.46	RAB	11.02
104	16	KUPIANO	KP	159.1	200.6	29.32	GOOD 1.00	29.33	RAB	9.44

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-L, 8.00 (SEC)
						32.02	FAIR 1.00	32.03		12.14
109	16	KUPIANO	KP	166.0	222.6	28.63 31.63	GOOD 0.50 FAIR 1.00	28.64 31.64	RAB	7.89 10.89
110	16	KUPIANO	KP	191.7	226.9	33.63 35.83	GOOD 0.50 FAIR 0.50	33.53 35.73	RAB	9.56 11.76
1	17	CAPE RODNEY	CR	174.8	108.6	32.13 33.61 38.75 42.71	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	31.34 32.82 37.96 41.92	BMR	9.49 10.97 16.11 20.07
2	17	CAPE RODNEY	CR	166.1	111.9	31.04 33.98 37.24 39.53	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	30.32 33.26 36.52 38.81	BMR	9.55 12.49 15.75 18.04
3	17	CAPE RODNEY	CR	176.5	114.4	36.88	FAIR 0.50	36.33	BMR	14.27
4	17	CAPE RODNEY	CR	162.3	114.4	29.92 32.80	GOOD 0.10 FAIR 0.50	29.47 32.35	BMR	9.19 12.07
5	17	CAPE RODNEY	CR	187.9	115.1	33.25 35.72	GOOD 0.10 FAIR 0.50	32.97 35.44	BMR	9.48 11.95
6	17	CAPE RODNEY	CR	196.5	115.5	35.36 37.06 38.11	FAIR 0.50 FAIR 0.50 FAIR 0.50	35.10 36.80 37.85	BMR	10.53 12.23 13.28
7	17	CAPE RODNEY	CR	204.7	116.4	37.19	POOR 0.50	36.87	BMR	11.29
8	17	CAPE RODNEY	CR	218.5	117.8	39.85 41.90 44.60 47.61 50.85	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	39.59 41.64 44.34 47.35 50.59	BMR	12.28 14.33 17.03 20.04 23.28
11	17	CAPE RODNEY	CR	248.8	121.2	38.74 42.90 44.60 46.50	FAIR 0.50 FAIR 0.50 FAIR 0.50 GOOD 0.50	38.46 42.62 44.32 46.22	BMR	7.36 11.52 13.22 15.12
14	17	CAPE RODNEY	CR	283.8	123.2	41.23 50.13 52.13 64.23 73.23	POOR 0.50 FAIR 0.50 GOOD 0.50 GOOD 0.50 GOOD 0.50	41.11 50.01 52.01 64.11 73.11	BMR	5.64 14.54 16.54 28.64 37.64
20	17	CAPE RODNEY	CR	267.3	120.1	41.41 50.31	FAIR 0.50 FAIR 0.50	40.94 49.84	BMR	7.53 16.43
23	17	CAPE RODNEY	CR	272.3	112.8	41.57 56.32 58.22 63.22 69.02	POOR 1.00 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	40.89 55.64 57.54 62.54 68.34	BMR	6.85 21.60 23.50 28.50 34.30

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
25	17	CAPE RODNEY	CR	291.3	104.5	60.23	POOR 1.00	59.58	BMR	23.17
26	17	CAPE RODNEY	CR	304.2	96.5	43.62 44.39 59.17	GOOD 0.50 GOOD 0.10 GOOD 0.10	42.95 43.72 58.50	BMR	4.92 5.64 20.47
29	17	CAPE RODNEY	CR	387.3	77.8	53.93 76.28	POOR 0.50 FAIR 0.50	53.43 75.78	BMR	5.02 27.37
30	17	CAPE RODNEY	CR	357.0	79.1	63.36	FAIR 1.00	62.91	BMR	18.28
31	17	CAPE RODNEY	CR	319.6	81.5	51.16 59.56	FAIR 0.50 FAIR 0.50	50.75 59.15	BMR	10.80 19.20
32	17	CAPE RODNEY	CR	279.2	85.3	41.67 57.47	FAIR 1.00 FAIR 0.50	41.13 56.93	BMR	6.23 22.03
33	17	CAPE RODNEY	CR	237.2	90.5	37.14 43.44 51.44 73.74	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	36.35 42.65 50.65 72.95	BMR	6.70 13.00 21.00 43.30
34	17	CAPE RODNEY	CR	215.4	94.9	34.16 38.71 42.06	GOOD 0.50 FAIR 0.50 FAIR 0.50	33.31 37.86 41.21	BMR	6.39 10.94 14.29
35	17	CAPE RODNEY	CR	206.4	96.8	33.24 34.72 37.84 43.29 47.50	GOOD 0.10 FAIR 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	32.43 33.91 37.03 42.48 46.69	BMR	6.63 8.11 11.23 16.68 20.89
36	17	CAPE RODNEY	CR	196.6	100.0	31.98 35.96 39.17	POOR 1.00 FAIR 0.50 FAIR 0.50	31.15 35.13 38.34	BMR	6.57 10.55 13.76
38	17	CAPE RODNEY	CR	180.5	106.2	30.26 33.62 38.22	GOOD 0.10 GOOD 0.50 GOOD 0.50	29.44 32.80 37.40	BMR	6.87 10.23 14.83
39	17	CAPE RODNEY	CR	129.1	110.3	23.50 24.13 25.63 29.11 43.92	GOOD 0.10 GOOD 0.10 GOOD 0.10 FAIR 0.10 FAIR 0.50	23.18 23.81 25.31 28.79 43.60	BMR	7.04 7.67 9.17 12.65 27.46
40	17	CAPE RODNEY	CR	140.3	111.4	25.02 25.95 26.38 27.60 29.49	POOR 1.00 GOOD 0.50 GOOD 0.10 FAIR 0.10 FAIR 0.10	24.68 25.61 26.04 27.26 29.15	BMR	7.14 8.07 8.50 9.72 11.61
41	17	CAPE RODNEY	CR	152.4	113.3	27.04 28.43 30.76 32.86	POOR 1.00 GOOD 0.10 FAIR 0.50 FAIR 0.10	26.67 28.06 30.39 32.49	BMR	7.62 9.01 11.34 13.44

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
42	17	CAPE RODNEY	CR	119.3	106.6	22.81 24.64	GOOD 0.10 FAIR 0.50	22.51 24.34	BMR	7.59 9.42
43	17	CAPE RODNEY	CR	110.8	101.7	20.91 21.45 22.88 24.81	FAIR 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.10	20.51 21.05 22.48 24.41	BMR	6.66 7.20 8.63 10.56
44	17	CAPE RODNEY	CR	97.2	97.3	18.74 19.38 22.36 23.19 26.98 35.71 38.22	GOOD 0.10 GOOD 0.10 GOOD 0.10 FAIR 0.10 GOOD 0.50 FAIR 0.50 GOOD 0.50	18.52 19.16 22.14 22.97 26.76 35.49 38.00	BMR	6.37 7.01 9.99 10.82 14.61 23.34 25.85
45	17	CAPE RODNEY	CR	83.4	93.1	16.74 17.58 19.01 21.80 24.35 28.50	GOOD 0.10 GOOD 0.10 GOOD 0.10 FAIR 0.50 FAIR 0.10 FAIR 0.10	16.34 17.18 18.61 21.40 23.95 28.10	BMR	5.91 6.75 8.18 10.97 13.52 17.67
46	17	CAPE RODNEY	CR	69.6	91.7	14.74 16.39 19.05 19.74 22.57	GOOD 0.10 FAIR 0.50 GOOD 0.10 GOOD 0.10 GOOD 0.50	14.37 16.02 18.68 19.37 22.20	BMR	5.67 7.32 9.98 10.67 13.50
47	17	CAPE RODNEY	CR	57.2	90.8	12.44 17.40	GOOD 0.10 GOOD 0.50	12.35 17.31	BMR	5.20 10.16
48	17	CAPE RODNEY	CR	17.4	354.6	5.12 16.38	GOOD 0.10 GOOD 0.50	4.76 16.02	BMR	2.58 13.84
49	17	CAPE RODNEY	CR	66.3	293.9	14.15 17.67 20.55 24.90	GOOD 0.10 FAIR 0.50 GOOD 0.10 FAIR 0.50	13.59 17.11 19.99 24.34	BMR	5.30 8.82 11.70 16.05
50	17	CAPE RODNEY	CR	135.1	287.1	22.83 23.85 25.40 26.75 31.00 41.71	GOOD 0.10 GOOD 0.50 FAIR 0.10 GOOD 0.10 GOOD 0.50 GOOD 0.50	22.68 23.70 25.25 26.60 30.85 41.56	BMR	5.79 6.81 8.36 9.71 13.96 24.67
52	17	CAPE RODNEY	CR	251.3	257.1	41.61 44.31	GOOD 0.50 GOOD 0.50	41.41 44.11	BMR	10.00 12.70
53	17	CAPE RODNEY	CR	197.7	252.6	33.31	FAIR 1.00	33.25	BMR	8.54
54	17	CAPE RODNEY	CR	158.9	241.3	27.51 29.06 31.48 34.73	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	27.40 28.95 31.37 34.62	BMR	7.54 9.09 11.51 14.76

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						36.98	FAIR 0.50	36.87		17.01
						43.84	FAIR 0.50	43.73		23.87
55	17	CAPE RODNEY	CR	161.1	227.5	27.10	GOOD 0.10	27.02	BMR	6.89
						28.66	GOOD 0.10	28.58		8.45
						30.90	GOOD 0.10	30.82		10.69
62	17	CAPE RODNEY	CR	250.6	195.6	42.43	GOOD 0.50	40.70	BMR	9.37
						45.93	GOOD 0.50	44.20		12.87
63	17	CAPE RODNEY	CR	282.2	199.2	47.37	GOOD 0.50	45.34	BMR	10.06
82	17	CAPE RODNEY	CR	303.8	162.8	51.12	FAIR 0.50	51.08	BMR	13.11
88	17	CAPE RODNEY	CR	253.2	175.2	48.93	POOR 0.50	48.65	BMR	17.00
99	17	CAPE RODNEY	CR	216.8	177.3	36.88	POOR 0.50	36.90	BMR	9.80
110	17	CAPE RODNEY	CR	184.8	219.4	35.34	POOR 0.50	35.24	BMR	12.14
1	18	GORARI	GO	138.4	52.5	25.84	FAIR 0.10	24.94	BMR	7.64
						26.76	FAIR 0.10	25.86		8.56
						28.29	FAIR 0.10	27.39		10.09
2	18	GORARI	GO	125.6	51.5	26.35	POOR 0.50	25.52	BMR	9.82
						27.45	POOR 0.50	26.62		10.92
						32.95	POOR 0.50	32.12		16.42
						46.25	FAIR 0.50	45.42		29.72
3	18	GORARI	GO	124.5	57.4	23.72	POOR 0.50	23.06	BMR	7.50
						25.02	POOR 0.50	24.36		8.80
4	18	GORARI	GO	117.3	51.6	20.94	FAIR 0.10	20.38	BMR	5.72
						21.78	GOOD 0.10	21.22		6.56
						24.70	FAIR 0.10	24.14		9.48
5	18	GORARI	GO	129.4	62.1	21.76	POOR 0.50	21.37	BMR	5.19
						23.84	GOOD 0.50	23.45		7.27
						25.39	FAIR 0.50	25.00		8.82
						26.70	GOOD 0.50	26.31		10.13
						28.98	POOR 0.50	28.59		12.41
6	18	GORARI	GO	133.6	65.5	24.50	FAIR 0.10	24.12	BMR	7.42
						28.31	FAIR 0.10	27.93		11.23
7	18	GORARI	GO	136.7	68.9	24.97	POOR 0.10	24.54	BMR	7.46
						25.13	FAIR 0.10	24.70		7.62
						25.79	FAIR 0.10	25.36		8.28
						27.78	FAIR 0.10	27.35		10.27
						28.96	FAIR 0.10	28.53		11.45
						30.52	FAIR 0.10	30.09		13.01
						31.36	FAIR 0.10	30.93		13.85
8	18	GORARI	GO	142.7	74.5	25.99	GOOD 0.10	25.62	BMR	7.78
						26.25	FAIR 0.10	25.88		8.54
						27.33	FAIR 0.50	26.96		9.12
						33.50	FAIR 0.10	33.13		15.29

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						35.81	FAIR 0.50	35.44		17.60
10	18	GORARI	GO	153.3	81.4	27.93 29.18 30.27 33.42	GOOD 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.10	27.43 28.68 29.77 32.92	BMR	8.27 9.52 10.61 13.76
11	18	GORARI	GO	157.5	85.9	27.95 28.69 29.16 30.48 31.00 33.55 35.86	FAIR 0.10 GOOD 0.10 GOOD 0.10 GOOD 0.10 FAIR 0.10 GOOD 0.10 FAIR 0.10	27.56 28.30 28.77 30.09 30.61 33.16 35.47	BMR	7.87 8.61 9.08 10.40 10.92 13.47 15.78
12	18	GORARI	GO	166.8	88.9	29.41 37.61	POOR 1.00 POOR 1.00	29.12 37.32	BMR	8.27 16.47
13	18	GORARI	GO	174.4	92.0	29.94 33.14	POOR 1.00 POOR 1.00	29.60 32.80	BMR	7.80 11.00
14	18	GORARI	GO	182.5	94.8	31.20 32.22 34.04 36.58 38.12 40.37 44.78	FAIR 0.50 FAIR 0.50 FAIR 0.10 FAIR 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.10	30.97 31.99 33.81 36.35 37.89 40.14 44.55	BMR	8.16 9.18 11.00 13.54 15.08 17.33 21.74
17	18	GORARI	GO	211.5	101.7	35.13 38.87 48.40	FAIR 0.10 FAIR 0.10 FAIR 0.10	35.04 38.78 48.31	BMR	8.60 12.35 21.88
19	18	GORARI	GO	286.5	103.9	45.36 47.46	POOR 1.00 POOR 1.00	45.27 47.37	BMR	9.46 11.56
20	18	GORARI	GO	175.7	88.0	30.67 31.02 34.84 35.85 37.53 40.48 42.41	GOOD 0.10 GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	30.09 30.44 34.26 35.27 36.95 39.90 41.83	BMR	8.13 8.48 12.30 13.31 14.99 17.94 19.87
23	18	GORARI	GO	198.4	80.0	33.19 34.17	FAIR 0.10 POOR 0.10	32.40 33.38	BMR	7.60 8.58
25	18	GORARI	GO	236.4	73.4	38.47 40.97 42.17	POOR 0.50 POOR 0.50 POOR 0.50	37.71 40.21 41.41	BMR	8.16 10.66 11.86
26	18	GORARI	GO	268.8	66.7	41.20 48.80 54.60	POOR 0.50 FAIR 0.50 FAIR 0.50	40.42 48.02 53.82	BMR	6.82 14.42 20.22
27	18	GORARI	GO	307.1	61.5	45.97 68.77	FAIR 0.50 FAIR 0.50	45.43 68.23	BMR	7.04 29.84

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
37	18	GORARI	GO	159.6	52.4	28.59 29.17 30.40 33.44	POOR 0.50 FAIR 0.10 FAIR 0.10 FAIR 0.50	27.65 28.23 29.46 32.50	BMR	7.70 8.28 9.51 12.55
38	18	GORARI	GO	147.9	52.6	26.84 27.64 33.83 35.72	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	25.90 26.70 32.89 34.78	BMR	7.42 8.22 14.41 16.30
39	18	GORARI	GO	115.4	34.3	21.63 22.64 24.16 24.61 38.70	FAIR 0.50 FAIR 0.50 POOR 0.50 FAIR 0.50 FAIR 0.50	21.20 22.21 23.73 24.18 38.27	BMR	6.77 7.78 9.30 9.75 23.84
40	18	GORARI	GO	116.0	40.0	22.01 23.08 23.79 26.71	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	21.56 22.63 23.34 26.26	BMR	7.06 8.13 8.84 11.76
41	18	GORARI	GO	115.8	46.5	22.69	GOOD 0.10	22.21	BMR	7.74
54	18	GORARI	GO	206.3	287.9	36.12 38.32 47.52	POOR 1.00 POOR 1.00 FAIR 0.50	35.90 38.10 47.30	BMR	10.11 12.31 21.51
55	18	GORARI	GO	178.5	280.0	30.92	FAIR 0.50	30.73	BMR	8.42
56	18	GORARI	GO	95.8	233.3	16.17 16.57 21.17	FAIR 0.50 FAIR 0.50 FAIR 0.50	16.07 16.47 21.07	BMR	4.10 4.50 9.10
57	18	GORARI	GO	107.0	232.0	17.21 19.27 28.41 31.06	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	17.12 19.18 28.32 30.97	BMR	3.74 5.80 14.94 17.59
58	18	GORARI	GO	111.1	232.7	17.62 20.40	FAIR 0.50 FAIR 0.50	17.53 20.31	BMR	3.64 6.42
59	18	GORARI	GO	121.5	232.3	19.03 24.53	FAIR 0.50 FAIR 0.10	18.65 24.15	BMR	3.47 8.97
60	18	GORARI	GO	134.8	231.5	21.88 23.54 37.48	FAIR 0.50 FAIR 0.50 FAIR 0.50	20.98 22.64 36.58	BMR	4.13 5.79 19.73
61	18	GORARI	GO	147.0	229.6	24.43 26.74 29.16	FAIR 0.50 FAIR 0.50 FAIR 0.50	23.04 25.35 27.77	BMR	4.66 6.97 9.39
62	18	GORARI	GO	160.4	230.7	26.93 27.52 28.05 33.27	FAIR 0.50 FAIR 0.10 FAIR 0.10 FAIR 0.50	25.08 25.67 26.20 31.42	BMR	5.03 5.62 6.15 11.37

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
63	18	GORARI	GO	196.0	229.7	33.10 37.95	FAIR 0.10 POOR 0.50	30.96 35.81	BMR	6.46 11.31
73	18	GORARI	GO	199.1	158.3	37.32 38.42 35.92	POOR 0.50 POOR 0.50 POOR 0.50	37.14 38.24 35.74	BMR	12.25 13.35 10.85
74	18	GORARI	GO	190.4	159.9	31.19 33.39 37.99	POOR 0.50 POOR 0.50 POOR 0.50	30.83 33.03 37.63	BMR	7.03 9.23 13.83
75	18	GORARI	GO	180.5	161.4	28.00 33.13 36.93	POOR 0.50 FAIR 0.50 FAIR 0.50	27.84 32.97 36.77	BMR	5.28 10.41 14.21
76	18	GORARI	GO	184.6	163.7	31.67 34.77	POOR 0.50 POOR 0.50	31.29 34.39	BMR	8.21 11.31
77	18	GORARI	GO	192.0	166.3	27.61 31.31 34.71 36.71 38.31 41.01	POOR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	27.00 30.70 34.10 36.10 37.70 40.40	BMR	3.00 6.70 10.10 12.10 13.70 16.40
79	18	GORARI	GO	208.0	170.5	58.28 60.83 68.88	POOR 0.50 POOR 0.50 FAIR 0.50	57.21 59.76 67.81	BMR	31.21 33.76 41.81
80	18	GORARI	GO	223.8	175.4	33.93 37.48 44.03	POOR 0.50 FAIR 0.50 FAIR 0.50	33.23 36.78 43.33	BMR	5.26 8.81 15.36
81	18	GORARI	GO	168.0	164.5	26.43 32.38 34.04 37.93	FAIR 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	26.26 32.21 33.87 37.76	BMR	5.26 11.21 12.87 16.76
82	13	GORARI	GO	154.0	167.3	22.99 25.60 29.79 30.64	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	22.84 25.45 29.64 30.49	BMR	3.59 6.20 10.39 11.24
84	18	GORARI	GO	142.6	172.4	27.17 29.07 38.37	POOR 0.50 FAIR 0.50 FAIR 0.50	26.89 28.79 38.09	BMR	9.06 10.96 20.26
85	18	GORARI	GO	134.1	175.0	20.33 22.03	POOR 0.50 FAIR 0.50	19.95 21.65	BMR	3.19 4.89
86	18	GORARI	GO	127.6	177.9	19.99 22.69 36.01	POOR 0.50 FAIR 0.50 FAIR 0.50	19.90 22.60 35.92	BMR	3.95 6.65 19.97
87	18	GORARI	GO	123.5	180.7	19.52 21.11	POOR 0.50 FAIR 0.10	19.04 20.63	BMR	3.61 5.20

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 26.74	REMARKS QUAL ACC(SEC) FAIR 0.10	TT MSL (SEC) 26.26	INST	TT-D/ 8.00 (SEC) 10.83
88	18	GORARI	GO	117.8	197.4	19.47 22.05 24.41 27.27 35.47	GOOD 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.10	19.08 21.66 24.02 26.88 35.08	BMR	4.36 6.94 9.30 12.16 20.36
89	18	GORARI	GO	131.9	200.3	21.93 25.77 27.59	FAIR 0.10 FAIR 0.10 FAIR 0.50	21.34 25.18 27.00	BMR	4.85 8.69 10.51
90	18	GORARI	GO	142.4	202.2	23.39 25.45 26.93	FAIR 0.50 FAIR 0.50 FAIR 0.50	22.35 24.41 25.89	BMR	4.55 6.61 8.09
91	18	GORARI	GO	153.4	203.7	25.43 31.43 35.06	FAIR 0.50 FAIR 0.50 FAIR 0.50	24.49 30.49 34.12	BMR	5.32 11.32 14.95
94	18	GORARI	GO	191.3	208.1	32.00 35.00 38.10	FAIR 1.00 FAIR 0.50 FAIR 0.50	29.54 32.54 35.64	BMR	5.63 8.63 11.73
97	18	GORARI	GO	249.3	229.6	38.64	FAIR 0.50	36.34	BMR	5.17
98	18	GORARI	GO	106.3	198.5	18.07 20.76 22.60	GOOD 0.10 FAIR 0.10 FAIR 0.10	17.79 20.48 22.32	BMR	4.50 7.19 9.03
99	18	GORARI	GO	89.6	211.1	15.08 16.07 18.65 21.00 26.11	GOOD 0.10 GOOD 0.50 FAIR 0.10 GOOD 0.10 FAIR 0.10	14.99 15.98 18.56 20.91 26.02	BMR	3.79 4.78 7.36 9.71 14.82
100	18	GORARI	GO	83.4	219.4	14.13 14.49 16.30 17.22	GOOD 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.10	14.03 14.39 16.20 17.12	BMR	3.60 3.96 5.77 6.69
101	18	GORARI	GO	80.6	232.3	13.92 16.52	FAIR 0.50 POOR 0.50	13.82 16.42	BMR	3.74 6.34
102	18	GORARI	GO	78.6	239.2	14.20 25.37	FAIR 0.50 FAIR 0.50	14.10 25.27	BMR	4.28 15.45
103	18	GORARI	GO	76.4	248.3	14.38 14.62 16.24	FAIR 0.10 FAIR 0.10 FAIR 0.50	14.28 14.52 16.14	BMR	4.73 4.97 6.59
104	18	GORARI	GO	92.3	256.8	15.98 16.63 17.22 19.21	FAIR 0.10 FAIR 0.10 FAIR 0.50 FAIR 0.50	15.88 16.53 17.12 19.11	BMR	4.35 5.00 5.59 7.58
105	18	GORARI	GO	101.8	263.8	17.53	POOR 0.50	17.43	BMR	4.71

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						20.03	FAIR	0.50	19.93		7.21
						29.13	FAIR	0.50	29.03		16.31
						34.13	FAIR	0.50	34.03		21.31
106	18	GORARI	GO	110.6	266.0	18.09	FAIR	0.50	17.99	BMR	4.17
						19.49	FAIR	0.50	19.39		5.57
						24.99	FAIR	0.50	24.89		11.07
109	18	GORARI	GO	146.6	272.2	23.68	FAIR	0.10	23.58	BMR	5.26
						28.23	FAIR	0.10	28.13		9.81
110	18	GORARI	GO	174.2	269.0	30.17	POOR	1.00	29.96	BMR	8.18
						39.27	FAIR	0.50	39.06		17.28
111	18	GORARI	GO	178.1	256.3	28.09	POOR	0.50	28.00	BMR	5.74
						34.89	POOR	0.50	34.80		12.54
3	20	TUFI	TF	267.4	79.5	42.38	FAIR	0.10	41.83	QLD	8.40
4	20	TUFI	TF	255.8	77.7	43.61	FAIR	0.10	43.16	QLD	11.19
						47.94	POOR	0.10	47.49		15.52
8	20	TUFI	TF	296.2	86.2	46.48	POOR	0.10	46.22	QLD	9.19
9	20	TUFI	TF	300.1	87.7	49.75	POOR	0.50	49.61	QLD	12.09
10	20	TUFI	TF	309.7	89.2	48.12	POOR	0.50	47.73	QLD	9.02
15	20	TUFI	TF	351.2	97.1	55.45	POOR	0.10	55.29	QLD	11.39
19	20	TUFI	TF	444.9	101.4	65.88	POOR	0.10	65.90	QLD	10.29
						74.91	POOR	0.10	74.93		19.32
20	20	TUFI	TF	333.9	92.2	50.10	FAIR	0.10	49.63	QLD	7.89
						53.84	FAIR	0.10	53.37		11.63
						59.64	FAIR	0.10	59.17		17.43
22	20	TUFI	TF	343.0	89.1	53.96	POOR	0.10	53.29	QLD	10.41
23	20	TUFI	TF	353.8	87.5	54.58	FAIR	0.10	53.89	QLD	9.67
						55.91	FAIR	0.10	55.22		11.00
						61.50	FAIR	0.10	60.81		16.59
						64.04	FAIR	0.10	63.35		19.13
24	20	TUFI	TF	357.4	86.5	57.10	POOR	0.10	56.40	QLD	11.73
25	20	TUFI	TF	387.6	82.8	56.47	POOR	0.10	55.82	QLD	7.37
27	20	TUFI	TF	446.4	73.4	63.99	POOR	0.10	63.55	QLD	7.75
						64.85	POOR	0.10	64.41		8.61
						74.41	FAIR	0.10	73.97		18.17
28	20	TUFI	TF	488.7	69.6	66.75	POOR	0.10	66.29	QLD	5.21
						78.05	FAIR	0.10	77.59		16.51
29	20	TUFI	TF	522.4	67.2	70.69	FAIR	0.10	70.18	QLD	4.88
						78.01	FAIR	0.10	77.50		12.20

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
31	20	TUFI	TF	451.4	68.1	68.19 86.95	POOR 0.10 POOR 0.10	67.78 86.54	QLD	11.36 30.12
32	20	TUFI	TF	407.2	69.3	59.29	POOR 0.10	58.75	QLD	7.85
33	20	TUFI	TF	360.0	70.7	63.92 68.11	FAIR 0.10 FAIR 0.10	63.13 67.32	QLD	18.13 22.32
34	20	TUFI	TF	333.2	72.0	61.84 69.37 73.75	POOR 0.10 FAIR 0.10 FAIR 0.10	60.99 68.52 72.90	QLD	19.34 26.87 31.25
35	20	TUFI	TF	322.2	72.5	49.36 51.94 57.88	GOOD 0.10 FAIR 0.10 FAIR 0.10	48.54 51.12 57.06	QLD	8.27 10.85 16.79
36	20	TUFI	TF	308.5	73.6	54.98 57.92	GOOD 0.10 GOOD 0.10	54.14 57.08	QLD	15.58 18.52
37	20	TUFI	TF	295.2	74.5	46.31 48.14	FAIR 0.10 FAIR 0.10	45.48 47.31	QLD	8.58 10.41
38	20	TUFI	TF	284.6	75.5	45.28 47.51 49.63	FAIR 0.10 FAIR 0.10 FAIR 0.10	44.45 46.68 48.80	QLD	8.88 11.11 13.23
39	20	TUFI	TF	236.0	71.0	38.59 39.28 43.40	FAIR 0.10 FAIR 0.10 FAIR 0.10	38.27 38.96 43.08	QLD	8.77 9.46 13.58
40	20	TUFI	TF	243.1	73.2	39.86 40.18 42.84	GOOD 0.10 FAIR 0.10 FAIR 0.10	39.52 39.84 42.50	QLD	9.13 9.45 12.11
41	20	TUFI	TF	249.7	75.8	41.12 43.14 45.90	FAIR 0.10 FAIR 0.10 FAIR 0.10	40.75 42.77 45.53	QLD	9.54 11.56 14.32
42	20	TUFI	TF	233.4	68.0	38.06 40.04 43.83	GOOD 0.10 FAIR 0.10 FAIR 0.10	37.75 39.73 43.52	QLD	8.58 10.56 14.35
43	20	TUFI	TF	232.7	64.8	38.01	FAIR 0.10	37.61	QLD	8.52
44	20	TUFI	TF	226.6	61.1	36.99	FAIR 0.10	36.77	QLD	8.44
46	20	TUFI	TF	209.1	55.1	34.85 37.78 39.46	FAIR 0.10 FAIR 0.10 FAIR 0.10	34.47 37.40 39.08	QLD	8.33 11.26 12.94
47	20	TUFI	TF	199.8	52.7	32.55 34.86	FAIR 0.10 FAIR 0.10	32.46 34.77	QLD	7.48 9.79
48	20	TUFI	TF	171.5	35.7	29.19 30.80 32.56	GOOD 0.10 FAIR 0.10 FAIR 0.10	28.82 30.43 32.19	QLD	7.39 9.00 10.76

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
49	20	TUFI	TF	154.4	15.3	27.20 28.27 30.57	GOOD 0.10 FAIR 0.10 FAIR 0.10	26.63 27.70 30.00	QLD	7.33 8.40 10.70
50	20	TUFI	TF	164.4	350.2	28.04 28.98 31.06	GOOD 0.10 FAIR 0.10 FAIR 0.10	27.89 28.83 30.91	QLD	7.34 8.28 10.36
51	20	TUFI	TF	208.8	315.0	34.35 35.83	FAIR 0.10 FAIR 0.10	34.16 35.64	QLD	8.06 9.54
52	20	TUFI	TF	158.6	294.8	25.23 27.46	FAIR 0.10 FAIR 0.10	25.02 27.25	QLD	5.20 7.43
53	20	TUFI	TF	108.1	305.8	17.32 20.45	GOOD 0.10 FAIR 0.10	17.26 20.39	QLD	3.74 6.87
54	20	TUFI	TF	59.6	320.3	11.25	GOOD 0.10	11.14	QLD	3.69
55	20	TUFI	TF	22.1	307.4	6.33	GOOD 0.10	6.25	QLD	3.49
56	20	TUFI	TF	110.7	132.7	19.37 20.12	GOOD 0.10 GOOD 0.10	19.38 20.13	QLD	5.54 6.29
57	20	TUFI	TF	111.7	138.6	19.13 20.28 21.30	GOOD 0.10 FAIR 0.10 FAIR 0.10	19.15 20.30 21.32	QLD	5.18 6.33 7.35
58	20	TUFI	TF	110.2	140.7	18.92 20.69	GOOD 0.10 FAIR 0.10	18.93 20.70	QLD	5.16 6.93
59	20	TUFI	TF	110.9	146.1	19.07	GOOD 0.10	18.80	QLD	4.94
61	20	TUFI	TF	122.1	157.8	22.67 26.38	GOOD 0.10 FAIR 0.10	21.39 25.10	QLD	6.12 9.83
62	20	TUFI	TF	124.0	164.1	23.84	GOOD 0.10	22.10	QLD	6.60
63	20	TUFI	TF	144.6	176.6	27.82	GOOD 0.10	25.79	QLD	7.71
69	20	TUFI	TF	354.1	135.1	51.23 52.98	GOOD 0.10 FAIR 0.10	51.16 52.91	QLD	6.89 8.64
70	20	TUFI	TF	335.4	133.4	50.34 51.33	POOR 0.10 POOR 0.10	50.29 51.28	QLD	8.36 9.35
71	20	TUFI	TF	328.3	133.1	48.44 50.81 57.75	GOOD 0.10 FAIR 0.10 FAIR 0.10	48.32 50.69 57.63	QLD	7.28 9.65 16.59
72	20	TUFI	TF	319.9	132.4	47.27 47.83	FAIR 0.10 GOOD 0.10	47.07 47.63	QLD	7.08 7.64
73	20	TUFI	TF	308.4	131.3	45.13 48.03	GOOD 0.10 FAIR 0.10	45.06 47.96	QLD	6.51 9.41
74	20	TUFI	TF	298.1	131.4	43.36	POOR 0.50	43.11	QLD	5.85

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
75	20	TUFI	TF	287.1	131.3	41.84 44.29 45.71 47.54 49.14 55.98	GOOD 0.10 GOOD 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.50 FAIR 0.50	41.79 44.24 45.66 47.49 49.09 55.93	QLD	5.90 8.35 9.77 11.60 13.20 20.04
76	20	TUFI	TF	286.8	133.0	44.62 45.91 48.83	GOOD 0.10 FAIR 0.10 FAIR 0.10	44.35 45.64 48.56	QLD	8.50 9.79 12.71
77	20	TUFI	TF	288.7	135.2	43.44 44.76 45.37	GOOD 0.10 GOOD 0.10 FAIR 0.10	42.93 44.25 44.86	QLD	6.85 8.17 8.78
78	20	TUFI	TF	290.9	137.2	46.23	FAIR 0.10	45.53	QLD	9.16
79	20	TUFI	TF	294.9	139.3	46.24	GOOD 0.10	45.28	QLD	8.42
80	20	TUFI	TF	298.6	143.9	46.14 48.42 54.02 67.27 88.82	GOOD 0.10 FAIR 0.50 POOR 1.00 FAIR 0.50 FAIR 0.50	45.55 47.83 53.43 66.68 88.23	QLD	8.23 10.51 16.11 29.36 50.91
81	20	TUFI	TF	271.5	131.6	39.93 42.73 45.76	FAIR 0.50 GOOD 0.10 FAIR 0.10	39.87 42.67 45.70	QLD	5.93 8.73 11.76
82	20	TUFI	TF	255.4	131.3	37.99 40.97 37.98	FAIR 0.10 GOOD 0.10 FAIR 0.50	37.95 40.93 37.94	QLD	6.03 9.01 6.02
85	20	TUFI	TF	227.7	131.8	36.01 38.58 40.37 45.36	POOR 0.50 GOOD 0.50 FAIR 0.10 FAIR 0.10	35.74 38.31 40.10 45.09	QLD	7.28 9.85 11.64 16.63
86	20	TUFI	TF	218.4	131.8	36.70 42.12 37.66	FAIR 0.10 FAIR 0.50 GOOD 0.10	36.72 42.14 37.68	QLD	9.42 14.84 10.38
87	20	TUFI	TF	211.1	132.2	32.67 36.23 38.17 41.02	FAIR 0.10 GOOD 0.10 FAIR 0.10 FAIR 0.10	32.30 35.86 37.80 40.65	QLD	5.91 9.47 11.41 14.26
88	20	TUFI	TF	179.3	136.7	28.61	GOOD 0.10	28.33	QLD	5.92
89	20	TUFI	TF	180.8	141.6	30.06 30.81 33.78	FAIR 0.10 GOOD 0.10 FAIR 0.10	29.58 30.33 33.30	QLD	6.98 7.73 10.70
90	20	TUFI	TF	182.5	145.2	30.95	GOOD 0.10	30.01	QLD	7.20
91	20	TUFI	TF	185.6	148.6	32.18	GOOD 0.10	31.35	QLD	8.15

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
92	20	TUFI	TF	189.6	153.9	32.37 33.87	FAIR 0.10 FAIR 0.10	30.86 32.36	QLD	7.16 8.66
93	20	TUFI	TF	195.2	156.4	34.24 36.76 39.84 42.56	FAIR 0.10 GOOD 0.10 FAIR 0.50 FAIR 0.50	32.32 34.84 37.92 40.64	QLD	7.92 10.44 13.52 16.24
94	20	TUFI	TF	198.6	159.9	34.87	GOOD 0.10	32.52	QLD	7.69
95	20	TUFI	TF	234.8	198.5	38.53	GOOD 0.10	36.00	QLD	6.65
96	20	TUFI	TF	209.1	194.9	34.16	GOOD 0.10	32.39	QLD	6.25
97	20	TUFI	TF	181.8	190.0	31.39	GOOD 0.10	29.19	QLD	6.47
98	20	TUFI	TF	172.1	133.7	27.71 30.42 33.21	FAIR 0.10 FAIR 0.10 FAIR 0.10	27.54 30.25 33.04	QLD	6.03 8.74 11.53
99	20	TUFI	TF	146.5	130.3	24.22	GOOD 0.10	24.23	QLD	5.92
100	20	TUFI	TF	133.6	128.1	23.14 24.61 26.07	POOR 0.10 POOR 0.10 POOR 0.10	23.14 24.61 26.07	QLD	6.44 7.91 9.37
101	20	TUFI	TF	115.8	125.5	20.31 20.71 21.83 24.49	FAIR 0.10 GOOD 0.10 FAIR 0.10 FAIR 0.10	20.32 20.72 21.84 24.50	QLD	5.84 6.24 7.36 10.02
102	20	TUFI	TF	107.8	122.7	19.69 20.46	GOOD 0.10 FAIR 0.10	19.70 20.47	QLD	6.22 6.99
103	20	TUFI	TF	98.7	117.9	18.63	GOOD 0.10	18.64	QLD	6.30
104	20	TUFI	TF	78.7	119.7	15.80	GOOD 0.10	15.81	QLD	5.97
105	20	TUFI	TF	63.8	116.8	13.44	GOOD 0.10	13.45	QLD	5.48
106	20	TUFI	TF	54.2	118.0	11.77	GOOD 0.10	11.78	QLD	5.01
107	20	TUFI	TF	44.5	107.9	9.71	GOOD 0.10	9.72	QLD	4.16
108	20	TUFI	TF	36.6	108.8	8.42	GOOD 0.10	8.43	QLD	3.85
109	20	TUFI	TF	16.8	135.6	4.51	GOOD 0.10	4.52	QLD	2.42
110	20	TUFI	TF	26.1	217.7	8.15	GOOD 0.10	8.05	QLD	4.78
111	20	TUFI	TF	61.5	194.0	12.55 12.91 17.01	GOOD 0.10 FAIR 0.10 FAIR 0.10	12.57 12.93 17.03	QLD	4.88 5.24 9.34
1	22	AFORE	AF	176.2	70.4	30.60 31.90	FAIR 0.50 GOOD 0.50	29.63 30.93	ANU	7.61 8.91

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 34.10	REMARKS QUAL ACC(SECS) FAIR 1.00	TT MSL (SEC) 33.13	INST	TT-D/ 8.00 (SEC) 11.11
4	22	AFORE	AF	155.6	72.1	27.30 28.00	GOOD 0.50 GOOD 0.50	26.68 27.38	ANU	7.23 7.93
5	22	AFORE	AF	174.2	78.3	30.20 31.00	GOOD 0.50 FAIR 0.50	29.74 30.54	ANU	7.97 8.77
6	22	AFORE	AF	180.3	80.3	32.20 38.10	GOOD 0.50 FAIR 0.50	31.76 37.66	ANU	9.22 15.12
7	22	AFORE	AF	185.3	82.5	33.90 38.00	FAIR 0.50 FAIR 0.50	33.41 37.51	ANU	10.25 14.35
8	22	AFORE	AF	194.1	86.2	33.05 34.70	GOOD 0.50 GOOD 0.50	32.62 34.27	ANU	8.35 10.00
9	22	AFORE	AF	198.5	88.3	34.40 35.10 45.90	GOOD 0.50 FAIR 0.50 FAIR 1.00	34.08 34.78 45.58	ANU	9.27 9.97 20.77
10	22	AFORE	AF	207.8	90.6	36.10 37.90 41.90 44.10	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	35.54 37.34 41.34 43.54	ANU	9.57 11.37 15.37 17.57
11	22	AFORE	AF	213.7	93.7	35.60	GOOD 0.50	35.15	ANU	8.44
14	22	AFORE	AF	241.4	99.6	39.20 40.60 49.20	GOOD 0.50 FAIR 0.50 FAIR 0.50	38.91 40.31 48.91	ANU	8.73 10.13 18.73
17	22	AFORE	AF	271.9	104.5	43.40	FAIR 1.00	43.25	ANU	9.26
20	22	AFORE	AF	232.5	94.7	38.30 39.20 42.40	GOOD 0.50 FAIR 0.50 FAIR 0.50	37.66 38.56 41.76	ANU	8.59 9.49 12.69
23	22	AFORE	AF	251.7	87.9	40.40 47.70	FAIR 0.50 FAIR 0.50	39.54 46.84	ANU	8.08 15.38
25	22	AFORE	AF	285.8	81.5	45.20	FAIR 0.50	44.38	ANU	8.65
26	22	AFORE	AF	313.6	75.1	46.30	FAIR 1.00	45.45	ANU	6.25
32	22	AFORE	AF	311.2	63.7	46.40	FAIR 0.50	45.69	ANU	6.79
35	22	AFORE	AF	224.4	66.2	36.10 42.60 44.40	GOOD 0.50 POOR 1.00 FAIR 1.00	35.11 41.61 43.41	ANU	7.06 13.56 15.36
37	22	AFORE	AF	196.4	68.4	33.00 34.70	FAIR 0.50 GOOD 0.50	31.99 33.69	ANU	7.44 9.14
38	22	AFORE	AF	185.3	69.6	31.50 33.90 36.70	GOOD 0.50 FAIR 0.50 FAIR 0.50	30.50 32.90 35.70	ANU	7.34 9.74 12.54

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
39	22	AFORE	AF	140.1	59.9	26.10	GOOD 0.50	25.60	ANU	8.09
40	22	AFORE	AF	145.5	64.0	26.60 31.00 32.30	GOOD 0.50 FAIR 0.50 FAIR 0.50	26.09 30.49 31.79	ANU	7.90 12.30 13.60
41	22	AFORE	AF	150.4	68.7	27.40	GOOD 0.50	26.86	ANU	8.06
42	22	AFORE	AF	140.2	54.7	25.90	GOOD 0.50	25.42	ANU	7.90
43	22	AFORE	AF	142.7	49.6	26.10 27.80 29.30	GOOD 0.50 FAIR 0.50 FAIR 0.50	25.53 27.23 28.73	ANU	7.69 9.39 10.89
44	22	AFORE	AF	141.0	43.2	25.70 26.00	GOOD 0.50 GOOD 0.50	25.31 25.61	ANU	7.68 7.98
45	22	AFORE	AF	138.4	37.0	25.50 26.50	GOOD 0.50 GOOD 0.50	24.93 25.93	ANU	7.63 8.63
46	22	AFORE	AF	132.7	31.7	24.50 25.40	GOOD 0.50 GOOD 0.50	23.95 24.85	ANU	7.36 8.26
47	22	AFORE	AF	127.8	26.6	23.50 24.00 24.50	GOOD 0.50 FAIR 0.50 GOOD 0.50	23.24 23.74 24.24	ANU	7.26 7.76 8.26
48	22	AFORE	AF	132.4	359.2	24.10	GOOD 0.50	23.56	ANU	7.01
49	22	AFORE	AF	154.4	336.7	27.70 28.50	GOOD 0.50 FAIR 0.50	26.96 27.76	ANU	7.66 8.46
50	22	AFORE	AF	202.0	320.0	33.30 34.50	GOOD 0.50 GOOD 0.50	32.98 34.18	ANU	7.73 8.93
55	22	AFORE	AF	119.6	273.0	20.40 22.30	GOOD 0.50 FAIR 0.50	20.15 22.05	ANU	5.20 7.10
56	22	AFORE	AF	84.6	194.0	15.30 18.60 21.30	GOOD 0.50 GOOD 0.50 GOOD 0.50	15.14 18.44 21.14	ANU	4.57 7.87 10.57
57	22	AFORE	AF	94.9	197.2	16.10 17.00	GOOD 0.50 GOOD 0.50	15.95 16.85	ANU	4.08 4.98
58	22	AFORE	AF	97.6	199.2	16.50	GOOD 0.50	16.34	ANU	4.14
59	22	AFORE	AF	106.8	202.0	17.70	GOOD 0.50	17.26	ANU	3.91
60	22	AFORE	AF	119.3	204.4	20.20 21.90	GOOD 0.50 FAIR 0.50	19.23 20.93	ANU	4.32 6.02
61	22	AFORE	AF	132.3	204.9	23.10 24.40	GOOD 0.50 FAIR 0.50	21.64 22.94	ANU	5.11 6.41
62	22	AFORE	AF	143.4	208.2	25.10	GOOD 0.50	23.19	ANU	5.27

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						(SEC)	QUAL	ACC(SEC)			
						26.30	FAIR	0.50	24.39		6.47
						28.90	FAIR	0.50	26.99		9.07
						29.90	FAIR	0.50	27.99		10.07
63	22	AFORE	AF	177.8	211.6	31.60	GOOD	0.50	29.40	ANU	7.17
						32.50	FAIR	0.50	30.30		8.07
						36.90	POOR	0.50	34.70		12.47
						39.40	FAIR	0.50	37.20		14.97
75	22	AFORE	AF	226.7	149.9	36.30	FAIR	0.50	36.08	ANU	7.74
						37.90	GOOD	0.50	37.68		9.34
77	22	AFORE	AF	234.6	154.4	37.70	FAIR	0.50	37.02	ANU	7.70
						39.40	FAIR	0.50	38.72		9.40
79	22	AFORE	AF	247.3	158.5	41.40	FAIR	0.50	40.27	ANU	9.36
80	22	AFORE	AF	258.8	163.4	43.20	FAIR	1.00	42.44	ANU	10.09
82	22	AFORE	AF	197.0	152.8	32.10	POOR	0.50	31.89	ANU	7.26
						34.00	FAIR	0.50	33.79		9.16
85	22	AFORE	AF	172.5	156.9	29.80	FAIR	0.50	29.36	ANU	7.80
87	22	AFORE	AF	158.1	159.8	27.50	FAIR	0.50	26.96	ANU	7.20
						28.50	FAIR	0.50	27.96		8.20
88	22	AFORE	AF	138.9	171.3	23.10	GOOD	0.50	22.65	ANU	5.29
						26.70	FAIR	0.50	26.25		8.89
89	22	AFORE	AF	148.9	176.0	24.80	FAIR	0.50	24.15	ANU	5.54
						26.00	FAIR	0.50	25.35		6.74
90	22	AFORE	AF	156.7	179.1	26.50	FAIR	0.50	25.39	ANU	5.81
						29.60	FAIR	0.50	28.49		8.91
91	22	AFORE	AF	165.4	181.8	28.90	GOOD	0.50	27.90	ANU	7.23
92	22	AFORE	AF	178.1	185.9	30.50	GOOD	0.50	28.81	ANU	6.55
						35.00	FAIR	0.50	33.31		11.05
						37.60	FAIR	0.50	35.91		13.65
94	22	AFORE	AF	196.5	189.9	35.70	FAIR	0.50	33.18	ANU	8.62
						45.70	GOOD	0.50	43.18		18.62
96	22	AFORE	AF	260.9	216.6	40.30	GOOD	0.50	38.36	ANU	5.75
						44.30	FAIR	1.00	42.36		9.75
97	22	AFORE	AF	229.1	215.6	36.70	FAIR	0.50	34.33	ANU	5.70
98	22	AFORE	AF	127.7	169.8	22.30	FAIR	0.50	21.96	ANU	5.99
						25.40	FAIR	0.50	25.06		9.09
99	22	AFORE	AF	102.0	174.4	17.60	GOOD	0.50	17.44	ANU	4.69
						19.30	FAIR	0.50	19.14		6.39
100	22	AFORE	AF	89.3	177.9	14.50	FAIR	1.00	14.33	ANU	3.17

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
103	22	AFORE	AF	55.1	195.4	12.40	GOOD 0.50	12.24	ANU	5.35
104	22	AFORE	AF	56.8	216.1	11.60	GOOD 0.50	11.44	ANU	4.34
105	22	AFORE	AF	57.4	231.4	11.70 13.90	FAIR 0.50 FAIR 0.50	11.54 13.74	ANU	4.37 6.57
106	22	AFORE	AF	63.0	239.0	11.20	GOOD 0.50	11.04	ANU	3.17
109	22	AFORE	AF	92.1	258.0	16.10	GOOD 0.50	15.94	ANU	4.43
110	22	AFORE	AF	121.0	256.7	20.60	GOOD 0.50	20.33	ANU	5.20
4	23	TETEBEDI	TT	121.8	67.9	23.10	FAIR 0.50	22.41	ANU	7.18
5	23	TETEBEDI	TT	139.5	76.1	25.50	GOOD 0.50	24.97	ANU	7.53
6	23	TETEBEDI	TT	145.3	78.7	27.06	GOOD 0.50	26.55	ANU	8.39
7	23	TETEBEDI	TT	150.2	81.5	28.06 30.26	GOOD 0.50 FAIR 0.50	27.50 29.70	ANU	8.72 10.92
8	23	TETEBEDI	TT	158.8	86.0	28.37 29.47	GOOD 0.50 GOOD 0.50	27.86 28.96	ANU	8.01 9.11
9	23	TETEBEDI	TT	163.3	88.6	29.77	GOOD 0.50	29.38	ANU	8.97
10	23	TETEBEDI	TT	172.6	91.3	31.68 36.18 41.38	GOOD 0.50 FAIR 0.50 FAIR 0.50	31.05 35.55 40.75	ANU	9.47 13.97 19.17
11	23	TETEBEDI	TT	178.7	95.0	31.63	GOOD 0.50	31.11	ANU	8.77
25	23	TETEBEDI	TT	250.7	80.7	45.48	GOOD 0.50	44.58	ANU	13.25
26	23	TETEBEDI	TT	279.2	73.6	42.39 51.69	GOOD 0.50 GOOD 0.50	41.47 47.17	ANU	6.57 15.87
27	23	TETEBEDI	TT	314.4	67.6	46.89	GOOD 0.50	46.21	ANU	6.91
29	23	TETEBEDI	TT	395.8	60.5	56.06	FAIR 0.50	55.31	ANU	5.84
31	23	TETEBEDI	TT	324.2	60.4	47.15	FAIR 0.50	46.50	ANU	5.97
32	23	TETEBEDI	TT	279.2	60.9	42.17	GOOD 0.50	41.38	ANU	6.48
33	23	TETEBEDI	TT	231.1	61.2	38.24 44.44	FAIR 0.50 FAIR 0.50	37.21 43.41	ANU	8.32 14.52
35	23	TETEBEDI	TT	191.9	62.5	32.26 35.16	GOOD 0.50 GOOD 0.50	31.20 34.10	ANU	7.21 10.11
36	23	TETEBEDI	TT	177.4	63.6	30.87	FAIR 0.50	29.79	ANU	7.62
37	23	TETEBEDI	TT	163.4	64.5	28.74 31.54	GOOD 0.50 FAIR 0.50	27.66 30.46	ANU	7.24 10.04

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						34.14	FAIR	0.50	33.06		12.64
38	23	TETEBEDI	TT	152.1	65.6	27.72	GOOD	0.50	26.65	ANU	7.64
39	23	TETEBEDI	TT	109.9	51.6	21.36	GOOD	0.50	20.79	ANU	7.05
40	23	TETEBEDI	TT	113.9	57.1	22.20	GOOD	0.50	21.61	ANU	7.38
41	23	TETEBEDI	TT	117.5	63.3	23.12	GOOD	0.50	22.51	ANU	7.82
42	23	TETEBEDI	TT	112.0	45.1	22.48	GOOD	0.50	21.93	ANU	7.93
						24.48	FAIR	0.50	23.93		9.93
43	23	TETEBEDI	TT	116.7	39.0	23.10	GOOD	0.50	22.45	ANU	7.86
44	23	TETEBEDI	TT	118.0	31.3	22.62	GOOD	0.50	22.16	ANU	7.41
45	23	TETEBEDI	TT	118.8	23.9	22.59	GOOD	0.50	21.94	ANU	7.09
						25.19	FAIR	0.50	24.54		9.69
						26.79	GOOD	0.50	26.14		11.29
46	23	TETEBEDI	TT	116.2	17.2	22.12	GOOD	0.50	21.50	ANU	6.97
47	23	TETEBEDI	TT	114.4	11.1	21.50	GOOD	0.50	21.16	ANU	6.86
48	23	TETEBEDI	TT	135.5	344.1	24.60	GOOD	0.50	23.99	ANU	7.05
49	23	TETEBEDI	TT	169.7	325.5	30.06	GOOD	0.50	29.25	ANU	8.04
50	23	TETEBEDI	TT	224.7	312.8	36.72	GOOD	0.50	36.32	ANU	8.23
						37.62	FAIR	0.50	37.22		9.13
52	23	TETEBEDI	TT	286.7	281.4	45.65	FAIR	0.50	45.20	ANU	9.36
53	23	TETEBEDI	TT	230.9	283.5	39.64	GOOD	0.50	39.33	ANU	10.47
54	23	TETEBEDI	TT	178.9	281.8	32.47	GOOD	0.50	32.11	ANU	9.75
						37.17	FAIR	0.50	36.81		14.45
55	23	TETEBEDI	TT	154.7	271.5	26.45	FAIR	0.50	26.13	ANU	6.79
						28.75	GOOD	0.50	28.43		9.09
56	23	TETEBEDI	TT	100.9	213.5	17.08	GOOD	0.50	16.85	ANU	4.24
57	23	TETEBEDI	TT	112.3	214.2	19.15	GOOD	0.50	18.92	ANU	4.88
						21.85	GOOD	0.50	21.62		7.58
						24.35	FAIR	0.50	24.12		10.08
58	23	TETEBEDI	TT	115.8	215.5	18.96	FAIR	0.50	18.73	ANU	4.25
59	23	TETEBEDI	TT	125.9	216.6	19.67	GOOD	0.50	19.16	ANU	3.42
60	23	TETEBEDI	TT	139.2	217.3	23.13	GOOD	0.50	22.09	ANU	4.69
62	23	TETEBEDI	TT	164.6	218.7	28.05	GOOD	0.50	26.07	ANU	5.49
63	23	TETEBEDI	TT	200.2	219.9	34.89	GOOD	0.50	32.61	ANU	7.59

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
69	23	TETEBEDI	TT	282.8	156.5	42.37 48.27	POOR 0.50 GOOD 0.50	42.05 47.95	ANU	6.70 12.60
74	23	TETEBEDI	TT	223.3	157.2	36.93	FAIR 0.50	36.44	ANU	8.52
75	23	TETEBEDI	TT	213.1	158.3	33.78 37.68	FAIR 0.50 FAIR 0.50	33.48 37.38	ANU	6.85 10.75
76	23	TETEBEDI	TT	216.7	160.4	35.39 39.79	POOR 0.50 FAIR 0.50	34.87 39.27	ANU	7.78 12.18
77	23	TETEBEDI	TT	223.6	162.7	36.64 40.44	GOOD 0.50 GOOD 0.50	35.89 39.69	ANU	7.94 11.74
78	23	TETEBEDI	TT	230.1	164.7	41.65	POOR 1.00	40.70	ANU	11.94
79	23	TETEBEDI	TT	238.6	166.6	41.26 46.16	GOOD 0.50 FAIR 0.50	40.06 44.96	ANU	10.23 15.13
80	23	TETEBEDI	TT	253.0	171.2	43.30 46.40 50.20	FAIR 0.50 GOOD 0.50 GOOD 0.50	42.47 45.57 49.37	ANU	10.84 13.94 17.74
81	23	TETEBEDI	TT	200.0	160.7	33.01 34.91	GOOD 0.50 GOOD 0.50	32.71 34.61	ANU	7.71 9.61
82	23	TETEBEDI	TT	185.5	162.8	29.35 30.85 33.55	GOOD 0.50 GOOD 0.50 FAIR 0.50	29.07 30.57 33.27	ANU	5.88 7.38 10.08
83	23	TETEBEDI	TT	179.0	165.3	29.80 35.30	FAIR 0.50 FAIR 0.50	29.51 35.01	ANU	7.14 12.64
84	23	TETEBEDI	TT	172.9	166.7	27.82 31.82 35.52	FAIR 0.50 GOOD 0.50 GOOD 0.50	27.40 31.40 35.10	ANU	5.79 9.79 13.49
85	23	TETEBEDI	TT	163.8	168.5	26.78 29.78	GOOD 0.50 FAIR 0.50	26.27 29.27	ANU	5.79 8.79
86	23	TETEBEDI	TT	156.6	170.6	28.06 31.86 39.06	GOOD 0.50 FAIR 0.50 FAIR 0.50	27.83 31.63 36.83	ANU	8.26 12.06 19.26
87	23	TETEBEDI	TT	151.7	172.6	26.37	GOOD 0.50	25.76	ANU	6.80
88	23	TETEBEDI	TT	140.1	185.8	23.58 27.18	GOOD 0.50 FAIR 0.50	23.05 26.65	ANU	5.54 9.14
90	23	TETEBEDI	TT	162.1	191.7	26.75 31.25 36.15	GOOD 0.50 FAIR 0.50 FAIR 0.50	25.57 30.07 34.97	ANU	5.31 9.81 14.71
91	23	TETEBEDI	TT	172.2	193.6	28.94 35.14	GOOD 0.50 GOOD 0.50	27.87 34.07	ANU	6.34 12.54
92	23	TETEBEDI	TT	187.0	196.6	33.35	GOOD 0.50	31.59	ANU	8.22

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
93	23	TETEBEDI	TT	196.7	197.4	35.38	GOOD 0.50	33.22	ANU	8.63
94	23	TETEBEDI	TT	207.4	199.4	33.38 35.58 38.28	POOR 0.50 GOOD 0.50 GOOD 0.50	30.79 32.99 35.69	ANU	4.86 7.06 9.76
95	23	TETEBEDI	TT	314.0	222.3	48.59	FAIR 0.50	45.82	ANU	6.57
96	23	TETEBEDI	TT	284.9	222.1	43.40 44.40 48.80	FAIR 0.50 GOOD 0.50 FAIR 0.50	41.39 42.39 46.79	ANU	5.77 6.77 11.17
97	23	TETEBEDI	TT	252.9	221.8	41.30 48.90	FAIR 0.50 GOOD 0.50	38.86 46.46	ANU	7.25 14.85
98	23	TETEBEDI	TT	128.4	185.6	21.80 28.70	GOOD 0.50 FAIR 0.50	21.38 28.28	ANU	5.33 12.23
99	23	TETEBEDI	TT	106.6	193.7	18.05 19.05	GOOD 0.50 GOOD 0.50	17.82 18.82	ANU	4.49 5.49
100	23	TETEBEDI	TT	96.7	199.2	16.36 19.56	GOOD 0.50 FAIR 0.50	16.12 19.32	ANU	4.03 7.23
101	23	TETEBEDI	TT	87.3	209.3	15.60 20.70	GOOD 0.50 FAIR 0.50	15.36 20.46	ANU	4.45 9.55
102	23	TETEBEDI	TT	81.6	214.6	14.75	GOOD 0.50	14.51	ANU	4.31
103	23	TETEBEDI	TT	74.3	222.1	14.52	GOOD 0.50	14.28	ANU	5.00
104	23	TETEBEDI	TT	83.8	235.0	15.08	GOOD 0.50	14.85	ANU	4.37
105	23	TETEBEDI	TT	88.6	244.7	15.59 18.99 20.69	GOOD 0.50 GOOD 0.50 FAIR 0.50	15.36 18.76 20.46	ANU	4.28 7.68 9.38
106	23	TETEBEDI	TT	95.7	248.8	16.06 20.56	GOOD 0.50 FAIR 0.50	15.83 20.33	ANU	3.86 8.36
107	23	TETEBEDI	TT	97.4	256.5	15.76 17.86	GOOD 0.50 GOOD 0.50	15.52 17.62	ANU	3.35 5.45
108	23	TETEBEDI	TT	104.5	258.4	16.96 19.36 30.36	GOOD 0.50 GOOD 0.50 FAIR 0.50	16.72 19.12 30.12	ANU	3.66 6.06 17.06
109	23	TETEBEDI	TT	127.1	260.4	21.43 23.53 25.73 28.23	GOOD 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	21.20 23.30 25.50 28.00	ANU	5.31 7.41 9.61 12.11
110	23	TETEBEDI	TT	155.9	258.9	27.13 29.13	FAIR 0.50 FAIR 0.50	26.78 28.78	ANU	7.29 9.29
111	23	TETEBEDI	TT	166.8	245.5	26.67	FAIR 0.50	26.45	ANU	5.60

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						32.77 35.47	POOR FAIR	1.00 0.50	32.55 35.25		11.70 14.40
1	24	KOKODA	KA	129.3	46.9	24.96 30.24	GOOD GOOD	0.50 0.50	24.07 29.35	BMR	7.91 13.19
3	24	KOKODA	KA	114.4	51.5	22.16 23.85 27.53	GOOD FAIR FAIR	0.50 0.50 0.50	21.51 23.20 26.88	BMR	7.21 8.90 12.58
5	24	KOKODA	KA	118.2	56.9	20.72 23.37	POOR FAIR	0.50 0.50	20.34 22.99	BMR	5.57 8.22
6	24	KOKODA	KA	121.7	60.7	23.14 29.44	GOOD FAIR	0.50 0.50	22.78 29.08	BMR	7.57 13.87
7	24	KOKODA	KA	124.2	64.6	23.74	FAIR	0.50	23.33	BMR	7.80
11	24	KOKODA	KA	142.6	83.8	26.42 26.90 33.38	GOOD GOOD FAIR	0.10 0.50 0.50	26.04 26.52 33.00	BMR	8.22 8.70 15.18
13	24	KOKODA	KA	159.0	90.7	28.15 29.53 33.34	FAIR FAIR GOOD	0.50 0.50 0.50	27.83 29.21 33.02	BMR	7.95 9.33 13.14
14	24	KOKODA	KA	166.8	93.8	29.38 30.74 34.70 40.06	GOOD GOOD FAIR GOOD	0.50 0.50 0.50 0.50	29.16 30.52 34.48 39.84	BMR	8.31 9.67 13.63 18.99
17	24	KOKODA	KA	195.6	101.4	35.16 40.76	FAIR FAIR	1.00 0.50	35.09 40.69	BMR	10.64 16.24
20	24	KOKODA	KA	160.6	86.4	28.57 35.37	GOOD FAIR	0.50 0.50	28.00 34.80	BMR	7.93 14.73
35	24	KOKODA	KA	179.6	48.2	30.67 32.40 34.73	GOOD FAIR FAIR	0.50 0.50 0.50	29.76 31.49 33.82	BMR	7.31 9.04 11.37
36	24	KOKODA	KA	164.6	48.1	28.87 30.01 32.72	GOOD FAIR GOOD	0.50 0.50 0.50	27.94 29.08 31.79	BMR	7.37 8.51 11.22
37	24	KOKODA	KA	150.4	47.6	27.48	FAIR	0.50	26.55	BMR	7.75
38	24	KOKODA	KA	138.7	47.4	25.83 29.67 32.67	GOOD FAIR GOOD	0.50 0.50 0.50	24.91 28.75 31.75	BMR	7.57 11.41 14.41
39	24	KOKODA	KA	111.1	26.6	22.06 26.52 40.72	GOOD GOOD GOOD	0.50 1.00 0.50	21.64 26.10 40.30	BMR	7.75 12.21 26.41
40	24	KOKODA	KA	110.1	32.5	21.26 24.60	GOOD FAIR	0.50 0.50	20.82 24.16	BMR	7.06 10.40

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
41	24	KOKODA	KA	108.3	39.3	21.88 24.38	FAIR 0.50 GOOD 0.10	21.42 23.92	BMR	7.88 10.38
43	24	KOKODA	KA	127.2	16.9	24.06 27.40	GOOD 0.50 FAIR 0.50	23.56 26.90	BMR	7.66 11.00
44	24	KOKODA	KA	134.1	10.7	24.87	GOOD 0.50	24.55	BMR	7.79
47	24	KOKODA	KA	144.0	354.2	26.02	GOOD 0.10	25.83	BMR	7.83
48	24	KOKODA	KA	177.2	335.5	30.50 31.57	GOOD 0.50 FAIR 0.50	30.04 31.11	BMR	7.89 8.96
49	24	KOKODA	KA	216.2	322.1	36.96 40.66	GOOD 0.50 FAIR 0.50	36.30 40.00	BMR	9.27 12.97
59	24	KOKODA	KA	131.9	237.8	20.76 24.26	GOOD 0.50 FAIR 0.50	20.40 23.90	BMR	3.91 7.41
62	24	KOKODA	KA	170.2	235.0	28.15 31.25 34.85	GOOD 0.50 FAIR 0.50 FAIR 0.50	26.32 29.42 33.02	BMR	5.04 8.14 11.74
63	24	KOKODA	KA	205.6	233.3	34.91	GOOD 0.50	32.78	BMR	7.08
73	24	KOKODA	KA	190.0	162.1	32.52	FAIR 1.00	32.35	BMR	8.60
75	24	KOKODA	KA	172.3	165.8	31.16 36.56	POOR 0.50 POOR 0.50	31.01 36.41	BMR	9.48 14.88
77	24	KOKODA	KA	184.9	170.7	30.94 34.54	FAIR 0.50 FAIR 0.50	30.34 33.94	BMR	7.23 10.83
80	24	KOKODA	KA	217.0	179.4	36.62 41.72	GOOD 0.50 FAIR 0.50	35.94 41.04	BMR	8.56 13.66
82	24	KOKODA	KA	147.3	172.8	24.57 31.07	FAIR 1.00 FAIR 0.50	24.44 30.94	BMR	6.02 12.52
85	24	KOKODA	KA	129.6	181.7	23.71 28.21 34.31	FAIR 0.50 FAIR 0.50 FAIR 0.50	23.35 27.85 33.95	BMR	7.15 11.65 17.75
87	24	KOKODA	KA	120.7	188.1	21.81 26.01	FAIR 0.50 FAIR 0.50	21.35 25.55	BMR	6.26 10.46
88	24	KOKODA	KA	119.6	205.0	20.33 23.13 27.33 30.63	GOOD 0.50 FAIR 0.50 GOOD 0.50 FAIR 0.50	19.95 24.75 26.95 30.25	BMR	5.00 9.80 12.00 15.30
90	24	KOKODA	KA	145.4	208.5	20.43 32.91	FAIR 0.50 FAIR 0.50	19.40 31.88	BMR	1.23 13.71
91	24	KOKODA	KA	156.7	209.4	33.11	FAIR 1.00	32.19	BMR	12.60
99	24	KOKODA	KA	95.4	220.4	16.04	GOOD 0.50	15.96	BMR	4.03

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						16.92	GOOD 0.10	16.84		4.91
103	24	KOKODA	KA	89.7	254.3	16.54	GOOD 0.50	16.45	BMR	5.24
104	24	KOKODA	KA	106.6	260.8	18.92	GOOD 0.50	18.84	BMR	5.51
107	24	KOKODA	KA	131.5	273.5	19.99 25.79	POOR 1.00 POOR 0.50	19.00 25.70	BMR	2.57 9.27
3	25	POPONDETTA	PP	165.3	59.8	28.78 28.88 30.03 34.46 39.65	FAIR 0.10 FAIR 0.10 GOOD 0.10 FAIR 0.10 FAIR 0.10	28.20 28.30 29.45 33.88 39.07	BMR	7.54 7.64 8.79 13.22 18.41
4	25	POPONDETTA	PP	157.3	55.6	26.57 27.02 29.14 32.50	FAIR 0.10 FAIR 0.10 GOOD 0.10 FAIR 0.50	26.10 26.55 28.67 32.03	BMR	6.43 6.88 9.00 12.36
6	25	POPONDETTA	PP	174.8	65.9	29.99 30.56 32.85 34.15	FAIR 0.10 FAIR 0.10 FAIR 0.50 FAIR 0.10	29.70 30.27 32.56 33.86	BMR	7.85 8.42 10.71 12.01
7	25	POPONDETTA	PP	177.9	68.5	30.86 36.46	FAIR 0.50 FAIR 0.50	30.52 36.12	BMR	8.28 13.88
8	25	POPONDETTA	PP	183.6	72.9	31.16 32.01 32.13 34.76 42.16	FAIR 0.10 FAIR 0.50 FAIR 0.10 FAIR 0.10 FAIR 0.50	30.87 31.72 31.84 34.47 41.87	BMR	7.92 8.77 8.89 11.52 18.92
9	25	POPONDETTA	PP	186.2	75.4	31.40 32.95 34.84	GOOD 0.10 FAIR 0.50 FAIR 0.50	31.23 32.78 34.67	BMR	7.95 9.50 11.39
11	25	POPONDETTA	PP	197.0	82.1	33.27 34.02 34.40 36.72 38.26 43.88	GOOD 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.50 FAIR 0.10 FAIR 0.50	32.96 33.71 34.09 36.41 37.95 43.57	BMR	8.34 9.09 9.47 11.79 13.33 18.95
14	25	POPONDETTA	PP	219.9	89.8	35.96 36.40 36.68 39.17 44.63	GOOD 0.50 FAIR 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	35.81 36.25 36.53 39.02 44.48	BMR	8.32 8.76 9.04 11.53 15.99
15	25	POPONDETTA	PP	228.7	92.2	37.66	FAIR 0.10	37.47	BMR	8.89
23	25	POPONDETTA	PP	238.8	77.8	38.21 42.02 49.68	FAIR 0.50 POOR 0.50 FAIR 0.50	37.50 41.31 48.97	BMR	7.65 11.46 19.12
26	25	POPONDETTA	PP	310.0	66.8	45.98	POOR 1.00	45.28	BMR	6.53

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 62.68	REMARKS QUAL ACC(SEC) POOR 1.00	TT MSL (SEC) 61.98	INST	TT-D/ 8.00 (SEC) 23.23
31	25	POPONDETTA	PP	361.5	55.8	64.33 69.73	POOR 1.00 POOR 1.00	63.89 69.29	BMR	18.71 24.11
33	25	POPONDETTA	PP	268.3	55.0	47.01 52.01	POOR 1.00 POOR 1.00	46.19 51.19	BMR	12.66 17.66
35	25	POPONDETTA	PP	228.8	54.9	38.73 44.13	POOR 1.00 FAIR 0.50	37.89 43.29	BMR	9.29 14.69
39	25	POPONDETTA	PP	151.6	42.8	27.32 27.77 31.29 34.99	GOOD 0.10 GOOD 0.10 FAIR 0.10 FAIR 0.50	26.97 27.42 30.94 34.64	BMR	8.02 8.47 11.99 15.69
40	25	POPONDETTA	PP	153.8	47.1	27.77 28.64 29.85 37.36	GOOD 0.10 FAIR 0.10 FAIR 0.50 FAIR 0.50	27.40 28.27 29.48 36.99	BMR	8.18 9.05 10.26 17.77
56	25	POPONDETTA	PP	56.6	223.4	11.25 11.54 13.41 17.51	POOR 0.50 GOOD 0.10 FAIR 0.50 POOR 0.50	11.24 11.53 13.40 17.50	BMR	4.16 4.45 6.32 10.42
58	25	POPONDETTA	PP	71.9	224.5	12.88	FAIR 0.50	12.87	BMR	3.88
59	25	POPONDETTA	PP	82.3	225.1	13.81 14.22 14.70 20.18 30.22	POOR 0.50 FAIR 0.10 GOOD 0.10 FAIR 0.10 FAIR 0.50	13.52 13.93 14.41 19.89 29.93	BMR	3.23 3.64 4.12 9.60 19.64
63	25	POPONDETTA	PP	157.2	225.3	29.21	FAIR 0.50	27.15	BMR	7.50
73	25	POPONDETTA	PP	202.6	146.5	28.94 30.44	POOR 0.50 FAIR 0.50	28.84 30.34	BMR	3.52 5.02
75	25	POPONDETTA	PP	182.2	148.4	27.65 30.47 34.72	POOR 0.50 FAIR 0.50 FAIR 0.50	27.57 30.39 34.64	BMR	4.80 7.62 11.87
79	25	POPONDETTA	PP	202.5	159.1	33.37 33.59 35.38 40.96	FAIR 0.10 FAIR 0.10 FAIR 0.50 FAIR 0.50	32.39 32.61 34.40 39.98	BMR	7.07 7.29 9.08 14.66
82	25	POPONDETTA	PP	152.2	151.9	23.47 24.90 27.65	POOR 1.00 FAIR 0.50 POOR 0.50	23.40 24.83 27.58	BMR	4.38 5.81 8.56
83	25	POPONDETTA	PP	144.3	154.4	23.62 24.94	FAIR 0.50 FAIR 0.50	23.55 24.87	BMR	5.51 6.83
85	25	POPONDETTA	PP	127.6	157.2	22.16 25.24	FAIR 0.50 FAIR 0.50	21.86 24.94	BMR	5.91 8.99

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						28.18	FAIR 0.50	27.88		11.93
86	25	POPONDETTA	PP	119.4	159.1	20.01 21.06 24.95	POOR 1.00 FAIR 0.10 GOOD 0.10	20.00 21.05 24.94	BMR	5.08 6.13 10.02
89	25	POPONDETTA	PP	107.9	184.2	19.36 20.09 24.71 25.47 29.30	FAIR 0.10 FAIR 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	18.85 19.58 24.20 24.96 28.79	BMR	5.37 6.10 10.72 11.48 15.31
90	25	POPONDETTA	PP	116.9	187.8	20.72 21.26 22.68 24.37 26.43	POOR 0.50 GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	19.76 20.30 21.72 23.41 25.47	BMR	5.15 5.69 7.11 8.80 10.86
91	25	POPONDETTA	PP	126.7	190.8	22.94 24.73 25.84 28.05 32.36 42.32	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.10 FAIR 0.50	22.09 23.88 24.99 27.20 31.51 41.47	BMR	6.25 8.04 9.15 11.36 15.67 25.63
92	25	POPONDETTA	PP	141.1	195.1	26.87 28.06	FAIR 0.10 POOR 0.50	25.33 26.52	BMR	7.69 8.88
94	25	POPONDETTA	PP	161.3	198.8	30.03 32.57 40.38	FAIR 0.50 FAIR 0.50 FAIR 0.50	27.65 30.19 38.00	BMR	7.49 10.03 17.84
96	25	POPONDETTA	PP	242.3	226.0	37.98 43.62	FAIR 0.50 FAIR 0.50	36.18 41.82	BMR	5.90 11.54
98	25	POPONDETTA	PP	84.9	177.2	16.25 16.79 18.11 19.39	GOOD 0.10 GOOD 0.10 FAIR 0.10 FAIR 0.50	16.05 16.59 17.91 19.19	BMR	5.44 5.98 7.30 8.58
99	25	POPONDETTA	PP	61.2	187.9	11.93 11.99 13.27 15.83 21.87	FAIR 0.10 GOOD 0.10 FAIR 0.10 FAIR 0.50 FAIR 0.50	11.92 11.98 13.26 15.82 21.86	BMR	4.27 4.33 5.61 8.17 14.21
100	25	POPONDETTA	PP	50.6	197.3	10.13	FAIR 0.50	10.11	BMR	3.78
101	25	POPONDETTA	PP	42.1	217.9	9.07 9.68 17.74 21.47	GOOD 0.10 FAIR 0.50 POOR 0.50 FAIR 0.50	9.05 9.66 17.72 21.45	BMR	3.79 4.40 12.46 16.19
103	25	POPONDETTA	PP	35.2	249.7	9.31 9.56 11.92 12.81	GOOD 0.10 FAIR 0.10 GOOD 0.10 FAIR 0.10	9.29 9.54 11.90 12.79	BMR	4.89 5.14 7.50 8.39

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME	REMARKS		TT MSL	INST	TT-D/ 8.00
						(SEC)	QUAL	ACC(SEC)	(SEC)		(SEC)
						16.49	FAIR	0.50	16.47		12.07
						23.70	FAIR	0.50	23.68		19.28
104	25	POPONDETTA	PP	52.1	264.5	11.17	GOOD	0.10	11.16	BMR	4.64
						11.49	FAIR	0.10	11.48		4.96
						12.04	FAIR	0.10	12.03		5.51
						14.50	FAIR	0.50	14.49		7.97
105	25	POPONDETTA	PP	63.5	274.6	12.47	FAIR	0.10	12.46	BMR	4.52
						12.90	GOOD	0.10	12.89		4.95
						13.66	FAIR	0.10	13.65		5.71
						14.82	FAIR	0.10	14.81		6.87
						16.34	FAIR	0.50	16.33		8.39
						18.62	POOR	0.50	18.61		10.67
						22.31	FAIR	0.50	22.30		14.36
106	25	POPONDETTA	PP	72.9	276.6	13.94	FAIR	0.10	13.93	BMR	4.81
						14.07	GOOD	0.10	14.06		4.94
						14.22	GOOD	0.10	14.21		5.09
						16.11	FAIR	0.10	16.10		6.98
						17.60	FAIR	0.10	17.59		8.47
						20.16	GOOD	0.10	20.15		11.03
						21.32	FAIR	0.50	21.31		12.19
107	25	POPONDETTA	PP	80.5	284.5	14.69	GOOD	0.10	14.67	BMR	4.61
						15.01	FAIR	0.10	14.99		4.93
						15.60	FAIR	0.50	15.58		5.52
						17.95	FAIR	0.50	17.93		7.87
						21.06	GOOD	0.10	21.04		10.98
						24.68	GOOD	0.10	24.66		14.60
						28.45	FAIR	0.50	28.43		18.37
109	25	POPONDETTA	PP	110.7	281.3	18.84	FAIR	0.50	18.83	BMR	4.99
						19.49	GOOD	0.10	19.48		5.64
						23.59	FAIR	0.50	23.58		9.74
						27.32	FAIR	0.50	27.31		13.47
						41.71	GOOD	0.50	41.70		27.86
110	25	POPONDETTA	PP	136.9	275.5	23.58	FAIR	0.50	23.45	BMR	6.34
						27.98	FAIR	0.50	27.85		10.74
111	25	POPONDETTA	PP	137.6	259.1	22.24	FAIR	0.50	22.24	BMR	5.03
						22.59	GOOD	0.10	22.59		5.38
						27.63	FAIR	0.50	27.63		10.43
56	26	ORO BAY	OB	55.3	190.5	11.72	GOOD	0.10	11.73	BMR	4.82
59	26	ORO BAY	OB	77.2	202.5	14.28	GOOD	0.10	14.01	BMR	4.36
106	26	ORO BAY	OB	43.9	263.7	13.31	FAIR	1.00	13.32	BMR	7.83
107	26	ORO BAY	OB	49.6	278.1	10.15	GOOD	0.50	10.16	BMR	3.96
11	27	KILLERTON	KL	213.6	78.2	36.43	FAIR	0.50	36.15	HIG	9.45
						38.63	FAIR	0.50	38.35		11.65
						41.43	FAIR	0.50	41.15		14.45
15	27	KILLERTON	KL	242.6	88.3	39.98	FAIR	0.50	39.82	HIG	9.50

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
35	27	KILLERTON	KL	249.7	53.7	45.86 49.86	POOR 1.00 FAIR 1.00	45.05 49.05	HIG	13.83 17.83
38	27	KILLERTON	KL	208.9	54.3	32.92 38.22 40.72 43.22	GOOD 0.50 FAIR 1.00 FAIR 1.00 POOR 1.00	32.10 37.40 39.90 42.40	HIG	5.98 11.28 13.78 16.28
39	27	KILLERTON	KL	173.1	42.5	30.81 35.76 38.16	GOOD 0.50 FAIR 0.50 FAIR 0.50	30.49 35.44 37.84	HIG	8.85 13.80 16.20
40	27	KILLERTON	KL	175.2	46.3	31.90	POOR 1.00	31.56	HIG	9.66
41	27	KILLERTON	KL	176.1	50.5	34.37 36.12 36.92	FAIR FAIR FAIR	34.00 35.75 36.55	HIG	11.99 13.74 14.54
42	27	KILLERTON	KL	176.9	38.6	31.08	FAIR 0.50	30.78	HIG	8.66
43	27	KILLERTON	KL	182.7	34.9	32.65 35.10	GOOD 0.10 FAIR 0.50	32.25 34.70	HIG	9.41 11.86
44	27	KILLERTON	KL	184.8	30.0	32.67 35.52	GOOD 0.10 GOOD 0.50	32.45 35.30	HIG	9.35 12.20
46	27	KILLERTON	KL	182.4	21.0	32.57 35.22 37.15 37.92	GOOD FAIR GOOD FAIR	32.20 34.85 36.78 37.55	HIG	9.40 12.05 13.98 14.75
47	27	KILLERTON	KL	179.5	17.1	31.60 33.20 34.40	GOOD 0.10 FAIR 0.50 FAIR 0.50	31.51 33.11 34.31	HIG	9.07 10.67 11.87
55	27	KILLERTON	KL	139.4	297.1	23.65 24.35 45.75 54.05 56.85	POOR 0.50 GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	23.57 24.27 45.67 53.97 56.77	HIG	6.15 6.85 28.25 36.55 39.35
56	27	KILLERTON	KL	35.1	225.3	8.88 20.38	GOOD 0.50 FAIR 0.50	8.90 20.40	HIG	4.51 16.01
57	27	KILLERTON	KL	46.6	224.2	10.25 18.25 19.95 23.05 27.35	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	10.27 18.27 19.97 23.07 27.37	HIG	4.45 12.45 14.15 17.25 21.55
58	27	KILLERTON	KL	50.5	226.3	10.81 28.26 29.56 33.46	GOOD 0.10 FAIR 0.50 GOOD 0.50 FAIR 0.50	10.83 28.28 29.58 33.48	HIG	4.52 21.97 23.27 27.17
59	27	KILLERTON	KL	60.9	226.8	12.09	GOOD	11.83	HIG	4.21

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						16.78 24.08 28.68	FAIR FAIR FAIR	16.52 23.82 28.42		8.90 16.20 20.80
60	27	KILLERTON	KL	74.3	226.3	14.95 16.99	GOOD FAIR	14.16 16.20	HIG	4.87 6.91
61	27	KILLERTON	KL	86.9	223.8	17.85 19.25 20.55 26.85	GOOD 0.10 FAIR 0.50 FAIR 0.50	16.57 17.97 19.27 25.57	HIG	5.71 7.11 8.41 14.71
62	27	KILLERTON	KL	99.9	226.3	20.45	GOOD 0.10	18.72	HIG	6.23
63	27	KILLERTON	KL	135.7	226.1	27.19 29.39 36.09 41.29	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	25.16 27.36 34.06 39.26	HIG	8.20 10.40 17.10 22.30
75	27	KILLERTON	KL	176.8	141.7	28.28	GOOD 0.50	28.23	HIG	6.13
77	27	KILLERTON	KL	182.3	147.8	30.44 36.04	FAIR 0.50 FAIR 1.00	29.94 35.54	HIG	7.15 12.75
79	27	KILLERTON	KL	193.1	153.5	34.76	POOR 1.00	33.81	HIG	9.67
80	27	KILLERTON	KL	203.0	159.9	35.90	POOR 1.00	35.31	HIG	9.94
82	27	KILLERTON	KL	145.7	144.0	24.44	POOR	24.40	HIG	6.19
84	27	KILLERTON	KL	129.9	147.1	22.31	FAIR	22.14	HIG	5.90
85	27	KILLERTON	KL	119.5	147.9	21.40	GOOD	21.13	HIG	6.20
87	27	KILLERTON	KL	104.0	151.1	19.87	GOOD 0.50	19.51	HIG	6.51
88	27	KILLERTON	KL	81.7	168.2	16.38	GOOD 1.00	16.10	HIG	5.89
89	27	KILLERTON	KL	91.4	176.2	18.37 17.37 22.87	FAIR FAIR FAIR	17.89 16.89 22.39	HIG	6.47 5.47 10.97
91	27	KILLERTON	KL	108.4	185.1	20.34 24.34	POOR GOOD	19.52 23.52	HIG	5.97 9.97
92	27	KILLERTON	KL	122.0	190.7	23.45	POOR	21.94	HIG	6.69
93	27	KILLERTON	KL	131.5	192.3	26.34	FAIR 0.50	24.42	HIG	7.99
95	27	KILLERTON	KL	250.1	226.3	41.00	GOOD	38.47	HIG	7.21
96	27	KILLERTON	KL	220.9	226.5	36.28	POOR	34.51	HIG	6.90
98	27	KILLERTON	KL	70.8	165.1	15.32	GOOD	15.15	HIG	6.30
99	27	KILLERTON	KL	44.6	172.9	9.92 12.72	GOOD FAIR	9.94 12.74	HIG	4.36 7.16

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 15.92 18.22	REMARKS QUAL ACC(SEC) FAIR FAIR	TT MSL (SEC) 15.94 18.24	INST	TT-D/ 8.00 (SEC) 10.36 12.66
100	27	KILLERTON	KL	31.9	182.0	7.66 7.92 8.46	POOR GOOD FAIR	7.67 7.93 8.47	HIG	3.68 3.94 4.48
101	27	KILLERTON	KL	20.6	215.4	6.36 8.10 19.40	GOOD 0.10 FAIR 0.50 FAIR 0.50	6.37 8.11 19.41	HIG	3.80 5.54 16.84
102	27	KILLERTON	KL	17.4	243.6	6.41	GOOD 0.10	6.42	HIG	4.25
103	27	KILLERTON	KL	19.5	282.5	7.07 8.60 9.50 13.30	GOOD FAIR FAIR FAIR	7.08 8.61 9.51 13.31	HIG	4.65 6.18 7.08 10.88
104	27	KILLERTON	KL	39.6	286.7	10.16 18.98	GOOD FAIR	10.18 19.00	HIG	5.23 14.05
105	27	KILLERTON	KL	53.8	293.6	12.45 16.89 18.79 20.89	GOOD 0.10 FAIR 0.50 GOOD 0.50 FAIR 0.50	12.47 16.91 18.81 20.91	HIG	5.74 10.18 12.08 14.18
106	27	KILLERTON	KL	63.6	293.0	13.74	GOOD	13.76	HIG	5.81
107	27	KILLERTON	KL	73.8	299.8	15.00 15.76 16.46 19.66	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	15.01 15.77 16.47 19.67	HIG	5.79 6.55 7.25 10.45
108	27	KILLERTON	KL	81.4	298.2	18.46 15.90	POOR GOOD	18.47 15.91	HIG	8.30 5.74
109	27	KILLERTON	KL	102.1	292.0	19.15 22.23 24.33 30.83 35.83	GOOD FAIR FAIR FAIR FAIR	19.17 22.25 24.35 30.85 35.85	HIG	6.40 9.48 11.58 18.08 23.08
110	27	KILLERTON	KL	125.9	283.5	22.10 23.83 26.93 28.53	GOOD 0.10 POOR 0.50 FAIR 0.50 FAIR 0.50	22.00 23.73 26.83 28.43	HIG	6.26 7.99 11.09 12.69
111	27	KILLERTON	KL	121.6	265.5	20.67	GOOD	20.69	HIG	5.49
1	28	OWERS CNR.	OC	75.7	62.3	16.36 28.79	GOOD 0.10 POOR 1.00	15.43 27.86	BMR	5.97 18.40
2	28	OWERS CNR.	OC	62.6	62.3	14.10 17.29	GOOD 0.10 FAIR 0.50	13.24 16.43	BMR	5.42 8.61
3	28	OWERS CNR.	OC	64.6	73.8	14.14 15.36	GOOD 0.10 FAIR 0.50	13.46 14.68	BMR	5.38 6.60

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT HSL (SEC)	INST	TT-D/ 8.00 (SEC)
4	28	OWERS CNR.	OC	54.5	64.2	11.05	GOOD 0.10	10.47	BMR	3.66
						11.57	FAIR 0.50	10.99		4.18
						15.49	POOR 1.00	14.91		8.10
5	28	OWERS CNR.	OC	72.5	81.0	14.70	FAIR 0.50	14.28	BMR	5.22
						17.32	FAIR 0.50	16.90		7.84
						28.19	FAIR 0.50	27.77		18.71
6	28	OWERS CNR.	OC	79.0	85.4	16.49	GOOD 0.50	16.09	BMR	6.21
7	28	OWERS CNR.	OC	84.8	89.9	17.90	GOOD 0.50	17.45	BMR	6.85
						18.85	POOR 1.00	18.40		7.80
						21.15	POOR 1.00	20.70		10.10
8	28	OWERS CNR.	OC	95.3	96.6	19.22	GOOD 0.10	18.82	BMR	6.91
						19.76	GOOD 0.50	19.36		7.45
						20.36	POOR 0.50	19.96		8.05
9	28	OWERS CNR.	OC	101.1	100.4	20.07	GOOD 0.10	19.79	BMR	7.15
						21.96	FAIR 0.50	21.68		9.04
						24.16	FAIR 0.50	23.88		11.24
10	28	OWERS CNR.	OC	111.9	103.5	22.21	GOOD 0.50	21.69	BMR	7.70
11	28	OWERS CNR.	OC	120.3	108.3	23.40	GOOD 0.10	22.99	BMR	7.95
						23.92	POOR 0.50	23.51		8.47
						24.62	POOR 0.50	24.21		9.17
12	28	OWERS CNR.	OC	132.2	110.3	24.74	GOOD 0.10	24.42	BMR	7.90
						27.21	FAIR 0.50	26.89		10.37
13	28	OWERS CNR.	OC	142.6	112.7	25.97	FAIR 0.50	25.61	BMR	7.78
						26.32	GOOD 0.50	25.96		8.13
14	28	OWERS CNR.	OC	153.1	114.8	27.26	GOOD 0.10	27.00	BMR	7.87
16	28	OWERS CNR.	OC	176.5	118.0	30.34	FAIR 0.50	29.97	BMR	7.90
						33.09	FAIR 0.50	32.72		10.65
						34.10	FAIR 0.50	33.73		11.66
						36.95	FAIR 0.50	36.58		14.51
17	28	OWERS CNR.	OC	188.1	119.2	31.31	GOOD 0.10	31.20	BMR	7.68
						35.24	POOR 1.00	35.13		11.62
						35.99	FAIR 0.50	35.88		12.37
18	28	OWERS CNR.	OC	216.8	122.4	36.03	FAIR 0.50	35.91	BMR	8.81
						39.27	FAIR 0.50	39.15		12.05
19	28	OWERS CNR.	OC	262.9	116.6	41.30	FAIR 0.50	41.19	BMR	8.32
						46.93	FAIR 0.50	46.82		13.96
20	28	OWERS CNR.	OC	139.5	107.9	25.62	GOOD 0.10	25.01	BMR	7.58
						25.98	FAIR 0.50	25.37		7.94
21	28	OWERS CNR.	OC	141.4	104.0	26.37	GOOD 0.10	25.65	BMR	7.98
						26.93	FAIR 0.50	26.21		8.54

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
22	28	OWERS CNR.	OC	144.2	99.9	26.63 28.79 47.91	GOOD 0.10 FAIR 0.50 GOOD 0.10	25.82 27.98 47.10	BMR	7.80 9.96 29.08
23	28	OWERS CNR.	OC	153.2	95.4	27.41 27.84 30.74 34.94 41.74	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	26.59 27.02 29.92 34.12 40.92	BMR	7.44 7.87 10.77 14.97 21.77
24	28	OWERS CNR.	OC	156.0	93.1	28.18	GOOD 0.10	27.35	BMR	7.85
25	28	OWERS CNR.	OC	184.5	84.3	30.98 31.92 34.25 40.65 85.85	GOOD 0.10 FAIR 0.50 POOR 1.00 FAIR 0.50 FAIR 0.50	30.20 31.14 33.47 39.87 85.07	BMR	7.13 8.07 10.40 16.80 62.00
26	28	OWERS CNR.	OC	211.8	74.3	33.38 39.26 42.76 111.66 116.16 126.46 135.26	GOOD 0.10 FAIR 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	32.57 38.45 41.95 110.85 115.35 125.65 134.45	BMR	6.10 11.98 15.48 84.38 88.88 99.18 107.98
27	28	OWERS CNR.	OC	247.0	66.7	37.73 50.06 54.16 69.39	FAIR 0.50 POOR 1.00 POOR 1.00 FAIR 0.50	37.16 49.49 53.59 68.82	BMR	6.29 18.62 22.72 37.95
28	28	OWERS CNR.	OC	293.1	61.2	42.97 44.22 47.24 53.48	FAIR 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.10	42.38 43.63 46.65 52.89	BMR	5.74 6.99 10.01 16.25
29	28	OWERS CNR.	OC	329.7	58.3	47.57 54.05 65.33	GOOD 0.10 FAIR 0.50 FAIR 0.50	46.93 53.41 64.69	BMR	5.72 12.20 23.48
30	28	OWERS CNR.	OC	298.4	57.7	43.69 56.51 60.81	GOOD 0.10 FAIR 0.50 FAIR 0.50	43.10 55.92 60.22	BMR	5.80 18.62 22.92
31	28	OWERS CNR.	OC	258.2	57.5	38.69 47.32 50.12	GOOD 0.10 FAIR 0.50 FAIR 0.50	38.15 46.78 49.58	BMR	5.87 14.50 17.30
32	28	OWERS CNR.	OC	213.1	57.6	33.35 38.14 43.09 69.94	GOOD 0.10 FAIR 0.50 GOOD 0.10 FAIR 0.50	32.67 37.46 42.41 69.26	BMR	6.04 10.83 15.78 42.63
33	28	OWERS CNR.	OC	164.9	57.3	27.83 30.13	POOR 1.00 GOOD 0.50	26.91 29.21	BMR	6.29 8.59
34	28	OWERS CNR.	OC	136.9	57.9	24.71	GOOD 0.10	23.73	BMR	6.61

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						26.11	FAIR 0.50	25.13		8.01
						36.71	FAIR 0.50	35.73		18.61
						72.11	FAIR 0.50	71.13		54.01
35	28	OWERS CNR.	OC	125.5	57.9	23.47	GOOD 0.10	22.52	BMR	6.83
						24.29	GOOD 0.10	23.34		7.65
						29.05	FAIR 0.50	28.10		12.41
						66.55	FAIR 1.00	65.60		49.91
36	28	OWERS CNR.	OC	110.7	59.1	21.83	GOOD 0.10	20.86	BMR	7.02
						22.23	GOOD 0.10	21.26		7.42
37	28	OWERS CNR.	OC	96.6	60.0	19.59	GOOD 0.10	18.62	BMR	6.55
						19.94	FAIR 0.50	18.97		6.90
						23.24	FAIR 0.50	22.27		10.20
38	28	OWERS CNR.	OC	85.1	61.4	17.98	GOOD 0.10	17.02	BMR	6.38
						18.72	FAIR 0.50	17.76		7.12
						24.02	FAIR 1.00	23.06		12.42
						31.02	FAIR 1.00	30.06		19.42
						38.62	FAIR 1.00	37.66		27.02
39	28	OWERS CNR.	OC	51.2	25.9	11.40	GOOD 0.10	10.94	BMR	4.54
						12.21	GOOD 0.10	11.75		5.35
						13.06	FAIR 0.50	12.60		6.20
						14.66	FAIR 0.50	14.20		7.80
						17.66	FAIR 0.50	17.20		10.80
						28.86	FAIR 1.00	28.40		22.00
40	28	OWERS CNR.	OC	50.8	38.8	11.65	GOOD 0.50	11.17	BMR	4.82
						12.70	FAIR 0.50	12.22		5.87
						20.80	FAIR 0.50	20.32		13.97
41	28	OWERS CNR.	OC	51.3	53.4	11.77	GOOD 0.10	11.27	BMR	4.86
						12.42	GOOD 0.10	11.92		5.51
						16.02	GOOD 0.50	15.52		9.11
42	28	OWERS CNR.	OC	58.9	15.3	12.91	GOOD 0.10	12.47	BMR	5.11
						13.25	GOOD 0.10	12.81		5.45
						14.98	GOOD 0.50	14.54		7.18
						19.88	FAIR 1.00	19.44		12.08
43	28	OWERS CNR.	OC	69.1	8.1	14.62	GOOD 0.10	14.08	BMR	5.45
						14.90	GOOD 0.50	14.36		5.73
						16.60	FAIR 0.50	16.06		7.43
44	28	OWERS CNR.	OC	78.6	358.2	16.12	FAIR 0.50	15.77	BMR	5.94
						17.57	GOOD 0.10	17.22		7.39
45	28	OWERS CNR.	OC	87.7	349.8	17.54	GOOD 0.10	17.00	BMR	6.04
						18.69	GOOD 0.50	18.15		7.19
						30.99	FAIR 0.50	30.45		19.49
46	28	OWERS CNR.	OC	93.4	341.7	18.32	GOOD 0.50	17.81	BMR	6.13
						19.22	FAIR 0.50	18.71		7.03
						23.22	POOR 1.00	22.71		11.03
47	28	OWERS CNR.	OC	99.2	335.1	19.00	GOOD 0.10	18.77	BMR	6.37

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 20.30	REMARKS QUAL ACC(SEC) FAIR 0.50	TT MSL (SEC) 20.07	INST	TT-D/ 8.00 (SEC) 7.67
48	28	OWERS CNR.	OC	147.6	317.0	26.10 26.58 32.00 49.60	GOOD 0.10 GOOD 0.10 FAIR 0.50 POOR 1.00	25.60 26.08 31.50 49.10	BMR	7.15 7.63 13.05 30.65
54	28	OWERS CNR.	OC	239.1	273.3	38.63 39.53 40.53	FAIR 0.50 FAIR 0.50 FAIR 0.50	38.38 39.28 40.28	BMR	8.50 9.40 10.40
55	28	OWERS CNR.	OC	219.0	265.2	34.75 35.76 37.94 39.94	FAIR 1.00 GOOD 0.50 FAIR 0.50 FAIR 0.50	34.54 35.55 37.73 39.73	BMR	7.16 8.17 10.35 12.35
56	28	OWERS CNR.	OC	160.0	228.2	26.84 26.95 30.03	GOOD 0.10 GOOD 0.10 FAIR 0.10	26.72 26.83 29.91	BMR	6.72 6.83 9.91
57	28	OWERS CNR.	OC	171.4	227.7	27.88 28.14 31.34	FAIR 0.50 GOOD 0.10 FAIR 0.50	27.76 28.02 31.22	BMR	6.34 6.60 9.80
58	28	OWERS CNR.	OC	175.4	228.3	28.25	FAIR 1.00	28.13	BMR	6.21
59	28	OWERS CNR.	OC	185.8	228.3	29.64 30.26 40.96 45.96	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	29.24 29.86 40.56 45.56	BMR	6.01 6.63 17.33 22.33
60	28	OWERS CNR.	OC	199.2	228.0	32.36 37.02	GOOD 0.10 POOR 1.00	31.43 36.09	BMR	6.53 11.19
61	28	OWERS CNR.	OC	211.6	226.9	35.06 37.36	GOOD 0.10 GOOD 0.50	33.64 35.94	BMR	7.19 9.49
62	28	OWERS CNR.	OC	224.8	227.8	37.44 38.19 39.84 42.14 47.94	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	35.57 36.32 37.97 40.27 46.07	BMR	7.47 8.22 9.87 12.17 17.97
63	28	OWERS CNR.	OC	260.6	227.5	43.92 45.36 52.08 54.98	GOOD 0.10 GOOD 0.10 FAIR 0.50 FAIR 0.50	41.75 43.19 49.91 52.81	BMR	9.18 10.62 17.34 20.24
69	28	OWERS CNR.	OC	285.7	170.1	46.00 47.16	FAIR 0.50 GOOD 0.50	45.79 46.95	BMR	10.08 11.24
70	28	OWERS CNR.	OC	272.7	169.4	43.24 44.48 45.84 50.74	FAIR 0.50 GOOD 0.10 FAIR 0.50 FAIR 0.50	43.05 44.29 45.65 50.55	BMR	8.97 10.21 11.57 16.47
71	28	OWERS CNR.	OC	258.1	171.3	40.81	FAIR 0.50	40.56	BMR	8.29

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						43.26	FAIR	0.50	43.01		10.74
						46.66	FAIR	0.50	46.41		14.14
72	28	OWERS CNR.	OC	249.1	171.9	40.65	FAIR	0.50	40.32	BMR	9.18
						42.56	FAIR	0.50	42.23		11.09
73	28	OWERS CNR.	OC	236.2	172.5	36.23	FAIR	0.50	36.03	BMR	6.50
						38.64	FAIR	0.50	38.44		8.91
						40.44	FAIR	0.50	40.24		10.71
						41.54	FAIR	0.50	41.34		11.81
74	28	OWERS CNR.	OC	229.2	174.3	38.32	FAIR	0.50	37.94	BMR	9.29
						39.62	FAIR	0.50	39.24		10.59
75	28	OWERS CNR.	OC	220.8	176.1	34.67	FAIR	1.00	34.48	BMR	6.88
						35.92	GOOD	0.50	35.73		8.13
						36.69	GOOD	0.10	36.50		8.90
						38.17	FAIR	0.50	37.98		10.38
						42.37	FAIR	0.50	42.18		14.58
76	28	OWERS CNR.	OC	226.5	177.7	37.25	FAIR	0.50	36.84	BMR	8.53
						38.68	FAIR	0.50	38.27		9.96
						39.98	FAIR	0.50	39.57		11.26
						41.58	FAIR	0.50	41.17		12.86
77	28	OWERS CNR.	OC	235.8	179.4	38.41	FAIR	0.50	37.77	BMR	8.30
						38.82	GOOD	0.10	38.18		8.71
						39.73	FAIR	0.50	39.09		9.62
						40.03	FAIR	0.50	39.39		9.92
78	28	OWERS CNR.	OC	244.3	180.7	40.74	FAIR	0.50	39.90	BMR	9.37
						43.14	FAIR	0.50	42.30		11.77
79	28	OWERS CNR.	OC	254.5	181.9	43.29	GOOD	0.50	42.20	BMR	10.39
						43.98	FAIR	0.50	42.89		11.08
						44.47	GOOD	0.50	43.38		11.57
80	28	OWERS CNR.	OC	273.4	185.2	45.59	FAIR	0.50	44.87	BMR	10.69
						46.99	FAIR	0.50	46.27		12.09
						47.99	FAIR	0.50	47.27		13.09
						49.24	FAIR	0.50	48.52		14.34
81	28	OWERS CNR.	OC	211.1	179.4	34.44	GOOD	0.10	34.25	BMR	7.86
82	28	OWERS CNR.	OC	199.7	182.6	32.14	FAIR	0.50	31.97	BMR	7.00
						32.72	GOOD	0.10	32.55		7.58
						33.34	FAIR	0.50	33.17		8.20
						34.94	FAIR	0.50	34.77		9.80
						36.64	FAIR	0.50	36.47		11.50
						40.07	FAIR	0.50	39.90		14.93
83	28	OWERS CNR.	OC	196.3	185.3	32.19	FAIR	0.50	32.01	BMR	7.47
						33.23	GOOD	0.10	33.05		8.51
						34.16	GOOD	0.10	33.98		9.44
						40.79	FAIR	1.00	40.61		16.07
84	28	OWERS CNR.	OC	192.1	187.2	31.11	FAIR	0.50	30.80	BMR	6.79

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						32.01	GOOD 0.50	31.70		7.69
						33.11	FAIR 0.50	32.80		8.79
						34.91	FAIR 1.00	34.60		10.59
85	28	OWERS CNR.	OC	185.5	189.6	30.37	FAIR 0.50	29.97	BMR	6.78
						30.78	GOOD 0.50	30.38		7.19
						32.27	FAIR 1.00	31.87		8.68
						35.87	FAIR 0.50	35.47		12.28
86	28	OWERS CNR.	OC	180.9	192.1	29.85	FAIR 0.50	29.73	BMR	7.12
						32.15	GOOD 0.50	32.03		9.42
						32.70	FAIR 0.50	32.58		9.97
						34.65	FAIR 1.00	34.53		11.92
87	28	OWERS CNR.	OC	178.3	194.4	29.86	FAIR 1.00	29.36	BMR	7.07
						32.16	FAIR 1.00	31.66		9.37
						33.06	FAIR 0.50	32.56		10.27
						36.56	FAIR 0.50	36.06		13.77
						38.96	FAIR 1.00	38.46		16.17
88	28	OWERS CNR.	OC	179.5	205.7	29.99	GOOD 0.10	29.58	BMR	7.14
						31.07	FAIR 0.50	30.66		8.22
						33.54	GOOD 0.10	33.13		10.69
						37.67	FAIR 1.00	37.26		14.82
89	28	OWERS CNR.	OC	194.3	207.1	32.36	FAIR 0.50	31.75	BMR	7.46
						33.26	GOOD 0.50	32.65		8.36
						34.86	FAIR 0.50	34.25		9.96
						37.16	FAIR 0.50	36.55		12.26
						39.06	FAIR 0.50	38.45		14.16
90	28	OWERS CNR.	OC	205.2	208.0	34.54	FAIR 1.00	33.47	BMR	7.82
						36.64	FAIR 0.50	35.57		9.92
						39.94	FAIR 1.00	38.87		13.22
91	28	OWERS CNR.	OC	216.5	208.7	37.33	FAIR 0.50	36.37	BMR	9.31
						40.19	GOOD 0.10	39.23		12.17
						42.19	FAIR 0.10	41.23		14.17
						45.73	FAIR 0.50	44.77		17.71
						62.93	FAIR 0.50	61.97		34.91
92	28	OWERS CNR.	OC	233.2	210.1	40.24	FAIR 0.50	38.59	BMR	9.44
						42.04	FAIR 0.50	40.39		11.24
						42.74	FAIR 0.50	41.09		11.94
						47.84	FAIR 0.50	46.19		17.04
93	28	OWERS CNR.	OC	243.4	210.2	43.87	POOR 1.00	41.82	BMR	11.39
						50.37	POOR 0.50	48.32		17.89
						57.27	POOR 0.50	55.22		24.79
94	28	OWERS CNR.	OC	255.2	211.3	43.40	GOOD 0.10	40.92	BMR	9.02
						45.40	GOOD 0.10	42.92		11.02
						48.37	FAIR 0.50	45.89		13.99
						50.17	FAIR 0.50	47.69		15.79
						54.57	FAIR 0.50	52.09		20.19
95	28	OWERS CNR.	OC	375.0	227.2	57.68	POOR 1.00	55.02	BMR	8.14

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						58.78	FAIR 0.50	56.12		9.24
						59.88	FAIR 0.50	57.22		10.34
						60.48	FAIR 0.50	57.82		10.94
96	28	OWERS CNR.	OC	345.8	227.4	52.87	GOOD 0.50	50.97	BMR	7.74
						53.39	FAIR 0.50	51.49		8.26
						54.69	FAIR 0.50	52.79		9.56
						56.59	FAIR 0.50	54.69		11.46
97	28	OWERS CNR.	OC	313.8	227.8	49.59	GOOD 0.50	47.26	BMR	8.04
						49.89	GOOD 0.50	47.56		8.34
						51.29	FAIR 0.50	48.96		9.74
						52.29	FAIR 0.50	49.96		10.74
						60.79	FAIR 0.50	58.46		19.24
98	28	OWERS CNR.	OC	168.4	206.9	28.19	FAIR 0.50	27.88	BMR	6.83
						30.59	GOOD 0.50	30.28		9.23
						33.52	FAIR 0.50	33.21		12.16
						33.89	POOR 1.00	33.58		12.53
99	28	OWERS CNR.	OC	154.3	215.2	25.84	GOOD 0.10	25.72	BMR	6.43
						29.54	POOR 1.00	29.42		10.13
100	28	OWERS CNR.	OC	148.5	220.0	24.85	FAIR 0.50	24.72	BMR	6.16
						25.95	GOOD 0.50	25.22		7.26
						27.55	FAIR 0.50	27.42		8.86
101	28	OWERS CNR.	OC	145.0	227.2	24.64	GOOD 0.10	24.51	BMR	6.39
						25.19	FAIR 0.50	25.06		6.94
						25.69	FAIR 0.50	25.56		7.44
						28.59	FAIR 0.50	28.46		10.34
102	28	OWERS CNR.	OC	141.9	230.9	24.84	GOOD 0.50	24.72	BMR	6.98
						25.14	FAIR 0.50	25.02		7.28
						28.14	FAIR 0.50	28.02		10.28
						30.34	FAIR 0.50	30.22		12.48
103	28	OWERS CNR.	OC	137.5	235.6	24.93	GOOD 0.10	24.81	BMR	7.62
						25.83	GOOD 0.10	25.71		8.52
						27.51	FAIR 0.50	27.39		10.20
						31.61	FAIR 0.50	31.49		14.30
104	28	OWERS CNR.	OC	150.0	242.0	26.17	GOOD 0.50	26.05	BMR	7.30
						26.47	GOOD 0.50	26.35		7.60
						27.87	GOOD 0.50	27.75		9.00
						29.77	GOOD 0.50	29.65		10.90
						33.67	FAIR 0.50	33.55		14.80
105	28	OWERS CNR.	OC	155.9	247.2	26.68	FAIR 0.50	26.56	BMR	7.07
						28.68	FAIR 0.50	28.56		9.07
						29.78	GOOD 0.50	29.66		10.17
						34.28	FAIR 0.50	34.16		14.67
106	28	OWERS CNR.	OC	163.2	249.5	27.15	GOOD 0.50	27.03	BMR	6.63
						29.45	FAIR 0.50	29.33		8.93
						30.05	GOOD 0.50	29.93		9.53
						34.45	FAIR 0.50	34.33		13.93

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						37.85	FAIR 0.50	37.73		17.33
107	28	OWERS CNR.	OC	164.7	254.0	27.95 29.75 29.95 34.65 36.35	GOOD 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	27.83 29.63 29.83 34.53 36.23	BMR	7.24 9.04 9.24 13.94 15.64
108	28	OWERS CNR.	OC	171.7	255.3	28.85 30.25 31.35 36.85	FAIR 0.50 FAIR 0.50 GOOD 0.50 FAIR 0.50	28.73 30.13 31.23 36.73	BMR	7.26 8.66 9.76 15.26
109	28	OWERS CNR.	OC	193.9	257.0	32.80 33.82 34.66 37.02 42.52	GOOD 0.10 FAIR 0.50 GOOD 0.10 FAIR 0.50 FAIR 0.50	32.62 33.70 34.54 36.90 42.40	BMR	8.44 9.46 10.30 12.66 18.16
110	28	OWERS CNR.	OC	222.9	256.4	37.69 38.12 41.02	FAIR 0.50 FAIR 0.50 POOR 1.00	37.45 37.88 40.78	BMR	9.59 10.02 12.92
111	28	OWERS CNR.	OC	234.2	247.0	38.26 38.66 41.56 45.76	FAIR 0.50 FAIR 0.50 POOR 1.00 FAIR 0.50	38.15 38.55 41.45 45.65	BMR	8.87 9.27 12.17 16.37
1	29	IOMA	IA	179.3	35.6	30.46 31.69 32.90 39.59 43.79	FAIR 0.50 GOOD 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	29.66 30.89 32.10 38.79 42.99	BMR	7.25 8.48 9.69 16.38 20.58
2	29	IOMA	IA	167.7	33.6	28.96 32.76 33.62	GOOD 0.50 FAIR 0.50 GOOD 0.50	28.23 32.03 32.89	BMR	7.26 11.06 11.92
3	29	IOMA	IA	162.6	37.7	28.56 29.30 30.17 32.74	GOOD 0.10 FAIR 0.10 GOOD 0.10 FAIR 0.50	28.00 28.74 29.61 32.18	BMR	7.68 8.42 9.29 11.86
4	29	IOMA	IA	159.7	32.8	28.42 29.30 31.14	GOOD 0.50 GOOD 0.50 FAIR 0.50	27.96 28.84 30.68	BMR	8.00 8.88 10.72
5	29	IOMA	IA	163.5	41.8	28.43 28.83 29.45 30.29 31.00 32.22 33.78	GOOD 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	28.14 28.54 29.16 30.00 30.71 31.93 33.49	BMR	7.70 8.10 8.72 9.56 10.27 11.49 13.05
6	29	IOMA	IA	164.8	44.8	29.11 30.13	GOOD 0.10 FAIR 0.50	28.84 29.86	BMR	8.24 9.26

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						31.14	FAIR 0.50	30.87		10.27
						31.57	GOOD 0.50	31.30		10.70
						34.04	FAIR 0.50	33.77		13.17
						34.75	FAIR 0.50	34.48		13.88
8	29	IOMA	IA	165.4	53.0	29.28	GOOD 0.10	29.01	BMR	8.33
						30.05	GOOD 0.10	29.78		9.10
						30.91	FAIR 0.10	30.64		9.96
						32.71	FAIR 0.50	32.44		11.76
						34.61	GOOD 0.10	34.34		13.66
						40.03	FAIR 0.50	39.76		19.08
9	29	IOMA	IA	165.2	56.0	29.37	GOOD 0.10	29.22	BMR	8.57
						30.82	FAIR 0.50	30.67		10.02
						31.71	GOOD 0.10	31.56		10.91
10	29	IOMA	IA	168.9	60.0	29.80	GOOD 0.50	29.41	BMR	8.29
						31.78	FAIR 0.50	31.39		10.27
11	29	IOMA	IA	168.3	64.4	30.20	GOOD 0.10	29.91	BMR	8.88
						31.26	GOOD 0.50	30.97		9.94
						32.30	FAIR 0.50	32.01		10.98
						34.60	GOOD 0.50	34.31		13.28
						35.95	FAIR 0.50	35.66		14.63
						36.58	FAIR 0.50	36.29		15.26
13	29	IOMA	IA	177.9	71.9	32.23	GOOD 0.10	31.99	BMR	9.76
						34.22	FAIR 0.50	33.98		11.75
15	29	IOMA	IA	188.9	78.8	33.07	GOOD 0.50	32.90	BMR	9.29
						33.93	GOOD 0.50	33.76		10.15
17	29	IOMA	IA	202.8	84.7	34.35	GOOD 0.10	34.36	BMR	9.01
						37.40	FAIR 0.50	37.41		12.06
						39.14	FAIR 0.50	39.15		13.80
20	29	IOMA	IA	183.2	68.4	32.31	GOOD 0.10	31.83	BMR	8.93
						33.24	GOOD 0.10	32.76		9.86
						34.13	GOOD 0.10	33.65		10.75
						35.42	GOOD 0.50	34.94		12.04
						37.30	FAIR 0.10	36.82		13.92
						37.94	FAIR 0.50	37.46		14.56
21	29	IOMA	IA	190.6	66.5	35.52	POOR 0.50	34.93	BMR	11.10
						39.52	POOR 0.50	38.93		15.10
23	29	IOMA	IA	213.0	63.2	35.62	GOOD 0.10	34.93	BMR	8.30
						36.24	GOOD 0.10	35.55		8.92
						37.12	GOOD 0.50	36.43		9.80
						38.02	FAIR 0.50	37.33		10.70
						39.62	FAIR 0.50	38.93		12.30
25	29	IOMA	IA	256.1	59.8	40.55	GOOD 0.50	39.89	BMR	7.88
28	29	IOMA	IA	387.6	49.5	55.50	GOOD 0.50	55.04	BMR	6.59
						60.14	FAIR 0.50	59.68		11.23
30	29	IOMA	IA	396.2	47.1	56.49	GOOD 0.50	56.03	BMR	6.50

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						56.89 58.00	GOOD 0.10 FAIR 0.10	56.43 57.54		6.90 8.01
31	29	IOMA	IA	356.9	45.8	51.73 52.44 53.54	GOOD 0.50 FAIR 0.50 GOOD 0.50	51.31 52.02 53.12	BMR	6.70 7.41 8.51
32	29	IOMA	IA	312.7	44.1	46.41 47.73	GOOD 0.50 FAIR 0.50	45.86 47.18	BMR	6.77 8.09
35	29	IOMA	IA	228.2	39.1	37.31 38.21 41.06	GOOD 0.10 FAIR 0.10 FAIR 0.50	36.49 37.39 40.24	BMR	7.96 8.86 11.71
36	29	IOMA	IA	213.5	38.4	35.49 36.08	GOOD 0.10 GOOD 0.10	34.65 35.24	BMR	7.96 8.55
37	29	IOMA	IA	199.7	37.4	33.74 34.75	GOOD 0.10 FAIR 0.10	32.90 33.91	BMR	7.94 8.95
38	29	IOMA	IA	188.2	36.6	32.40 32.85 33.68 34.72 35.93 36.83 38.35	GOOD 0.10 GOOD 0.10 GOOD 0.10 GOOD 0.10 FAIR 0.50 FAIR 0.50 GOOD 0.10	31.57 32.02 32.85 33.89 35.10 36.00 37.52	BMR	8.04 8.49 9.32 10.36 11.57 12.47 13.99
39	29	IOMA	IA	167.6	20.9	29.25 29.96 30.36 32.19	GOOD 0.10 GOOD 0.10 FAIR 0.50 FAIR 0.50	28.92 29.63 30.03 31.86	BMR	7.97 8.68 9.08 10.91
40	29	IOMA	IA	165.4	24.7	29.41 29.94 30.48 32.12 33.51 39.04	GOOD 0.10 FAIR 0.10 GOOD 0.10 GOOD 0.10 FAIR 0.50 GOOD 0.50	29.06 29.59 30.13 31.77 33.16 38.69	BMR	8.39 8.92 9.46 11.10 12.49 18.02
41	29	IOMA	IA	161.5	29.1	29.35 31.38 33.84 36.07	GOOD 0.50 GOOD 0.50 GOOD 0.10 FAIR 0.10	28.97 31.00 33.46 35.69	BMR	8.79 10.82 13.28 15.51
42	29	IOMA	IA	175.5	17.5	30.98	GOOD 0.50	30.67	BMR	8.73
47	29	IOMA	IA	200.6	358.7	33.80 35.31 35.95 38.82 39.80 41.53	GOOD 0.50 FAIR 0.10 FAIR 0.50 FAIR 0.10 FAIR 0.50 FAIR 0.50	33.70 35.21 35.85 38.72 39.70 41.43	BMR	8.62 10.13 10.77 13.64 14.62 16.35
48	29	IOMA	IA	227.7	343.7	38.47 40.37 44.47	GOOD 0.50 FAIR 0.50 FAIR 0.50	38.10 40.00 44.10	BMR	9.63 11.53 15.63

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
56	29	IOMA	IA	82.5	272.9	15.03 15.87 16.67 17.52	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	15.04 15.88 16.63 17.53	BMR	4.72 5.56 6.31 7.21
57	29	IOMA	IA	90.1	267.1	15.44 16.19 19.91	GOOD 0.10 GOOD 0.10 FAIR 0.50	15.45 16.20 19.92	BMR	4.19 4.94 8.66
58	29	IOMA	IA	94.2	266.3	15.82 16.25 17.12 18.17	GOOD 0.50 FAIR 0.10 FAIR 0.50 FAIR 0.50	15.83 16.26 17.13 18.18	BMR	4.05 4.48 5.35 6.40
59	29	IOMA	IA	102.7	262.8	17.14	GOOD 0.10	16.87	BMR	4.03
60	29	IOMA	IA	113.5	258.6	19.46 19.88 21.02 21.89 25.96	GOOD 0.10 GOOD 0.10 FAIR 0.10 FAIR 0.50 FAIR 0.50	18.66 19.08 20.22 21.09 25.16	BMR	4.47 4.89 6.03 6.90 10.97
61	29	IOMA	IA	122.4	253.9	21.93 33.39	GOOD 0.10 FAIR 0.50	20.64 32.10	BMR	5.34 16.80
62	29	IOMA	IA	135.9	252.8	24.92	GOOD 0.50	23.18	BMR	6.19
63	29	IOMA	IA	168.5	247.2	30.50 31.52 32.79 39.58	GOOD 0.10 GOOD 0.50 FAIR 0.10 FAIR 0.50	28.46 29.48 30.75 37.54	BMR	7.40 8.42 9.69 16.48
69	29	IOMA	IA	191.6	153.2	28.20 34.38	GOOD 0.50 FAIR 0.50	28.12 34.30	BMR	4.17 10.35
71	29	IOMA	IA	163.4	152.2	24.62	GOOD 1.00	24.49	BMR	4.07
73	29	IOMA	IA	141.2	151.1	20.57	GOOD 0.50	20.49	BMR	2.84
74	29	IOMA	IA	131.9	152.9	21.34 25.69	POOR 0.50 FAIR 0.50	21.08 25.43	BMR	4.60 8.95
75	29	IOMA	IA	121.5	154.6	18.66 19.88 21.38 21.83 22.83 24.16	GOOD 0.10 FAIR 0.50 GOOD 0.10 FAIR 0.50 GOOD 0.50 GOOD 0.10	18.60 19.82 21.32 21.77 22.77 24.10	BMR	3.41 4.63 6.13 6.58 7.58 8.91
76	29	IOMA	IA	124.7	158.2	21.09 28.99	GOOD 0.50 FAIR 0.50	20.81 28.71	BMR	5.22 13.12
77	29	IOMA	IA	131.4	162.3	21.47 22.10 22.82 23.70	GOOD 0.10 FAIR 0.10 GOOD 0.10 GOOD 0.10	20.96 21.59 22.31 23.19	BMR	4.53 5.16 5.88 6.76

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						24.72	FAIR 0.50	24.21		7.78
						25.64	FAIR 0.50	25.13		8.70
						30.82	GOOD 0.50	30.31		13.88
79	29	IOMA	IA	146.6	168.7	21.36	GOOD 0.50	20.39	BMR	2.07
81	29	IOMA	IA	108.0	158.6	17.93	GOOD 0.50	17.87	BMR	4.37
						22.13	FAIR 0.50	22.07		8.57
83	29	IOMA	IA	86.9	167.4	14.84	GOOD 0.10	14.79	BMR	3.93
						15.63	GOOD 0.10	15.58		4.72
						16.93	FAIR 0.50	16.88		6.02
						18.80	FAIR 0.50	18.75		7.89
						25.13	FAIR 0.10	25.08		14.22
						27.74	GOOD 0.50	27.69		16.83
						32.40	GOOD 0.50	32.35		21.49
84	29	IOMA	IA	81.1	170.6	14.35	GOOD 0.10	14.17	BMR	4.03
						15.59	GOOD 0.10	15.41		5.27
						18.03	FAIR 0.50	17.85		7.71
						20.75	FAIR 0.50	20.57		10.43
85	29	IOMA	IA	72.5	175.2	13.04	GOOD 0.10	12.76	BMR	3.70
						13.93	FAIR 0.10	13.65		4.59
						15.23	GOOD 0.50	14.95		5.89
						16.03	GOOD 0.50	15.75		6.69
						16.83	GOOD 0.50	16.55		7.49
88	29	IOMA	IA	65.3	218.6	13.40	GOOD 0.10	13.11	BMR	4.95
						14.10	GOOD 0.50	13.81		5.65
89	29	IOMA	IA	80.8	219.5	16.09	GOOD 0.50	15.60	BMR	5.50
90	29	IOMA	IA	92.2	220.2	16.72	GOOD 0.10	15.78	BMR	4.25
						17.55	GOOD 0.10	16.61		5.08
						19.20	FAIR 0.50	18.26		6.73
						21.52	FAIR 0.10	20.58		9.05
						25.54	FAIR 0.50	24.60		13.07
91	29	IOMA	IA	103.8	220.3	19.84	GOOD 0.10	19.00	BMR	6.03
						20.18	GOOD 0.10	19.34		6.37
						22.83	FAIR 0.50	21.99		9.02
						28.94	GOOD 0.50	28.10		15.13
92	29	IOMA	IA	121.3	221.4	24.05	FAIR 0.50	22.53	BMR	7.37
						24.84	FAIR 0.50	23.32		8.16
93	29	IOMA	IA	131.3	220.6	25.78	FAIR 0.50	23.85	BMR	7.44
94	29	IOMA	IA	143.8	221.7	27.38	GOOD 0.10	25.02	BMR	7.05
						28.21	GOOD 0.10	25.85		7.88
						31.50	FAIR 0.50	29.14		11.17
95	29	IOMA	IA	278.6	238.9	43.80	GOOD 0.50	41.26	BMR	6.44
						44.35	GOOD 0.10	41.81		6.99
						45.39	FAIR 0.50	42.85		8.03
96	29	IOMA	IA	250.4	240.5	39.29	GOOD 0.50	37.51	BMR	6.21

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME	REMARKS	TT MSL	INST	TT-D/ 8.00
						(SEC)				
						39.80	QUAL	ACC(SEC)		(SEC)
						46.00	GOOD	0.10		38.02
							GOOD	0.50		44.22
97	29	IOMA	IA	219.8	242.9	35.76	GOOD	0.50	BMR	6.08
						36.57	FAIR	0.50		6.89
						37.01	GOOD	0.50		7.33
						37.78	GOOD	0.50		8.10
98	29	IOMA	IA	55.7	224.9	11.60	GOOD	0.10	BMR	4.46
99	29	IOMA	IA	54.2	253.5	10.67	GOOD	0.10	BMR	3.90
						11.51	GOOD	0.50		4.74
100	29	IOMA	IA	58.6	267.1	11.25	GOOD	0.10	BMR	3.92
						11.91	FAIR	0.10		4.58
						14.13	GOOD	0.50		6.80
						16.48	GOOD	0.10		9.15
						17.21	FAIR	0.10		9.88
101	29	IOMA	IA	70.4	279.9	13.24	GOOD	0.10	BMR	4.44
						14.80	FAIR	0.50		6.00
102	29	IOMA	IA	76.1	286.1	14.37	GOOD	0.10	BMR	4.86
						15.36	FAIR	0.10		5.85
						16.57	GOOD	0.50		7.06
						17.85	FAIR	0.50		8.34
						19.58	GOOD	0.10		10.07
						21.69	GOOD	0.50		12.18
						29.64	FAIR	0.10		20.13
103	29	IOMA	IA	83.4	293.4	15.29	GOOD	0.50	BMR	4.87
						16.47	FAIR	0.50		6.05
						18.63	FAIR	0.50		8.21
						20.76	FAIR	0.50		10.34
						24.65	GOOD	0.50		14.23
104	29	IOMA	IA	103.6	292.9	18.39	GOOD	0.10	BMR	5.45
						19.63	GOOD	0.50		6.69
						20.63	FAIR	0.50		7.69
						23.15	GOOD	0.50		10.21
105	29	IOMA	IA	118.1	295.2	20.29	GOOD	0.50	BMR	5.53
						22.80	FAIR	0.50		8.04
						25.12	FAIR	0.50		10.36
106	29	IOMA	IA	127.8	94.8	21.24	GOOD	0.50	BMR	5.27
						21.78	GOOD	0.10		5.81
						22.11	FAIR	0.10		6.14
						24.20	FAIR	0.50		8.23
						25.63	GOOD	0.50		9.66
						27.37	FAIR	0.50		11.40
107	29	IOMA	IA	138.0	298.3	22.34	GOOD	0.10	BMR	5.09
						22.61	FAIR	0.10		5.36
						23.46	GOOD	0.10		6.21
108	29	IOMA	IA	145.7	297.5	23.52	GOOD	0.10	BMR	5.31

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSI. (SEC)	INST	TT-D/ 8.00 (SEC)
109	29	IOMA	IA	166.3	293.7	25.94 28.43	GOOD 0.10 GOOD 0.50	25.94 28.43	BMR	5.16 7.65
110	29	IOMA	IA	189.1	287.9	28.81 29.88 30.81 31.73 33.08 35.50 37.35	GOOD 0.50 FAIR 0.50 FAIR 0.50 GOOD 0.10 FAIR 0.10 GOOD 0.10 FAIR 0.10	28.70 29.77 30.70 31.62 32.97 35.39 37.24	BMR	5.06 6.13 7.06 7.98 9.33 11.75 13.60
111	29	IOMA	IA	179.8	276.1	27.57 28.87 29.95 33.95	GOOD 0.10 GOOD 0.50 FAIR 0.50 FAIR 0.50	27.58 28.88 29.96 33.96	BMR	5.11 6.41 7.49 11.49
1	30	MT. LAWES	ML	54.7	45.8	13.10 14.02 24.38 20.30	GOOD 0.10 FAIR 0.50 GOOD 0.50 FAIR 0.50	12.21 13.13 23.49 19.41	BMR	5.37 6.29 16.65 12.57
2	30	MT. LAWES	ML	42.3	40.8	10.32 15.13 19.73	GOOD 0.10 POOR 0.50 FAIR 0.10	9.50 14.31 18.91	BMR	4.21 9.02 13.62
3	30	MT. LAWES	ML	40.2	58.5	9.94 11.84 18.65	GOOD 0.10 FAIR 0.10 POOR 0.10	9.29 11.19 18.00	BMR	4.27 6.17 12.98
4	30	MT. LAWES	ML	34.1	38.5	7.19 9.36	GOOD 0.50 FAIR 0.50	6.65 8.82	BMR	2.38 4.55
5	30	MT. LAWES	ML	46.1	71.8	10.16 18.89	GOOD 0.10 FAIR 0.10	9.78 18.51	BMR	4.02 12.75
6	30	MT. LAWES	ML	51.8	79.6	11.70 13.65	GOOD 0.10 FAIR 0.50	11.34 13.29	BMR	4.86 6.81
7	30	MT. LAWES	ML	57.0	86.9	12.71	GOOD 0.10	12.30	BMR	5.17
8	30	MT. LAWES	ML	67.3	96.8	14.57 26.11	GOOD 0.10 FAIR 0.50	14.21 25.75	BMR	5.80 17.34
9	30	MT. LAWES	ML	73.2	102.0	15.42 16.75 18.45	GOOD 0.10 FAIR 0.50 FAIR 0.50	15.18 16.51 18.21	BMR	6.03 7.36 9.06
10	30	MT. LAWES	ML	84.2	105.9	17.71 20.93	GOOD 0.10 POOR 0.50	17.23 20.45	BMR	6.70 9.92
11	30	MT. LAWES	ML	93.1	111.9	19.10 24.05 33.79	GOOD 0.10 FAIR 0.50 POOR 0.50	18.72 23.67 33.41	BMR	7.09 12.04 21.78
12	30	MT. LAWES	ML	105.3	114.0	21.15 21.72	GOOD 0.10 FAIR 0.50	20.87 21.44	BMR	7.71 8.28

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 22.77	REMARKS QUAL ACC(SEC) FAIR 0.50	TT MSL (SEC) 22.49	INST	TT-D/ 8.00 (SEC) 9.33
13	30	MT.LAWES	ML	116.0	116.7	22.50 25.22	GOOD 0.10 FAIR 0.50	22.18 24.90	BMR	7.68 10.40
14	30	MT.LAWES	ML	126.9	118.8	23.83 26.68 34.73	GOOD 0.10 FAIR 0.50 FAIR 1.00	23.61 26.46 34.51	BMR	7.75 10.60 18.65
15	30	MT.LAWES	ML	139.1	120.6	25.39 26.89	FAIR 0.50 GOOD 0.50	25.13 26.63	BMR	7.75 9.25
16	30	MT.LAWES	ML	150.8	121.9	26.98 33.54 37.24 39.83	FAIR 0.10 POOR 0.50 FAIR 0.50 FAIR 0.50	26.64 33.20 36.90 39.49	BMR	7.79 14.35 18.05 20.64
17	30	MT.LAWES	ML	162.7	123.0	27.80 29.99 34.24 38.97	GOOD 0.50 FAIR 0.50 FAIR 1.00 FAIR 0.10	27.73 29.92 34.17 38.90	BMR	7.39 9.58 13.83 18.56
18	30	MT.LAWES	ML	192.1	126.1	31.55 35.85 40.50 60.95	POOR 1.00 FAIR 0.10 FAIR 0.10 FAIR 0.50	31.47 35.75 40.42 60.87	BMR	7.45 11.73 16.40 36.85
19	30	MT.LAWES	ML	236.9	118.9	37.89 42.34	FAIR 0.10 FAIR 0.50	37.82 42.27	BMR	8.20 12.65
20	30	MT.LAWES	ML	112.3	110.8	22.11 32.88 35.91	GOOD 0.10 POOR 0.50 POOR 0.50	21.54 32.31 35.34	BMR	7.50 18.27 21.30
21	30	MT.LAWES	ML	113.7	106.0	22.64 27.02 42.94 41.96	GOOD 0.10 FAIR 0.50 POOR 0.50 POOR 0.50	21.96 26.34 42.26 41.28	BMR	7.75 12.13 28.05 27.07
22	30	MT.LAWES	ML	116.3	100.8	23.00 29.91 39.68	GOOD 0.10 GOOD 0.50 FAIR 0.50	22.23 29.14 38.91	BMR	7.69 14.60 24.37
23	30	MT.LAWES	ML	125.2	95.2	23.47 26.14 31.44 46.74	GOOD 0.10 FAIR 0.50 FAIR 0.10 FAIR 0.50	22.69 25.36 30.66 45.96	BMR	7.04 9.71 15.01 30.31
24	30	MT.LAWES	ML	128.1	92.5	24.51 27.24 29.71	FAIR 0.50 POOR 0.50 POOR 0.50	23.72 26.45 28.92	BMR	7.70 10.43 12.90
25	30	MT.LAWES	ML	157.3	82.2	27.36 28.45 28.99 35.01 39.00	GOOD 0.10 FAIR 0.50 GOOD 0.10 FAIR 0.50 POOR 0.50	26.61 27.70 28.24 34.26 38.25	BMR	6.95 8.04 8.58 14.60 18.59

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						46.75	FAIR 0.10	46.00		26.34
						56.33	FAIR 0.50	55.58		35.92
26	30	MT.LAWES	ML	186.2	71.1	30.23	GOOD 0.10	29.46	BMR	6.18
						33.04	GOOD 0.50	32.27		8.99
						37.90	FAIR 1.00	37.13		13.85
27	30	MT.LAWES	ML	223.1	63.1	34.62	GOOD 0.10	34.09	BMR	6.20
						40.69	FAIR 0.50	40.16		12.27
						44.29	FAIR 0.50	43.76		15.87
						61.53	FAIR 0.50	61.00		33.11
						74.61	POOR 0.50	74.08		46.19
28	30	MT.LAWES	ML	270.8	57.8	40.15	GOOD 0.10	39.60	BMR	5.75
						43.58	FAIR 0.50	43.03		9.18
						46.78	POOR 0.50	46.23		12.38
						56.76	POOR 0.50	56.21		22.36
29	30	MT.LAWES	ML	308.2	55.1	44.90	GOOD 0.10	44.30	BMR	5.77
						49.07	POOR 1.00	48.47		9.94
						53.10	FAIR 0.50	52.50		13.97
						62.83	POOR 0.50	62.23		23.70
						129.90	FAIR 0.50	129.30		90.77
30	30	MT.LAWES	ML	277.1	54.1	40.98	GOOD 0.10	40.43	BMR	5.79
						50.23	FAIR 0.50	49.68		15.04
						51.89	FAIR 0.50	51.34		16.70
						58.79	FAIR 0.50	58.24		23.60
						61.31	FAIR 0.50	60.76		26.12
						63.51	FAIR 0.50	62.96		28.32
						72.76	FAIR 0.50	72.21		37.57
31	30	MT.LAWES	ML	237.0	53.3	35.83	GOOD 0.50	35.32	BMR	5.70
						42.03	FAIR 0.50	41.52		11.90
						45.93	FAIR 0.50	45.42		15.80
						51.59	FAIR 0.50	51.08		21.46
						62.58	FAIR 0.50	62.07		32.45
						67.53	FAIR 0.50	67.02		37.40
						71.23	POOR 1.00	70.72		41.10
32	30	MT.LAWES	ML	192.0	52.4	30.78	GOOD 0.10	30.14	BMR	6.14
						35.89	FAIR 0.50	35.25		11.25
						39.95	POOR 1.00	39.31		15.31
						43.46	FAIR 0.50	42.82		18.82
						45.82	FAIR 0.50	45.18		21.18
						53.42	POOR 0.50	52.78		28.78
						87.12	FAIR 0.50	86.48		62.48
33	30	MT.LAWES	ML	144.3	50.3	25.03	GOOD 0.10	24.14	BMR	6.11
						31.33	GOOD 0.10	30.44		12.41
						44.98	POOR 0.50	44.09		26.06
						52.57	FAIR 0.10	51.68		33.65
						55.37	FAIR 0.10	54.48		36.45
						59.07	GOOD 0.10	58.18		40.15
						71.47	FAIR 0.10	70.58		52.55
34	30	MT.LAWES	ML	116.2	49.4	22.41	GOOD 0.10	21.46	BMR	6.94

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						27.66	FAIR 0.10	26.71		12.19
						38.24	POOR 0.50	37.29		22.77
						39.09	FAIR 0.50	38.14		23.62
						42.09	FAIR 0.50	41.14		26.62
35	30	MT.LAWES	ML	105.0	48.4	20.67	GOOD 0.10	19.76	BMR	6.63
						21.51	FAIR 0.50	20.60		7.47
						25.74	POOR 0.50	24.83		11.70
						35.44	POOR 1.00	34.53		21.40
						41.29	FAIR 0.50	40.38		27.25
						55.68	FAIR 0.50	54.77		41.64
36	30	MT.LAWES	ML	90.0	48.3	18.28	GOOD 0.10	17.35	BMR	6.10
						19.39	GOOD 0.10	18.46		7.21
						23.76	FAIR 0.50	22.83		11.58
						31.00	FAIR 0.50	30.07		18.82
						32.42	FAIR 0.10	31.49		20.24
						49.64	GOOD 0.10	48.71		37.46
37	30	MT.LAWES	ML	75.8	47.5	16.05	GOOD 0.10	15.12	BMR	5.64
						17.67	GOOD 0.10	16.74		7.26
						24.76	FAIR 0.50	23.83		14.35
						33.09	FAIR 0.50	32.16		22.68
						38.39	FAIR 0.50	37.46		27.98
						39.89	FAIR 0.50	38.96		29.48
						48.79	FAIR 0.10	47.86		38.38
38	30	MT.LAWES	ML	64.1	47.0	14.37	GOOD 0.10	13.45	BMR	5.43
						19.16	POOR 0.50	18.24		10.22
						39.02	GOOD 0.10	38.10		30.08
39	30	MT.LAWES	ML	49.3	353.6	10.99	GOOD 0.10	10.57	BMR	4.41
						13.96	GOOD 0.10	13.54		7.38
						29.78	FAIR 0.50	29.36		23.20
40	30	MT.LAWES	ML	42.8	5.4	10.13	GOOD 0.10	9.69	BMR	4.34
						13.69	FAIR 0.10	13.25		7.90
						17.17	FAIR 0.50	16.73		11.38
						27.73	FAIR 0.10	27.29		21.94
41	30	MT.LAWES	ML	36.1	21.7	9.14	GOOD 0.10	8.68	BMR	4.16
						11.41	FAIR 0.50	10.95		6.43
						13.03	FAIR 0.50	12.57		8.05
42	30	MT.LAWES	ML	61.0	348.4	13.29	FAIR 0.10	12.89	BMR	5.26
						23.44	POOR 0.50	23.04		15.41
43	30	MT.LAWES	ML	73.6	345.7	15.18	FAIR 0.10	14.68	BMR	5.48
						16.71	FAIR 0.10	16.21		7.01
						17.73	FAIR 0.50	17.23		8.03
						18.92	FAIR 0.50	18.42		9.22
44	30	MT.LAWES	ML	86.9	339.6	16.90	GOOD 0.10	16.58	BMR	5.72
						18.17	FAIR 0.50	17.85		6.99
						26.29	FAIR 0.50	25.97		15.11
						30.20	FAIR 0.50	29.88		19.02
						42.25	FAIR 0.50	41.93		31.07

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						64.05	FAIR 0.50	63.73		52.87
45	30	MT.LAWES	ML	99.2	334.0	19.15 32.00 38.60	GOOD 0.10 FAIR 0.50 FAIR 0.50	18.65 31.50 38.10	BMR	6.25 19.10 25.70
46	30	MT.LAWES	ML	107.9	328.0	20.73 24.66 26.31 28.01 36.01	GOOD 0.10 FAIR 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	20.26 24.19 25.84 27.54 35.54	BMR	6.77 10.70 12.35 14.05 22.05
47	30	MT.LAWES	ML	116.0	323.2	21.79 24.01 26.41 29.51 40.11 65.56	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50 POOR 1.00 FAIR 0.50	21.60 23.82 26.22 29.32 39.92 65.37	BMR	7.10 9.32 11.72 14.82 25.42 50.87
48	30	MT.LAWES	ML	169.7	310.7	28.61 33.65 52.71	GOOD 0.50 FAIR 0.50 FAIR 0.50	28.15 33.19 52.25	BMR	6.93 11.98 31.04
49	30	MT.LAWES	ML	222.8	302.6	35.38 37.67 41.37 45.34 56.56 60.78 64.44	GOOD 0.10 FAIR 0.50 FAIR 0.50 GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	34.72 37.01 40.71 44.68 55.90 60.12 63.78	BMR	6.87 9.16 12.86 16.83 28.05 32.27 35.93
50	30	MT.LAWES	ML	288.7	297.4	42.66 49.03 54.39 62.34 70.54 83.03 87.43	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	42.41 48.78 54.14 62.09 70.29 82.78 87.18	BMR	6.32 12.69 18.05 26.00 34.20 46.69 51.09
51	30	MT.LAWES	ML	394.0	287.3	57.52 65.54 68.20 71.69	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.10	57.24 65.26 67.92 71.41	BMR	7.99 16.01 18.67 22.16
52	30	MT.LAWES	ML	374.2	275.6	62.27 64.83 69.05 74.87 77.42	GOOD 0.10 GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	61.97 64.53 68.75 74.57 77.12	BMR	15.19 17.75 21.97 27.79 30.34
53	30	MT.LAWES	ML	317.8	276.1	48.66 54.78 61.32 64.79 74.38	FAIR 0.10 POOR 1.00 FAIR 0.10 POOR 0.50 FAIR 0.50	48.50 54.62 61.16 64.63 74.22	BMR	8.78 14.90 21.44 24.91 34.50
54	30	MT.LAWES	ML	267.1	273.6	43.21	POOR 1.00	43.00	BMR	9.61

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						47.34	FAIR	0.50	47.13		13.74
						49.40	FAIR	0.50	49.19		15.80
						56.04	FAIR	0.50	55.83		22.44
55	30	MT. LAWES	ML	246.6	266.3	38.98	FAIR	1.00	38.80	BMR	7.98
						50.36	FAIR	1.00	50.18		19.36
56	30	MT. LAWES	ML	180.1	234.8	30.15	GOOD	0.10	30.07	BMR	7.55
						31.24	FAIR	0.50	31.16		8.64
						60.09	POOR	1.00	60.01		37.49
						62.79	POOR	1.00	62.71		40.19
57	30	MT. LAWES	ML	191.2	234.0	31.20	GOOD	0.10	31.12	BMR	7.22
						32.58	FAIR	0.50	32.50		8.60
						56.55	FAIR	0.50	56.47		32.57
58	30	MT. LAWES	ML	195.4	234.4	31.78	GOOD	0.50	31.70	BMR	7.27
						60.74	POOR	1.00	60.66		36.23
59	30	MT. LAWES	ML	205.8	234.1	32.97	GOOD	0.10	32.61	BMR	6.88
						33.63	FAIR	0.50	33.27		7.54
						37.60	FAIR	0.50	37.24		11.51
						60.73	FAIR	0.50	60.37		34.13
60	30	MT. LAWES	ML	219.0	233.5	35.98	FAIR	0.50	35.09	BMR	7.71
						37.61	POOR	0.50	36.72		9.34
						69.28	POOR		68.39		41.01
61	30	MT. LAWES	ML	231.0	232.1	38.22	FAIR	0.50	36.84	BMR	7.96
						40.07	GOOD	0.50	38.69		9.81
						43.85	FAIR	0.50	42.47		13.59
						50.03	POOR	1.00	48.65		19.77
62	30	MT. LAWES	ML	244.4	232.7	40.71	GOOD	0.10	38.88	BMR	8.33
						46.86	FAIR	0.50	45.03		14.48
						62.26	FAIR	0.50	60.43		29.88
63	30	MT. LAWES	ML	280.0	231.8	46.72	POOR	0.50	44.59	BMR	9.59
						48.68	FAIR	0.50	46.55		11.55
						69.04	POOR	0.50	66.91		31.91
69	30	MT. LAWES	ML	279.3	175.6	44.72	GOOD	0.10	44.55	BMR	9.64
						83.64	POOR		83.47		48.56
71	30	MT. LAWES	ML	252.4	177.5	40.55	FAIR	0.50	40.33	BMR	8.78
						69.83	POOR	1.00	69.61		38.06
						74.53	POOR	1.00	74.31		42.76
72	30	MT. LAWES	ML	243.8	178.3	40.10	POOR	1.00	39.80	BMR	9.33
73	30	MT. LAWES	ML	231.2	179.2	37.07	FAIR	0.50	36.90	BMR	8.00
						37.75	GOOD	0.50	37.58		8.68
						67.52	GOOD	0.50	67.35		38.45
74	30	MT. LAWES	ML	225.1	181.3	36.77	FAIR	0.50	36.42	BMR	8.29
						69.65	FAIR	0.50	69.30		41.17
75	30	MT. LAWES	ML	217.7	183.4	36.18	GOOD	0.50	36.03	BMR	8.82

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						64.87	FAIR 0.50	64.72		37.51
76	30	MT.LAWES	ML	224.2	184.8	37.33 67.11	FAIR 0.50 POOR 1.00	36.96 66.74	BMR	8.93 38.71
77	30	MT.LAWES	ML	234.2	186.2	38.65	GOOD 0.50	38.05	BMR	8.77
78	30	MT.LAWES	ML	243.3	187.3	40.76 71.26	POOR 1.00 POOR 1.00	39.96 70.46	BMR	9.55 40.05
79	30	MT.LAWES	ML	254.0	188.2	43.28 48.37 75.08	GOOD 0.50 FAIR 0.50 POOR 1.00	42.23 47.32 74.03	BMR	10.48 15.57 42.28
80	30	MT.LAWES	ML	274.5	191.1	46.65	GOOD 0.50	45.97	BMR	11.65
81	30	MT.LAWES	ML	209.7	187.0	34.91	GOOD 0.10	34.76	BMR	8.54
82	30	MT.LAWES	ML	199.9	190.6	34.05 60.21	GOOD 0.50 POOR 1.00	33.91 60.07	BMR	8.93 35.09
83	30	MT.LAWES	ML	197.9	193.5	34.35	GOOD 0.50	34.21	BMR	9.47
84	30	MT.LAWES	ML	194.7	195.4	33.56	FAIR 1.00	33.29	BMR	8.95
85	30	MT.LAWES	ML	189.4	198.1	31.90 36.16 39.34 42.17 43.94 57.65	FAIR 1.00 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	31.53 35.79 38.97 41.80 43.57 57.28	BMR	7.86 12.12 15.30 18.13 19.90 33.61
86	30	MT.LAWES	ML	186.0	200.7	32.08	FAIR 0.50	32.00	BMR	8.75
87	30	MT.LAWES	ML	184.5	203.0	32.14 36.78	FAIR 0.50 FAIR 0.50	31.68 36.32	BMR	8.61 13.25
88	30	MT.LAWES	ML	190.8	213.6	32.30 33.45 44.97 56.20 64.30	GOOD 0.50 FAIR 0.50 FAIR 0.50 GOOD 0.50 GOOD 0.50	31.92 33.07 44.59 55.82 63.92	BMR	8.07 9.22 20.74 31.97 40.07
89	30	MT.LAWES	ML	206.1	214.4	36.55 41.83 46.08 52.28	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	35.97 41.25 45.50 51.70	BMR	10.21 15.49 19.74 25.94
90	30	MT.LAWES	ML	217.3	214.9	37.45	FAIR 0.50	36.42	BMR	9.26
91	30	MT.LAWES	ML	228.9	215.2	39.71 41.64 46.88 49.12 62.83 70.23 81.33	FAIR 0.10 FAIR 0.50 FAIR 0.50 POOR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	38.79 40.72 45.96 48.20 61.91 69.31 80.41	BMR	10.17 12.10 17.34 19.58 33.29 40.69 51.79

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
92	30	MT.LAWES	ML	246.1	216.1	42.82 56.62	FAIR 0.50 POOR 1.00	41.21 55.01	BMR	10.45 24.25
94	30	MT.LAWES	ML	268.4	216.7	46.41 52.10 56.04	FAIR 0.10 FAIR 0.50 FAIR 0.50	43.96 49.65 53.59	BMR	10.41 16.10 20.04
95	30	MT.LAWES	ML	394.1	230.2	61.25 70.05	FAIR 0.50 FAIR 0.50	58.62 67.42	BMR	9.36 18.16
96	30	MT.LAWES	ML	365.0	230.7	55.90 68.81	FAIR 0.10 FAIR 0.50	54.03 66.94	BMR	8.41 21.32
97	30	MT.LAWES	ML	333.2	231.3	52.84 64.47	FAIR 0.50 FAIR 0.50	50.55 62.18	BMR	8.90 20.53
98	30	MT.LAWES	ML	180.4	215.3	31.17 33.00	FAIR 0.50 FAIR 0.50	30.90 32.73	BMR	8.35 10.18
99	30	MT.LAWES	ML	169.7	223.5	28.17 30.34 59.82 68.82	FAIR 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	28.09 30.26 59.74 68.74	BMR	6.88 9.05 38.53 47.53
100	30	MT.LAWES	ML	165.8	228.1	30.03 31.17	FAIR 0.50 POOR 0.50	29.94 31.08	BMR	9.21 10.35
101	30	MT.LAWES	ML	164.8	234.5	27.86 30.06	FAIR 0.50 FAIR 0.50	27.77 29.97	BMR	7.17 9.37
102	30	MT.LAWES	ML	162.9	237.8	28.00 35.60 55.90	POOR 1.00 FAIR 0.50 FAIR 0.50	27.91 35.51 55.81	BMR	7.55 15.15 35.45
103	30	MT.LAWES	ML	159.9	242.1	29.02 53.12 30.46	POOR 0.50 POOR 1.00 POOR 0.50	28.93 53.03 30.37	BMR	8.95 33.05 10.39
104	30	MT.LAWES	ML	173.9	247.1	30.78 31.62 55.38	FAIR 0.50 FAIR 0.10 POOR 1.00	30.70 31.54 55.30	BMR	8.96 9.80 33.56
105	30	MT.LAWES	ML	180.9	251.5	31.83 56.28	GOOD 0.10 FAIR 1.00	31.75 56.20	BMR	9.13 33.58
106	30	MT.LAWES	ML	188.7	253.3	32.74 37.67	GOOD 0.50 FAIR 0.50	32.66 37.59	BMR	9.07 14.00
107	30	MT.LAWES	ML	191.0	257.2	33.06 35.18 37.43 49.96	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	32.97 35.09 37.34 49.87	BMR	9.10 11.22 13.47 26.00
108	30	MT.LAWES	ML	198.1	258.2	34.50 37.13	GOOD 0.10 FAIR 0.50	34.41 37.04	BMR	9.65 12.28
109	30	MT.LAWES	ML	220.6	259.3	37.59	FAIR 0.10	37.51	BMR	9.93

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						44.55	FAIR 0.50	44.47		16.89
						49.65	FAIR 0.50	49.57		21.99
						55.15	FAIR 0.50	55.07		27.49
110	30	MT.LAWES	ML	249.5	258.5	41.04	FAIR 0.10	40.84	BMR	9.65
						45.04	FAIR 0.50	44.84		13.65
						60.44	FAIR 0.50	60.24		29.05
						64.64	POOR 0.50	64.44		33.25
						75.34	POOR 0.50	75.14		43.95
111	30	MT.LAWES	ML	259.0	249.9	41.69	FAIR 0.10	41.62	BMR	9.24
						47.46	FAIR 0.50	47.39		15.01
						51.37	FAIR 0.50	51.29		18.92
2	31	MOROB	ME	213.5	18.4	41.81	FAIR 0.10	41.09	MELB	14.40
3	31	MOROB	ME	205.3	21.2	36.83	POOR 0.50	36.28	MELB	10.62
						39.09	POOR 0.50	38.54		12.88
4	31	MOROB	ME	206.4	17.2	35.40	POOR 0.50	34.96	MELB	9.16
5	31	MOROB	ME	202.8	24.4	34.60	POOR 0.50	34.32	MELB	8.97
8	31	MOROB	ME	194.4	33.3	35.12	POOR 0.50	34.86	MELB	10.56
10	31	MOROB	ME	190.6	39.4	35.18	POOR 0.50	34.80	MELB	10.97
11	31	MOROB	ME	185.5	43.0	32.75	GOOD 0.10	32.47	MELB	9.29
14	31	MOROB	ME	186.6	54.2	33.44	FAIR 1.00	33.32	MELB	10.00
						34.30	FAIR 1.00	34.18		10.86
16	31	MOROB	ME	191.0	61.7	41.07	POOR 0.50	40.83	MELB	16.96
17	31	MOROB	ME	194.6	65.2	33.36	FAIR 0.10	33.38	MELB	9.06
18	31	MOROB	ME	203.6	73.7	37.31	POOR 0.10	37.33	MELB	11.88
23	31	MOROB	ME	229.0	46.1	37.99	GOOD 0.50	37.31	MELB	8.68
35	31	MOROB	ME	267.7	26.3	47.76	POOR 0.50	46.95	MELB	13.48
						56.46	POOR 0.50	55.65		22.18
39	31	MOROB	ME	222.2	8.9	38.06	FAIR 0.10	37.74	MELB	9.96
44	31	MOROB	ME	252.2	2.1	43.39	POOR 0.50	43.17	MELB	11.65
47	31	MOROB	ME	265.1	353.5	43.96	FAIR 0.50	43.87	MELB	10.73
57	31	MOROB	ME	129.5	296.7	21.41	FAIR 0.50	21.43	MELB	5.24
59	31	MOROB	ME	137.0	291.4	22.30	FAIR 0.50	22.04	MELB	4.91
60	31	MOROB	ME	142.8	286.4	25.03	POOR 0.50	24.24	MELB	6.39
61	31	MOROB	ME	146.3	281.4	26.45	FAIR 1.00	25.17	MELB	6.88
						27.45	FAIR 1.00	26.17		7.88

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
62	31	MOROB	ME	157.2	278.2	29.15	GOOD 0.50	27.42	MELB	7.77
63	31	MOROB	ME	181.1	269.2	31.39	FAIR 0.50	29.36	MELB	6.72
69	31	MOROB	ME	124.1	150.5	17.57	GOOD 0.50	17.50	MELB	1.99
71	31	MOROB	ME	96.2	148.2	14.94	GOOD 0.50	14.82	MELB	2.80
72	31	MOROB	ME	87.0	147.3	13.76	GOOD 0.50	13.56	MELB	2.69
73	31	MOROB	ME	74.3	144.8	11.75	GOOD 0.50	11.68	MELB	2.40
74	31	MOROB	ME	64.6	147.7	11.07	GOOD 0.10	10.82	MELB	2.75
75	31	MOROB	ME	53.9	150.3	9.23	GOOD 0.10	9.18	MELB	2.44
77	31	MOROB	ME	63.9	167.0	10.79	GOOD 0.10	10.29	MELB	2.30
78	31	MOROB	ME	71.3	173.0	13.37	FAIR 0.10	12.67	MELB	3.76
79	31	MOROB	ME	81.0	177.7	15.76	FAIR 0.50	14.81	MELB	4.68
80	31	MOROB	ME	99.7	187.6	19.40	GOOD 0.10	18.81	MELB	6.35
81	31	MOROB	ME	40.1	159.6	7.12	GOOD 0.10	7.07	MELB	2.05
82	31	MOROB	ME	26.1	173.9	4.93	GOOD 0.10	4.89	MELB	1.63
83	31	MOROB	ME	22.9	196.8	4.65	GOOD 0.10	4.61	MELB	1.75
84	31	MOROB	ME	21.1	215.7	4.52	GOOD 0.10	4.35	MELB	1.71
85	31	MOROB	ME	21.6	244.2	5.09	GOOD 0.10	4.82	MELB	2.12
86	31	MOROB	ME	26.7	262.8	6.21	GOOD 0.10	6.23	MELB	2.89
87	31	MOROB	ME	32.7	271.3	7.78	GOOD 0.10	7.42	MELB	3.33
88	31	MOROB	ME	67.4	280.0	13.52	GOOD 0.10	13.24	MELB	4.82
90	31	MOROB	ME	85.5	264.9	15.99	POOR 0.10	15.06	MELB	4.37
91	31	MOROB	ME	94.3	260.0	18.44	GOOD 0.10	17.62	MELB	5.83
92	31	MOROB	ME	109.6	255.1	21.80	POOR 0.50	20.29	MELB	6.59
93	31	MOROB	ME	117.2	251.7	23.45	GOOD 0.10	21.53	MELB	6.88
94	31	MOROB	ME	129.3	249.8	25.43	FAIR 0.50	23.08	MELB	6.92
98	31	MOROB	ME	69.0	289.8	13.96	FAIR 0.50	13.79	MELB	5.17
99	31	MOROB	ME	91.0	301.5	17.55	GOOD 0.10	17.57	MELB	6.19
100	31	MOROB	ME	103.3	305.4	18.42	FAIR 0.10	18.43	MELB	5.52
101	31	MOROB	ME	121.0	308.2	21.10	FAIR 0.50	21.11	MELB	5.99

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
104	31	MOROB	ME	159.0	310.4	26.43 31.43	POOR 0.50 POOR 0.50	26.45 31.45	MELB	6.57 11.57
107	31	MOROB	ME	195.3	311.0	30.75 33.09	POOR 0.50 POOR 0.50	30.76 33.10	MELB	6.35 8.69
109	31	MOROB	ME	220.2	306.1	33.13 37.29	POOR 0.50 POOR 0.50	33.15 37.31	MELB	5.62 9.78
110	31	MOROB	ME	238.6	300.4	38.59	POOR 0.50	38.49	MELB	8.66
1	32	GARAINA	GA	200.2	8.2	34.90 40.60	FAIR 0.50 POOR 0.50	33.93 39.63	MELB	8.91 14.61
2	32	GARAINA	GA	192.8	5.1	34.00	POOR 1.00	33.10	MELB	9.00
3	32	GARAINA	GA	182.6	7.5	33.00 33.65 36.55	FAIR 0.50 FAIR 0.50 FAIR 0.50	32.28 32.93 35.83	MELB	9.45 10.10 13.00
4	32	GARAINA	GA	187.0	3.3	32.11 33.50 58.10	GOOD 0.50 FAIR 0.50 FAIR 0.50	31.49 32.88 57.48	MELB	8.11 9.50 34.10
5	32	GARAINA	GA	177.5	10.8	31.51	FAIR 0.50	31.05	MELB	8.86
6	32	GARAINA	GA	174.1	13.4	31.84	POOR 0.50	31.40	MELB	9.64
7	32	GARAINA	GA	169.6	15.9	29.76 31.25	FAIR 0.50 FAIR 0.50	29.27 30.76	MELB	8.07 9.56
8	32	GARAINA	GA	162.2	20.4	28.87	FAIR 1.00	28.43	MELB	8.16
9	32	GARAINA	GA	157.2	22.9	27.22	POOR 1.00	26.90	MELB	7.25
10	32	GARAINA	GA	154.0	27.3	28.43	POOR 1.00	27.87	MELB	8.62
11	32	GARAINA	GA	146.6	31.3	27.48	GOOD 0.10	27.03	MELB	8.70
12	32	GARAINA	GA	145.2	36.2	27.59	POOR 0.50	27.23	MELB	9.08
13	32	GARAINA	GA	142.7	40.9	26.84 31.37 35.37 38.62	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	26.44 30.97 34.97 38.22	MELB	8.60 13.13 17.13 20.38
14	32	GARAINA	GA	141.3	45.6	26.53 29.89	GOOD 0.10 FAIR 0.50	26.23 29.59	MELB	8.57 11.93
15	32	GARAINA	GA	141.3	50.8	27.09 29.23	GOOD 0.50 FAIR 0.50	26.75 28.89	MELB	9.09 11.23
16	32	GARAINA	GA	142.5	55.8	26.61 27.73	FAIR 0.50 FAIR 0.50	26.20 27.32	MELB	8.38 9.50
17	32	GARAINA	GA	145.0	60.5	26.89	GOOD 0.10	26.74	MELB	8.61

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.06 (SEC)
						27.40	FAIR 0.50	27.25		9.12
18	32	GARAINA	GA	152.4	72.1	28.83	GOOD 0.50	28.67	MELB	9.62
19	32	GARAINA	GA	202.6	77.0	34.87 38.22 40.67 43.12	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	34.72 38.07 40.52 42.97	MELB	9.39 12.74 15.19 17.64
21	32	GARAINA	GA	162.4	37.6	28.76 31.36 33.36 35.66 38.16	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 GOOD 0.50	28.00 30.60 32.60 34.90 37.40	MELB	7.70 10.30 12.30 14.60 17.10
22	32	GARAINA	GA	173.1	37.0	32.47	FAIR 0.50	31.62	MELB	9.99
23	32	GARAINA	GA	187.6	37.6	40.85 42.17 42.42 46.32	GOOD 0.50 POOR 0.50 FAIR 0.50 FAIR 0.50	39.99 41.31 41.56 45.46	MELB	16.54 17.86 18.11 22.01
25	32	GARAINA	GA	232.8	38.8	41.23 46.88	FAIR 0.50 FAIR 0.50	40.40 46.05	MELB	11.30 16.95
26	32	GARAINA	GA	276.0	37.0	45.29	POOR 1.00	44.44	MELB	9.94
27	32	GARAINA	GA	322.3	35.9	36.99 59.01	POOR 1.00 POOR 0.50	36.38 58.40	MELB	-3.91 18.11
32	32	GARAINA	GA	311.5	27.1	45.01 59.06	POOR 1.00 POOR 1.00	44.29 58.34	MELB	5.35 19.40
34	32	GARAINA	GA	248.2	18.3	43.82 48.82	POOR 0.50 POOR 0.50	42.79 47.79	MELB	11.77 16.77
35	32	GARAINA	GA	239.5	16.5	37.06 41.85	POOR 1.00 POOR 1.00	36.07 40.86	MELB	6.13 10.92
36	32	GARAINA	GA	227.1	14.5	41.57	POOR 0.50	40.56	MELB	12.17
37	32	GARAINA	GA	216.0	12.1	31.39 33.59	FAIR 1.00 POOR 1.00	30.38 32.58	MELB	3.38 5.58
38	32	GARAINA	GA	206.9	10.1	35.22 39.02	FAIR 0.50 FAIR 1.00	34.22 38.02	MELB	8.36 12.16
39	32	GARAINA	GA	209.7	355.6	37.01 38.11 41.11 43.26	POOR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	36.51 37.61 40.61 42.76	MELB	10.30 11.40 14.40 16.55
40	32	GARAINA	GA	202.7	358.1	34.51 36.25 42.65	POOR 0.50 POOR 0.50 FAIR 0.50	33.99 35.73 42.13	MELB	8.66 10.40 16.80
41	32	GARAINA	GA	193.6	.8	36.96	FAIR 0.50	36.42	MELB	12.22

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SECS)			
						39.92	FAIR	0.50	39.38		15.18
						43.47	FAIR	0.50	42.93		18.73
44	32	GARAINA	GA	244.9	350.3	39.16	FAIR	0.50	38.77	MELB	8.15
						41.37	FAIR	0.50	40.98		10.36
						44.42	FAIR	0.50	44.03		13.41
						46.02	FAIR	0.50	45.63		15.01
47	32	GARAINA	GA	265.3	342.3	42.20	FAIR	0.50	41.93	MELB	8.77
						45.55	GOOD	0.50	45.28		12.12
						48.50	FAIR	0.50	48.23		15.07
48	32	GARAINA	GA	304.6	332.7	44.70	POOR	1.00	44.16	MELB	6.08
						48.46	FAIR	0.50	47.92		9.84
						52.50	FAIR	0.50	51.96		13.88
49	32	GARAINA	GA	343.6	324.6	58.51	POOR	1.00	57.77	MELB	14.82
						61.31	POOR	0.50	60.57		17.62
						64.06	POOR	1.00	63.32		20.37
50	32	GARAINA	GA	396.9	317.5	63.87	POOR	1.00	63.54	MELB	13.93
						68.57	POOR	1.00	68.24		18.63
						73.07	POOR	1.00	72.74		23.13
						61.12	POOR	0.50	60.79		11.18
56	32	GARAINA	GA	168.1	289.6	30.89	POOR	0.50	30.73	MELB	9.72
						33.58	POOR	0.50	33.42		12.41
						37.28	POOR	0.50	37.12		16.11
57	32	GARAINA	GA	172.7	286.0	26.95	POOR	1.00	26.79	MELB	5.20
59	32	GARAINA	GA	182.2	282.4	28.27	POOR	0.50	27.83	MELB	5.05
61	32	GARAINA	GA	194.6	275.4	24.91	POOR	0.50	23.45	MELB	- .87
						27.60	FAIR	0.50	26.14		1.82
62	32	GARAINA	GA	206.2	273.3	33.45	POOR	0.50	31.54	MELB	5.76
						35.85	POOR	1.00	33.94		8.16
						38.35	POOR	1.00	36.44		10.66
69	32	GARAINA	GA	119.0	174.8	23.07	FAIR	0.50	22.82	MELB	7.95
						25.07	FAIR	0.50	24.82		9.95
						27.17	FAIR	0.50	26.92		12.05
71	32	GARAINA	GA	92.2	179.8	17.57	FAIR	0.50	17.28	MELB	5.75
						18.67	FAIR	0.50	18.38		6.85
						20.27	FAIR	0.50	19.98		8.45
						24.02	FAIR	0.50	23.73		12.20
						27.02	FAIR	0.50	26.73		15.20
72	32	GARAINA	GA	83.8	182.2	18.03	POOR	0.50	17.66	MELB	7.18
						22.68	POOR	0.50	22.31		11.83
73	32	GARAINA	GA	71.6	186.0	12.10	FAIR	0.50	11.85	MELB	2.90
						14.55	POOR	0.50	14.30		5.35
						15.60	POOR	0.50	15.35		6.40
74	32	GARAINA	GA	67.0	193.6	11.43	FAIR	0.50	11.01	MELB	2.63

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						12.43	FAIR	0.50	12.01		3.63
75	32	GARAINA	GA	62.0	202.5	10.03	FAIR	0.50	9.80	MELB	2.05
						11.38	FAIR	0.50	11.15		3.40
76	32	GARAINA	GA	70.0	205.0	11.84	FAIR	0.50	11.39	MELB	2.64
						13.14	FAIR	0.50	12.69		3.94
77	32	GARAINA	GA	81.2	206.3	13.44	POOR	0.50	12.76	MELB	2.61
						16.29	POOR	0.50	15.61		5.46
79	32	GARAINA	GA	102.8	207.2	18.86	FAIR	0.50	17.73	MELB	4.88
						20.80	FAIR	0.50	19.67		6.82
						23.96	FAIR	0.50	22.83		9.98
80	32	GARAINA	GA	126.5	210.2	25.15	POOR	0.50	24.39	MELB	8.57
						27.60	FAIR	0.50	26.84		11.02
						29.70	FAIR	0.50	28.94		13.12
81	32	GARAINA	GA	60.3	217.1	10.31	GOOD	0.50	10.08	MELB	2.54
						17.56	FAIR	0.50	17.33		9.79
						23.71	FAIR	0.50	23.48		15.94
82	32	GARAINA	GA	60.0	232.5	10.20	GOOD	0.50	9.99	MELB	2.49
83	32	GARAINA	GA	65.6	240.3	10.50	FAIR	1.00	10.28	MELB	2.08
						12.30	FAIR	1.00	12.08		3.88
85	32	GARAINA	GA	72.6	254.0	12.53	FAIR	0.50	12.09	MELB	3.01
						14.88	FAIR	0.50	14.44		5.36
86	32	GARAINA	GA	78.1	259.8	13.41	FAIR	0.50	13.25	MELB	3.49
						17.81	FAIR	0.50	17.65		7.89
87	32	GARAINA	GA	83.6	263.2	14.55	FAIR	0.50	14.01	MELB	3.56
88	32	GARAINA	GA	116.7	270.6	20.59	POOR	0.50	20.13	MELB	5.55
						21.93	POOR	1.00	21.47		6.89
89	32	GARAINA	GA	127.8	265.5	21.67	FAIR	0.50	21.02	MELB	5.04
						23.87	FAIR	0.50	23.22		7.24
						26.37	FAIR	0.50	25.72		9.74
						27.87	FAIR	0.50	27.22		11.24
90	32	GARAINA	GA	136.7	262.3	22.72	FAIR	0.50	21.61	MELB	4.52
						25.10	POOR	0.50	23.99		6.90
						27.65	POOR	0.50	26.54		9.45
91	32	GARAINA	GA	145.7	259.3	24.54	FAIR	0.50	23.54	MELB	5.32
						25.55	FAIR	0.50	24.55		6.33
						27.49	FAIR	0.50	26.49		8.27
						29.49	FAIR	0.50	28.49		10.27
94	32	GARAINA	GA	180.3	252.1	33.20	FAIR	0.50	30.68	MELB	8.14
						37.38	FAIR	0.50	34.86		12.32
97	32	GARAINA	GA	276.0	260.0	35.55	POOR	1.00	33.18	MELB	-1.32

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
99	32	GARAINA	GA	133.1	286.1	21.21 22.62 24.25 29.15	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	21.05 22.46 24.09 28.99	MELB	4.41 5.82 7.45 12.35
104	32	GARAINA	GA	194.8	298.3	34.30 36.38 38.43	FAIR 0.50 FAIR 0.50 FAIR 0.50	34.14 36.22 38.27	MELB	9.79 11.87 13.92
107	32	GARAINA	GA	229.9	300.7	39.36 41.86	FAIR 0.50 FAIR 0.50	39.19 41.69	MELB	10.46 12.96
8	33	KUI	KU	209.2	20.0	37.48 40.38 43.58	POOR 1.00 FAIR 0.50 FAIR 0.50	37.22 40.12 43.32	ANU	11.07 13.97 17.17
11	33	KUI	KU	192.7	28.2	33.77 36.97 39.27	FAIR 1.00 FAIR 1.00 FAIR 0.50	33.49 36.69 38.99	ANU	9.40 12.60 14.90
14	33	KUI	KU	184.4	38.9	34.59	POOR 1.00	34.47	ANU	11.42
19	33	KUI	KU	230.8	67.0	51.38	FAIR 0.50	51.40	ANU	22.55
20	33	KUI	KU	197.8	33.7	33.79 35.79 38.09 41.39	GOOD 0.50 FAIR 0.50 POOR 0.50 FAIR 0.50	33.32 35.32 37.62 40.92	ANU	8.59 10.59 12.89 16.19
22	33	KUI	KU	218.2	33.1	34.66 38.86	POOR 0.50 FAIR 0.50	33.99 38.19	ANU	6.71 10.91
23	33	KUI	KU	232.6	33.8	37.32 38.02 41.22 46.12 47.82 58.02	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	36.64 37.34 40.54 45.44 47.14 57.34	ANU	7.56 8.26 11.46 16.36 18.06 28.26
25	33	KUI	KU	277.4	35.4	43.86 48.46 52.86	POOR 0.50 FAIR 0.50 FAIR 0.50	43.21 47.81 52.21	ANU	8.54 13.14 17.54
32	33	KUI	KU	358.1	26.0	52.10	FAIR 0.50	51.56	ANU	6.80
35	33	KUI	KU	286.5	16.9	48.92 53.12 55.62	FAIR 0.50 FAIR 0.50 FAIR 0.50	48.10 52.30 54.80	ANU	12.29 16.49 18.99
38	33	KUI	KU	253.5	11.7	41.08 44.18 50.58	FAIR 0.50 FAIR 0.50 FAIR 0.50	40.25 43.35 49.75	ANU	8.57 11.67 18.07
39	33	KUI	KU	253.7	359.7	40.25 41.35 43.55	FAIR 0.50 FAIR 0.50 FAIR 0.50	39.93 41.03 43.23	ANU	8.21 9.31 11.51

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
40	33	KUI	KU	247.3	1.9	40.00 43.40 47.70	FAIR 1.00 FAIR 0.50 FAIR 0.50	39.66 43.06 47.36	ANU	8.75 12.15 16.45
43	33	KUI	KU	276.3	357.1	43.14	FAIR 0.50	42.74	ANU	8.20
44	33	KUI	KU	287.3	354.8	44.58	POOR 1.00	44.36	ANU	8.45
46	33	KUI	KU	300.9	349.8	47.88 52.18 54.88	FAIR 0.50 FAIR 0.50 FAIR 0.50	47.50 51.80 54.50	ANU	9.89 14.19 16.89
47	33	KUI	KU	304.6	347.5	48.97 53.57 56.17	GOOD 0.50 FAIR 0.50 FAIR 0.50	48.88 53.48 56.08	ANU	10.80 15.40 18.00
48	33	KUI	KU	339.2	338.4	52.70 58.50 62.20	FAIR 0.50 POOR 1.00 POOR 0.50	52.34 58.13 61.83	ANU	9.93 15.74 19.44
55	33	KUI	KU	307.9	307.8	45.72 47.32 49.02 60.02	FAIR 0.50 GOOD 0.50 FAIR 0.50 POOR 0.50	45.64 47.24 48.94 59.94	ANU	7.15 8.75 10.45 21.45
56	33	KUI	KU	175.6	305.1	26.76 31.86 39.06	GOOD 0.50 GOOD 0.50 FAIR 0.50	26.77 31.87 39.07	ANU	4.82 9.92 17.12
57	33	KUI	KU	177.2	301.4	26.54 28.44 29.64 32.34	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	26.56 28.46 29.66 32.36	ANU	4.41 6.31 7.51 10.21
59	33	KUI	KU	183.5	297.2	28.58 30.28	POOR 1.00 FAIR 0.50	28.31 30.01	ANU	5.38 7.08
60	33	KUI	KU	187.9	293.3	29.15 31.55 35.55	FAIR 0.50 FAIR 0.50 POOR 0.50	28.36 30.76 34.76	ANU	4.87 7.27 11.27
61	33	KUI	KU	189.7	289.3	32.15 33.95	FAIR 0.50 FAIR 0.50	30.87 32.67	ANU	7.15 8.95
62	33	KUI	KU	199.3	286.5	32.66 35.16 39.76	GOOD 0.50 FAIR 0.50 GOOD 0.50	30.92 33.42 38.02	ANU	6.01 8.51 13.11
63	33	KUI	KU	219.0	278.2	35.22 38.02 43.32	FAIR 0.50 FAIR 0.50 FAIR 0.50	33.19 35.99 41.29	ANU	5.81 8.61 13.91
69	33	KUI	KU	78.2	160.9	12.19	GOOD 0.50	12.12	ANU	2.34
70	33	KUI	KU	66.0	156.3	10.25 11.15	GOOD 0.50 FAIR 0.50	10.20 11.10	ANU	1.95 2.85

SHOT	RECORDED	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						13.45	FAIR	0.50	13.40		5.15
						15.45	POOR	0.50	15.40		7.15
71	33	KUI	KU	50.0	162.2	8.18	GOOD	0.50	8.06	ANU	1.81
						11.08	FAIR	0.50	10.96		4.71
						16.58	FAIR	0.50	16.46		10.21
72	33	KUI	KU	40.8	163.5	7.20	GOOD	0.50	7.00	ANU	1.90
						9.60	FAIR	0.50	9.40		4.30
						12.70	FAIR	0.50	12.50		7.40
73	33	KUI	KU	27.5	164.5	4.78	GOOD	0.50	4.71	ANU	1.27
74	33	KUI	KU	20.5	182.6	4.37	GOOD	0.50	4.12	ANU	1.56
75	33	KUI	KU	15.5	214.8	3.63	GOOD	0.50	3.58	ANU	1.64
76	33	KUI	KU	23.9	218.0	5.51	GOOD	0.50	5.24	ANU	2.25
77	33	KUI	KU	35.3	216.9	7.67	GOOD	0.50	7.17	ANU	2.75
78	33	KUI	KU	45.5	216.2	9.78	GOOD	0.50	9.08	ANU	3.39
						12.78	FAIR	0.50	12.08		6.39
						16.98	FAIR	0.50	16.28		10.59
79	33	KUI	KU	56.8	214.5	12.33	GOOD	0.50	11.37	ANU	4.27
80	33	KUI	KU	81.0	217.0	16.68	GOOD	0.50	16.09	ANU	5.97
						21.98	FAIR	0.50	21.39		11.27
						27.28	FAIR	0.50	26.69		16.57
81	33	KUI	KU	21.8	260.7	4.96	GOOD	0.50	4.90	ANU	2.18
82	33	KUI	KU	33.7	283.9	6.61	GOOD	0.50	6.57	ANU	2.36
						8.11	FAIR	0.50	8.07		3.86
83	33	KUI	KU	43.8	286.1	8.46	GOOD	0.50	8.42	ANU	2.94
						9.36	FAIR	0.50	9.32		3.84
						14.66	FAIR	0.50	14.62		9.14
84	33	KUI	KU	50.7	289.5	9.59	GOOD	0.50	9.42	ANU	3.08
						12.19	FAIR	0.50	12.02		5.68
						14.39	FAIR	0.50	14.22		7.88
						16.09	FAIR	0.50	15.92		9.58
85	33	KUI	KU	60.3	294.1	11.06	GOOD	0.50	10.79	ANU	3.25
						13.26	FAIR	0.50	12.99		5.45
						14.06	FAIR	0.50	13.79		6.25
						28.26	FAIR	0.50	27.99		20.45
86	33	KUI	KU	69.2	296.4	12.45	GOOD	0.50	12.47	ANU	3.82
						13.75	FAIR	0.50	13.77		5.12
						22.75	GOOD	0.50	22.77		14.12
87	33	KUI	KU	76.6	297.0	13.97	GOOD	0.50	13.60	ANU	4.03
						17.07	FAIR	0.50	16.70		7.13
						18.97	FAIR	0.50	18.60		9.03

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
88	33	KUI	KU	111.7	294.2	19.25 21.55 24.95 29.45	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	18.97 21.27 24.67 29.17	ANU	5.01 7.31 10.71 15.21
89	33	KUI	KU	117.8	287.0	20.75 22.15 23.85 25.65	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	20.27 21.67 23.37 25.17	ANU	5.55 6.95 8.65 10.45
90	33	KUI	KU	123.5	282.3	21.34 22.24 23.44 27.54	GOOD 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	20.41 21.31 22.51 26.61	ANU	4.97 5.87 7.07 11.17
91	33	KUI	KU	129.6	277.8	23.04 23.84 25.24 29.04 32.54	GOOD 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	22.21 23.01 24.41 28.21 31.71	ANU	6.01 6.81 8.21 12.01 15.51
93	33	KUI	KU	146.8	268.9	27.09 41.69	GOOD 0.50 FAIR 0.50	25.17 39.77	ANU	6.82 21.42
94	33	KUI	KU	157.3	266.1	28.70 30.40 37.80	GOOD 0.50 FAIR 0.50 FAIR 0.50	26.35 28.05 35.45	ANU	6.69 8.39 15.79
98	33	KUI	KU	115.7	299.7	20.13 21.43 27.43	GOOD 0.50 FAIR 0.50 FAIR 0.50	19.96 21.26 27.26	ANU	5.50 6.80 12.80
99	33	KUI	KU	139.5	305.8	22.49 23.69 46.19	GOOD 0.50 FAIR 0.50 FAIR 0.50	22.51 23.71 46.21	ANU	5.07 6.27 28.77
102	33	KUI	KU	178.7	311.3	27.62 29.32 32.42	GOOD 0.50 FAIR 0.50 FAIR 0.50	27.63 29.33 32.43	ANU	5.29 6.99 10.09
103	33	KUI	KU	189.4	313.3	28.57 30.77 36.17 45.07	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	28.58 30.78 36.18 45.08	ANU	4.91 7.11 12.51 21.41
104	33	KUI	KU	208.2	311.1	31.24 33.49 35.44	GOOD 0.50 FAIR 0.50 GOOD 0.50	31.25 33.50 35.45	ANU	5.23 7.48 9.43
107	33	KUI	KU	244.4	311.6	35.75 37.05 38.85 45.75	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	35.76 37.06 38.86 45.76	ANU	5.21 6.51 8.31 15.21
1	34	SIRINUMU DAM	SD	66.0	70.5	14.60 15.23	GOOD 0.50 GOOD 0.10	13.69 14.32	BMR	5.44 6.07

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 19.53 22.65	REMARKS QUAL ACC(SEC) FAIR 0.50 FAIR 0.50	TT MSL (SEC) 18.62 21.74	INST	TT-D/ 8.00 (SEC) 10.37 13.49
2	34	SIRINUMU DAM	SD	53.2	72.5	12.27 13.74 14.79 17.25	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	11.43 12.90 13.95 16.41	BMR	4.78 6.25 7.30 9.76
3	34	SIRINUMU DAM	SD	57.5	85.1	12.74 12.99 14.00 16.41 17.34 18.68	FAIR 0.50 GOOD 0.10 FAIR 0.50 POOR 0.50 FAIR 0.50 FAIR 0.50	12.08 12.33 13.34 15.75 16.68 18.02	BMR	4.89 5.14 6.15 8.56 9.49 10.83
4	34	SIRINUMU DAM	SD	45.6	76.4	9.21 9.59 10.61 26.98	FAIR 0.50 GOOD 0.10 FAIR 0.50 FAIR 0.50	8.65 9.03 10.05 26.42	BMR	2.95 3.33 4.35 20.72
5	34	SIRINUMU DAM	SD	66.8	91.5	13.72 13.94 14.39 15.29 18.37	GOOD 0.50 FAIR 0.10 GOOD 0.10 FAIR 0.50 FAIR 0.50	13.32 13.54 13.99 14.89 17.97	BMR	4.97 5.19 5.64 6.54 9.62
6	34	SIRINUMU DAM	SD	74.2	95.2	15.74 16.41 17.32 19.78	GOOD 0.10 FAIR 0.50 GOOD 0.50 FAIR 0.50	15.36 16.03 16.94 19.40	BMR	6.09 6.76 7.67 10.13
7	34	SIRINUMU DAM	SD	81.0	99.2	16.87 17.48 17.75 20.30 21.30	GOOD 0.10 POOR 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.10	16.44 17.05 17.32 19.87 20.87	BMR	6.32 6.93 7.20 9.75 10.75
8	34	SIRINUMU DAM	SD	93.0	105.0	18.88 22.24 32.27	GOOD 0.10 FAIR 0.50 FAIR 0.50	18.51 21.87 31.90	BMR	6.88 10.24 20.27
9	34	SIRINUMU DAM	SD	99.7	108.3	19.54 19.99 21.15 22.97	POOR 0.50 GOOD 0.10 FAIR 0.50 FAIR 0.50	19.28 19.73 20.89 22.71	BMR	6.82 7.27 8.43 10.25
10	34	SIRINUMU DAM	SD	111.1	110.7	22.03 22.21	GOOD 0.10 FAIR 0.10	21.53 21.71	BMR	7.64 7.82
11	34	SIRINUMU DAM	SD	120.7	114.9	23.23	GOOD 0.10	22.84	BMR	7.75
12	34	SIRINUMU DAM	SD	132.9	116.3	24.98 25.81	GOOD 0.50 FAIR 0.50	24.69 25.52	BMR	8.07 8.90
13	34	SIRINUMU DAM	SD	143.9	118.3	26.14 30.98	POOR 0.50 POOR 0.50	25.80 30.64	BMR	7.81 12.65
14	34	SIRINUMU DAM	SD	154.8	119.9	27.23	FAIR 0.50	27.00	BMR	7.65

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						27.46	GOOD 0.10	27.23		7.88
						28.45	FAIR 0.50	28.22		8.87
						30.32	FAIR 0.50	30.09		10.74
						32.57	FAIR 0.50	32.34		12.99
						35.61	FAIR 0.50	35.38		16.03
15	34	SIRINUMU DAM	SD	167.1	121.3	31.91	POOR 0.50	31.64	BMR	10.75
17	34	SIRINUMU DAM	SD	190.8	123.3	31.37	FAIR 0.50	31.28	BMR	7.43
						34.23	POOR 0.50	34.14		10.29
						35.07	FAIR 0.50	34.98		11.13
						36.21	FAIR 0.50	36.12		12.27
						39.57	FAIR 0.50	39.48		15.63
						42.57	FAIR 0.50	42.48		18.63
						47.27	FAIR 0.50	47.18		23.33
18	34	SIRINUMU DAM	SD	220.1	126.0	35.03	POOR 1.00	34.93	BMR	7.42
						41.10	POOR 1.00	41.00		13.49
20	34	SIRINUMU DAM	SD	139.7	113.6	25.87	GOOD 0.50	25.29	BMR	7.82
						27.44	FAIR 0.50	26.86		9.39
						31.68	FAIR 0.50	31.10		13.63
21	34	SIRINUMU DAM	SD	140.6	109.7	26.52	POOR 0.50	25.83	BMR	8.25
						27.16	FAIR 0.50	26.47		8.89
						29.45	FAIR 0.50	28.76		11.18
						33.34	FAIR 0.50	32.65		15.07
22	34	SIRINUMU DAM	SD	142.4	105.4	26.98	POOR 0.50	26.20	BMR	8.40
						33.08	POOR 0.50	32.30		14.50
						45.28	POOR 0.50	44.50		26.70
23	34	SIRINUMU DAM	SD	150.2	100.6	27.13	FAIR 0.50	26.33	BMR	7.56
						27.90	FAIR 0.10	27.10		8.33
						28.90	POOR 0.10	28.10		9.33
						35.02	GOOD 0.50	34.22		15.45
25	34	SIRINUMU DAM	SD	178.9	88.3	30.23	FAIR 0.50	29.47	BMR	7.11
						31.78	GOOD 0.50	31.02		8.66
						36.92	FAIR 0.50	36.16		13.80
						38.90	FAIR 0.50	38.14		15.78
						39.71	FAIR 0.50	38.95		16.59
						41.94	FAIR 0.50	41.18		18.82
						46.01	FAIR 0.50	45.25		22.89
26	34	SIRINUMU DAM	SD	203.9	77.5	32.05	FAIR 0.50	31.26	BMR	5.78
						36.49	FAIR 0.50	35.70		10.22
						41.21	POOR 0.50	40.42		14.94
						48.89	FAIR 0.10	48.10		22.62
27	34	SIRINUMU DAM	SD	237.6	69.1	36.24	FAIR 1.00	35.69	BMR	5.99
						42.14	FAIR 0.50	41.59		11.89
						45.74	FAIR 0.50	45.19		15.49
						52.24	FAIR 0.50	51.69		21.99
28	34	SIRINUMU DAM	SD	282.7	63.0	41.65	FAIR 0.50	41.08	BMR	5.75
						45.11	FAIR 0.50	44.54		9.21

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME	REMARKS QUAL ACC(SEC)	TT MSL	INST	TT-D/ 8.00
						(SEC)		(SEC)		(SEC)
						50.86	FAIR 0.50	50.29		14.96
						58.50	FAIR 0.50	57.93		22.60
29	34	SIRINUMU DAM	SD	318.8	59.8	45.91	FAIR 0.50	45.29	BMR	5.44
						55.41	FAIR 0.50	44.79		14.94
						59.31	FAIR 0.50	58.69		18.84
						64.91	FAIR 0.50	64.29		24.44
						69.01	FAIR 0.50	68.39		28.54
						95.11	FAIR 0.50	94.49		54.64
30	34	SIRINUMU DAM	SD	287.4	59.4	42.19	POOR 0.50	41.62	BMR	5.70
						43.29	POOR 0.50	42.72		6.80
						45.09	POOR 0.50	44.52		8.60
						58.79	FAIR 0.50	58.22		22.30
						72.89	FAIR 0.50	72.32		36.40
31	34	SIRINUMU DAM	SD	247.2	59.5	36.89	POOR 1.00	36.37	BMR	5.47
						45.69	POOR 0.50	45.17		14.27
						48.19	FAIR 0.50	47.67		16.77
						56.09	FAIR 0.50	55.57		24.67
						59.69	FAIR 0.50	59.17		28.27
						62.29	FAIR 0.50	61.77		30.87
32	34	SIRINUMU DAM	SD	202.2	60.0	31.71	GOOD 0.50	31.06	BMR	5.78
						33.01	FAIR 0.50	32.36		7.08
						36.01	FAIR 0.50	35.36		10.08
						40.81	GOOD 0.50	40.16		14.88
						45.31	FAIR 0.50	44.66		19.38
33	34	SIRINUMU DAM	SD	154.1	60.4	25.68	POOR 1.00	24.78	BMR	5.52
						26.96	GOOD 0.50	26.06		6.80
						27.92	GOOD 0.10	27.02		7.76
						34.19	FAIR 0.50	33.29		14.03
						35.99	FAIR 0.50	35.09		15.83
34	34	SIRINUMU DAM	SD	126.2	61.8	23.46	GOOD 0.50	22.50	BMR	6.72
						23.81	FAIR 0.10	22.85		7.07
						24.91	FAIR 0.50	23.95		8.17
35	34	SIRINUMU DAM	SD	114.8	62.2	21.89	GOOD 0.50	20.96	BMR	6.61
						22.49	GOOD 0.10	21.56		7.21
						25.27	FAIR 0.50	24.34		9.99
						27.71	FAIR 0.50	26.78		12.43
						32.09	POOR 0.50	31.16		16.81
36	34	SIRINUMU DAM	SD	100.3	64.1	19.71	FAIR 0.50	18.76	BMR	6.23
						20.00	GOOD 0.50	19.05		6.52
						20.25	GOOD 0.50	19.30		6.77
						24.82	FAIR 0.50	23.87		11.34
37	34	SIRINUMU DAM	SD	86.4	66.0	17.69	FAIR 0.50	16.74	BMR	5.94
						17.94	GOOD 0.10	16.99		6.19
						18.54	GOOD 0.50	17.59		6.79
						22.71	POOR 0.50	21.76		10.96
						36.24	FAIR 0.50	35.29		24.49
						29.27	FAIR 0.50	28.32		17.52
38	34	SIRINUMU DAM	SD	75.2	68.4	16.24	GOOD 0.10	15.30	BMR	5.90

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME	REMARKS	TT MSL	INST	TT-D/ 8.00
						(SEC)				
						17.25	QUAL ACC(SECS)	(SEC)		(SEC)
						25.18	FAIR 0.50	16.31		6.91
							FAIR 0.50	24.24		14.84
39	34	SIRINUMU DAM	SD	37.4	28.0	8.79	FAIR 0.50	8.35	BMR	3.68
						9.16	GOOD 0.10	8.72		4.05
						10.04	FAIR 0.50	9.60		4.93
						11.44	FAIR 0.50	11.00		6.33
						13.34	FAIR 0.50	12.90		8.23
						14.96	FAIR 0.50	14.52		9.85
40	34	SIRINUMU DAM	SD	37.9	45.6	9.34	GOOD 0.10	8.89	BMR	4.15
						11.22	FAIR 0.50	10.77		6.03
						13.38	FAIR 0.50	12.93		8.19
						16.16	FAIR 0.50	15.71		10.97
41	34	SIRINUMU DAM	SD	40.4	64.3	9.94	GOOD 0.10	9.46	BMR	4.41
						10.95	FAIR 0.50	10.47		5.42
						12.98	FAIR 0.50	12.50		7.45
						14.15	POOR 0.50	13.67		8.62
						16.84	POOR 0.50	16.36		11.31
						20.85	FAIR 0.50	20.37		15.32
						22.56	POOR 0.50	22.08		17.03
42	34	SIRINUMU DAM	SD	45.0	13.9	10.41	GOOD 0.10	9.99	BMR	4.37
						11.58	GOOD 0.10	11.16		5.54
						13.43	FAIR 0.50	13.01		7.39
						17.22	GOOD 0.50	16.80		11.18
						18.07	POOR 0.50	17.65		12.03
						18.59	POOR 0.50	18.17		12.55
						19.45	POOR 0.50	19.03		13.41
43	34	SIRINUMU DAM	SD	55.5	5.1	12.20	GOOD 0.10	11.69	BMR	4.75
						13.74	GOOD 0.50	13.23		6.29
						14.21	FAIR 0.50	13.70		6.76
						15.11	FAIR 0.50	15.30		8.36
						17.41	FAIR 0.50	16.90		9.96
						21.98	FAIR 0.50	21.47		14.53
44	34	SIRINUMU DAM	SD	65.8	353.8	13.61	GOOD 0.50	13.28	BMR	5.05
						15.26	FAIR 0.10	14.93		6.70
						18.09	FAIR 0.10	17.76		9.53
						22.82	FAIR 0.50	22.49		14.26
						31.38	FAIR 0.50	31.05		22.82
45	34	SIRINUMU DAM	SD	76.0	344.5	15.18	GOOD 0.50	14.67	BMR	5.17
						15.85	POOR 0.50	15.34		5.84
						17.27	POOR 0.50	16.76		7.26
						18.65	FAIR 0.50	18.14		8.64
						20.95	FAIR 0.50	20.44		10.94
						22.16	FAIR 0.50	21.65		12.15
46	34	SIRINUMU DAM	SD	82.9	335.7	16.31	GOOD 0.50	15.82	BMR	5.46
						17.20	GOOD 0.10	16.71		6.35
						17.76	FAIR 0.10	17.27		6.91
						19.84	FAIR 0.50	19.35		8.99
						21.07	GOOD 0.50	20.58		10.22
						23.39	FAIR 0.50	22.90		12.54

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
47	34	SIRINUMU DAM	SD	89.8	328.8	17.52	FAIR 0.50	17.32	BMR	6.09
						17.76	GOOD 0.10	17.56		6.33
						18.63	FAIR 0.10	18.43		7.20
						22.25	FAIR 0.10	22.05		10.82
						31.48	FAIR 0.50	31.28		20.05
48	34	SIRINUMU DAM	SD	141.8	312.0	24.99	GOOD 0.50	24.51	BMR	6.79
						25.75	GOOD 0.10	25.27		7.55
						27.59	FAIR 0.50	27.11		9.39
						32.26	FAIR 0.50	31.78		14.06
						37.88	FAIR 0.50	37.40		19.68
49	34	SIRINUMU DAM	SD	194.7	302.3	32.04	GOOD 0.10	31.36	BMR	7.03
						34.05	FAIR 0.50	33.37		9.04
						36.99	FAIR 0.50	36.31		11.98
						39.32	FAIR 0.50	38.64		14.31
50	34	SIRINUMU DAM	SD	260.8	296.6	39.21	FAIR 0.50	38.95	BMR	6.35
						39.38	GOOD 0.50	39.12		6.52
						43.69	FAIR 0.50	43.43		10.83
						47.00	FAIR 0.50	46.74		14.14
						48.84	POOR 0.50	48.58		15.98
						50.31	FAIR 0.10	50.05		17.45
51	34	SIRINUMU DAM	SD	367.2	286.1	55.13	GOOD 0.50	54.83	BMR	8.93
						56.28	FAIR 0.50	55.98		10.08
						58.25	FAIR 0.50	57.95		12.05
						62.18	FAIR 0.50	61.88		15.98
52	34	SIRINUMU DAM	SD	349.8	273.4	60.41	POOR 0.50	60.09	BMR	16.37
53	34	SIRINUMU DAM	SD	293.4	273.5	49.63	POOR 0.50	49.46	BMR	12.78
						51.55	POOR 0.50	51.38		14.70
						59.98	POOR 0.50	59.81		23.13
54	34	SIRINUMU DAM	SD	243.4	270.2	39.95	POOR 1.00	39.73	BMR	9.30
						41.25	FAIR 0.50	41.03		10.60
						49.65	FAIR 0.50	49.43		19.00
55	34	SIRINUMU DAM	SD	225.1	261.9	36.93	FAIR 0.50	36.74	BMR	8.60
						38.03	FAIR 0.50	37.84		9.70
						43.83	POOR 0.50	43.64		15.50
56	34	SIRINUMU DAM	SD	172.4	226.0	29.14	GOOD 0.10	29.04	BMR	7.49
						29.96	FAIR 0.50	29.86		8.31
						31.42	FAIR 0.50	31.32		9.77
						34.59	GOOD 0.50	34.49		12.94
57	34	SIRINUMU DAM	SD	183.8	225.7	30.22	POOR 0.50	30.13	BMR	7.15
59	34	SIRINUMU DAM	SD	198.2	226.4	31.76	GOOD 0.50	31.38	BMR	6.61
						32.93	FAIR 0.50	32.55		7.78
						34.54	FAIR 0.50	34.16		9.39
						39.14	FAIR 0.50	38.76		13.99
60	34	SIRINUMU DAM	SD	211.6	226.3	34.50	FAIR 0.50	33.59	BMR	7.14

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						36.80	FAIR 0.50	35.89		9.44
						43.20	POOR 0.50	42.29		15.84
						48.70	POOR 0.50	47.79		21.34
61	34	SIRINUMU DAM	SD	224.1	225.3	37.21	FAIR 0.50	35.81	BMR	7.80
						40.21	FAIR 0.50	38.81		10.80
62	34	SIRINUMU DAM	SD	237.2	226.2	39.71	GOOD 0.50	37.86	BMR	8.21
						42.01	FAIR 0.50	40.16		10.51
						44.51	GOOD 0.50	42.66		13.01
						46.51	FAIR 0.50	44.66		15.01
63	34	SIRINUMU DAM	SD	273.0	226.1	46.28	GOOD 0.50	44.14	BMR	10.01
						47.65	GOOD 0.10	45.51		11.38
						49.71	FAIR 0.50	47.57		13.44
						52.35	FAIR 0.50	50.21		16.08
69	34	SIRINUMU DAM	SD	297.9	171.4	47.41	FAIR 0.50	47.23	BMR	9.99
						53.85	FAIR 0.10	53.67		14.43
71	34	SIRINUMU DAM	SD	270.4	172.7	43.51	GOOD 0.50	43.28	BMR	9.48
						49.71	FAIR 0.50	49.48		15.68
73	34	SIRINUMU DAM	SD	248.6	173.9	39.67	GOOD 0.50	39.49	BMR	8.41
						42.71	FAIR 0.50	42.53		11.45
						45.40	FAIR 0.10	45.22		14.14
						52.79	FAIR 0.50	52.61		21.53
74	34	SIRINUMU DAM	SD	241.8	175.7	39.50	GOOD 0.50	39.14	BMR	8.91
						42.22	FAIR 0.50	41.86		11.63
75	34	SIRINUMU DAM	SD	233.6	177.5	38.15	GOOD 0.50	37.99	BMR	8.79
						46.61	POOR 0.50	46.45		17.25
						50.61	POOR 0.50	50.45		21.25
82	34	SIRINUMU DAM	SD	213.0	183.7	35.43	GOOD 0.50	35.28	BMR	8.65
						36.69	GOOD 0.10	36.54		9.91
						39.20	GOOD 0.10	39.05		12.42
85	34	SIRINUMU DAM	SD	199.2	190.4	34.18	GOOD 0.50	33.80	BMR	8.90
						37.19	FAIR 0.50	36.81		11.91
86	34	SIRINUMU DAM	SD	194.7	192.7	33.84	GOOD 0.50	33.75	BMR	9.41
						35.68	FAIR 0.10	35.59		11.25
						37.42	FAIR 0.50	37.33		12.99
87	34	SIRINUMU DAM	SD	192.2	194.8	34.15	GOOD 0.10	33.67	BMR	9.65
						39.20	FAIR 0.50	38.72		14.70
						42.01	FAIR 0.50	41.53		17.51
88	34	SIRINUMU DAM	SD	193.3	205.3	34.53	FAIR 0.10	34.14	BMR	9.98
						39.20	FAIR 0.50	38.81		14.65
91	34	SIRINUMU DAM	SD	230.3	208.2	39.69	FAIR 0.50	38.75	BMR	9.96
						40.14	GOOD 0.10	39.20		10.41
						41.96	GOOD 0.50	41.02		12.23
						45.44	FAIR 0.50	44.50		15.71

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 51.13	REMARKS QUAL ACC(SEC) POOR 0.50	TT MSL (SEC) 50.19	INST	TT-D/ 8.00 (SEC) 21.40
94	34	SIRINUMU DAM	SD	168.9	210.7	47.25 48.92 57.76	GOOD 0.10 GOOD 0.50 GOOD 0.50	44.79 46.46 55.30	BMR	11.18 12.85 21.69
103	34	SIRINUMU DAM	SD	149.0	232.5	29.20	FAIR 0.10	29.10	BMR	10.47
104	34	SIRINUMU DAM	SD	160.5	238.6	28.56 29.36 30.80	FAIR 0.50 GOOD 0.50 GOOD 0.50	28.46 29.26 30.70	BMR	8.40 9.20 10.64
105	34	SIRINUMU DAM	SD	165.6	243.7	30.40 31.25	GOOD 0.50 FAIR 0.50	30.30 31.15	BMR	9.60 10.45
106	34	SIRINUMU DAM	SD	172.5	246.0	30.90 31.59	FAIR 0.50 GOOD 0.50	30.80 31.49	BMR	9.24 9.93
107	34	SIRINUMU DAM	SD	173.2	250.3	30.67 31.40 33.20	GOOD 0.50 FAIR 0.50 GOOD 0.50	30.57 31.30 33.10	BMR	8.92 9.65 11.45
109	34	SIRINUMU DAM	SD	201.8	253.6	34.80 36.10	GOOD 0.50 FAIR 0.50	34.70 36.00	BMR	9.48 10.78
110	34	SIRINUMU DAM	SD	230.8	253.5	39.00 47.50	FAIR 0.50 POOR 0.50	38.79 47.29	BMR	9.94 18.44
111	34	SIRINUMU DAM	SD	243.8	244.6	45.24 52.54	POOR 0.50 POOR 0.50	45.15 52.45	BMR	14.68 21.98
1	35	SALAMAUA	SL	291.3	3.8	46.65	GOOD 0.50	45.86	ANU	9.45
3	35	SALAMAUA	SL	273.9	3.0	43.66 44.66 52.66	GOOD 0.50 FAIR 0.50 FAIR 0.50	43.11 44.11 52.11	ANU	8.88 9.88 17.88
4	35	SALAMAUA	SL	279.3	.3	42.98 47.78	GOOD 0.50 GOOD 0.50	42.53 47.33	ANU	7.62 12.42
5	35	SALAMAUA	SL	268.0	5.1	45.38	POOR 0.50	45.10	ANU	11.60
7	35	SALAMAUA	SL	258.3	8.3	47.16	FAIR 0.50	46.84	ANU	14.56
8	35	SALAMAUA	SL	249.1	10.9	39.56 45.16 55.36 68.76	GOOD 0.50 GOOD 0.50 FAIR 0.50 GOOD 0.50	39.30 44.90 55.10 68.50	ANU	8.16 13.76 23.96 37.36
9	35	SALAMAUA	SL	243.0	12.3	42.04	FAIR 0.50	41.90	ANU	11.52
10	35	SALAMAUA	SL	237.5	15.0	40.65 41.45 44.55	POOR 1.00 FAIR 0.50 GOOD 0.50	40.27 41.07 44.17	ANU	10.58 11.38 14.48
11	35	SALAMAUA	SL	227.9	17.1	38.59 40.79	GOOD 0.50 FAIR 0.50	38.31 40.51	ANU	9.83 12.03

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
12	35	SALAMAU	SL	223.3	20.1	37.35 39.45 41.35	GOOD 0.50 GOOD 0.50 FAIR 0.50	37.17 39.27 41.17	ANU	9.26 11.36 13.26
13	35	SALAMAU	SL	217.4	22.8	36.10 37.30 40.30 41.70	GOOD 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	35.87 37.07 40.07 41.47	ANU	8.70 9.90 12.90 14.30
14	35	SALAMAU	SL	212.3	25.6	35.55 38.65 51.35	GOOD 0.50 FAIR 0.50 FAIR 0.50	35.43 38.53 51.23	ANU	8.89 11.99 24.69
15	35	SALAMAU	SL	207.7	28.9	35.08 35.78 41.48	GOOD 0.50 GOOD 0.50 FAIR 0.50	34.92 35.62 41.32	ANU	8.96 9.66 15.36
16	35	SALAMAU	SL	204.1	32.2	35.43 36.53 39.43 76.13	GOOD 0.50 GOOD 0.50 FAIR 0.50 GOOD 1.00	35.19 36.29 39.19 75.89	ANU	9.68 10.78 13.68 50.38
17	35	SALAMAU	SL	201.5	35.6	33.80 35.50 40.70	GOOD 0.50 GOOD 0.50 GOOD 0.50	33.82 35.52 40.72	ANU	8.64 10.34 15.54
18	35	SALAMAU	SL	194.6	44.3	33.12 33.62 34.52 36.42	FAIR 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	33.13 33.63 34.53 36.43	ANU	8.81 9.31 10.21 12.11
19	35	SALAMAU	SL	233.6	53.8	38.41 42.11 43.71 47.51	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	38.43 42.13 43.73 47.53	ANU	9.23 12.93 14.53 18.33
20	35	SALAMAU	SL	229.2	21.9	37.84 42.34 45.54 47.64 74.44	GOOD 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	37.37 41.87 45.07 47.17 73.97	ANU	8.72 13.22 16.42 18.52 45.32
21	35	SALAMAU	SL	238.8	22.1	39.24 45.84 54.04	GOOD 0.50 FAIR 0.50 FAIR 0.50	38.66 45.26 53.46	ANU	8.81 15.41 23.61
22	35	SALAMAU	SL	249.6	22.3	40.77 46.67 51.57	FAIR 0.50 FAIR 0.50 FAIR 0.50	40.10 46.00 50.90	ANU	8.90 14.80 19.70
23	35	SALAMAU	SL	263.2	23.6	41.82 48.32	GOOD 0.50 GOOD 0.50	41.14 47.64	ANU	8.24 14.74
24	35	SALAMAU	SL	269.9	23.7	42.85 48.45	GOOD 0.50 FAIR 0.50	42.15 47.75	ANU	8.42 14.02
25	35	SALAMAU	SL	306.3	26.5	47.11	GOOD 0.50	46.46	ANU	8.17

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						58.01	GOOD	0.50	57.36		19.07
26	35	SALAMAU	SL	350.1	26.7	53.08 62.28	FAIR FAIR	0.50 0.50	52.41 61.61	ANU	8.64 17.84
27	35	SALAMAU	SL	396.8	27.0	57.77 67.27 83.77	GOOD FAIR FAIR	0.50 0.50 0.50	57.34 66.84 83.34	ANU	7.74 17.24 33.74
28	35	SALAMAU	SL	449.4	27.9	62.87	GOOD	0.50	62.42	ANU	6.24
30	35	SALAMAU	SL	463.4	26.4	65.37	GOOD	0.50	64.92	ANU	6.99
32	35	SALAMAU	SL	392.9	19.8	56.75	GOOD	0.10	56.21	ANU	7.10
35	35	SALAMAU	SL	327.5	10.4	49.48 59.38 66.28	GOOD GOOD FAIR	0.50 0.50 0.50	48.67 58.57 65.47	ANU	7.73 17.63 24.53
36	35	SALAMAU	SL	316.0	8.6	49.29	FAIR	0.50	48.46	ANU	8.96
38	35	SALAMAU	SL	297.5	5.2	46.50 48.70 60.20	GOOD FAIR FAIR	0.50 0.50 1.00	45.68 47.88 59.38	ANU	8.49 10.69 22.19
39	35	SALAMAU	SL	302.6	355.1	47.13 49.83 55.13	GOOD FAIR FAIR	0.50 1.00 0.50	46.81 49.51 54.81	ANU	8.98 11.68 16.98
40	35	SALAMAU	SL	295.6	356.9	46.97 50.87	FAIR FAIR	0.50 0.50	46.63 50.53	ANU	9.68 13.58
41	35	SALAMAU	SL	286.2	358.7	45.48 50.48	FAIR FAIR	1.00 0.50	45.11 50.11	ANU	9.34 14.34
44	35	SALAMAU	SL	337.8	351.4	51.91 63.31 68.91	FAIR FAIR FAIR	0.50 1.00 0.50	51.69 63.09 68.69	ANU	9.47 20.87 26.47
47	35	SALAMAU	SL	356.9	345.4	54.72 56.42 59.82 62.92	FAIR FAIR GOOD FAIR	0.50 0.50 0.50 0.50	54.63 56.33 59.73 62.83	ANU	10.02 11.72 15.12 18.22
48	35	SALAMAU	SL	392.8	337.6	59.51 64.01 70.51	GOOD FAIR FAIR	0.50 0.50 0.50	59.15 63.65 70.15	ANU	10.05 14.55 21.05
49	35	SALAMAU	SL	427.1	330.7	61.22 63.82 65.22	GOOD FAIR FAIR	0.50 0.50 0.50	60.66 63.26 64.66	ANU	7.27 9.87 11.27
55	35	SALAMAU	SL	357.3	311.5	51.56	GOOD	0.50	51.48	ANU	6.82
56	35	SALAMAU	SL	224.5	311.5	32.47 35.27	GOOD GOOD	0.50 0.50	32.49 35.29	ANU	4.42 7.22
57	35	SALAMAU	SL	224.7	308.6	32.14	GOOD	0.50	32.16	ANU	4.07

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 34.94	REMARKS QUAL ACC(SEC) GOOD 0.50	TT MSL (SEC) 34.96	INST	TT-D/ 8.00 (SEC) 6.87
58	35	SALAMAU	SL	227.0	307.6	34.54 37.54	POOR 0.50 FAIR 0.50	34.56 37.56	ANU	6.18 9.18
59	35	SALAMAU	SL	229.3	305.1	34.94 38.84	GOOD 0.50 FAIR 0.50	34.68 38.58	ANU	6.01 9.91
60	35	SALAMAU	SL	231.8	301.8	36.50	GOOD 1.00	35.71	ANU	6.73
61	35	SALAMAU	SL	231.7	298.5	37.08 37.98	GOOD 0.50 FAIR 0.50	35.80 36.70	ANU	6.84 7.74
62	35	SALAMAU	SL	239.6	295.8	33.87 43.07	GOOD 0.50 GOOD 0.50	32.14 41.34	ANU	2.19 11.39
63	35	SALAMAU	SL	253.9	288.2	38.20	FAIR 0.50	36.17	ANU	4.43
69	35	SALAMAU	SL	26.0	177.1	5.27	GOOD 0.10	5.20	ANU	1.95
70	35	SALAMAU	SL	12.7	170.0	2.60 4.20 7.20	GOOD 0.50 FAIR 0.50 FAIR 0.50	2.55 4.15 7.15	ANU	.96 2.56 5.56
71	35	SALAMAU	SL	9.0	272.3	2.02	GOOD 0.10	1.90	ANU	.78
73	35	SALAMAU	SL	27.3	321.6	5.09	GOOD 0.10	5.02	ANU	1.61
74	35	SALAMAU	SL	37.3	317.4	7.06 11.86	GOOD 0.10 FAIR 0.50	6.81 11.61	ANU	2.15 6.95
75	35	SALAMAU	SL	48.3	316.7	8.51 12.01 14.11	GOOD 0.10 FAIR 0.50 FAIR 0.50	8.46 11.96 14.06	ANU	2.42 5.92 8.02
76	35	SALAMAU	SL	48.7	306.7	9.08 10.08 15.88	GOOD 0.10 FAIR 0.50 FAIR 0.50	8.81 9.81 15.61	ANU	2.72 3.72 9.52
77	35	SALAMAU	SL	49.6	293.4	9.52 11.92	GOOD 0.10 GOOD 0.50	9.02 11.42	ANU	2.82 5.22
78	35	SALAMAU	SL	52.4	282.3	10.63 13.23 15.63 18.33	GOOD 0.10 GOOD 0.50 GOOD 0.50 GOOD 0.50	9.93 12.53 14.93 17.63	ANU	3.38 5.98 8.38 11.08
79	35	SALAMAU	SL	56.5	271.1	11.82	GOOD 0.10	10.86	ANU	3.80
80	35	SALAMAU	SL	75.0	257.0	15.36 16.46 17.86 31.26	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50	14.77 15.87 17.27 30.67	ANU	5.40 6.50 7.90 21.30
81	35	SALAMAU	SL	63.8	314.1	10.73 14.13	GOOD 0.10 FAIR 0.50	10.68 14.08	ANU	2.70 6.10
82	35	SALAMAU	SL	80.0	314.4	12.86	GOOD 0.10	12.82	ANU	2.82

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME	REMARKS QUAL ACC(SEC)	TT MSL	INST	TT-D/ 8.00
						(SEC)		(SEC)		(SEC)
						14.76	FAIR 0.50	14.72		4.72
						18.46	FAIR 0.50	18.42		8.42
83	35	SALAMAU	SL	89.6	312.1	14.31	GOOD 0.10	14.27	ANU	3.07
						16.41	FAIR 0.50	16.37		5.17
84	35	SALAMAU	SL	97.0	311.9	15.43	GOOD 0.10	15.26	ANU	3.13
						23.03	FAIR 0.50	22.86		10.73
						27.23	FAIR 0.50	27.06		14.93
85	35	SALAMAU	SL	107.5	312.4	16.98	GOOD 0.50	16.71	ANU	3.28
						19.08	GOOD 0.50	18.81		5.38
						21.68	GOOD 0.50	21.41		7.98
86	35	SALAMAU	SL	116.8	312.3	18.56	GOOD 0.50	18.58	ANU	3.98
						21.56	FAIR 0.50	21.58		6.98
						23.36	FAIR 0.50	23.38		8.78
87	35	SALAMAU	SL	124.2	311.7	19.86	GOOD 0.50	19.50	ANU	3.97
						22.16	GOOD 0.50	21.80		6.27
						23.66	FAIR 0.50	23.30		7.77
						24.86	FAIR 0.50	24.50		8.97
						27.16	GOOD 0.50	26.80		11.27
88	35	SALAMAU	SL	157.3	306.5	24.63	GOOD 0.50	24.35	ANU	4.69
						29.53	FAIR 1.00	29.25		9.59
						36.23	FAIR 0.50	35.95		16.29
						38.33	FAIR 0.50	38.05		18.39
89	35	SALAMAU	SL	159.9	301.0	25.61	GOOD 0.50	25.13	ANU	5.15
						28.91	FAIR 0.50	28.43		8.45
						31.01	GOOD 0.50	30.53		10.55
						34.61	FAIR 0.50	34.13		14.15
90	35	SALAMAU	SL	163.0	297.1	25.99	GOOD 0.50	25.06	ANU	4.68
						30.29	FAIR 0.50	29.36		8.98
						32.89	FAIR 0.50	31.96		11.58
						39.09	FAIR 0.50	38.16		17.78
91	35	SALAMAU	SL	166.3	293.2	27.68	GOOD 0.50	26.85	ANU	6.07
						28.28	GOOD 0.50	27.45		6.67
						32.98	FAIR 0.50	32.15		11.37
						37.18	FAIR 0.50	36.35		15.57
92	35	SALAMAU	SL	174.4	287.9	29.68	GOOD 0.50	28.17	ANU	6.37
						31.88	FAIR 0.50	30.37		8.57
						35.38	FAIR 0.50	33.87		12.07
						42.18	GOOD 0.50	40.67		18.87
93	35	SALAMAU	SL	177.1	284.7	30.31	GOOD 1.00	28.39	ANU	6.26
						33.11	GOOD 0.50	31.19		9.06
						38.01	FAIR 0.50	36.09		13.96
94	35	SALAMAU	SL	185.2	281.6	31.90	GOOD 0.50	29.55	ANU	6.40
						34.70	FAIR 0.50	32.35		9.20
						39.20	GOOD 0.50	36.85		13.70
						42.00	GOOD 0.50	39.65		16.50

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						44.10	FAIR	0.50	41.75		18.60
96	35	SALAMAU	SL	304.8	274.0	43.86 46.16	FAIR FAIR	1.00 1.00	42.09 44.39	ANU	3.99 6.29
97	35	SALAMAU	SL	285.2	278.9	42.36 58.56 70.06	GOOD FAIR FAIR	0.50 0.50 0.50	40.17 56.37 67.87	ANU	4.52 20.72 32.22
98	35	SALAMAU	SL	163.3	310.1	25.51 32.11	GOOD FAIR	0.50 0.50	25.34 31.94	ANU	4.93 11.53
99	35	SALAMAU	SL	188.8	313.2	28.35 29.15 30.35 34.45	GOOD FAIR FAIR FAIR	0.50 0.50 0.50 0.50	28.37 29.17 30.37 34.47	ANU	4.77 5.57 6.77 10.87
100	35	SALAMAU	SL	202.2	314.5	29.76 30.16	GOOD FAIR	0.50 0.50	29.77 30.17	ANU	4.49 4.89
101	35	SALAMAU	SL	220.5	315.3	32.49 33.99 56.69	FAIR FAIR FAIR	0.50 0.50 0.50	32.50 34.00 56.70	ANU	4.94 6.44 29.14
102	35	SALAMAU	SL	229.5	316.2	33.44	FAIR	0.50	33.45	ANU	4.76
103	35	SALAMAU	SL	240.7	317.6	34.47 36.07	GOOD FAIR	0.50 0.50	34.48 36.08	ANU	4.39 5.99
104	35	SALAMAU	SL	258.9	315.6	37.02 39.22 40.12 41.72	GOOD GOOD FAIR FAIR	0.50 0.50 0.50 0.50	37.04 39.24 40.14 41.74	ANU	4.67 6.87 7.77 9.37
105	35	SALAMAU	SL	274.1	315.3	41.43	FAIR	1.00	41.45	ANU	7.18
106	35	SALAMAU	SL	282.9	314.5	42.00 45.99	POOR POOR	1.00 1.00	42.01 46.00	ANU	6.65 10.64
107	35	SALAMAU	SL	295.1	315.3	41.28 44.38 47.38	GOOD GOOD FAIR	0.50 0.50 0.50	41.29 44.39 47.39	ANU	4.40 7.50 10.50
108	35	SALAMAU	SL	301.9	314.5	44.78	POOR	0.50	44.79	ANU	7.05
109	35	SALAMAU	SL	318.5	311.6	46.31 46.91 50.11 52.81	GOOD GOOD FAIR FAIR	0.50 0.50 0.50 0.50	46.32 46.92 50.12 52.82	ANU	6.51 7.11 10.31 13.01
110	35	SALAMAU	SL	334.4	307.3	48.00 49.10 50.40 51.60 58.50	GOOD GOOD FAIR FAIR GOOD	0.50 0.50 0.50 0.50 0.50	47.90 49.00 50.30 51.50 58.40	ANU	6.10 7.20 8.50 9.70 16.60
111	35	SALAMAU	SL	311.3	301.7	45.93	GOOD	0.50	45.95	ANU	7.04

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 50.23	REMARKS QUAL ACC(SEC) FAIR 0.50	TT MSL (SEC) 50.25	INST	TT-D/ 8.00 (SEC) 11.34
59	36	FINSCHHAFEN	FF	205.6	331.3	33.67 37.77	POOR 0.50 FAIR 0.50	33.41 37.51	MELB	7.71 11.81
62	36	FINSCHHAFEN	FF	198.6	320.4	33.70 41.15 53.85 57.05	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	31.96 39.41 52.11 55.31	MELB	7.14 14.59 27.29 30.49
63	36	FINSCHHAFEN	FF	198.8	310.0	34.10	POOR 0.50	32.07	MELB	7.22
69	36	FINSCHHAFEN	FF	93.2	76.2	17.77 19.57	GOOD 0.50 FAIR 0.50	17.70 19.50	MELB	6.05 7.85
70	36	FINSCHHAFEN	FF	93.1	68.7	19.00	FAIR 0.50	18.95	MELB	7.31
71	36	FINSCHHAFEN	FF	93.8	58.8	18.57	GOOD 0.50	18.45	MELB	6.73
73	36	FINSCHHAFEN	FF	100.3	46.1	19.25 23.95	GOOD 0.50 FAIR 0.50	19.18 23.88	MELB	6.64 11.34
74	36	FINSCHHAFEN	FF	99.1	40.2	19.68 20.38 20.98	FAIR 0.50 FAIR 0.50 FAIR 0.50	19.43 20.13 20.73	MELB	7.04 7.74 8.34
75	36	FINSCHHAFEN	FF	100.5	33.9	19.73 21.23	FAIR 0.50 FAIR 0.50	19.68 21.18	MELB	7.12 8.62
77	36	FINSCHHAFEN	FF	80.8	32.7	17.69 20.19 23.44 25.84 38.64	GOOD 0.10 FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	17.19 19.69 22.94 25.34 38.14	MELB	7.09 9.59 12.84 15.24 28.04
79	36	FINSCHHAFEN	FF	59.2	33.4	16.11 16.86 33.86	POOR 0.50 FAIR 0.50 FAIR 0.50	15.15 15.90 32.90	MELB	7.75 8.50 25.50
81	36	FINSCHHAFEN	FF	102.3	25.0	20.11 22.61 23.61	FAIR 0.50 FAIR 0.50 POOR 0.50	20.05 22.55 23.55	MELB	7.27 9.77 10.77
82	36	FINSCHHAFEN	FF	109.1	17.1	20.60 21.90 25.85	GOOD 0.50 FAIR 0.50 FAIR 0.50	20.56 21.86 25.81	MELB	6.93 8.23 12.18
83	36	FINSCHHAFEN	FF	110.7	11.8	21.80	FAIR 1.00	21.76	MELB	7.92
84	36	FINSCHHAFEN	FF	114.4	8.5	21.12 23.09	FAIR 0.50 FAIR 0.50	20.95 22.92	MELB	6.65 8.62
86	36	FINSCHHAFEN	FF	127.0	1.2	21.71 24.41	POOR 1.00 FAIR 1.00	21.73 24.43	MELB	5.85 8.55
87	36	FINSCHHAFEN	FF	131.1	358.5	27.80	POOR 0.50	27.43	MELB	11.05
88	36	FINSCHHAFEN	FF	146.9	345.3	28.03	FAIR 0.50	27.75	MELB	9.39

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 29.43	REMARKS QUAL ACC(SECS) POOR 0.50	TT MSL (SEC) 29.15	INST	TT-D/ 8.00 (SEC) 10.79
90	36	FINSCHHAFEN	FF	134.9	335.4	25.80	POOR 0.50	24.87	MELB	8.00
91	36	FINSCHHAFEN	FF	130.7	330.8	26.29 29.04 30.84 42.09	FAIR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	25.46 28.21 30.01 41.26	MELB	9.13 11.88 13.68 24.93
92	36	FINSCHHAFEN	FF	127.9	323.0	34.05	POOR 1.00	32.54	MELB	16.55
94	36	FINSCHHAFEN	FF	126.1	312.9	26.83 37.18	POOR 0.50 POOR 0.50	24.48 34.83	MELB	8.72 19.07
97	36	FINSCHHAFEN	FF	214.1	295.8	35.70 38.00	POOR 1.00 POOR 1.00	33.51 35.81	MELB	6.74 9.04
63	37	LINDENHAFEN	LF	216.2	38.7	34.15 59.94	POOR 0.50 POOR 0.10	32.12 57.91	QLD	5.09 30.88
71	37	LINDENHAFEN	LF	378.1	76.5	61.23	POOR 0.50	61.11	QLD	13.85
77	37	LINDENHAFEN	LF	348.2	71.9	50.82 53.38 56.01	FAIR 0.10 FAIR 0.10 FAIR 0.10	50.32 52.88 55.51	QLD	6.79 9.35 11.98
95	37	LINDENHAFEN	LF	104.2	29.6	20.66 30.55 32.82 35.48	POOR 0.50 FAIR 0.50 FAIR 0.50 POOR 0.50	18.13 28.02 30.29 32.95	QLD	5.11 15.00 17.27 19.93
96	37	LINDENHAFEN	LF	132.6	32.9	23.00 39.07 39.94 45.86 74.80	FAIR 0.50 POOR 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	21.23 37.30 38.17 44.09 73.03	QLD	4.66 20.73 21.60 27.52 56.46
97	37	LINDENHAFEN	LF	164.2	35.1	27.98 35.15 41.30 45.82	FAIR 0.50 FAIR 0.50 POOR 0.50 GOOD 0.50	25.79 32.96 39.11 43.63	QLD	5.26 12.43 18.58 23.10
8	38	LAE	LAT	291.8	8.2	50.60	GOOD 0.50	50.32	BMR	13.85
14	38	LAE	LAT	250.9	20.1	42.00 51.40 53.80 63.30	GOOD 1.00 GOOD 0.50 GOOD 0.50 GOOD 0.50	41.86 51.26 53.66 63.16	BMR	10.50 19.90 22.30 31.80
17	38	LAE	LAT	236.1	28.2	37.50 41.80 46.50 47.80 52.40	GOOD 1.00 GOOD 0.50 GOOD 0.50 GOOD 0.50 GOOD 0.50	37.51 41.81 46.51 47.81 52.41	BMR	7.99 12.29 16.99 18.29 22.89
18	38	LAE	LAT	225.1	35.4	37.80	FAIR 0.50	37.80	BMR	9.66
19	38	LAE	LAT	258.2	45.1	51.40	POOR 1.00	51.41	BMR	19.13

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
20	38	LAE	LAT	269.0	17.3	47.70 52.70 57.00	GOOD 0.50 GOOD 0.50 GOOD 0.50	47.21 52.21 56.51	BMR	13.59 18.59 22.89
23	38	LAE	LAT	302.3	19.3	53.20	FAIR 1.00	52.50	BMR	14.71
35	38	LAE	LAT	370.3	8.3	63.30	POOR 1.00	62.47	BMR	16.18
38	38	LAE	LAT	341.1	3.6	75.20	POOR 1.00	74.36	BMR	31.72
39	38	LAE	LAT	347.2	354.8	56.30 74.10	FAIR 1.00 FAIR 0.50	55.96 73.76	BMR	12.56 30.36
69	38	LAE	LAT	18.8	346.4	4.80	GOOD 0.50	4.71	BMR	2.36
70	38	LAE	LAT	31.9	353.7	6.60	GOOD 0.50	6.53	BMR	2.55
71	38	LAE	LAT	47.0	341.7	9.10 45.80	GOOD 0.50 FAIR 0.50	8.97 45.67	BMR	3.09 39.79
72	38	LAE	LAT	56.2	340.8	10.10 26.70	GOOD 0.50 FAIR 0.50	9.89 26.49	BMR	2.86 19.46
73	38	LAE	LAT	69.4	340.9	11.80 12.90 34.10	GOOD 0.50 GOOD 0.50 FAIR 1.00	11.72 12.82 34.02	BMR	3.04 4.14 25.34
74	38	LAE	LAT	78.9	336.6	13.60	GOOD 0.50	13.34	BMR	3.47
75	38	LAE	LAT	88.4	333.9	15.00 17.80 21.80 57.00	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 1.00	14.93 17.73 21.73 56.93	BMR	3.88 6.68 10.68 45.88
76	38	LAE	LAT	85.9	328.6	15.70 54.50	FAIR 0.50 FAIR 0.50	15.41 54.21	BMR	4.67 43.47
77	38	LAE	LAT	88.9	321.3	15.30 16.70 40.80	GOOD 0.50 FAIR 0.50 FAIR 0.50	14.78 16.18 40.28	BMR	3.67 5.07 29.17
78	38	LAE	LAT	79.5	314.2	15.40	POOR 1.00	14.68	BMR	4.74
79	38	LAE	LAT	77.0	306.0	15.50 51.20	GOOD 0.50 FAIR 0.50	14.53 50.23	BMR	4.90 40.60
80	38	LAE	LAT	83.5	289.1	17.00 18.60 24.80 39.70 46.20	GOOD 0.50 GOOD 0.50 FAIR 0.50 GOOD 0.50 FAIR 0.50	16.40 18.00 24.20 39.10 45.60	BMR	5.96 7.56 13.76 28.66 35.16
81	38	LAE	LAT	106.6	329.8	16.90 65.70	POOR 1.00 FAIR 1.00	16.83 65.63	BMR	3.50 52.30
82	38	LAE	LAT	118.3	327.9	19.10	GOOD 0.50	19.05	BMR	4.26

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 77.00	REMARKS QUAL ACC(SEC) FAIR 1.00	TT MSL (SEC) 76.95	INST	TT-D/ 8.00 (SEC) 62.16
83	38	LAE	LAT	126.9	325.3	83.30	POOR 1.00	83.24	BMR	67.38
85	38	LAE	LAT	144.5	323.9	22.90	POOR 1.00	22.62	BMR	4.55
88	38	LAE	LAT	191.0	316.2	31.10 123.70	FAIR 0.50 FAIR 0.50	30.81 123.41	BMR	6.93 99.53
89	38	LAE	LAT	190.9	311.5	123.80	FAIR 1.00	123.31	BMR	99.44
90	38	LAE	LAT	191.9	308.1	126.30	FAIR 1.00	125.35	BMR	101.36
91	38	LAE	LAT	193.0	304.7	33.00 97.20 129.70	GOOD 0.50 FAIR 0.50 FAIR 0.50	32.16 96.36 128.86	BMR	8.03 72.23 104.73
39	39	ESA ALA	ESA	387.2	89.6	55.36 66.06 73.56	POOR 1.00 FAIR 1.00 FAIR 1.00	55.03 65.73 73.23	RAB	6.63 17.33 24.83
44	39	ESA ALA	ESA	364.2	84.5	62.02	POOR 1.00	61.79	AB	16.27
47	39	ESA ALA	ESA	326.5	81.8	47.60 55.60	FAIR 1.00 FAIR 1.00	47.50 55.50	RAB	6.69 14.69
48	39	ESA ALA	ESA	272.2	76.1	40.30 46.80 51.20 61.20	GOOD 0.50 GOOD 0.50 FAIR 1.00 FAIR 0.50	39.93 46.43 50.83 60.83	RAB	5.90 12.40 16.80 26.80
49	39	ESA ALA	ESA	218.6	69.8	33.76 38.76 41.36 50.36	GOOD 0.50 GOOD 0.50 FAIR 0.50 GOOD 0.50	33.19 38.19 40.79 49.79	RAB	5.86 10.86 13.46 22.46
50	39	ESA ALA	ESA	162.9	57.0	26.62 33.32 40.42 48.42	GOOD 0.50 GOOD 0.50 GOOD 0.50 GOOD 0.50	26.46 33.16 40.26 48.26	RAB	6.10 12.80 19.90 27.90
51	39	ESA ALA	ESA	76.8	12.8	13.99 16.79	GOOD 0.50 FAIR 1.00	13.79 16.59	RAB	4.19 6.99
52	39	ESA ALA	ESA	21.6	106.9	4.55	GOOD 0.50	4.34	RAB	1.64
62	39	ESA ALA	ESA	276.6	134.2	43.45 46.55 54.55 58.35	GOOD 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	41.71 44.81 52.81 56.61	RAB	7.13 10.23 18.23 22.03
63	39	ESA ALA	ESA	278.1	141.5	44.79 46.89 56.49	GOOD 0.50 GOOD 0.50 GOOD 0.50	42.75 44.85 54.45	RAB	7.99 10.09 19.69
91	39	ESA ALA	ESA	349.2	131.7	52.84 55.64	GOOD 0.50 FAIR 0.50	52.00 54.80	RAB	8.35 11.15

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						62.84	FAIR 1.00	62.00		18.35
94	39	ESA ALA	ESA	348.9	138.2	53.68 55.88	FAIR 0.50 GOOD 1.00	51.32 53.52	RAB	7.71 9.91
95	39	ESA ALA	ESA	309.2	163.0	46.99 52.39 57.19	GOOD 1.00 FAIR 1.00 GOOD 0.50	44.45 49.85 54.65	RAB	5.80 11.20 16.00
96	39	ESA ALA	ESA	296.6	158.1	44.30 45.80 46.80	GOOD 0.50 FAIR 0.50 FAIR 0.50	42.52 44.02 45.02	RAB	5.45 6.95 7.95
97	39	ESA ALA	ESA	285.0	152.2	43.80 46.40 50.80	GOOD 0.50 FAIR 0.50 GOOD 1.00	41.60 44.20 48.60	RAB	5.97 8.57 12.97
99	39	ESA ALA	ESA	323.4	121.4	47.25 48.75	POOR 1.00 FAIR 0.50	47.26 48.76	RAB	6.83 8.33
110	39	ESA ALA	ESA	175.7	122.3	29.13 31.53 35.33 47.33	GOOD 0.50 GOOD 0.50 GOOD 0.50 GOOD 0.50	29.02 31.42 35.22 47.22	RAB	7.06 9.46 13.26 25.26
111	39	ESA ALA	ESA	200.2	131.6	32.57 40.07	GOOD 0.50 FAIR 1.00	32.58 40.08	RAB	7.56 15.06
4	40	LAKE TRIST	LT	232.1	357.7	41.60	POOR 1.00	40.79	ANU	11.78
5	40	LAKE TRIST	LT	219.9	3.5	38.20	FAIR 0.50	37.56	ANU	10.07
8	40	LAKE TRIST	LT	200.6	10.5	34.57	GOOD 0.50	33.95	ANU	8.87
11	40	LAKE TRIST	LT	179.5	18.2	32.13	GOOD 0.50	31.49	ANU	9.05
14	40	LAKE TRIST	LT	165.2	29.3	29.64	GOOD 0.50	29.16	ANU	8.51
16	40	LAKE TRIST	LT	159.1	38.0	30.53 34.43	GOOD 0.50 FAIR 0.50	29.93 33.83	ANU	10.04 13.94
17	40	LAKE TRIST	LT	157.8	42.4	29.00	GOOD 0.50	28.66	ANU	8.94
18	40	LAKE TRIST	LT	155.3	53.7	29.13 34.13	GOOD 0.50 FAIR 0.50	28.78 33.78	ANU	9.37 14.37
20	40	LAKE TRIST	LT	181.4	24.3	32.15	GOOD 0.50	31.32	ANU	8.64
21	40	LAKE TRIST	LT	191.1	24.5	33.66	GOOD 0.50	32.72	ANU	8.83
22	40	LAKE TRIST	LT	201.9	24.6	34.82 37.22 41.92	GOOD 0.50 FAIR 0.50 FAIR 0.50	33.79 36.19 40.89	ANU	8.55 10.95 15.65
23	40	LAKE TRIST	LT	215.7	26.0	36.17 40.57 45.27	GOOD 0.50 FAIR 0.50 FAIR 0.50	35.13 39.53 44.23	ANU	8.16 12.56 17.26

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
25	40	LAKE TRIST	LT	259.3	29.0	41.48 46.78 51.88	GOOD 0.50 GOOD 0.50 GOOD 0.50	40.47 45.77 50.87	ANU	8.06 13.36 18.46
26	40	LAKE TRIST	LT	303.2	28.9	46.10 55.60	GOOD 0.50 FAIR 1.00	45.07 54.57	ANU	7.17 16.67
27	40	LAKE TRIST	LT	349.9	28.9	52.29 56.59 63.39	GOOD 0.50 FAIR 0.50 FAIR 0.50	51.50 55.80 62.60	ANU	7.76 12.06 18.86
30	40	LAKE TRIST	LT	416.3	27.9	59.54	FAIR 0.50	58.72	ANU	6.69
38	40	LAKE TRIST	LT	249.4	3.8	41.02 45.22	GOOD 0.50 GOOD 0.50	39.83 44.03	ANU	8.66 12.86
39	40	LAKE TRIST	LT	256.8	351.9	41.56 43.86	GOOD 0.50 FAIR 0.50	40.88 43.18	ANU	8.78 11.08
42	40	LAKE TRIST	LT	268.3	350.7	44.08 47.38 52.78	FAIR 0.50 GOOD 0.50 FAIR 0.50	43.41 46.71 52.11	ANU	9.88 13.18 18.58
43	40	LAKE TRIST	LT	280.8	349.9	44.90 49.90	FAIR 0.50 GOOD 0.50	44.14 49.14	ANU	9.04 14.04
46	40	LAKE TRIST	LT	309.5	343.4	48.02 52.82	GOOD 0.50 GOOD 0.50	47.28 52.08	ANU	8.60 13.40
47	40	LAKE TRIST	LT	314.5	341.3	49.10	GOOD 0.50	48.65	ANU	9.34
48	40	LAKE TRIST	LT	354.0	333.1	54.90 59.80	GOOD 0.50 GOOD 0.50	54.18 59.07	ANU	9.92 14.83
49	40	LAKE TRIST	LT	392.2	326.0	60.56 66.26	GOOD 0.50 FAIR 1.00	59.64 65.34	ANU	10.61 16.31
50	40	LAKE TRIST	LT	444.1	319.5	68.52 73.32 77.82	FAIR 0.50 GOOD 0.50 GOOD 0.50	68.01 72.81 77.31	ANU	12.50 17.30 21.80
52	40	LAKE TRIST	LT	471.5	300.8	69.85 70.65	POOR 0.50 FAIR 0.50	69.29 70.09	ANU	10.35 11.15
56	40	LAKE TRIST	LT	205.4	299.6	30.58 31.98 33.78	GOOD 0.50 FAIR 0.50 GOOD 0.50	30.23 31.63 33.43	ANU	4.56 5.96 7.76
57	40	LAKE TRIST	LT	208.0	296.5	31.45 33.35	GOOD 0.50 FAIR 0.50	31.11 33.01	ANU	5.11 7.01
59	40	LAKE TRIST	LT	215.4	293.0	33.37 36.07 37.47	FAIR 0.50 FAIR 0.50 GOOD 0.50	32.74 35.44 36.84	ANU	5.82 8.52 9.92
60	40	LAKE TRIST	LT	220.6	289.8	38.93	FAIR 0.50	37.78	ANU	10.20

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SECS)			
						40.13	FAIR	0.50	38.98		11.40
						41.63	GOOD	0.50	40.48		12.90
						44.13	GOOD	0.50	42.98		15.40
61	40	LAKE TRIST	LT	223.1	286.5	38.75	GOOD	0.50	37.11	ANU	9.22
						39.95	GOOD	0.50	38.31		10.42
62	40	LAKE TRIST	LT	233.2	284.1	39.75	FAIR	0.50	37.65	ANU	8.50
						41.35	GOOD	0.50	39.25		10.10
69	40	LAKE TRIST	LT	74.0	187.3	13.27	GOOD	0.50	12.84	ANU	3.59
70	40	LAKE TRIST	LT	60.5	188.0	10.95	GOOD	0.50	10.54	ANU	2.98
						16.25	FAIR	0.50	15.84		8.28
						18.85	FAIR	0.50	18.44		10.88
71	40	LAKE TRIST	LT	51.0	202.7	9.27	GOOD	0.50	8.79	ANU	2.42
72	40	LAKE TRIST	LT	45.1	221.2	8.68	GOOD	0.50	8.12	ANU	2.48
73	40	LAKE TRIST	LT	37.9	226.7	7.35	GOOD	0.50	6.92	ANU	2.18
74	40	LAKE TRIST	LT	41.0	240.9	8.43	GOOD	0.50	7.82	ANU	2.70
75	40	LAKE TRIST	LT	45.5	254.4	8.68	GOOD	0.50	8.27	ANU	2.58
76	40	LAKE TRIST	LT	52.9	249.8	10.09	GOOD	0.50	9.46	ANU	2.84
						13.59	FAIR	0.50	12.96		6.34
77	40	LAKE TRIST	LT	62.6	243.7	11.94	GOOD	0.50	11.08	ANU	3.25
						15.74	FAIR	0.50	14.88		7.05
78	40	LAKE TRIST	LT	71.6	239.7	13.95	GOOD	0.50	12.89	ANU	3.94
						16.65	FAIR	0.50	15.59		6.64
						21.75	FAIR	0.50	20.69		11.74
79	40	LAKE TRIST	LT	81.6	235.4	16.06	GOOD	0.50	14.74	ANU	4.54
						19.96	FAIR	0.50	18.64		8.44
80	40	LAKE TRIST	LT	105.5	232.5	21.70	GOOD	0.50	20.75	ANU	7.57
81	40	LAKE TRIST	LT	56.6	262.0	10.31	GOOD	0.50	9.89	ANU	2.82
82	40	LAKE TRIST	LT	68.2	277.2	12.05	GOOD	0.50	11.65	ANU	3.13
83	40	LAKE TRIST	LT	78.1	279.3	13.80	GOOD	0.50	13.40	ANU	3.63
84	40	LAKE TRIST	LT	84.6	281.9	15.02	GOOD	0.50	14.49	ANU	3.91
						19.02	FAIR	0.50	18.49		7.91
85	40	LAKE TRIST	LT	93.4	285.6	15.98	GOOD	0.50	15.35	ANU	3.68
86	40	LAKE TRIST	LT	101.9	287.8	17.66	GOOD	0.50	17.32	ANU	4.58
87	40	LAKE TRIST	LT	109.1	288.9	19.27	FAIR	0.50	18.54	ANU	4.91
88	40	LAKE TRIST	LT	144.5	288.7	24.18	GOOD	0.50	23.54	ANU	5.48

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 27.88 46.88	REMARKS QUAL ACC(SECS) GOOD 0.50 FAIR 1.00	TT MSL (SEC) 27.24 46.24	INST	TT-D/ 8.00 (SEC) 9.18 28.18
89	40	LAKE TRIST	LT	151.6	283.3	25.37 27.97	GOOD 0.50 GOOD 0.50	24.53 27.13	ANU	5.58 8.18
91	40	LAKE TRIST	LT	164.4	276.3	28.04 31.74 35.54 42.04	GOOD 0.50 GOOD 0.50 FAIR 0.50 GOOD 0.50	26.85 30.55 34.35 40.85	ANU	6.30 10.00 13.80 20.30
92	40	LAKE TRIST	LT	176.5	272.0	31.35 33.55	GOOD 0.50 GOOD 0.50	29.48 31.68	ANU	7.41 9.61
93	40	LAKE TRIST	LT	181.8	269.2	34.18 37.18	FAIR 0.50 GOOD 0.50	31.90 34.90	ANU	9.18 12.18
94	40	LAKE TRIST	LT	192.1	267.0	33.58 36.68 47.28	FAIR 0.50 GOOD 0.50 GOOD 0.50	30.87 33.97 44.57	ANU	6.86 9.96 20.56
98	40	LAKE TRIST	LT	147.3	293.1	24.90 27.50	FAIR 0.50 FAIR 0.50	24.37 26.97	ANU	5.96 8.56
99	40	LAKE TRIST	LT	169.3	298.9	27.45 30.25	FAIR 1.00 FAIR 0.50	27.11 29.91	ANU	5.94 8.74
102	40	LAKE TRIST	LT	206.6	305.0	35.05 39.35	FAIR 0.50 GOOD 0.50	34.70 39.00	ANU	8.88 13.18
104	40	LAKE TRIST	LT	235.9	305.6	38.38 40.98	GOOD 0.50 FAIR 0.50	38.03 40.63	ANU	8.55 11.15
107	40	LAKE TRIST	LT	271.8	306.7	43.56	POOR 0.50	43.21	ANU	9.24
109	40	LAKE TRIST	LT	297.8	303.4	46.73 48.63	FAIR 0.50 GOOD 0.50	46.38 48.28	ANU	9.16 11.06
110	40	LAKE TRIST	LT	327.0	299.3	53.63 57.03	FAIR 0.50 FAIR 0.50	53.17 56.57	ANU	12.29 15.69
111	40	LAKE TRIST	LT	298.8	292.9	47.17	FAIR 0.50	46.83	ANU	9.48
1	41	MUSA DAM	MD	198.9	85.7	33.45 35.55 38.55 46.45	GOOD 0.50 GOOD 0.50 GOOD 0.50 FAIR 0.50	32.62 34.72 37.72 45.62	ANU	7.76 9.86 12.86 20.76
2	41	MUSA DAM	MD	187.0	87.3	31.95 33.65 37.55 40.35	GOOD 0.50 FAIR 0.50 GOOD 0.10 FAIR 0.50	31.19 32.89 36.79 39.59	ANU	7.82 9.52 13.42 16.22
3	41	MUSA DAM	MD	193.4	90.7	32.69 34.49 37.89	GOOD 0.50 GOOD 0.50 FAIR 0.50	32.11 33.91 37.31	ANU	7.93 9.73 13.13
4	41	MUSA DAM	MD	180.5	88.9	29.78	GOOD 0.50	29.30	ANU	6.74

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME	REMARKS	TT MSL	INST	TT-D/ 8.00
						(SEC)	QUAL ACC(SEC)	(SEC)		(SEC)
						34.88	FAIR 0.50	34.40		11.84
						39.68	FAIR 0.50	39.20		16.64
5	41	MUSA DAM	MD	203.1	92.5	33.17	GOOD 0.50	32.85	ANU	7.46
						35.37	FAIR 0.50	35.05		9.66
						37.67	FAIR 0.50	37.35		11.96
						41.67	FAIR 0.50	41.35		15.96
6	41	MUSA DAM	MD	210.5	93.8	35.22	GOOD 0.50	34.92	ANU	8.61
						40.32	FAIR 0.50	40.02		13.71
						46.92	FAIR 0.50	46.62		20.31
7	41	MUSA DAM	MD	217.1	95.4	35.42	GOOD 1.00	35.07	ANU	7.93
						38.52	GOOD 0.50	38.17		11.03
						42.72	FAIR 0.50	42.37		15.23
						46.02	FAIR 0.50	45.67		18.53
8	41	MUSA DAM	MD	228.2	97.9	37.02	GOOD 0.50	36.72	ANU	8.20
						37.42	GOOD 0.10	37.12		8.60
						38.92	FAIR 0.50	38.62		10.10
						46.02	GOOD 0.50	45.72		17.20
						49.42	FAIR 0.50	49.12		20.60
9	41	MUSA DAM	MD	234.0	99.5	37.90	FAIR 0.50	37.72	ANU	8.47
						40.21	FAIR 0.50	40.03		10.78
						45.71	FAIR 0.50	45.53		16.28
10	41	MUSA DAM	MD	244.6	101.0	39.72	GOOD 0.50	39.30	ANU	8.72
11	41	MUSA DAM	MD	252.4	103.3	40.46	GOOD 0.50	40.15	ANU	8.60
						42.16	GOOD 0.50	41.85		10.30
						50.46	FAIR 0.50	50.15		18.60
						53.36	FAIR 0.50	53.05		21.50
14	41	MUSA DAM	MD	283.3	107.4	44.28	GOOD 0.50	44.12	ANU	8.71
						52.18	FAIR 0.50	52.02		16.61
						55.78	FAIR 0.50	55.62		20.21
15	41	MUSA DAM	MD	294.4	108.7	45.82	FAIR 0.50	45.63	ANU	8.83
16	41	MUSA DAM	MD	305.2	109.8	47.47	GOOD 0.50	47.20	ANU	9.05
17	41	MUSA DAM	MD	316.2	110.8	48.05	GOOD 0.50	48.04	ANU	8.51
						58.75	FAIR 0.50	58.74		19.21
18	41	MUSA DAM	MD	342.8	113.5	60.68	POOR 1.00	60.66	ANU	17.81
19	41	MUSA DAM	MD	391.7	110.7	57.96	POOR 0.50	57.95	ANU	8.98
20	41	MUSA DAM	MD	271.6	103.5	42.78	GOOD 0.50	42.27	ANU	8.32
						49.78	FAIR 0.50	49.27		15.32
						57.58	FAIR 0.50	57.07		23.12
21	41	MUSA DAM	MD	274.0	101.5	43.46	POOR 1.00	42.84	ANU	8.59
						45.99	POOR 1.00	45.37		11.12
22	41	MUSA DAM	MD	277.1	99.4	43.88	POOR 0.50	43.17	ANU	8.54

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
23	41	MUSA DAM	MD	286.0	97.0	44.63 52.13 58.23 62.33	GOOD 0.50 GOOD 1.00 FAIR 0.50 FAIR 0.50	43.91 51.41 57.51 61.61	ANU	8.16 15.66 21.76 25.86
25	41	MUSA DAM	MD	314.9	90.4	47.16 57.06 65.46	GOOD 0.50 GOOD 0.50 FAIR 0.50	46.48 56.38 64.78	ANU	7.11 17.01 25.41
26	41	MUSA DAM	MD	337.2	83.8	49.19 66.69	GOOD 0.50 GOOD 0.50	48.48 65.98	ANU	6.33 23.83
27	41	MUSA DAM	MD	366.2	77.9	52.80 54.60 73.80	FAIR 0.50 GOOD 0.50 GOOD 0.50	52.33 54.13 73.33	ANU	6.56 8.36 27.56
28	41	MUSA DAM	MD	406.3	72.8	57.82	GOOD 0.50	57.33	ANU	6.54
29	41	MUSA DAM	MD	438.9	69.7	62.60	FAIR 0.50	62.06	ANU	7.20
30	41	MUSA DAM	MD	407.7	70.2	56.89	FAIR 0.50	56.40	ANU	5.44
31	41	MUSA DAM	MD	368.4	71.4	52.83 73.43	FAIR 0.50 GOOD 0.50	52.39 72.99	ANU	6.34 26.94
32	41	MUSA DAM	MD	324.9	73.3	47.86 60.96	FAIR 0.50 FAIR 0.50	47.28 60.38	ANU	6.67 19.77
33	41	MUSA DAM	MD	278.6	75.8	42.54 49.34 52.64	FAIR 0.50 GOOD 0.50 GOOD 0.50	41.72 48.52 51.82	ANU	6.89 13.69 16.99
34	41	MUSA DAM	MD	252.8	78.1	39.54	FAIR 0.50	38.66	ANU	7.06
35	41	MUSA DAM	MD	242.1	79.0	38.09 45.09	GOOD 0.50 FAIR 0.50	37.24 44.24	ANU	6.98 13.98
36	41	MUSA DAM	MD	229.3	80.9	36.91 40.71	FAIR 1.00 GOOD 0.50	36.04 39.84	ANU	7.38 11.18
37	41	MUSA DAM	MD	216.8	82.6	35.38 38.98 41.88	GOOD 0.50 FAIR 0.50 FAIR 0.50	34.51 38.11 41.01	ANU	7.41 11.01 13.91
38	41	MUSA DAM	MD	207.0	84.4	34.28 37.88 41.28 54.08	GOOD 0.50 GOOD 0.50 GOOD 0.50 FAIR 0.50	33.42 37.02 40.42 53.22	ANU	7.54 11.14 14.54 27.34
39	41	MUSA DAM	MD	155.9	80.4	27.63 28.73 32.53 39.83 49.13 54.43	GOOD 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50 GOOD 0.50 FAIR 0.50	27.27 28.37 32.17 39.47 48.77 54.07	ANU	7.78 8.88 12.68 19.98 29.28 34.58
40	41	MUSA DAM	MD	164.4	83.2	28.88	GOOD 0.50	28.50	ANU	7.95

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						32.08	FAIR 0.50	31.70		11.15
41	41	MUSA DAM	MD	172.9	86.6	30.10 31.70 35.40	GOOD 0.50 GOOD 0.50 FAIR 0.50	29.70 31.30 35.00	ANU	8.09 9.69 13.39
42	41	MUSA DAM	MD	151.4	76.0	26.74 28.34 30.24 34.14	GOOD 0.50 FAIR 0.50 GOOD 0.50 GOOD 0.50	26.40 28.00 29.90 33.80	ANU	7.47 9.07 10.97 14.87
43	41	MUSA DAM	MD	149.1	71.1	26.66 27.86 35.26	GOOD 0.50 GOOD 0.50 FAIR 0.50	26.22 27.42 34.82	ANU	7.59 8.79 16.19
44	41	MUSA DAM	MD	141.6	65.6	25.28 26.18 33.48 45.58	GOOD 0.50 GOOD 0.50 FAIR 0.50 GOOD 0.50	25.03 25.93 33.23 45.33	ANU	7.33 8.23 15.53 27.63
45	41	MUSA DAM	MD	133.4	60.3	24.45 25.15 27.85 37.45	GOOD 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	24.01 24.71 27.41 37.01	ANU	7.34 8.04 10.74 20.34
46	41	MUSA DAM	MD	123.0	56.1	23.28 25.98 29.08 34.88	GOOD 0.50 FAIR 0.50 GOOD 0.50 FAIR 0.50	22.87 25.57 28.67 34.47	ANU	7.49 10.19 13.29 19.09
47	41	MUSA DAM	MD	113.7	52.0	21.26 36.06	GOOD 0.50 FAIR 0.50	21.13 35.93	ANU	6.92 21.72
48	41	MUSA DAM	MD	93.3	19.2	17.86 27.96	GOOD 0.50 FAIR 0.50	17.46 27.56	ANU	5.80 15.90
49	41	MUSA DAM	MD	101.7	343.8	19.03 20.43	GOOD 0.50 GOOD 0.50	18.43 19.83	ANU	5.72 7.12
50	41	MUSA DAM	MD	147.2	318.8	25.29 27.49	GOOD 0.50 FAIR 0.50	25.10 27.30	ANU	6.70 8.90
51	41	MUSA DAM	MD	237.0	293.9	39.76 42.66 45.56 50.76	GOOD 0.50 FAIR 0.50 FAIR 0.50 FAIR 0.50	39.54 42.44 45.34 50.54	ANU	9.91 12.81 15.71 20.91
52	41	MUSA DAM	MD	213.5	274.0	37.03 40.23	GOOD 0.50 GOOD 0.50	36.79 39.99	ANU	10.10 13.30
53	41	MUSA DAM	MD	107.1	274.3	26.22 30.72 35.02 60.82	GOOD 0.50 GOOD 0.50 FAIR 0.50 GOOD 0.50	26.12 30.62 34.92 60.72	ANU	6.49 10.99 15.29 41.09
54	41	MUSA DAM	MD	107.4	267.1	18.75 21.25	GOOD 0.50 GOOD 0.50	18.60 21.10	ANU	5.18 7.68

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						37.05	FAIR 0.50	36.90		23.48
55	41	MUSA DAM	MD	94.7	246.4	14.03 17.43 20.33 28.33 37.83	GOOD 0.50 GOOD 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50	13.92 17.32 20.22 28.22 37.72	ANU	2.08 5.48 8.38 16.38 25.88
56	41	MUSA DAM	MD	126.9	174.5	20.37 21.67 27.97	GOOD 0.50 FAIR 0.50 GOOD 0.50	20.35 21.65 27.95	ANU	4.49 5.79 12.09
57	41	MUSA DAM	MD	135.0	178.1	20.74 22.24 24.94 27.14 28.74	GOOD 0.50 FAIR 0.50 GOOD 0.50 GOOD 0.50 GOOD 0.50	20.72 22.22 24.92 27.12 28.72	ANU	3.85 5.35 8.05 10.25 11.85
58	41	MUSA DAM	MD	136.4	179.8	20.85 24.95 38.75	GOOD 0.50 GOOD 0.50 FAIR 0.50	20.83 24.93 38.73	ANU	3.78 7.88 21.68
59	41	MUSA DAM	MD	143.4	182.9	21.86 22.46 23.86 39.56	GOOD 0.50 GOOD 0.50 FAIR 0.50 GOOD 0.50	21.56 22.16 23.56 39.26	ANU	3.63 4.23 5.63 21.33
60	41	MUSA DAM	MD	153.7	186.2	24.52 27.32 32.52	GOOD 0.50 GOOD 0.50 FAIR 0.50	23.69 26.49 31.69	ANU	4.48 7.28 12.48
61	41	MUSA DAM	MD	165.9	188.0	27.05 30.95 35.65	GOOD 0.50 FAIR 0.50 GOOD 0.50	25.73 29.63 34.33	ANU	4.99 8.89 13.59
62	41	MUSA DAM	MD	174.1	191.6	28.95 33.75 35.95 40.35 43.15 45.85	GOOD 0.50 GOOD 0.50 FAIR 0.50 GOOD 0.50 GOOD 0.50 FAIR 0.50	27.18 31.98 34.18 38.58 41.38 44.08	ANU	5.42 10.22 12.42 16.82 19.62 22.32
63	41	MUSA DAM	MD	204.8	197.2	34.69 43.59	GOOD 0.50 GOOD 0.50	32.62 41.52	ANU	7.02 15.92
69	41	MUSA DAM	MD	351.6	149.1	53.29	FAIR 0.50	53.18	ANU	9.23
71	41	MUSA DAM	MD	323.7	148.3	49.19 51.19	POOR 1.00 FAIR 0.50	49.04 51.04	ANU	8.57 10.57
73	41	MUSA DAM	MD	301.7	147.4	45.17 48.87	POOR 1.00 FAIR 0.50	45.07 48.77	ANU	7.35 11.05
74	41	MUSA DAM	MD	292.1	148.2	46.15 49.45 50.95	GOOD 0.50 GOOD 0.50 FAIR 0.50	45.87 49.17 50.67	ANU	9.35 12.65 14.15
75	41	MUSA DAM	MD	281.4	148.7	44.60	FAIR 0.50	44.51	ANU	9.34

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME		REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						(SEC)	(SEC)	QUAL	ACC(SEC)			
						52.20		GOOD	0.50	52.11		16.94
77	41	MUSA DAM	MD	288.8	152.4	44.77		GOOD	0.50	44.23	ANU	8.13
						48.27		FAIR	0.50	47.73		11.63
79	41	MUSA DAM	MD	300.8	155.9	46.79		FAIR	0.50	45.80	ANU	8.20
						51.69		FAIR	0.50	50.70		13.10
80	41	MUSA DAM	MD	311.1	160.0	47.56		FAIR	1.00	46.94	ANU	8.05
81	41	MUSA DAM	MD	267.0	150.0	43.74		FAIR	0.50	43.65	ANU	10.27
82	41	MUSA DAM	MD	251.4	150.8	40.28		GOOD	0.50	40.21	ANU	8.78
						43.08		FAIR	0.50	43.01		11.58
85	41	MUSA DAM	MD	226.3	153.7	37.62		GOOD	0.50	37.32	ANU	9.03
						44.62		GOOD	0.50	44.32		16.03
86	41	MUSA DAM	MD	217.8	154.6	36.50		FAIR	0.50	36.48	ANU	9.26
87	41	MUSA DAM	MD	211.5	155.7	36.61		FAIR	1.00	36.21	ANU	9.77
88	41	MUSA DAM	MD	189.4	163.5	32.32		GOOD	0.50	32.01	ANU	8.33
						43.82		FAIR	0.50	43.51		19.83
89	41	MUSA DAM	MD	197.6	167.4	35.41		POOR	1.00	34.90	ANU	10.20
91	41	MUSA DAM	MD	211.4	172.6	33.68		GOOD	0.50	32.82	ANU	6.39
						39.48		GOOD	0.50	38.62		12.19
92	41	MUSA DAM	MD	221.8	176.3	40.29		GOOD	0.50	38.74	ANU	11.02
94	41	MUSA DAM	MD	237.8	180.3	37.72		POOR	1.00	35.34	ANU	5.61
						54.42		FAIR	0.50	52.04		22.31
95	41	MUSA DAM	MD	309.4	207.6	46.94		POOR	1.00	44.38	ANU	5.70
						57.04		FAIR	0.50	54.48		15.80
96	41	MUSA DAM	MD	281.7	205.9	42.05		GOOD	0.50	40.25	ANU	5.03
						48.65		GOOD	0.50	46.85		11.63
97	41	MUSA DAM	MD	251.5	203.6	40.55		POOR	1.00	38.32	ANU	6.88
99	41	MUSA DAM	MD	151.9	163.8	23.50		GOOD	0.50	23.48	ANU	4.49
						30.90		GOOD	0.50	30.88		11.89
						37.40		FAIR	0.50	37.38		18.39
100	41	MUSA DAM	MD	138.2	165.0	21.61		FAIR	0.50	21.58	ANU	4.31
101	41	MUSA DAM	MD	121.0	168.0	19.55		FAIR	0.50	19.52	ANU	4.40
						24.35		GOOD	0.50	24.32		9.20
102	41	MUSA DAM	MD	111.4	168.9	18.70		GOOD	0.50	18.68	ANU	4.75
103	41	MUSA DAM	MD	99.0	169.6	17.88		FAIR	0.50	17.86	ANU	5.48
104	41	MUSA DAM	MD	90.2	180.6	15.64		GOOD	0.50	15.62	ANU	4.34

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS		TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
							QUAL	ACC(SEC)			
						19.14 34.54	FAIR FAIR	0.50 0.50	19.12 34.52		7.84 23.24
105	41	MUSA DAM	MD	80.9	188.7	13.95 18.15 30.95	GOOD FAIR GOOD	0.50 0.50 0.50	13.93 18.13 30.93	ANU	3.82 8.02 20.82
106	41	MUSA DAM	MD	79.6	195.6	12.92 15.42 20.42 25.52	GOOD GOOD FAIR GOOD	0.50 0.50 0.50 0.50	12.90 15.40 20.40 25.50	ANU	2.95 5.45 10.45 15.55
107	41	MUSA DAM	MD	70.3	202.5	12.22 18.82 24.62 32.62	GOOD FAIR FAIR GOOD	0.50 0.50 0.50 0.50	12.20 18.80 24.60 32.60	ANU	3.41 10.01 15.81 23.81
108	41	MUSA DAM	MD	71.9	208.7	12.02 21.82	GOOD GOOD	0.50 0.50	12.00 21.80	ANU	3.01 12.81
109	41	MUSA DAM	MD	85.5	222.2	14.09 15.79 20.49 27.49	GOOD FAIR GOOD GOOD	0.50 0.50 0.50 0.50	14.07 15.77 20.47 27.47	ANU	3.38 5.08 9.78 16.78
110	41	MUSA DAM	MD	111.5	229.8	19.10 21.80 33.90	GOOD GOOD FAIR	0.50 0.50 0.50	18.96 21.66 33.76	ANU	5.03 7.73 19.83
111	41	MUSA DAM	MD	139.2	217.1	21.94 39.54	GOOD FAIR	0.50 0.50	21.93 39.53	ANU	4.53 22.13
1	42	CAPE WARD HUNT	CW	225.2	37.5	38.30 52.81	GOOD FAIR	0.50 0.50	37.51 52.02	ANU	9.36 23.87
3	42	CAPE WARD HUNT	CW	208.7	39.3	37.80 41.92 43.05 43.94	GOOD FAIR FAIR FAIR	0.50 0.50 0.50 0.50	37.25 41.37 42.50 43.39	ANU	11.17 15.29 16.42 17.31
4	42	CAPE WARD HUNT	CW	205.4	35.5	35.10 35.94	GOOD GOOD	0.50 0.50	34.65 35.49	ANU	8.98 9.82
6	42	CAPE WARD HUNT	CW	211.3	44.9	36.56	GOOD	1.00	36.30	ANU	9.88
7	42	CAPE WARD HUNT	CW	211.3	47.2	36.70 39.70 49.83	GOOD GOOD FAIR	0.50 0.50 0.50	36.38 39.38 49.51	ANU	9.97 12.97 23.10
8	42	CAPE WARD HUNT	CW	211.5	51.3	36.18 36.90	GOOD GOOD	1.00 0.50	35.02 36.64	ANU	9.48 10.20
9	42	CAPE WARD HUNT	CW	210.9	53.6	36.27 37.73	GOOD FAIR	1.00 0.50	36.13 37.59	ANU	9.77 11.23
10	42	CAPE WARD HUNT	CW	214.1	56.8	37.40 38.60	FAIR GOOD	0.50 1.00	37.02 38.22	ANU	10.25 11.45

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
11	42	CAPE WARD HUNT	CW	212.7	60.2	36.83 38.09	GOOD 1.00 GOOD 0.50	36.55 37.81	ANU	9.97 11.23
13	42	CAPE WARD HUNT	CW	220.3	66.4	38.17	GOOD 0.50	37.94	ANU	10.41
14	42	CAPE WARD HUNT	CW	223.9	69.3	38.20 40.87	GOOD 0.50 GOOD 1.00	38.08 40.75	ANU	10.09 12.76
15	42	CAPE WARD HUNT	CW	228.9	72.3	39.00	GOOD 0.50	38.84	ANU	10.23
16	42	CAPE WARD HUNT	CW	234.3	75.1	39.90 48.75	FAIR 0.50 FAIR 1.00	39.66 48.51	ANU	10.38 19.23
17	42	CAPE WARD HUNT	CW	240.4	77.6	39.90 40.48 42.79 47.81	GOOD 0.50 GOOD 0.50 GOOD 1.00 FAIR 0.50	39.92 40.50 42.81 47.83	ANU	9.87 10.45 12.76 17.78
19	42	CAPE WARD HUNT	CW	306.9	85.2	49.07 70.98	GOOD 0.50 FAIR 0.50	49.09 71.00	ANU	10.73 32.64
20	42	CAPE WARD HUNT	CW	226.6	63.7	39.05 44.79 50.06	GOOD 0.50 FAIR 0.50 GOOD 0.50	38.58 44.32 49.59	ANU	10.26 16.00 21.27
21	42	CAPE WARD HUNT	CW	234.5	62.3	40.26 45.11 47.90	GOOD 1.00 GOOD 1.00 FAIR 0.50	39.68 44.53 47.32	ANU	10.37 15.22 18.01
22	42	CAPE WARD HUNT	CW	243.4	60.9	41.40 43.91 46.46	GOOD 0.50 FAIR 0.50 FAIR 0.50	40.73 43.24 45.79	ANU	10.31 12.82 15.37
23	42	CAPE WARD HUNT	CW	257.6	60.0	42.47 46.65 51.20	GOOD 0.50 GOOD 1.00 GOOD 0.50	41.79 45.97 50.52	ANU	9.59 13.77 18.32
24	42	CAPE WARD HUNT	CW	263.4	59.2	43.91	FAIR 0.50	43.21	ANU	10.29
25	42	CAPE WARD HUNT	CW	301.3	57.6	47.18	GOOD 1.00	46.53	ANU	8.87
26	42	CAPE WARD HUNT	CW	340.0	53.9	51.39 53.85	GOOD 0.50 FAIR 1.00	50.72 53.18	ANU	8.22 10.68
27	42	CAPE WARD HUNT	CW	382.9	51.0	57.79 58.77	GOOD 0.50 GOOD 0.50	57.36 58.34	ANU	9.49 10.47
28	42	CAPE WARD HUNT	CW	433.9	49.1	63.20 67.02	GOOD 0.50 GOOD 1.00	62.75 66.57	ANU	8.51 12.33
29	42	CAPE WARD HUNT	CW	472.9	48.0	68.46 69.91	GOOD 1.00 GOOD 0.50	67.96 69.41	ANU	8.85 10.30
30	42	CAPE WARD HUNT	CW	442.6	46.9	64.24	GOOD 0.50	63.79	ANU	8.46
31	42	CAPE WARD HUNT	CW	403.3	45.7	59.25	GOOD 0.50	58.84	ANU	8.43

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
32	42	CAPE WARD HUNT	CW	359.2	44.3	54.27 57.56	GOOD 0.50 FAIR 0.50	53.73 57.02	ANU	8.83 12.12
35	42	CAPE WARD HUNT	CW	274.4	40.1	44.76 48.22 49.64	GOOD 0.50 POOR 0.50 GOOD 0.50	43.95 47.41 48.83	ANU	9.65 13.11 14.53
36	42	CAPE WARD HUNT	CW	259.7	39.6	43.76	FAIR 0.50	42.93	ANU	10.47
37	42	CAPE WARD HUNT	CW	245.8	38.8	41.24 44.59	FAIR 0.50 GOOD 0.50	40.41 43.76	ANU	9.68 13.03
38	42	CAPE WARD HUNT	CW	234.3	38.2	39.92	GOOD 0.50	39.10	ANU	9.81
39	42	CAPE WARD HUNT	CW	210.9	26.0	36.36 37.79 40.19	GOOD 1.00 GOOD 0.50 FAIR 0.50	36.04 37.47 39.87	ANU	9.68 11.11 13.51
40	42	CAPE WARD HUNT	CW	209.6	29.1	37.00	GOOD 0.50	36.66	ANU	10.46
42	42	CAPE WARD HUNT	CW	217.8	23.1	37.28	GOOD 0.50	36.98	ANU	9.75
43	42	CAPE WARD HUNT	CW	226.4	20.6	38.00 37.19	GOOD 0.50 GOOD 0.50	37.60 36.79	ANU	9.30 8.49
44	42	CAPE WARD HUNT	CW	232.1	16.9	38.72 40.08	GOOD 0.50 GOOD 0.50	38.50 39.86	ANU	9.49 10.85
45	42	CAPE WARD HUNT	CW	236.2	13.3	40.59	FAIR 0.50	40.19	ANU	10.66
46	42	CAPE WARD HUNT	CW	235.8	9.9	40.42	GOOD 0.50	40.05	ANU	10.57
47	42	CAPE WARD HUNT	CW	235.2	6.9	39.40 40.57	GOOD 0.50 GOOD 0.50	39.31 40.48	ANU	9.91 11.08
48	42	CAPE WARD HUNT	CW	253.5	352.9	41.60 42.55	GOOD 0.50 GOOD 0.50	41.24 42.19	ANU	9.55 10.50
49	42	CAPE WARD HUNT	CW	276.3	340.9	44.66 45.46 47.13	GOOD 0.50 FAIR 0.50 GOOD 0.50	44.10 44.90 46.57	ANU	9.56 10.36 12.03
50	42	CAPE WARD HUNT	CW	316.9	329.8	50.62	GOOD 0.50	50.47	ANU	10.86
53	42	CAPE WARD HUNT	CW	280.5	308.6	46.64	FAIR 0.50	46.58	ANU	11.52
54	42	CAPE WARD HUNT	CW	231.6	312.9	35.57	FAIR 0.50	35.46	ANU	6.51
56	42	CAPE WARD HUNT	CW	62.2	306.8	12.18 12.78	GOOD 0.50 GOOD 0.50	12.20 12.80	ANU	4.42 5.02
57	42	CAPE WARD HUNT	CW	64.0	296.4	12.05	GOOD 0.50	12.07	ANU	4.07
58	42	CAPE WARD HUNT	CW	67.1	293.8	12.46	GOOD 0.50	12.48	ANU	4.09
59	42	CAPE WARD HUNT	CW	72.2	286.3	13.07	GOOD 0.50	12.81	ANU	3.78

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
60	42	CAPE WARD HUNT	CW	79.3	277.7	15.33	GOOD 1.00	14.54	ANU	4.63
61	42	CAPE WARD HUNT	CW	85.1	269.4	17.45 18.47	GOOD 0.50 GOOD 0.50	16.17 17.19	ANU	5.53 6.55
62	42	CAPE WARD HUNT	CW	97.4	265.8	20.25 20.40 23.02	GOOD 0.50 GOOD 0.50 GOOD 0.50	18.52 18.67 21.29	ANU	6.34 6.49 9.11
63	42	CAPE WARD HUNT	CW	126.9	255.3	25.19 25.40	GOOD 0.50 GOOD 0.50	23.16 23.37	ANU	7.30 7.51
69	42	CAPE WARD HUNT	CW	182.4	139.2	28.17 28.15 28.73	GOOD 0.50 GOOD 0.50 FAIR 0.50	28.10 28.08 28.66	ANU	5.30 5.28 5.86
70	42	CAPE WARD HUNT	CW	173.1	136.0	27.15	GOOD 0.50	27.10	ANU	5.46
71	42	CAPE WARD HUNT	CW	156.0	135.7	25.13 31.66	GOOD 0.50 FAIR 0.50	25.01 31.54	ANU	5.51 12.04
72	42	CAPE WARD HUNT	CW	147.4	134.4	23.88 24.88 26.55	FAIR 0.50 GOOD 0.50 FAIR 0.50	23.68 24.68 26.35	ANU	5.26 6.26 7.93
73	42	CAPE WARD HUNT	CW	135.7	131.9	22.25	GOOD 0.50	22.18	ANU	5.22
74	42	CAPE WARD HUNT	CW	125.5	132.3	21.83 23.32	GOOD 0.50 FAIR 0.50	21.58 23.07	ANU	5.89 7.38
75	42	CAPE WARD HUNT	CW	114.4	132.1	19.68 21.86	GOOD 0.50 GOOD 0.50	19.63 21.81	ANU	5.33 7.51
76	42	CAPE WARD HUNT	CW	114.5	136.4	20.59 24.51	GOOD 0.50 GOOD 0.50	20.32 24.24	ANU	6.01 9.93
77	42	CAPE WARD HUNT	CW	117.4	141.8	21.35 22.57 26.02 28.08 30.82	GOOD 0.50 GOOD 0.50 FAIR 0.50 FAIR 0.50 GOOD 0.50	20.85 22.07 25.52 27.58 30.32	ANU	6.17 7.39 10.84 12.90 15.64
78	42	CAPE WARD HUNT	CW	120.9	146.4	22.55 25.60	GOOD 1.00 FAIR 0.50	21.85 24.90	ANU	6.74 9.79
79	42	CAPE WARD HUNT	CW	126.8	151.0	24.06	GOOD 0.50	23.10	ANU	7.25
80	42	CAPE WARD HUNT	CW	136.3	160.7	25.90	GOOD 0.50	25.31	ANU	8.28
81	42	CAPE WARD HUNT	CW	98.8	133.1	17.71 19.57	GOOD 0.50 GOOD 0.50	17.66 19.52	ANU	5.31 7.17
82	42	CAPE WARD HUNT	CW	82.7	132.5	15.25	GOOD 0.50	15.21	ANU	4.88
83	42	CAPE WARD HUNT	CW	73.2	135.1	14.20 19.57	GOOD 0.50 FAIR 0.50	14.16 19.53	ANU	5.01 10.38

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SECS)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
84	42	CAPE WARD HUNT	CW	65.7	135.7	13.22 17.77	GOOD 0.50 GOOD 1.00	13.05 17.60	ANU	4.84 9.39
85	42	CAPE WARD HUNT	CW	55.2	135.4	12.08	GOOD 0.50	11.81	ANU	4.91
86	42	CAPE WARD HUNT	CW	46.0	136.2	10.86	GOOD 0.50	10.88	ANU	5.13
87	42	CAPE WARD HUNT	CW	38.7	138.8	9.97	GOOD 0.50	9.61	ANU	4.77
88	42	CAPE WARD HUNT	CW	19.8	204.1	5.88	GOOD 0.50	5.60	ANU	3.13
89	42	CAPE WARD HUNT	CW	34.8	212.6	9.37	GOOD 0.50	8.89	ANU	4.54
90	42	CAPE WARD HUNT	CW	46.0	215.6	11.15 15.69	GOOD 0.50 GOOD 0.50	10.22 14.76	ANU	4.47 9.01
91	42	CAPE WARD HUNT	CW	57.6	216.8	13.34	GOOD 0.50	12.51	ANU	5.31
92	42	CAPE WARD HUNT	CW	74.9	219.4	17.35 18.50	GOOD 0.50 FAIR 0.50	15.84 16.99	ANU	6.48 7.63
93	42	CAPE WARD HUNT	CW	85.0	218.5	19.98 25.48	GOOD 0.50 FAIR 0.50	18.06 23.56	ANU	7.44 12.94
94	42	CAPE WARD HUNT	CW	97.4	220.3	22.18	GOOD 0.50	19.83	ANU	7.66
95	42	CAPE WARD HUNT	CW	233.9	241.7	38.49 47.18	GOOD 0.50 FAIR 0.50	35.96 44.65	ANU	6.73 15.42
97	42	CAPE WARD HUNT	CW	176.4	247.4	30.40	GOOD 1.00	28.21	ANU	6.16
98	42	CAPE WARD HUNT	CW	9.2	225.7	2.80	GOOD 0.50	2.63	ANU	1.48
99	42	CAPE WARD HUNT	CW	26.2	312.5	6.70	GOOD 0.50	6.72	ANU	3.44
100	42	CAPE WARD HUNT	CW	39.7	319.2	9.30 9.91	GOOD 0.50 FAIR 0.50	9.31 9.92	ANU	4.35 4.96
101	42	CAPE WARD HUNT	CW	58.2	320.8	12.40	GOOD 0.50	12.41	ANU	5.14
102	42	CAPE WARD HUNT	CW	67.6	323.3	13.80 14.30	GOOD 0.50 GOOD 0.50	13.81 14.31	ANU	5.36 5.86
103	42	CAPE WARD HUNT	CW	79.4	216.4	15.10 18.66	GOOD 0.50 GOOD 0.50	15.11 18.67	ANU	5.19 8.75
104	42	CAPE WARD HUNT	CW	96.6	319.4	17.90 18.66	GOOD 0.50 GOOD 0.50	17.92 18.68	ANU	5.84 6.60
105	42	CAPE WARD HUNT	CW	111.7	318.3	20.20 21.35 25.30 30.42	GOOD 0.50 GOOD 0.50 GOOD 0.50 FAIR 0.50	20.22 21.37 25.32 30.44	ANU	6.25 7.40 11.35 16.47
106	42	CAPE WARD HUNT	CW	120.3	316.1	21.30 22.66	GOOD 1.00 GOOD 0.50	21.31 22.67	ANU	6.28 7.64

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC) 31.86	REMARKS QUAL ACC(SEC) GOOD 0.50	TT MSL (SEC) 31.87	INST	TT-D/ 8.00 (SEC) 16.84
107	42	CAPE WARD HUNT	CW	132.7	317.9	22.40 23.20	GOOD 0.50 GOOD 0.50	22.41 23.21	ANU	5.82 6.62
108	42	CAPE WARD HUNT	CW	139.3	316.1	24.10 27.52	GOOD 0.50 FAIR 0.50	24.11 27.53	ANU	6.70 10.12
109	42	CAPE WARD HUNT	CW	156.0	309.9	25.30 26.30 32.90	GOOD 0.50 GOOD 0.50 GOOD 1.00	25.31 26.31 32.91	ANU	5.81 6.81 13.41
110	42	CAPE WARD HUNT	CW	173.4	301.8	28.70 33.08	GOOD 0.50 GOOD 0.50	28.60 32.98	ANU	6.92 11.30
111	42	CAPE WARD HUNT	CW	155.3	289.7	25.80 33.99	GOOD 1.00 FAIR 0.50	25.82 34.01	ANU	6.41 14.60
1	43	KWIKILA	KW	88.2	99.3	17.96 18.47 23.48	GOOD 0.10 FAIR 0.10 FAIR 0.10	17.15 17.66 22.67	QDBM	6.17 6.64 11.65
2	43	KWIKILA	KW	78.2	105.1	16.54 16.98 17.75	GOOD 0.10 FAIR 0.10 FAIR 0.10	15.80 16.24 17.01	QDBM	6.03 6.47 7.24
3	43	KWIKILA	KW	87.9	110.9	17.77 18.40 18.66	GOOD 0.10 FAIR 0.10 FAIR 0.10	17.21 17.84 18.10	QDBM	6.22 6.85 7.11
4	43	KWIKILA	KW	73.7	110.4	15.22 15.42 16.17	GOOD 0.10 FAIR 0.10 FAIR 0.10	14.76 14.96 15.71	QDBM	5.55 5.75 6.50
5	43	KWIKILA	KW	99.2	112.6	18.85 19.82 22.36	GOOD 0.10 FAIR 0.10 FAIR 0.10	18.55 19.52 22.06	QDBM	6.15 7.12 9.66
6	43	KWIKILA	KW	107.7	113.6	20.84 21.46	GOOD 0.10 FAIR 0.10	20.56 21.18	QDBM	7.10 7.72
7	43	KWIKILA	KW	115.8	115.2	22.03 22.40 22.84 25.01	GOOD 0.10 FAIR 0.10 FAIR 0.50 FAIR 0.10	21.70 22.07 22.51 24.68	QDBM	7.22 7.59 8.03 10.20
8	43	KWIKILA	KW	129.6	117.8	23.91 25.06 28.46	GOOD 0.10 FAIR 0.10 FAIR 0.10	23.63 24.78 28.18	QDBM	7.43 8.58 11.98
9	43	KWIKILA	KW	137.2	119.5	24.82 25.47 25.76 27.56	GOOD 0.10 FAIR 0.50 FAIR 0.10 FAIR 0.10	24.66 25.31 25.60 27.40	QDBM	7.51 8.16 8.45 10.25
10	43	KWIKILA	KW	149.3	120.4	26.73 27.64	GOOD 0.10 FAIR 0.10	26.33 27.24	QDBM	7.67 8.58

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						29.02	FAIR 0.10	28.62		9.96
11	43	KWIKILA	KW	160.1	123.0	27.90 29.96 30.97	GOOD 0.10 FAIR 0.10 FAIR 0.10	27.61 29.67 30.68	QDBM	7.59 9.65 10.66
12	43	KWIKILA	KW	172.6	123.5	29.29 30.93 33.84	GOOD 0.10 FAIR 0.10 FAIR 0.10	29.09 30.73 33.64	QDBM	7.52 9.16 12.07
13	43	KWIKILA	KW	184.0	124.6	30.57 32.93 33.83 34.71	GOOD 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.50	30.33 32.69 33.59 34.47	QDBM	7.33 9.69 10.59 11.47
14	43	KWIKILA	KW	195.4	125.6	32.13 35.39 36.80	GOOD 0.10 FAIR 0.10 FAIR 0.10	31.99 35.25 36.66	QDBM	7.57 10.83 12.24
15	43	KWIKILA	KW	208.0	126.3	33.64 35.21 37.50 38.46	GOOD 0.10 FAIR 0.10 FAIR 0.10 GOOD 0.10	33.47 35.04 37.33 38.29	QDBM	7.47 9.04 11.33 12.29
16	43	KWIKILA	KW	220.0	127.0	35.50 36.82 38.85 40.55 44.49	FAIR 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.10	35.25 36.57 38.60 40.30 44.24	QDBM	7.75 9.07 11.10 12.80 16.74
17	43	KWIKILA	KW	232.1	127.5	36.27 37.51 39.92 41.94 42.92	GOOD 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.10	36.28 37.52 39.93 41.95 42.93	QDBM	7.26 8.50 10.91 12.93 13.91
18	43	KWIKILA	KW	262.0	129.3	45.25 49.26	POOR 0.10 POOR 0.10	45.25 49.26	QDBM	12.50 16.51
19	43	KWIKILA	KW	304.9	123.3	45.96	FAIR 0.10	45.97	QDBM	7.85
20	43	KWIKILA	KW	178.5	121.2	30.35 30.85 31.73 34.39	GOOD 0.10 POOR 0.10 POOR 0.10 FAIR 0.10	29.86 30.36 31.24 33.90	QDBM	7.55 8.05 8.93 11.59
21	43	KWIKILA	KW	178.0	118.1	30.41 32.44 33.53	GOOD 0.10 FAIR 0.10 FAIR 0.10	29.81 31.84 32.93	QDBM	7.56 9.59 10.68
22	43	KWIKILA	KW	178.2	114.6	30.48 31.55 34.88	GOOD 0.10 FAIR 0.10 FAIR 0.10	29.79 30.86 34.19	QDBM	7.52 8.59 11.92
23	43	KWIKILA	KW	183.9	110.3	30.89 31.31 35.13	GOOD 0.10 FAIR 0.10 FAIR 0.10	30.19 30.61 34.43	QDBM	7.20 7.62 11.44

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						36.40	FAIR 0.10	35.70		12.71
24	43	KWIKILA	KW	185.1	108.3	31.35 33.25 34.88 39.64	FAIR 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.10	30.64 32.54 34.17 38.93	QDBM	7.50 9.40 11.03 15.79
25	43	KWIKILA	KW	205.9	98.7	33.07 38.98 43.16	GOOD 0.10 FAIR 0.10 FAIR 0.10	32.41 38.32 42.50	QDBM	6.67 12.58 16.76
26	43	KWIKILA	KW	223.9	88.0	34.41 36.32 39.07 39.59	GOOD 0.10 GOOD 0.10 GOOD 0.10 FAIR 0.10	33.72 35.63 38.38 38.90	QDBM	5.73 7.64 10.39 10.91
27	43	KWIKILA	KW	251.3	78.9	37.40 39.18 40.85 45.09 48.82	GOOD 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.10 GOOD 0.10	36.95 38.73 40.40 44.64 48.37	QDBM	5.54 7.32 8.99 13.23 16.96
28	43	KWIKILA	KW	291.4	71.7	42.44 43.98 46.29 51.98 53.66	GOOD 0.10 FAIR 0.10 POOR 0.10 FAIR 0.10 FAIR 0.10	41.97 43.51 45.82 51.51 53.19	QDBM	5.55 7.09 9.40 15.09 16.77
29	43	KWIKILA	KW	324.7	67.6	46.52 50.42 52.54 55.45 60.20	POOR 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.10	46.00 49.90 52.02 54.93 59.68	QDBM	5.41 9.31 11.43 14.34 19.09
30	43	KWIKILA	KW	293.4	68.0	42.57 43.11 51.14 51.74	FAIR 0.10 POOR 0.10 POOR 0.10 POOR 0.10	42.10 42.64 50.67 51.27	QDBM	5.42 5.96 13.99 14.59
31	43	KWIKILA	KW	253.8	69.5	37.77 39.68 43.98 46.00 48.28	GOOD 0.10 FAIR 0.10 POOR 0.10 FAIR 0.10 FAIR 0.10	37.35 39.26 43.56 45.58 47.86	QDBM	5.62 7.53 11.83 13.85 16.13
32	43	KWIKILA	KW	210.0	72.1	32.57 35.23 36.84 38.53 40.39	GOOD 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.10 FAIR 0.10	32.01 34.67 36.28 37.97 39.83	QDBM	5.76 8.42 10.03 11.72 13.58
33	43	KWIKILA	KW	163.6	76.0	26.78 27.20 29.22	POOR 0.10 FAIR 0.10 FAIR 0.10	25.98 26.40 28.42	QDBM	5.53 5.95 7.97
34	43	KWIKILA	KW	138.0	80.3	24.26 25.81	GOOD 0.10 GOOD 0.10	23.40 24.95	QDBM	6.15 7.70

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						26.13	FAIR 0.10	25.27		8.02
35	43	KWIKILA	KW	127.5	82.3	23.26 24.52	GOOD 0.10 FAIR 0.10	22.43 23.69	QDBM	6.49 7.75
36	43	KWIKILA	KW	115.2	86.3	21.80 22.48 25.33 27.15	GOOD 0.10 GOOD 0.10 FAIR 0.10 FAIR 0.10	20.95 21.63 24.48 26.30	QDBM	6.55 7.23 10.08 11.90
37	43	KWIKILA	KW	103.7	90.7	20.38 20.94 26.62	GOOD 0.10 FAIR 0.10 GOOD 0.10	19.53 20.09 25.77	QDBM	6.57 7.13 12.81
38	43	KWIKILA	KW	95.1	95.3	19.42	GOOD 0.10	18.58	QDBM	6.69
39	43	KWIKILA	KW	42.6	94.5	9.95	GOOD 0.10	9.61	QDBM	4.29
40	43	KWIKILA	KW	52.8	100.7	11.81 13.17 13.59	GOOD 0.10 FAIR 0.10 GOOD 0.10	11.45 12.81 13.23	QDBM	4.85 6.21 6.63
41	43	KWIKILA	KW	64.1	107.1	13.78 14.97 15.98	FAIR 0.10 FAIR 0.10 POOR 0.10	13.40 14.59 15.60	QDBM	5.38 6.57 7.58
42	43	KWIKILA	KW	36.4	78.3	8.96 9.67	GOOD 0.10 POOR 0.10	8.64 9.35	QDBM	4.09 4.80
43	43	KWIKILA	KW	35.3	57.5	8.67 8.82 9.74	GOOD 0.10 GOOD 0.10 FAIR 0.10	8.25 8.40 9.32	QDBM	3.84 3.99 4.91
44	43	KWIKILA	KW	34.1	31.3	8.30 8.88 9.04	GOOD 0.10 FAIR 0.10 FAIR 0.10	8.07 8.65 8.81	QDBM	3.80 4.38 4.54
45	43	KWIKILA	KW	37.2	7.1	9.01 9.17 10.67	GOOD 0.10 FAIR 0.10 FAIR 0.10	8.59 8.75 10.25	QDBM	3.94 4.10 5.60
46	43	KWIKILA	KW	40.3	346.9	9.73	FAIR 0.10	9.34	QDBM	4.30
47	43	KWIKILA	KW	45.9	332.0	10.37	GOOD 0.10	10.26	QDBM	4.53
48	43	KWIKILA	KW	99.5	306.0	18.89 19.32 19.59	GOOD 0.10 FAIR 0.10 FAIR 0.10	18.51 18.94 19.21	QDBM	6.07 6.50 6.77
49	43	KWIKILA	KW	155.2	296.0	26.68 26.98 27.61	GOOD 0.10 FAIR 0.10 FAIR 0.10	26.10 26.40 27.03	QDBM	6.70 7.00 7.63
50	43	KWIKILA	KW	223.2	291.2	34.17 38.18 41.36	GOOD 0.10 FAIR 0.10 POOR 0.10	34.00 38.01 41.19	QDBM	6.10 10.11 13.29
51	43	KWIKILA	KW	334.2	281.3	49.17	GOOD 0.10	48.97	QDBM	7.19

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME	REMARKS QUAL ACC(SECS)	TT MSL	INST	TT-D/ 8.00
						(SEC) 52.51 57.08		(SEC) 52.31 56.88		(SEC) 10.53 15.10
75	43	KWIKILA	KW	272.0	172.6	43.28 48.28	GOOD 0.50 FAIR 1.00	43.21 48.21	QDBM	9.21 14.21
77	43	KWIKILA	KW	286.1	175.4	46.33	GOOD 0.50	45.81	QDBM	10.05
79	43	KWIKILA	KW	304.0	177.8	49.06 52.68	GOOD 0.50 FAIR 0.50	48.09 51.71	QDBM	10.09 13.71
80	43	KWIKILA	KW	321.7	180.8	52.23 55.82	GOOD 0.50 FAIR 0.50	51.63 55.22	QDBM	11.41 15.00
81	43	KWIKILA	KW	261.4	175.1	42.23 43.83 45.13	GOOD 0.50 FAIR 0.50 FAIR 0.50	42.16 43.76 45.06	QDBM	9.48 11.08 12.38
82	43	KWIKILA	KW	249.1	177.4	39.51 40.99	GOOD 0.50 FAIR 0.50	39.46 40.94	QDBM	8.32 9.80
83	43	KWIKILA	KW	244.8	179.6	39.21	GOOD 0.50	39.15	QDBM	8.55
84	43	KWIKILA	KW	240.0	180.9	39.16 40.91	GOOD 0.50 FAIR 0.50	38.97 40.72	QDBM	8.97 10.72
85	43	KWIKILA	KW	232.5	182.7	37.90	FAIR 1.00	37.62	QDBM	8.55
86	43	KWIKILA	KW	226.9	184.5	37.65	FAIR 1.00	37.65	QDBM	9.29
87	43	KWIKILA	KW	223.4	186.2	37.99 38.87 39.65 40.83 42.09 47.57	GOOD 0.10 GOOD 0.10 GOOD 0.50 FAIR 0.50 FAIR 0.50 GOOD 0.50	37.61 38.49 39.27 40.45 41.71 47.19	QDBM	9.68 10.56 11.34 12.52 13.78 19.26
88	43	KWIKILA	KW	213.8	195.3	37.16	GOOD 0.10	36.87	QDBM	9.52
89	43	KWIKILA	KW	232.6	197.1	39.37 44.24	GOOD 0.50 FAIR 0.50	38.88 43.75	QDBM	9.80 14.67
90	43	KWIKILA	KW	242.8	198.3	40.85 41.73 44.97 53.36	GOOD 0.10 GOOD 0.50 FAIR 0.50 FAIR 0.50	39.90 40.78 44.02 52.41	QDBM	9.55 10.43 13.67 22.06
91	43	KWIKILA	KW	253.5	199.3	42.40 43.21 45.50	GOOD 0.50 FAIR 0.50 GOOD 0.50	41.56 42.37 44.66	QDBM	9.87 10.68 12.97
92	43	KWIKILA	KW	269.0	201.1	45.24 46.87 49.20	FAIR 0.50 GOOD 0.50 GOOD 1.00	43.71 45.34 47.67	QDBM	10.09 11.72 14.05
94	43	KWIKILA	KW	290.0	202.8	49.40 59.50	GOOD 0.10 FAIR 1.00	47.04 57.14	QDBM	10.79 20.89

SHOT	RECORDER	LOCATION	ABREV	DISTANCE	AZIMUTH	TRAVEL TIME (SEC)	REMARKS QUAL ACC(SEC)	TT MSL (SEC)	INST	TT-D/ 8.00 (SEC)
						66.10	FAIR 0.50	63.74		27.49
95	43	KWIKILA	KW	396.6	219.9	61.73 62.85 71.61	GOOD 0.50 GOOD 0.50 GOOD 0.50	59.19 60.31 69.07	QDBM	9.61 10.73 19.49
96	43	KWIKILA	KW	367.6	219.6	56.34 59.49	GOOD 0.50 FAIR 0.50	54.56 57.71	QDBM	8.61 11.76
97	43	KWIKILA	KW	335.6	219.2	54.02 66.55	GOOD 0.50 FAIR 0.50	51.81 64.34	QDBM	9.86 22.39
98	43	KWIKILA	KW	207.2	195.7	35.47 38.58	GOOD 0.50 FAIR 0.50	35.28 38.39	QDBM	9.38 12.49
99	43	KWIKILA	KW	188.4	201.4	31.69 32.77	GOOD 0.50 GOOD 0.10	31.69 32.77	QDBM	8.14 9.22
100	43	KWIKILA	KW	179.6	204.8	30.96	GOOD 0.50	30.95	QDBM	8.50
101	43	KWIKILA	KW	171.2	210.2	29.97 31.20 31.87	GOOD 0.50 FAIR 0.50 FAIR 0.50	29.96 31.19 31.86	QDBM	8.56 9.79 10.46
102	43	KWIKILA	KW	165.4	212.9	29.42	GOOD 0.50	29.42	QDBM	8.74
103	43	KWIKILA	KW	157.5	216.3	29.12 29.75	GOOD 0.50 GOOD 0.50	29.12 29.75	QDBM	9.43 10.06
104	43	KWIKILA	KW	164.0	223.1	28.71 33.51	FAIR 1.00 FAIR 0.50	28.71 33.51	QDBM	8.21 13.01
105	43	KWIKILA	KW	165.1	228.4	29.84 32.47	GOOD 0.50 FAIR 0.50	29.84 32.47	QDBM	9.20 11.83
106	43	KWIKILA	KW	170.0	231.2	29.19 31.09	GOOD 0.50 GOOD 0.50	29.19 31.09	QDBM	7.94 9.84
107	43	KWIKILA	KW	167.4	235.6	28.79	GOOD 0.50	28.79	QDBM	7.86
108	43	KWIKILA	KW	172.8	237.5	28.93 30.07	GOOD 0.50 FAIR 0.50	28.93 30.07	QDBM	7.33 8.47

PRINTOUT OF TAPE

```
*****  
*  
* BMR GRAVITY PRINCIPAL FACTS TAPE - PAPUA NEW GUINEA FILE P1. 1976/07/29 *  
*  
*****
```

* 1976/08/10 *

* DESCRIPTION OF THIS TAPE *

RECORD TYPE - BUFFERED BINARY WITH 512 60-BIT WORDS/RECORD

DATUM USED -

- | | | |
|----|---|---|
| 1. | STATION NUMBER - 8 DIGIT FLOATING POINT | = |
| 2. | POSITION UNITS - DECIMAL DEGREES | D |
| 3. | ELEVATION UNITS - METRES ABOVE M.S.L. | M |
| 4. | ELEVATION DATUM - DATUM UNDEFINED | |
| 5. | GRAVITY UNITS - MILLIGALS | M |
| 6. | GRAVITY DATUM - OLD POTSDAM DATUM | O |

SELECTIVE LISTING OF BLOCKS 24 TO 24

BMR GRAVITY PRINCIPAL FACTS TAPE - PAPUA NEW GUINEA FILE P1.

1976/07/29

7310.001 EAST PAPUA HELICOPTER SURVEY - COUTTS

(C55.2-7)

DATUM = -DM MO

1975/09/03

BMR STATION NUMBER	LATITUDE SOUTH. (DEGREES)	LONGITUDE EAST. (DEGREES)	METER ELEVATION (METRES)	OBSERVED GRAVITY. (MGAL)	GROUND ELEVATION (METRES)	TERRAIN CORRECTION FOR 2.67	FREE AIR ANOMALY. (MGAL)	BOUGUER ANOMALY. FOR 2.67	INFORMAL STATION NAME, NUMBER, BENCHMARK, ETC.	* LAST DATE STATION UPDATED
6791.9020	8.8833	147.7367	375.33	978078.13	375.33	*****	22.15	-19.84		1975/03/20
6791.9041	8.5533	147.2500	1623.32	977821.76	1623.32	*****	159.80	-21.80		..
7310.0002	9.0600	147.1900	29.31	978186.40	29.31	*****	18.74	15.46		..
7310.0005	9.1200	147.5017	269.11	978105.32	269.11	*****	9.99	-20.11		..
7310.0006	9.0767	147.5650	559.14	978041.25	559.14	*****	36.64	-25.91		..
7310.0007	9.1550	147.6583	1194.55	977926.69	1194.55	*****	115.96	-17.68		..
7310.0008	9.1400	147.7417	1961.67	977773.75	1961.67	*****	200.18	-19.27		..
7310.0009	9.0933	147.9100	2761.96	977540.33	2761.96	*****	215.04	-93.95		..
7310.0010	9.0500	148.0067	952.58	977990.98	952.58	*****	108.53	1.96		..
7310.0016	9.1917	147.0617	1.63	978186.94	1.63	*****	7.04	6.86		..
7310.0017	9.1800	147.1750	21.26	978218.30	21.26	*****	44.70	42.41		..
7310.0018	9.1933	147.3067	38.32	978191.17	38.32	*****	22.54	18.26		..
7310.0019	9.1767	147.3867	75.40	978171.35	75.40	*****	14.64	6.20		..
7310.0020	9.1733	147.5083	753.67	978027.64	753.67	*****	80.34	-3.97		..
7310.0021	9.1833	147.5983	701.05	978031.99	701.05	*****	68.17	-10.26		..
7310.0023	9.2333	147.8167	2422.91	977688.09	2422.91	*****	254.21	-16.84		..
7310.0031	9.2583	147.1050	4.95	978198.61	4.95	*****	17.84	17.28		..
7310.0032	9.2633	147.2217	26.81	978220.99	26.81	*****	46.82	43.82		..
7310.0033	9.3267	147.3017	40.95	978219.57	40.95	*****	47.95	43.37		..
7310.0035	9.2800	147.5100	467.18	978095.37	467.18	*****	56.63	4.36		..
7310.0037	9.3933	147.6450	731.43	978033.18	731.43	*****	72.72	-9.11		..
7310.0039	9.2950	147.8967	2771.52	977611.54	2771.52	*****	283.49	-26.57		..
7310.0046	9.3933	147.1283	379.70	978135.48	379.70	*****	66.47	24.00		..
7310.0047	9.3683	147.2183	26.60	978223.24	26.60	*****	46.00	43.02		..
7310.0048	9.3983	147.2883	43.90	978220.20	43.90	*****	47.42	42.51		..
7310.0049	9.4217	147.4133	461.93	978127.73	461.93	*****	83.28	31.60		..
7310.0050	9.4117	147.5000	477.59	978108.01	477.59	*****	68.68	15.25		..
7310.0051	9.4150	147.6033	286.98	978139.16	286.98	*****	40.91	8.81		..
7310.0053	9.4733	147.8667	878.73	978008.61	878.73	*****	91.28	-7.02		..
7310.0054	9.4633	147.9200	564.14	978064.34	564.14	*****	50.22	-12.89		..
7310.0055	9.4267	147.9717	1450.34	977880.44	1450.34	*****	140.87	-21.39		..
7310.0068	9.4717	147.8083	878.09	978008.94	878.09	*****	91.46	-6.77		..
7310.0093	9.5883	147.7900	130.14	978176.04	130.14	*****	24.32	9.76		..
7310.0095	9.6483	148.0550	612.76	978070.52	612.76	*****	65.95	-2.60		..
7310.0107	9.7017	147.7233	40.13	978243.63	40.13	*****	60.76	56.28		..
7310.0108	9.7017	147.8050	403.96	978152.38	403.96	*****	81.79	36.60		..
7310.0109	9.7200	147.9317	140.67	978188.62	140.67	*****	36.24	20.50		..
7310.0123	9.7633	147.7817	40.37	978246.46	40.37	*****	61.82	57.30		..
7310.0124	9.8400	147.8633	375.68	978173.87	375.68	*****	90.40	48.37		..
7310.0125	9.8383	148.0083	64.77	978237.42	64.77	*****	56.05	50.81		..
7310.0137	9.9067	147.7383	12.65	978254.42	12.65	*****	56.89	55.48		..
7310.0138	9.9167	147.8717	169.14	978218.67	169.14	*****	69.13	50.21		..
7310.0139	9.8967	147.9167	69.66	978238.34	69.66	*****	58.71	50.92		..
7310.0140	9.9083	147.9917	31.10	978242.16	31.10	*****	50.27	46.79		..
7310.0153	9.9867	147.7817	1.23	978269.59	1.23	*****	66.09	65.95		..
7310.0154	9.9733	147.8550	299.60	978204.74	299.60	*****	93.73	60.21		..
7310.1014	9.0417	146.8867	9.69	978177.57	9.69	*****	4.38	3.29		..
7310.1015	9.0683	147.0217	7.14	978193.94	7.14	*****	19.21	18.41		..
7310.1030	9.1633	146.9967	.11	978192.49	.11	*****	12.52	12.91		..
7310.1044	9.2717	146.8983	111.10	978172.86	111.10	*****	24.47	12.04		..

BMR GRAVITY PRINCIPAL FACTS TAPE - PAPUA NEW GUINEA FILE P1.

1976/07/29

7310.001 EAST PAPUA HELICOPTER SURVEY - COUTTS

(C55.2-7)

DATUM = =DM MO

1975/09/03

BMR STATION NUMBER.	LATITUDE SOUTH. (DEGREES)	LONGITUDE EAST. (DEGREES)	METER ELEVATION (METRES)	OBSERVED GRAVITY. (MGAL)	GROUND ELEVATION (METRES)	TERRAIN CORRECTION FOR 2.67	FREE AIR ANOMALY. (MGAL)	BOUGUER ANOMALY. FOR 2.67	INFORMAL STATION NAME, NUMBER, BENCHMARK, ETC.	* LAST DATE STATION UPDATED
7310.1045	9.2867	146.9700	2.17	978204.24	2.17	*****	21.80	21.56		1975/03/20
7310.1060	9.3917	147.0183	-65	978226.86	-65	*****	40.53	40.60		..
7310.2021	8.2183	146.1533	9.86	978137.44	9.86	*****	-13.74	-14.84		..
7310.2022	8.1750	146.2783	13.52	978124.08	13.52	*****	-24.88	-26.39		..
7310.2026	8.2583	146.6133	131.85	978122.04	131.85	*****	7.49	-7.26		..
7310.2028	8.2350	146.8200	1481.73	977845.83	1481.73	*****	148.44	-17.32		..
7310.2029	8.2200	146.9167	1704.32	977790.50	1704.32	*****	162.19	-28.48		..
7310.2037	8.2967	146.2383	8.01	978131.96	8.01	*****	-21.79	-22.69		..
7310.2041	8.3450	146.4333	34.17	978138.34	34.17	*****	-8.59	-12.41		..
7310.2044	8.2950	146.7550	1790.42	977790.00	1790.42	*****	186.34	-13.96		..
7310.2045	8.3083	146.9550	1054.40	977909.88	1054.40	*****	78.74	-39.22		..
7310.2054	8.4067	146.4650	21.65	978140.10	21.65	*****	-12.29	-14.71		..
7310.2068	8.4967	146.3183	11.62	978147.51	11.62	*****	-10.33	-11.63		..
7310.2069	8.4933	146.4550	16.72	978144.83	16.72	*****	-11.35	-13.22		..
7310.2070	8.4883	146.5467	28.26	978143.35	28.26	*****	-9.13	-12.30		..
7310.2072	8.4967	146.6850	55.32	978156.34	55.32	*****	11.99	5.80		..
7310.2074	8.5000	146.8583	516.92	978077.56	516.92	*****	75.57	17.74		..
7310.2075	8.4950	147.0000	432.70	978029.78	432.70	*****	1.93	-46.48		..
7310.2084	8.5933	146.3900	11.84	978149.41	11.84	*****	-10.91	-12.24		..
7310.2085	8.5700	146.5000	24.65	978152.34	24.65	*****	-3.41	-6.17		..
7310.2086	8.5317	146.6200	45.39	978155.78	45.39	*****	7.44	2.36		..
7310.2087	8.5683	146.7683	78.75	978152.43	78.75	*****	13.42	4.61		..
7310.2088	8.5850	146.8350	157.68	978138.16	157.68	*****	23.07	5.43		..
7310.2089	8.5533	146.9033	211.39	978124.87	211.39	*****	27.19	3.54		..
7310.2098	8.5733	146.9883	1035.41	977952.42	1035.41	*****	108.50	-7.33		..
7310.2100	8.6367	146.4917	12.13	978148.17	12.13	*****	-13.21	-14.57		..
7310.2101	8.6700	146.6050	15.82	978156.81	15.82	*****	-4.33	-6.10		..
7310.2103	8.6450	146.8333	168.54	978135.79	168.54	*****	22.45	3.60		..
7310.2104	8.6617	146.9600	326.57	978116.28	326.57	*****	51.26	14.73		..
7310.2115	8.7433	146.5267	5.23	978145.06	5.23	*****	-21.32	-21.90		..
7310.2116	8.7733	146.6117	54.21	978146.89	54.21	*****	-5.18	-11.25		..
7310.2117	8.7533	146.7150	212.42	978108.31	212.42	*****	5.60	-18.16		..
7310.2118	8.7333	146.8333	93.04	978153.52	93.04	*****	14.51	4.10		..
7310.2119	8.7183	146.9217	425.55	978097.18	425.55	*****	61.19	13.58		..
7310.2131	8.8567	146.6133	27.46	978161.40	27.46	*****	-1.20	-4.27		..
7310.2133	8.8400	146.8283	22.32	978165.07	22.32	*****	1.34	-1.16		..
7310.2146	8.9283	146.5683	.09	978169.23	.09	*****	-3.79	-3.80		..
7310.2147	8.9400	146.7250	88.41	978159.31	88.41	*****	13.23	3.34		..
7310.2148	8.9633	146.8217	4.36	978174.24	4.36	*****	1.58	1.09		..
7310.2149	8.9567	146.9533	35.63	978177.37	35.63	*****	14.54	10.55		..
7310.3016	8.1700	147.0983	1913.02	977727.75	1913.02	*****	165.11	-48.91		..
7310.3031	8.2983	147.1183	1128.47	977866.36	1128.47	*****	56.34	-67.91		..
7310.3032	8.2883	147.2683	2668.75	977598.29	2668.75	*****	265.85	-32.71		..
7310.3046	8.4083	147.1167	1475.11	977818.54	1475.11	*****	114.64	-50.38		..
7310.3047	8.4200	147.2467	2104.00	977716.49	2104.00	*****	206.37	-29.01		..
7310.3048	8.3883	147.3150	2825.50	977569.99	2825.50	*****	283.35	-32.75		..
7310.3061	8.4783	147.1217	1797.50	977779.07	1797.50	*****	172.84	-28.25		1975/07/07
7310.3063	8.4800	147.3083	2889.73	977558.90	2889.73	*****	289.69	-33.59		1975/03/20
7310.3076	8.5617	147.0850	1404.54	977866.97	1404.54	*****	137.28	-19.85		..
7310.3091	8.6417	147.1067	1237.62	977914.90	1237.62	*****	131.57	-6.88		..

BMR GRAVITY PRINCIPAL FACTS TAPE - PAPUA NEW GUINEA FILE P1.

1976/07/29

7310.001 EAST PAPUA HELICOPTER SURVEY - COUTTS

(C55.2-7)

DATUM = =DM HO

1975/09/03

BMR STATION NUMBER.	LATITUDE SOUTH. (DEGREES)	LONGITUDE EAST. (DEGREES)	METER ELEVATION (METRES)	OBSERVED GRAVITY. (MGAL)	GROUND ELEVATION (METRES)	TERRAIN CORRECTION FOR 2.67	FREE AIR ANOMALY. (MGAL)	BOUGUER ANOMALY. FOR 2.67	INFORMAL STATION NAME, NUMBER, BENCHMARK, ETC. -----	* LAST DATE STATION UPDATED
7310.3092	8.7067	147.1433	1181.04	977925.91	1181.04	*****	123.38	-8.75		1975/03/20
7310.3093	8.6733	147.2783	1497.37	977851.82	1497.37	*****	147.79	-19.72	..	
7310.3095	8.6667	147.4333	2737.37	977533.84	2737.37	*****	212.66	-93.58	..	
7310.3108	8.8083	147.2733	943.92	977993.42	943.92	*****	114.96	9.36	..	
7310.3109	8.7433	147.4283	3138.06	977419.63	3138.06	*****	220.04	-131.02	..	
7310.3110	8.7450	147.4817	3238.61	977397.10	3238.61	*****	228.50	-133.82	..	
7310.3121	8.8883	147.1217	212.26	978129.86	212.26	*****	23.42	-1.32	..	
7310.3123	8.8350	147.2967	585.10	978028.32	585.10	*****	38.40	-27.06	..	
7310.3124	8.8883	147.3850	927.03	977960.33	927.03	*****	74.47	-29.24	..	
7310.3125	8.8850	147.5017	3226.88	977378.35	3226.88	*****	202.31	-158.69	..	
7310.3128	8.9350	147.3200	253.80	978112.63	253.80	*****	17.73	-10.66	..	
7310.3129	9.0233	147.4417	906.96	977996.98	906.96	*****	101.19	-1.27	..	
7310.3136	8.9867	147.0783	106.88	978171.25	106.88	*****	29.58	17.62	..	
7310.9001	9.1067	147.0967	12.40	978207.98	12.40	*****	33.81	32.42	..	
7310.9006	8.0783	146.1633	14.21	978124.69	14.21	*****	-21.62	-23.21	..	
7310.9007	9.1400	147.6617	1280.20	977905.67	1280.20	*****	121.80	-21.42	..	
7310.9012	9.0350	146.7867	5.39	978177.92	5.39	*****	3.59	2.98	..	
7310.9013	8.1317	146.8633	1976.47	977717.98	1976.47	*****	175.88	-45.23	..	
7310.9024	9.2183	147.8950	2256.84	977711.33	2256.84	*****	226.63	-25.85	..	
7310.9029	9.1817	146.9000	.30	978187.64	.30	*****	7.61	7.58	..	
7310.9034	9.3033	147.4017	91.15	978181.43	91.15	*****	25.97	15.77	..	
7310.9053	8.4200	146.2717	14.19	978144.39	14.19	*****	-10.65	-12.24	..	
7310.9060	8.3617	146.9850	1004.83	977917.23	1004.83	*****	69.42	-43.00	..	
7310.9067	9.4750	147.6817	292.44	978138.05	292.44	*****	39.74	7.03	..	
7310.9094	9.5983	147.9217	445.30	978111.72	445.30	*****	56.96	7.14	..	
7310.9102	8.6950	146.7500	59.04	978149.58	59.04	*****	1.11	-5.50	..	
7310.9106	8.8083	147.0950	373.41	978090.43	373.41	*****	35.91	-5.86	..	
7310.9122	9.8183	147.6517	71.00	978238.91	71.00	*****	62.07	54.13	..	
7310.9130	8.8217	146.5217	13.15	978154.46	13.15	*****	-11.60	-13.08	..	
7310.9155	10.0000	148.0167	13.36	978253.52	13.36	*****	53.35	51.86	..	
7310.9160	8.3600	146.9883	984.32	977918.39	984.32	*****	64.29	-45.83	..	
7390.0176	9.4433	147.2067	44.20	978212.99	44.20	*****	39.00	34.05	..	

***** END-FILE *****

***** END-FILE *****

* 1976/08/10 *

BMR GRAVITY PRINCIPAL FACTS TAPE - PAPUA NEW GUINEA FILE P1.

DATUM = -DM MO

1976/07/29

5401.001	GREAT BARRIER REEF SURVEY - DOOLEY	(D+E/55)	49 STATIONS.	=DM MO	1975/04/16
7309.001	CHRISTMAS ISLAND SURVEY		52 STATIONS.	=DM MO	1975/09/03
3830.001	WESTERN PAPUA SURVEY - R.L.BULLOCK FOR IEC	(B+C/54)	1129 STATIONS.	=DM MO	1976/07/27
4731.001	KIKORI - KEREMA SURVEY - RAY FOR APC	(B55.1314)	1669 STATIONS.	=DM MO	1976/07/27
5036.001	KIKORI SURVEY - ANGLO-IRANIAN FOR APC	(B55.13)	686 STATIONS.	=DM MO	1975/10/10
5161.001	WEST PAPUA SURVEY - ANGLO-IRANIAN FOR IEC	(B+C/5J-5)	1122 STATIONS.	=DM MO	1975/09/18
5530.001	MOREHEAD SURVEY - GEOPROSCO FOR APC	(C54.3+7)	1235 STATIONS.	=DM MO	1976/07/27
5741.001	KOMENU - TURAMA SURVEY - GEOPROSCO FOR IEC	(B54.16)	197 STATIONS.	=DM MO	1975/09/18
5861.001	EAST PAPUA SURVEY - PAPIAN APINAIPI	(B+C/55)	29 STATIONS.	=DM MO	1975/09/18
6351.001	NEW GUINEA REGIONAL SURVEY - ST. JOHN	(B+C/54-5)	488 STATIONS.	=DM MO	1976/07/21
6810.001	SEPIK RIVER AREA SEGMENT A	(B55.1-6)	518 STATIONS.	=DM MO	1976/07/27
6810.002	SEPIK RIVER AREA SEGMENT B	(A+B/54)	208 STATIONS.	=DM MO	1975/01/15
6810.003	SEPIK RIVER AREA SEGMENT C	(A+B/54-5)	622 STATIONS.	=DM MO	1976/07/27
6901.001	NEW BRITAIN - CENTRAL	(B/55-6)	162 STATIONS.	=DM MO	1975/01/15
6901.002	NEW BRITAIN - WEST	(B/55-6)	132 STATIONS.	=DM MO	1975/01/15
6901.003	NEW BRITAIN - GAZELLE PENINSULAR	(B56.2)	107 STATIONS.	=DM MO	1975/09/12
6902.001	NEW IRELAND AND ISLANDS	(A+B/56)	103 STATIONS.	=DM MO	1975/01/15
6903.001	RABAU DETAILED SURVEY	(B56.2)	45 STATIONS.	=DM MO	1975/08/28
6934.001	MADANG GRAVITY SURVEY - CONTINENTAL OIL	(A+B/55)	52 STATIONS.	=DM MO	1975/07/07
7025.001	NEW GUINEA HIGHLANDS SEGMENT A	(B55.5+9)	99 STATIONS.	=DM MO	1975/01/15
7043.001	CECILIA GRAVITY SURVEY - CGG	(B54.7-12)	329 STATIONS.	=DM MO	1976/07/27
7047.001	KAIM-STRICKLAND SURVEY - DIGICON FOR UOD	(B54.M-16)	170 STATIONS.	=DM MO	1976/07/27
7231.001	TOMU RIVER SURVEY - DIGICON FOR UOD	(B54.1112)	100 STATIONS.	=DM MO	1976/07/27
7310.001	EAST PAPUA HELICOPTER SURVEY - COUTTS	(C55.2-7)	132 STATIONS.	=DM MO	1975/09/03
7510.001	RABAU DETAILED SURVEY - WELLMAN	(B56.2)	58 STATIONS.	=DM MO	1976/07/27
6701.001	EASTERN PAPUA SURVEYS	(B+C/55-6)	1008 STATIONS.	=DM MO	1976/07/29
6824.001	MARINE TRAVERSES SURVEY 04 NORTHWEST SHELF	(D-F/4951)	129 STATIONS.	=DM MO	1975/05/28
7018.001	MARINE TRAVERSES SURVEY 05 GULF OF PAPUA AND BISMARCK SEA	(A-C/54-6)	1661 STATIONS.	=DM MO	1975/05/28
7019.001	MARINE TRAVERSES SURVEY 10 NORTHERN CORAL SEA	(C+D/55)	167 STATIONS.	=DM MO	1975/05/20
5801.001	UNDERWATER SURVEY, NORTHERN AUSTRALIAN COAST	(C-F/52-6)	476 STATIONS.	=DM MO	1975/10/22
7080.0010	HIG DATA 1970 AND 1971		2360 STATIONS.	=DM MO	1976/02/11
6703.001	MARINE TRAVERSES SURVEY 03 TIMOR SEA	(C+D/51-2)	42 STATIONS.	=DM MO	1975/05/28
7114.001	MARINE TRAVERSES SURVEY 14 CENTRAL CORAL SEA	(C-J/55-8)	1132 STATIONS.	=DM MO	1975/05/22
6610.001	NORTHERN QUEENSLAND SEGMENT A - GEOSURVEYS	(C+D/54)	598 STATIONS.	=DM MO	1974/10/16
6610.002	NORTHERN QUEENSLAND SEGMENT B - GEOSURVEYS	(D54)	354 STATIONS.	=DM MO	1974/10/16
6610.003	NORTHERN QUEENSLAND SEGMENT C - GEOSURVEYS	(D+E/54-5)	446 STATIONS.	=DM MO	1974/10/16
6610.004	NORTHERN QUEENSLAND SEGMENT D - GEOSURVEYS	(D/54-5)	266 STATIONS.	=DM MO	1974/10/16
6610.005	NORTHERN QUEENSLAND SEGMENT E - GEOSURVEYS	(D+E/54)	189 STATIONS.	=DM MO	1974/10/09
6610.006	NORTHERN QUEENSLAND SEGMENT F - GEOSURVEYS	(D+E/55)	234 STATIONS.	=DM MO	1974/10/16
6611.001	NORTHERN QUEENSLAND SEGMENT R - GEOSURVEYS	(D+E/55)	75 STATIONS.	=DM MO	1974/10/16
6611.002	NORTHERN QUEENSLAND SEGMENT S - GEOSURVEYS	(E/54-5)	114 STATIONS.	=DM MO	1974/10/16
6612.001	NORTHERN QUEENSLAND SEGMENT T - GEOSURVEYS	(D+E/54-5)	418 STATIONS.	=DM MO	1974/10/09
7590.001	MARKHAM VALLEY CRUSTAL MOVEMENT	(B55.10)	25 STATIONS.	=DM MO	1975/10/22
7471.001	MILSOMS DATA NEAR MADANG		59 STATIONS.	=DM MO	1976/07/29
7117.001	WEST SEPIK HELICOPTER SURVEY - COUTTS	(B 25/06/7	194 STATIONS.	=DM MO	1976/07/13
1440.001	LAMONT CORAL SEA DATA (VIA FALVEY) DO NOT RELEASE THIS DATA		1531 STATIONS.	=DM MO	1976/07/27
1440.001	LAMONT CORAL SEA DATA (VIA FALVEY) DO NOT RELEASE THIS DATA		1444 STATIONS.	=DM MO	1976/07/27
7186.001	HIG DATA IN THE CORAL SEA		50 STATIONS.	=DM MO	1976/07/15

ENDFILE

TAPE CONTAINS 22465 STATIONS.

TABLE 7

List of Survey Personnel

Bureau of Mineral Resources Geology and Geophysics

J.C. Dooley (Supervisory visits)
W.A. Wiebanga (Supervisory visits)
D.M. Finlayson, Party Leader
J.B. Connelly Geophysicist
B.J. Drummond "
C.D.N. Collins "
J. Petkovic "
A.G. Spence "
P.E. Mann O.I.C. Marine Operations
D.A. Coutts S.T.O. 1 Gravity
P.M. Ryan T.O. 2 Seismic
J. Vout T.O.2 Seismic
I.D. Ripper O.I.C. Popondetta
J.A. Sommerville Party Clerk
N. Parker T.A.
R. Cherry Shooter
B. Carr Field Hand

Australian National University

J.R. Cleary
K.J. Muirhead

University of Queensland

J.P. Webb
J. Rynn

Warrnambool Institute of Advanced Education

A.J. Russell

Preston Institute of Technology

G. Gibson

Hawaii Institute of Geophysics

A.S. Furumoto
M. Broyles
R. Mitiguy
E. Murphy

Table 7 contd.

PNG Geological Survey

V. Dent

W. Hutton

Survey Branch, Dept of Services and Property

J. Hyslop

V. Ingham

Navigation Australia Pty Ltd

J. Skates SHORAN Supervisor

R. Mason

W. Gray

J. Vermeulen

G. Wallis

PNG District Administration

A. Gumasa

Seafreight Pty Ltd

P. Eardley, Captain, L/V "Sir Alan"

F. Dawson, Engineer

4 crew


Helitrans PNG Pty Ltd

A. Perry, pilot

K. Peacock "

B. Hanson "

S. Urqhart, engineer



GEOLOGY OF EASTERN PAPUA


After Davies & Smith, 1971 Figure 1
Geological Society of America Bulletin,
Volume 82, No. 12

EARTHQUAKE DATA FILE

BUREAU MINERAL RESOURCES

1:1000000

PLATE 2



AUSTRALIAN NATIONAL SPHEROID
STANDARD MERCATOR PROJECTION
WITH SCALE DEFINED AT 0°S

EARTHQUAKE MAGNITUDE

	<5.00	5.00-5.99	>5.99
0 - 60 km	○	⊙	⊕
70 - 200 km	△	△	△
> 200 km	•	*	*

KILOMETRES


10 0 10 20 30 40 50 60 70 80 90 100

DATA PLOTTED —
ALL LOCATED EARTHQUAKES
UP TO 6 MARCH 1975

SEISMICITY OF THE PAPUAN PENINSULA REGION


Record No. 1975/177

PNG/BIO-307




LEGEND

- ▲ RECORDING STATION
- SHOT (180 kg)
- SHOT (1020 kg)
- L/V "SIR ALAN" SPARKER TRAVERSES
- BATHYMETRIC CONTOURS IN METRES




EAST PAPUA CRUSTAL SURVEY
SHOT & RECORDING STATION LOCATIONS

(a)




(b)



BMR automatic recording systems at (a) Mount Lawes , and
(b) Popondetta

(a)




(b)




(a) L/V "Sir Alan"

(b) Loading explosives at Port Moresby

(a)




(b)



(a) Assembling a 1020 kg shot ; floatation buoy on left (tractor tyre tubes in net).

(b) 180 kg shot going over the side ; polystyrene floatation buoy in background , hydrophone transmitter buoy and radar target on left.


(a)



(b)




(a) SHORAN masts on L/V "Sir Alan" , and
(b) SHORAN land based station at Varol .




GRAPH OF FUSE LENGTH AGAINST BURNING TIME AT 100m DEPTH

(a)




(b)



(a) Mount Lamington station recording shot 56

(b) BMR seismic tape playback equipment.

AUSTRALIA 1 / 250000.



CLARKE 1858 SPHEROID
TRANSVERSE MERCATOR PROJECTION
ZONE 7 (AUSTRALIA SERIES)

$$\begin{aligned} \square \quad AA &= 7310 \\ + \quad AB &= 7390 \end{aligned}$$

SIMPLE BOUGUER ANOMALIES

IN THE AROA-PORT MORESBY AREA

FOR OBSERVATIONS MADE DURING 1973 (DENSITY 2.67 t/m^3)


LEGEND

```
A1234 ; STATION NUMBER
56.7 ; GRAVITY ANOMALY
455 ; GROUND ELEVATION
```

Record No. 1975/177

PNG / BIO - 313

AUSTRALIA 1 / 250000



CLARKE 1859 SPHEROID
TRANSVERSE MERCATOR PROJECTION
ZONE 7 (AUSTRALIA SERIES)


$$\begin{array}{r} 0 \quad 99 = 6791 \\ + \quad 48 = 7310 \end{array}$$


DENSITY = 2.67 GMS/CC.

SIMPLE BOUGUER ANOMALIES IN THE YULE-BUNA AREA FOR OBSERVATIONS MADE DURING 1973


Record No. 1975/177

PNG / BIO - 314





SCHEMATIC DIAGRAM OF
SHORAN SYSTEM




$$d = \frac{2e}{\sin \Theta/2}$$

e = range error

Θ = intersection angle of range circles

ZONE OF POSSIBLE ERROR DUE TO RANGE MEASUREMENT VARIATIONS



ALL ARCS ARE PORTIONS OF CIRCLES THROUGH BASE STATION POSITIONS
OF RADIUS GIVEN BY:

$$r = \frac{b}{2 \sin \phi}$$

WHERE ϕ IS ANGLE BETWEEN INTERSECTING RANGE CIRCLES

AREA OF COVERAGE FOR INTERSECTING ANGLES 30° – 150°