




AUSTRALIAN PETROLEUM SYSTEMS

PETREL SUB-BASIN MODULE

VOLUME 2 APPENDICES

BY

**BRUCE MCCONACHIE, MARITA BRADSHAW, SCOTT
EDGECOMBE, CLINTON FOSTER, JOHN BRADSHAW, DAVID
EVANS, BOB NICOLL & PETER JONES**

AGSO RECORD NO 1995/7

**BMR
Record
1995/7
v.2
c.3**



APPENDIX: 1

RESFACS DATABASE

APPENDIX 1
HYDROCARBON SHOWS, PORPOSITY, PERMEABILITY AND DEPOSITIONAL
ENVIRONMENT DATA
for the wells listed below:-

BARNETT1
BARNETT 2
BARNETT 3
BERKLEY 1
BONAPARTE 1
BOUGAINVILLE 1
CAMBRIDGE 1
CURLEW 1
FLAT TOP 1
FRIGATE 1
GARIMALA 1
GULL 1
KEEP RIVER 1
KINMORE 1
KULSHILL 1
KULSHILL 2
LACROSSE 1
LESUEUR 1
MATILDA 1
MOYLE 1
NINGBING 1
PELICAN ISLAND 1
PENGUIN 1
PETREL 1
PETREL 1A
PETREL 2
PETREL 3
PETREL 4
SANDPIPER 1
SKULL 1
SPIRIT HILL 1
TERN 1
TERN 2
TERN 3
TURTLE 1
TURTLE 2
WEABER 2A

See following pages for codes

*Note: where two environment codes are given for the same depth interval the second listed is an
alternate interpretation*

TABLE OF SHOW CODES

CODE NAME	REMARK
C3	condensate show, condensate flowed on test.
C4	potential condensate zone, condensate show with convincing log anomaly or other indication.
C5	proven condensate zone, sustained condensate flow on test, or RFT & log anomaly or pressure data proving an accumulation (no economic implications).
DHI	direct hydrocarbon indicator seismic shows amplitude anomaly, flat spot, etc over well.
G1	gas indication anomalously high gas reading
G2	strong gas indication anomalously high gas reading and other indication. eg from core, logs, or shakers
G3	gas show gas flowed on test
G4	potential gas zone gas show with convincing log anomaly or other indication
G5	proven gas zone sustained gas flow on test, or RFT & log anomaly proving an accumulation (no economic implications)
L1	oil indication fluorescence or cut
L2	strong oil indication fluorescence or cut & other oil indication. eg log anomaly
L3	oil show oil recovered from core, test, mud
L4	potential oil zone oil show with convincing oil anomaly
L5	proven oil zone oil flow on test, or RFT & log anomaly proving an accumulation (no economic implications)
NR	no returns - lost circulation
NS	no show

TABLE OF AUTHOR, ENVIRONMENT, LANDFORM & DATA SOURCE
CODES

Type :

A = Author

E = Environment

L = Landform

S = Data Source

Type	CODE	NAME
A	WCR	well completion report
A	OPER	operator
A	CLAB	Corelab
A	GSER	Geoservices
A	AGSO	Australian Geological Survey Organisation
A	OTR	other (unspecified)
A	BOCL	Bocal
A	XLOG	Exlog
A	WOOD	Woodside
A	SCHL	Schlumberger
A	ACOR	Auscore
A	SNPA	Societe Nationale Des Petroles D'Aquitaine
A	PSI	Petroleum Service Incorporated
A	BPR	BP Research
A	SHEL	Shell
A	KOBE	Kobe Amdel/Woodside
A	OBER	Oberon
A	NORC	Norcon
A	CTEK	Core Teck
A	GEAH	Gearhart
A	ELF	Elf Aquitaine
A	CSA	Core Services of Australia
A	BHPP	BHP Petroleum
A	ROBR	Robertson Research
A	BMR	Bureau Mineral Resources (AGSO)
A	AMDL	AMDEL
A	ALAB	Analab
E	LEU	land-unclassified
E	LDP	land-playa
E	LDFL	land-fluvial-lacustrine
E	LDL	land-lacustrine
E	LDFM	land-meandering
E	LDFB	land-braided
E	LDF	land-fluvial
E	LUD	land-unclassified depositional
E	LEE	land-erosional
E	IGN	igneous body
E	UNKN	unknown/no data
E	CDDP	coastal-pro delta
E	CDDL	coastal-lower delta plain
E	CDDU	coastal-upper delta plain
E	CDD	coastal-deltaic
E	CDIS	coastal-intertidal/supratidal

E	CDP	coastal-paralic
E	LDG	land-glacial
E	LDA	land-aeolian
E	CSFM	middle shoreface
E	CSFU	upper shoreface
E	CSFL	lower shoreface
E	CSF	shoreface
E	CDDF	delta front
E	MA	marine-abyssal
E	MBA	marine-bathyal to abyssal (>200m)
E	MVS	marine-very shallow (0-20m)
E	MS	marine-shallow (0-200m)
E	MSS	marine-starved shelf
E	MU	marine-unclassified
E	CDE	coastal-estuarine
L	V	volcano
L	SML	submarine levee
L	IDB	interdistributary bay
L	SMB	stream mouth bar
L	BR	beach ridge
L	B	beach
L	S	swale
L	D	dune
L	P	pond
L	TFD	turbidite fan distal
L	TFM	turbidite fan mid
L	TFP	turbidite fan proximal
L	R	reef
L	RB	reef back
L	RF	reef front
L	RT	reef toe
L	FD	fan distal
L	WOF	wash over fan
L	DFS	delta front sequence
L	TFC	turbidite fan complex
L	OD	overbank deposit
L	MFD	mixed fan distal
L	GD	glacial deposit
L	DC	distributary channel
L	CSHO	continental shelf outer
L	CSHM	continental shelf middle
L	CSHI	continental shelf inner
L	BB	barrier bar
L	AP	abyssal plain
L	TF	turbidite fan
L	CSL	continental slope
L	CSH	continental shelf
L	FM	fan mid
L	FP	fan proximal
L	F	fan
L	BI	barrier island
L	OB	offshore bar
L	LA	lagoon
L	M	marsh

L	CE	chenier
L	MF	mud flat
L	SF	salt flat
L	LD	lacustrine delta
L	BS	backswamp
L	CS	crevasse splay
L	LE	levee
L	AC	abandoned channel
L	PB	point bar
L	C	channel
L	AF	alluvial fan
L	AFT	alluvial fan toe
L	AFS	alluvial fan sheet flow
L	AFD	alluvial fan debris flow
L	VM	volcanics mixed
L	LF	lava field
S	ALL	All data (≥ 3)
S	GSDE	total gas detector
S	GSCR	gas chromatography
S	GSCU	cuttings gas
S	LC	computer generated log analysis
S	LCDN	computer generated from density & neutron logs
S	LDN	density & neutron logs
S	LCS	computer generated from sonic log
S	LCN	computer generated from neutron log
S	LCD	computer generated from density log
S	TSFT	pre-test steady state spherical flow pressure test
S	LOGP	dipmeter log
S	LOGG	gamma ray log
S	PALY	palaeontological
S	LOGD	density log
S	LOG	log (undifferentiated)
S	LOGR	resistivity log
S	WCR	well completion report
S	CORE	core
S	SWC	sidewall core
S	CUTT	cuttings
S	JSS	junk subsample
S	LOGM	mud log
S	LOGE	electric log
S	LOGS	sonic log
S	LOGN	neutron log
S	TEST	test
S	TRFT	repeat formation test
S	TDST	drillstem test
S	TFIT	formation interval test
S	TPRD	production
S	MUDP	mud pit/shakers
S	SEIS	seismic

COPYRIGHT AGSO

RESFACS DatabaseBarnett 1 -14.530467 129.061359 Bonaparte Basin
PEDIN/File numbers: W8850004 84/945

Petrel Sub-basin

top (m)	base (m)	-----Ages----- (Harland mA)	---SHOWS--- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV Srce Auth	-----ENVIRONMENT----- Env Lndfm Source
500.00	510.00	166.54	170.37 L1 WCR			
825.00	836.00	271.12	271.69	25.00 27.00 LOGE OPER		
825.00	846.00	271.12	272.03 L2 LOGM			
825.00	846.00	271.12	272.03 G1 LOGM			
833.50		271.56		24.30	CORE OTR 112.0	CORE ACOR
833.80		271.57			569.0	CORE ACOR
833.90		271.58				141.0 CORE ACOR
834.10		271.59		20.80	CORE OTR 30.1	CORE ACOR
834.40		271.60			1474.0	CORE ACOR
834.70		271.62			66.0	CORE ACOR
834.80		271.62			.0	CORE ACOR
835.00		271.63		15.80	CORE OTR 3.2	CORE ACOR
835.30		271.65			1.7	CORE ACOR
835.60		271.67			26.0	CORE ACOR
835.70		271.67				1.9 CORE ACOR
835.90		271.68		22.90	CORE OTR 64.0	CORE ACOR
836.00	1306.50	271.69	281.29	25.00 28.00 LOGE OPER		
836.20		271.70			132.0	CORE ACOR
836.60		271.72			527.0	CORE ACOR
836.70		271.72				5.9 CORE ACOR
836.80		271.73			421.0	CORE ACOR
837.10		271.74		24.80	CORE OTR 578.0	CORE ACOR
837.40		271.76			227.0	CORE ACOR
837.60		271.77				31.3 CORE ACOR
837.70		271.77			1465.0	CORE ACOR
838.00		271.79		26.90	CORE OTR 1337.0	CORE ACOR
838.30		271.81			1198.0	CORE ACOR
838.60		271.82			844.0	CORE ACOR
838.80		271.83				829.0 CORE ACOR
838.90		271.84			1296.0	CORE ACOR
839.20		271.85		27.00	CORE OTR 741.0	CORE ACOR
839.50		271.87			779.0	CORE ACOR
839.60		271.87				448.0 CORE ACOR
839.80		271.88			861.0	CORE ACOR
840.10		271.90		27.10	CORE OTR 1356.0	CORE ACOR
840.40		271.91			2123.0	CORE ACOR
840.50		271.92				927.0 CORE ACOR
840.70		271.92			859.0	CORE ACOR
841.00		271.93		25.40	CORE OTR 1241.0	CORE ACOR
841.30		271.94			904.0	CORE ACOR
841.50		271.94				.8 CORE ACOR
841.60		271.94			7.9	CORE ACOR
841.90		271.95			580.0	CORE ACOR
842.20		271.95		24.60	CORE OTR 200.0	CORE ACOR

2

Barnett	1								
1544.70	1546.30	287.41	287.46 L2	LOGM					
1544.90		287.42							
1545.20		287.43			21.00	CORE	OTR	9.7	CORE ACOR
1545.20		287.43						106.0	CORE ACOR
1545.50		287.44							100.0 CORE ACOR
1545.80		287.45						13.3	CORE ACOR
1546.10		287.46						1.7	CORE ACOR
1546.10		287.46			17.90	CORE	OTR	2.2	CORE ACOR
1546.40		287.47							.0 CORE ACOR
1546.70		287.48						8.6	CORE ACOR
1547.00		287.49						.0	CORE ACOR
1547.20		287.49			7.50	CORE	OTR	.0	CORE ACOR
1547.30		287.50							.0 CORE ACOR
1547.60		287.50						.0	CORE ACOR
1547.90		287.51						.0	CORE ACOR
1548.10		287.52							.0 CORE ACOR
1548.20		287.52							CORE ACOR
1548.50		287.53			14.20	CORE	OTR	.0	CORE ACOR
1548.80		287.54						.0	CORE ACOR
1549.10		287.55						.0	CORE ACOR
1549.20		287.56			14.30	CORE	OTR	.0	CORE ACOR
1549.50		287.57						.0	.0 CORE ACOR
1549.70	1555.10	287.57	287.75 L2	LOGM					CORE ACOR
1549.70	1555.10	287.57	287.75 G1	LOGM					
1549.70		287.57						.7	CORE ACOR
1550.00		287.58			17.10	CORE	OTR	16.6	CORE ACOR
1550.20		287.59							.0 CORE ACOR
1550.30		287.59						7.5	CORE ACOR
1550.60		287.60						1.5	CORE ACOR
1550.80		287.61							.0 CORE ACOR
1550.90		287.61						1.9	CORE ACOR
1551.20		287.62			21.40	CORE	OTR	63.0	CORE ACOR
1551.50		287.63						2.0	CORE ACOR
1552.10		287.65			24.10	CORE	OTR		CORE ACOR
1553.00		287.68			21.90	CORE	OTR		
1553.30		287.69						166.0	CORE ACOR
1553.60		287.70						767.0	CORE ACOR
1553.70		287.70							3.2 CORE ACOR
1553.90		287.71						275.0	CORE ACOR
1554.20		287.72			22.60	CORE	OTR	54.0	CORE ACOR
1554.50		287.73						350.0	CORE ACOR
1554.70		287.74							7.2 CORE ACOR
1554.80		287.74						22.1	CORE ACOR
1555.10		287.75			16.20	CORE	OTR	.6	CORE ACOR
1555.40		287.76						3.8	CORE ACOR
1555.70		287.77						.7	CORE ACOR
1555.80		287.77							.0 CORE ACOR
1556.00		287.78			8.80	CORE	OTR	.3	CORE ACOR
1556.30		287.79						.5	CORE ACOR
1556.60		287.80						.5	CORE ACOR
1556.80		287.80							.0 CORE ACOR
1556.90		287.81						.6	CORE ACOR
1557.20		287.82			16.90	CORE	OTR	1.0	CORE ACOR

Barnett 1																					
Statistics																					
top (m)	base (m)	Ages (Harland mA)		SHOWS-- Show Srce		POROSITY-----				PERMEABILITY----				ENVIRONMENT-----							
						Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source
=	=	=																			
Min	500.00	166.54				7.20	15.00	13.00	16.00			0.0				0.0					
Max	2245.00	356.86				29.20	26.00	25.00	28.00			2123.0				1177.0					
No.	241	241		25	25	50	5	9	9	64	64	155				44	200	200			
Mean						20.31	20.20	17.78	20.33			400.9				249.0					

5

COPYRIGHT AGSO

RESFACS Database

Barnett 2 -14.532316 129.052213 Bonaparte Basin
PEDIN/File numbers: W8890013 89/690

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV Srce Authr	ENVIRONMENT----- Env Lndfm Source Cf
22.00	235.00	128.95				CDP ALL 4
235.00	300.00	128.95 249.45				CDP ALL 4
300.00	317.00	249.45 250.35				CDD SMB ALL 3
317.00	345.00	250.35 251.83				MS ALL 3
345.00	391.00	251.83 254.27				CDD SMB ALL 3
391.00	467.00	254.27 258.30				CDDF ALL 3
467.00	497.00	258.30 259.89				CDDP ALL 3
497.00	506.00	259.89 260.36				MS ALL 3
506.00	512.00	260.36 260.68				MVS R ALL 2
512.00	518.00	260.68 261.00				MS ALL 3
518.00	530.00	261.00 261.36				CDD SMB ALL 3
530.00	590.00	261.36 263.16				CDDF ALL 3
590.00	839.00	263.16 270.64				CDD ALL 3
839.00	1121.00	270.64 278.22				CDE ALL 3
1121.00	1125.00	278.22 278.29				MVS R ALL 3
1125.00	1296.00	278.29 281.27				CDP ALL 3
1296.00	1479.00	281.27 284.47				LDG ALL 3
1296.00	1479.00	281.27 284.47				CDP ALL 3
1479.00	1567.00	284.47 286.00				CDE ALL 3
1479.00	1567.00	284.47 286.00				
1491.00	1497.00	284.67 284.78	L3	TDST		
1491.00	1497.00	284.67 284.78	L3	TDST		
1500.50	1506.50	284.84 284.94	L3	TDST		
1567.00	1692.00	286.00 295.13				LDFB ALL 3
1567.00	1692.00	286.00 295.13				CDP ALL 3
1692.00	2029.00	295.13 319.74				LDFM ALL 3
2029.00	2084.00	319.74 340.00				MS ALL 3
2084.00	2127.00	340.00 341.36				MVS R ALL 2
2127.00	2190.00	341.36 343.35				MS R ALL 3
2127.00	2190.00	341.36 343.35				MS OB ALL 3
2190.00	2219.00	343.35 344.27				MS ALL 3
2219.00	2298.00	344.27 346.77				MVS R ALL 2
2298.00	2400.00	346.77 350.00				CDP ALL 3
2393.00	2408.00	349.78 350.02	L3	TDST		
2393.00	2408.00	349.78 350.02	G2	TDST		
2400.00	2501.00	350.00 350.24				
2413.50	2421.00	350.03 350.05	L3	TDST		CDP ALL 3
2413.50	2421.00	350.03 350.05	G2	TDST		
2435.00	2500.00	350.08 350.24	G1	LOGM		
2501.00	2597.00	350.24 350.47				
2525.00	2815.00	350.30 350.99	L1	LOGM		MS ALL 3
2525.00	2815.00	350.30 350.99	G1	LOGM		
2597.00	2818.00	350.47 351.00				CDP ALL 3

Barnett 2

Statistics		---Ages---		--SHOWS--		-----POROSITY-----					-----PERMEABILITY-----					-----ENVIRONMENT-----					
top (m)	base (m)	(Harland	mA)	Show	Src	Spot	Aver	Min	Max	Src	Authr	Spot	Aver	Min	Max	KV	Src	Auth	Env	Lndfm	Source
Min	22.00																				
Max	2818.00	351.00																			
No.	43	42		10	10														33	9	33
Mean																					

COPYRIGHT AGSO

RESFACS Database

Barnett 3 -14.53425 129.05034 Bonaparte Basin PEDIN/File numbers: W8900023 90/851

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	ENVIRONMENT----- Env Lndfm Source	Conf	Pref	Ref	Act
52.00	182.00	0.11 29.45		LEU LOGG	4	P	1	A
52.00	182.00	0.11 29.45		CDP LOGG	4	A	1	A
182.00	344.00	29.45 66.01		CDP LOGG	4	P	1	A
344.00	350.00	66.01 67.36		MVS R ALL	2	P	1	A
350.00	389.00	67.36 76.16		CDD SMB ALL	3	P	1	A
389.00	404.00	76.16 79.55		CDDF ALL	3	P	1	A
404.00	418.00	79.55 82.71		CDD SMB ALL	3	P	1	A
418.00	462.00	82.71 92.63		CDDF ALL	3	P	1	A
462.00	502.00	92.63 101.66		CDDP ALL	3	P	1	A
502.00	507.00	101.66 102.79		MVS R ALL	2	P	1	A
507.00	514.00	102.79 104.37		MS ALL	3	P	1	A
514.00	564.00	104.37 115.65		CDD SMB ALL	3	P	1	A
564.00	574.00	115.65 117.91		CDDF ALL	3	P	1	A
574.00	831.00	117.91 175.90		MS ALL	3	P	1	A
660.00	720.00	137.32 150.85	L1 LOGM					
660.00	720.00	137.32 150.85	G1 LOGM					
831.00	960.00	175.90 205.01		CDD ALL	3	P	1	A
951.00	982.00	202.98 209.98	L1 LOGM					
951.00	982.00	202.98 209.98	G1 LOGM					
960.00	1063.00	205.01 228.26		CDE ALL	3	P	1	A
1046.00	1060.00	224.42 227.58	L1 LOGM					
1046.00	1060.00	224.42 227.58	G1 LOGM					
1063.00	1117.00	228.26 240.44		MVS R ALL	2	P	1	A
1117.00	1312.00	240.44 277.54		CDP ALL	3	P	1	A
1117.00	1312.00	240.44 277.54		LDF ALL	3	A	1	A
1125.00	1195.00	242.25 258.04	L1 LOGM					
1125.00	1195.00	242.25 258.04	G1 LOGM					
1287.00	1309.00	277.13 277.49	L1 LOGM					
1287.00	1309.00	277.13 277.49	G1 LOGM					
1312.00	1495.00	277.54 280.51		CDE ALL	3	P	1	A
1312.00	1495.00	277.54 280.51		LDG ALL	3	P	1	A
1495.00	1590.00	280.51 287.65		CDE ALL	3	P	1	A
1496.00	1560.00	280.53 282.22	L1 LOGM					
1496.00	1560.00	280.53 282.22	G1 LOGM					
1590.00	1626.00	287.65 294.16		CDE ALL	3	P	1	A
1626.00	1701.00	294.16 307.73		CDP ALL	3	P	1	A

Statistics

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	ENVIRONMENT----- Env Lndfm Source	Conf	Pref	Ref	Act
Min	52.00	0.11						
Max	1701.00	307.73						

No. 36 36 12 12 24 6 24

Mean

=====

SHOWS & ENVIRONMENT CODES ONLY, MULTIPLE PAGES OF POROSITY & PERMEABILITY DATA PROVIDED DIGITALLY

COPYRIGHT AGSO

RESFACS Database

Petrel Sub-basin

Berkley 1 -14.004331 127.831472 Bonaparte Basin

PEDIN/File numbers: W6820005 82/903

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	ENVIRONMENT----- Env Lndfm Source Cf
75.00	265.00	0.01 270.43															CDP LOGG 4
265.00	468.00	270.43 275.91															CDD ALL 3
468.00	692.00	275.91 279.37															CDE ALL 3
580.00	590.00	277.43 277.61	G1 LOGM														
692.00	794.00	279.37 281.14															LDG ALL 3
750.00	840.00	280.38 290.13	G1 LOGM														
794.00	815.00	281.14 281.50															LDFB ALL 3
815.00	873.00	281.50 301.53															LEE ALL 2

Statistics		top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	ENVIRONMENT----- Env Lndfm Source
Min		75.00	0.01																
Max		873.00	301.53																
No.		8	8		2 2														6 6
Mean																			

COPYRIGHT AGSO

RESFACS Database

Bonaparte 1 -15.016667 128.741667 Bonaparte Basin

Petrel Sub-basin

PEDIN/File numbers: W6630007 63/1015

top (m)	base (m)	---Ages--- (Harland mA)		--SHOWS-- Show Srce		-----POROSITY-----						-----PERMEABILITY-----						-----ENVIRONMENT-----					
						Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source	Cf	
4.90	194.50	308.95	340.03																				
170.69	192.02	321.30	340.01																CDP		ALL	3	
175.67		321.48				26.00				LOGS	OPER												
194.50	220.70	340.03	340.21							CORE	BMR	1200.0				660.0	CORE	BMR					
195.68	222.50	340.04	340.23				4.00	3.00	5.00	LOGS	OPER								MVS	R	ALL	2	
209.50		340.14				4.00				CORE	BMR												
220.70	476.70	340.21	341.99																MS	OB	ALL	3	
226.16	234.70	340.25	340.31				32.00	26.00	35.00	LOGS	OPER												
249.94	254.51	340.42	340.45				22.00	22.00	27.00	LOGS	OPER												
292.71	292.81	340.71	340.71			27.00				CORE	BMR	6.0				61.0	CORE	BMR					
298.70	318.21	340.75	340.89				24.00	20.00	26.00	LOGS	OPER												
341.38	345.03	341.05	341.08				12.00	10.00	14.00	LOGS	OPER												
345.03	347.47	341.08	341.09				13.00	9.00	18.00	LOGS	OPER												
347.47	351.13	341.09	341.12				21.00	19.00	23.00	LOGS	OPER												
383.84	383.94	341.35	341.35			18.50				CORE	BMR	47.0				87.0	CORE	BMR					
390.14	398.07	341.39	341.44				16.00	7.00	21.00	LOGS	OPER												
420.62	459.03	341.60	341.87				15.00	2.00	17.00	LOGS	OPER												
476.70	496.80	341.99	342.13																MVS	R	ALL	2	
477.11	477.21	341.99	341.99			10.50				CORE	BMR												
496.80	640.10	342.13	343.13																CDP		ALL	3	
563.37		342.59				14.50				CORE	BMR												
640.10	1158.20	343.13	346.72																MS		ALL	3	
733.45		343.77				7.30				CORE	BMR												
782.42	784.25	344.11	344.13				23.00			LOGS	OPER												
1158.20	1966.90	346.72	351.04																CDP		ALL	3	
1158.85	1159.76	346.73	346.73				18.00			LOGS	OPER												
1159.76	1161.29	346.73	346.75				18.00			LOGS	OPER												
1161.29	1162.51	346.75	346.75				17.00			LOGS	OPER												
1162.51	1164.34	346.75	346.77				23.00			LOGS	OPER												
1165.86	1165.96	346.78	346.78			8.00				CORE	BMR												
1250.90	1253.34	347.37	347.38				21.00			LOGS	OPER												
1254.56	1256.08	347.39	347.40				20.00			LOGS	OPER												
1272.24	1273.76	347.52	347.53				16.50			LOGS	OPER												
1326.69	1327.10	347.89	347.90			11.00				CORE	BMR												
1398.42	1399.03	348.39	348.40				25.00			LOGS	OPER												
1400.25	1405.13	348.40	348.44				10.50			LOGS	OPER												
1415.49	1417.93	348.51	348.53				35.00			LOGS	OPER												
1433.78	1452.07	348.64	348.76				24.00			LOGS	OPER												
1452.07	1456.94	348.76	348.80				24.00			LOGS	OPER												
1456.94	1461.21	348.80	348.83				18.00			LOGS	OPER												
1463.34	1463.75	348.84	348.85			12.00				CORE	BMR												
1467.41		348.87				9.00				CORE	BMR												
1477.67	1478.58	348.94	348.95				35.00			LOGS	OPER												
1479.50	1480.72	348.95	348.96				27.00			LOGS	OPER												

Bonaparte 1

1500.53	1502.36	349.10	349.11			27.00	LOGS	OPER			
1505.71	1506.32	349.14	349.14			31.00	LOGS	OPER			
1506.32	1508.76	349.14	349.16			24.00	LOGS	OPER			
1591.87	1592.24	349.74	349.74			12.00	CORE	BMR			
1594.91	1595.32	349.76	349.76			6.00	CORE	BMR			
1636.17	1643.48	350.02	350.04			19.00	LOGS	OPER			
1683.59		350.16				4.00	CORE	BMR			
1708.10	1721.51	350.24	350.28			9.00	LOGS	OPER			
1715.11	1736.14	350.26	350.33	G2	TDST						
1775.97	1776.65	350.45	350.45			2.00	CORE	BMR			
1778.00	1779.30	350.46	350.46			6.00	CORE	BMR			
1848.31	1853.18	350.67	350.69			4.00	LOGS	OPER			
1910.41	1910.76	350.86	350.86			4.00	CORE	BMR			
1966.90	2164.10	351.04	351.64						MS	ALL	3
1994.31	1996.44	351.12	351.13			4.00	LOGS	OPER			
2002.84	2005.28	351.15	351.15			3.00	LOGS	OPER			
2011.88	2012.29	351.18	351.18			1.00	CORE	BMR			
2013.20	2013.51	351.18	351.18			5.00	CORE	BMR			
2068.98	2070.81	351.35	351.36			4.00	LOGS	OPER			
2127.50	2131.77	351.53	351.54			7.00	LOGS	OPER			
2129.64	2129.74	351.54	351.54			1.00	CORE	BMR			
2133.60	2135.73	351.55	351.56			3.50	LOGS	OPER			
2164.10	2279.90	351.64	352.00						MS	ALL	3
2205.35	2205.53	351.77	351.77			16.00	CORE	BMR			
2206.55	2206.75	351.77	351.77			8.00	CORE	BMR			
2208.38	2208.58	351.78	351.78			3.00	CORE	BMR			
2279.90	2397.30	352.00	360.47						MS	ALL	3
2397.30	2497.80	360.47	360.88						MS	ALL	3
2400.91	2401.01	360.49	360.49			6.00	CORE	BMR			
2401.31	2401.44	360.49	360.49			9.00	CORE	BMR			
2414.02	3134.26	360.54	363.45	G1	LOGM						
2495.09	2496.01	360.87	360.87			7.00	LOGS	OPER			
2497.80	2529.80	360.88	361.01						MS	CUTT	3
2529.80	2753.90	361.01	361.91						MS	CUTT	3
2534.92	2535.12	361.03	361.03			2.00	CORE	BMR			
2535.33	2535.43	361.03	361.03			5.00	CORE	BMR			
2537.16	2537.26	361.04	361.04			2.00	CORE	BMR			
2688.34	2718.82	361.65	361.77	G1	TDST						
2700.12	2700.32	361.70	361.70			2.00	CORE	BMR			
2700.93	2701.14	361.70	361.70			2.00	CORE	BMR			
2753.90	2822.40	361.91	362.19						CDP	CUTT	3
2766.36	2767.58	361.96	361.97			4.00	LOGS	OPER			
2777.03	2777.95	362.01	362.01			3.50	LOGS	OPER			
2798.06	2801.11	362.09	362.10			6.00	LOGS	OPER			
2822.40	2893.20	362.19	362.48						LDP	CUTT	3
2826.21	2826.41	362.20	362.21			1.00	CORE	BMR			
2893.20	3209.50	362.48	363.81						CDP	CUTT	3
2910.84	2912.06	362.55	362.55			7.00	LOGS	OPER			
2926.08	2929.13	362.61	362.62			7.00	LOGS	OPER			
2935.83	2938.88	362.65	362.66			5.00	LOGS	OPER			
2957.78	2961.44	362.74	362.75			4.00	LOGS	OPER			
2964.48	2969.36	362.76	362.78			7.00	LOGS	OPER			
2996.79	3000.15	362.89	362.91			6.50	LOGS	OPER			

Bonaparte 1
 3018.13 3021.18 362.98 362.99
 3093.82 363.29 3.00 6.00 LOGS OPER
 CORE BMR

Statistics		---Ages---		--SHOWS--		-----POROSITY-----				-----PERMEABILITY-----				-----ENVIRONMENT-----							
top (m)	base (m)	(Harland	mA)	Show	Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source
Min	4.90	308.95				1.00	3.00	2.00	5.00			6.0				61.0					
Max	3209.50	363.81				27.00	35.00	26.00	35.00			1200.0				660.0					
No.	99	99		3	3	32	48	10	10	80	80	3				3	3	3	16	3	16
Mean						7.74	15.30	13.30	21.60			417.7				269.3					

COPYRIGHT AGSO
RESFACS Database

Bougainville 1 -13.773583 129.041806 Bonaparte Basin
PEDIN/File numbers: W8720002 72/70

Petrel Sub-basin

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV Srce Authr	ENVIRONMENT----- Env Lndfm Source Cf
49.00	254.00	0.03 71.60				CDP WCR 3
254.00	317.00	71.60 151.00				MS ALL 2
317.00	457.00	151.00 213.00				CDP ALL 4
317.00	457.00	151.00 213.00				LDF ALL 4
457.00	600.00	213.00 239.00				CDE ALL 4
600.00	821.00	239.00 241.38				LDFB ALL 4
821.00	913.00	241.38 242.37				CDP ALL 4
913.00	1342.00	242.37 247.00				CDE ALL 3
1036.32	1237.48	243.70 245.87	G1 LOGM			
1341.12	1536.19	246.99 252.55	G1 LOGM			
1342.00	1367.00	247.00 247.71				CDD SMB ALL 3
1367.00	1415.00	247.71 249.09				CDDF ALL 3
1415.00	1432.00	249.09 249.57				MVS R ALL 2
1432.00	1445.00	249.57 249.94				CDD SMB ALL 3
1445.00	1468.00	249.94 250.60				CDDF ALL 3
1468.00	1494.00	250.60 251.34				CDD SMB ALL 3
1494.00	1543.00	251.34 252.74				CDD ALL 3
1494.00	1543.00	251.34 252.74				CDDL ALL 3
1543.00	1584.00	252.74 253.91				CDDP ALL 3
1584.00	1618.00	253.91 254.89				CDD SMB ALL 3
1618.00	1735.00	254.89 258.23				CDDF ALL 3
1735.00	1784.00	258.23 259.63				CDDP ALL 3
1784.00	1832.00	259.63 261.00				MVS R ALL 2
1798.32	2676.14	260.04 281.51	G1 LOGM			
1832.00	1896.00	261.00 264.10				CDD SMB ALL 3
1896.00	1969.00	264.10 267.64				CDDP ALL 3
1969.00	2367.00	267.64 278.79				CDDF ALL 3
2367.00	2676.00	278.79 281.50				LDFB ALL 3
2380.34		278.91		12.30	CORE GSER 11.5	CORE GSER
2380.49	2380.79	278.91 278.92		16.10	CORE BMR	
2380.56	2380.79	278.91 278.92			7.8	3.6 CORE BMR
2380.79		278.92		13.10	CORE GSER 15.5	CORE GSER
2381.25		278.92		12.70	CORE GSER 45.0	CORE GSER
2381.71	2381.86	278.92 278.92		13.30	CORE BMR 9.9	1.1 CORE BMR
2381.86		278.92		11.60	CORE GSER 5.6	CORE GSER
2383.31		278.94		17.20	CORE CLAB 34.0	CORE CLAB
2383.38		278.94		12.60	CORE GSER 52.0	18.0 CORE GSER
2383.80	2383.92	278.94 278.94			5.2	CORE BMR
2383.81	2383.92	278.94 278.94		16.50	CORE BMR	
2385.67		278.96		10.20	CORE GSER 1.2	CORE GSER
2386.13		278.96		12.00	CORE GSER 1.6	CORE GSER
2386.20		278.96		18.50	CORE BMR	
2386.51	2386.36	278.97 278.96			234.0	41.0 CORE BMR
2386.58		278.97		27.00	CORE GSER	
2386.58					200.0	CORE GSER
2386.58		278.97		19.30	CORE CLAB 159.0	CORE CLAB

Bougainville 1

Statistics		-----Ages-----		--SHOWS--		-----POROSITY-----						-----PERMEABILITY-----				-----ENVIRONMENT-----					
top (m)	base (m)	(Harland	mA)	Show	Src	Spot	Aver	Min	Max	Src	Auth	Spot	Aver	Min	Max	KV	Src	Auth	Env	Lndfm	Source
Min	49.00	0.03				10.20						1.2				1.1					
Max	2676.14	281.51				27.00						234.0				41.0					
No.	45	45		3	3	14				14	14	14				4	14	14	25	7	25
Mean						15.17						55.9				15.9					

COPYRIGHT AGSO
RESFACS Database

Cambridge 1 -14.290431 128.432639 Bonaparte Basin
PEDIN/File numbers: W6840006 84/665

Petrel Sub-basin

top (m)	base (m)	---Ages--- (Harland mA)		--SHOWS-- Show Srce		---POROSITY--- Spot Aver Min Max Srce Authr					---PERMEABILITY--- Spot Aver Min Max KV Srce Auth					ENVIRONMENT----- Env Lndfm Source Cf					
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
30.00	96.00		125.55															MS	LOGG	4	
96.00	108.00	125.55	246.91															CDD	SMB	LOGG	4
108.00	135.00	246.91	248.97															CDDF		LOGG	4
135.00	148.00		249.85															CDD	SMB	ALL	3
147.00		249.80		L2	SWC																
147.00		249.80		G1	SWC																
148.00	173.00	249.85	251.33																		
170.00	210.00	251.15	253.51	G1	LOGM													CDDF		ALL	3
170.00	210.00	251.15	253.51	L2	LOGM																
173.00	177.00	251.33	251.57																		
177.00	200.00	251.57	252.92															MVS	R	ALL	2
200.00	206.00	252.92	253.28															CDDF		ALL	3
206.00	234.00	253.28	255.18															CDDL		ALL	3
234.00	257.00	255.18	257.51															CDDF		ALL	3
257.00	263.00	257.51	258.61	L2	WCR													CDDP		ALL	3
257.00	263.00	257.51	258.61	G1	WCR													MVS	R	ALL	2
263.00	276.00	258.61	261.00																		
276.00	289.00	261.00	265.67															MS		ALL	3
276.00	360.00	261.00	269.40	L2	WCR													CDDF		ALL	3
276.00	360.00	261.00	269.40	G1	WCR																
289.00	294.00	265.67	267.46																		
294.00	568.00	267.46	273.93															CDDP		ALL	3
306.00	453.00	268.23	271.43				10.00	17.00	LOGS	OPER								MS		ALL	3
360.00	430.00	269.40	270.93	L2	WCR																
360.00	430.00	269.40	270.93	G1	WCR																
372.50		269.67		L2	SWC																
372.50		269.67		G1	SWC																
413.50		270.57		L2	SWC																
413.50		270.57		G1	SWC																
440.00	568.00	271.14	273.93	L2	SWC																
440.00	568.00	271.14	273.93	G1	SWC																
456.00	461.00	271.49	271.60				12.00	17.00	LOGS	OPER											
523.50		272.96		L1	SWC																
523.50		272.96		G1	SWC																
544.50		273.42		L2	SWC																
544.50		273.42		G1	SWC																
550.00		273.54		G1	WCR																
550.00		273.54		L2	WCR																
568.00	620.00	273.93	274.77				27.00	34.00	LOGN	OPER											
568.00	620.00	273.93	274.77				27.00	33.00	LOGS	OPER											
568.00	650.00	273.93	275.25	L2	WCR																
568.00	650.00	273.93	275.25	G1	WCR																
568.00	698.00	273.93	276.01																		
650.00	962.00	275.25	280.13				29.00	36.00	LOGN	OPER								CDP		ALL	3

Case No.	Case Name	Case Type	Case Status	Case Date	Case Time	Case Location	Case Description
650.00	962.00	275.25	280.13				27.00 34.00 LOGS OPER
698.00	1188.00	276.01	283.63				
850.00	960.00	278.39	280.10	L1	WCR		
850.00	960.00	278.39	280.10	G1	WCR		
1000.00	1020.00	280.72	281.03				27.00 31.00 LOGN OPER
1000.00	1020.00	280.72	281.03				26.00 30.00 LOGS OPER
1150.00	1180.00	283.04	283.51	L1	WCR		
1150.00	1180.00	283.04	283.51	G1	WCR		
1188.00	1342.00	283.63	286.00				
1342.00	1621.00	286.00	306.76				
1344.00	1396.00	286.15	290.02				23.00 25.00 LOGN OPER
1344.00	1396.00	286.15	290.02				21.00 24.00 LOGS OPER
1418.00	1543.00	291.66	300.96				21.00 23.00 LOGN OPER
1418.00	1543.00	291.66	300.96				19.00 22.00 LOGS OPER
1430.00	1490.00	292.55	297.01	L2	WCR		
1430.00	1490.00	292.55	297.01	G1	WCR		
1621.00	1663.00	306.76	310.05				
1627.00	1695.00	307.23	313.30				20.00 22.00 LOGN OPER
1627.00	1695.00	307.23	313.30				19.00 21.00 LOGS OPER
1663.00	1817.00	310.05	340.00				
1706.00	1769.00	314.51	321.45				18.00 22.00 LOGN OPER
1706.00	1769.00	314.51	321.45				18.00 21.00 LOGS OPER
1817.00	1850.00	340.00	340.45				
1850.00	1900.00	340.45	341.13				
1852.00	1897.00	340.48	341.09				8.00 LOGN OPER
1852.00	1897.00	340.48	341.09				6.00 11.00 LOGS OPER
1900.00	1908.00	341.13	341.24				
1908.00	1927.00	341.24	341.50				
1919.50	1924.50	341.40	341.46				11.00 LOGN OPER
1919.50	1924.50	341.40	341.46				1.00 10.00 LOGS OPER
1927.00	1939.00	341.50	341.66				
1929.00	1939.00	341.53	341.66				12.00 19.00 LOGN OPER
1929.00	1939.00	341.53	341.66				10.00 15.00 LOGS OPER
1939.00	1980.00	341.66	342.22				
1980.00	2008.00	342.22	342.60				
1982.00	2005.00	342.25	342.56				1.00 5.00 LOGN OPER
1982.00	2005.00	342.25	342.56				1.00 5.00 LOGS OPER
2008.00	2214.00	342.60	349.74				
2214.00	2228.00	349.74	351.95				

CDP ALL 3

LDG	GD	ALL	3
CDP		ALL	3

CDP ALL 3

MS OB ALL 3

MS	OB	ALL	3
MVS	R	ALL	2

MS	OB	ALL	3
MVS	R	ALL	2

MS OB ALL 3

CDP		ALL	3
LDF	C	ALL	3

LDF	BS	ALL	3
LEE		ALL	2

[illegible]

COPYRIGHT AGSO
RESFACS Database

Curlew 1 -11.770556 128.263889 Bonaparte Basin
PEDIN/File numbers: W8740008 73/15

Petrel Sub-basin

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV Srce Authr	-----ENVIRONMENT----- Env Lndfm Source Cf
235.00	270.00	13.61 18.35				MVS CSHI ALL 2
270.00	339.00	18.35 47.10				MS CSH LOGG 2
339.00	447.00	47.10 71.22				MS CSH LOGG 2
365.76	594.36	66.54 79.14	G1 LOGM			
447.00	594.00	71.22 79.13				MS CSH LOGG 2
594.00	770.00	79.13 87.20				MS CSH LOGG 2
595.58		79.20	G1 TFIT			
595.88	621.79	79.21 80.40	L1 LOGM			
595.88	621.79	79.21 80.40	G1 LOGM			
621.79	950.98	80.40 93.00	G1 LOGM			
770.00	843.00	87.20 90.05				MS CSH LOGG 2
843.00	1263.00	90.05 96.91				MS CSH LOGG 2
950.98	1048.51	93.00 94.23	L1 LOGM			
950.98	1048.51	93.00 94.23	G1 LOGM			
1048.51	1697.74	94.23 103.84	G1 LOGM			
1263.00	1309.00	96.91 97.49				MS CSH LOGG 2
1309.00	1646.00	97.49 102.52				MS CSH LOGG 2
1646.00	1718.00	102.52 125.00				MS CSH LOGG 2
1697.74	1705.36	103.84 114.03	G1 LOGM			
1697.74	1705.36	103.84 114.03	L1 LOGM			
1705.36	1734.31	114.03 128.82	G1 LOGM			
1718.00	1725.00	125.00 128.02				MSS LOGG 2
1725.00	1814.00	128.02 135.69				MS OB LOGG 2
1729.74		128.43	G1 TFIT			
1734.31	1748.03	128.82 130.00	L1 LOGM			
1734.31	1748.03	128.82 130.00	G1 LOGM			
1735.84		128.95	G1 TFIT			
1746.50		129.87	G1 TFIT			
1748.03	2035.45	130.00 164.42	G1 LOGM			
1814.00	1914.00	135.69 144.91				MS LOGG 2
1914.00	1986.00	144.91 158.34				MS LOGG 2
1986.00	2081.00	158.34 165.72				CDD SWC 3
2081.00	2126.00	165.72 167.00				MS ALL 3

Statistics	top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV Srce Authr	-----ENVIRONMENT----- Env Lndfm Source
Min	235.00	13.61					
Max	2126.00	167.00					
No.	34	34		17 17			17 11 17
Mean							

COPYRIGHT AGSO
RESFACS Database

Flat Top 1 -12.376472 129.265528 Bonaparte Basin
PEDIN/File numbers: W8700002 N/A

Darwin Shelf

top (m)	base (m)	---Ages--- (Harland mA)	--SHOWS-- Show Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source	Cf
55.00	102.00	1.21	32.70																MVS	3
102.00	189.00	32.70	91.00																MVS	3
189.00	247.00	91.00	104.40																MS	3
247.00	321.00	104.40	105.87																MVS R	2
321.00	412.00	105.87	107.68																MS	3
412.00	608.00	107.68	111.57																MVS R	2
608.00	730.00	111.57	114.00																MS	3
609.60	914.40	111.61	191.80	G1	LOGM															
730.00	782.00	114.00	145.03																MS OB	3
730.00	782.00	114.00	145.03																MS BB	3
742.19	777.24	125.29	129.90					20.00	30.00	LOGE	OPER									
781.81	978.41	144.93	213.08					25.00	30.00	LOGE	OPER									
782.00	823.00	145.03	163.50																MS	3
823.00	978.00	163.50	213.00																CDE	3
960.12		207.04								450.0							TFIT	OPER		
978.00	1079.00	213.00	232.45																CDE	3
978.41	1274.06	213.08	249.25					24.00	28.00	LOGE	OPER									
1079.00	1113.00	232.45	239.00																CDD SMB	3
1113.00	1247.00	239.00	247.00																CDE ALL	3
1113.00	1247.00	239.00	247.00																CDP ALL	3
1219.20	1524.00	245.34	273.72	G1	LOGM															
1247.00	1261.00	247.00	248.37																CDD SMB	3
1261.00	1304.00	248.37	251.20																CDDF ALL	3
1261.00	1304.00	248.37	251.20																CDDP ALL	3
1274.06	1578.86	249.25	274.20					22.00	30.00	LOGE	OPER									
1304.00	1324.00	251.20	252.50																MVS R	2
1324.00	1370.00	252.50	255.48																CDD SMB	3
1370.00	1405.00	255.48	257.75																CDDF ALL	3
1405.00	1418.00	257.75	258.60																CDDP ALL	3
1418.00	1455.00	258.60	261.00																MVS R	2
1455.00	1483.00	261.00	273.36																CDD SMB	3
1473.40		273.28		G2	TFIT															
1483.00	1533.00	273.36	273.80																CDDF ALL	3
1483.00	1533.00	273.36	273.80																CDDP ALL	3
1533.00	1578.00	273.80	274.19																MVS R	3
1578.00	2166.00	274.19	281.37																CDE ALL	3
1578.86	2165.60	274.20	281.36					15.00		LOGE	OPER									
1588.01		274.28																		
1691.64	1795.27	275.19	276.10	G1	LOGM					160.0									TFIT	OPER
2166.00	2174.00	281.37	281.50																LEE	2

Flat Top 1

Statistics		Ages		SHOWS		POROSITY					PERMEABILITY					ENVIRONMENT							
top	base	(m)	(m)	(Harland	mA)	Show	Src	Spot	Aver	Min	Max	Src	Auth	Spot	Aver	Min	Max	KV	Src	Auth	Env	Lndfm	Source
Min	55.00	1.21							15.00	20.00	28.00			160.0									
Max	2174.00	281.50							15.00	25.00	30.00			450.0									
No.	40	40			4	4			1	4	4	5	5	2					2	2	29	11	16
Mean									15.00	22.75	29.50			305.0									

COPYRIGHT AGSO
RESFACS Database

Frigate 1 -13.179722 127.923611 Bonaparte Basin
PEDIN/File numbers: W6780001 77/1684

Petrel Sub-basin

top (m)	base (m)	---Ages--- (Harland mA)	--SHOWS-- Show Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source	Cf
112.00	265.00	56.10															MVS	R	ALL	2
265.00	332.00	56.10															CDP		ALL	3
332.00	376.00	85.07															MS	OB	ALL	3
376.00	1007.00	86.42															MS		ALL	1
1007.00	1018.00	134.35															CDDP		ALL	2
1018.00	1119.00	140.51															CDDF		ALL	3
1021.00		142.18		22.00					LOGS	OPER										
1026.00		144.98		20.90					LOGS	OPER										
1033.00		147.03		26.50					LOGS	OPER										
1041.50		147.11		32.10					LOGS	OPER										
1051.00		147.19		33.20					LOGS	OPER										
1079.50		147.45		26.90					LOGS	OPER										
1097.28	1127.76	147.61	147.88	G1	LOGM															
1101.00		147.64		29.00					LOGS	OPER										
1119.00	1142.00	147.81	148.01														CDDP		ALL	3
1135.50		147.95		20.00					LOGS	OPER										
1142.00	1241.00	148.01	155.13														CDDF		WCR	2
1158.24	1295.40	148.16	161.33	G1	LOGM															
1241.00	1506.00	155.13	173.66														CDE	LA	ALL	3
1243.00		155.43		31.00					LOGS	OPER										
1246.00		155.87		22.00					LOGS	OPER										
1269.50		159.08		26.00					LOGS	OPER										
1272.00		159.36		27.50					LOGS	OPER										
1293.50		161.22		18.00					LOGS	OPER										
1302.00		161.72		20.90					LOGS	OPER										
1309.00		162.13		17.50					LOGS	OPER										
1313.00		162.36		15.70					LOGS	OPER										
1336.50		163.74		18.00					LOGS	OPER										
1341.50		164.03		25.30					LOGS	OPER										
1362.00		165.23		21.30					LOGS	OPER										
1382.00		166.40		18.00					LOGS	OPER										
1413.00		168.22		26.90					LOGS	OPER										
1432.00		169.33		19.00					LOGS	OPER										
1439.30		169.76		30.20					LOGS	OPER										
1446.00		170.15		25.70					LOGS	OPER										
1478.50		172.05		23.90					LOGS	OPER										
1488.50		172.64		22.40					LOGS	OPER										
1506.00	1563.00	173.66	177.00														CDP		ALL	3
1510.00		173.90		19.40					LOGS	OPER										
1526.00		174.83		18.30					LOGS	OPER										
1538.50		175.57		16.00					LOGS	OPER										
1547.50		176.09		20.90					LOGS	OPER										
1555.50		176.56		17.50					LOGS	OPER										
1563.00	1585.00	177.00	178.50														LDLFL		ALL	3
1567.50		177.31		22.40					LOGS	OPER										

Frigate 1

Statistics

top (m)	base (m)	-----Ages----- (Harland mA)		--SHOWS-- Show Srce		-----POROSITY----- Spot Aver Min Max Srce Authr					-----PERMEABILITY----- Spot Aver Min Max KV Srce Auth					-----ENVIRONMENT----- Env Lndfm Source			
Min	112.00					15.70													
Max	1585.00	178.50				33.20													
No.	45	44		2	2	32				32	32						11	3	11
Mean						22.95													

COPYRIGHT AGSO
RESFACS Database

Garimala 1 -15.187917 128.726333 Bonaparte Basin
PEDIN/File numbers: W6880030

top (m)	base (m)	-----Ages----- (Harland mA)		--SHOWS-- Show Srce		-----POROSITY----- Spot Aver Min Max Srce Authr				-----PERMEABILITY----- Spot Aver Min Max KV Srce Auth				ENVIRONMENT----- Env Lndfm Source Cf			
249.00	249.00	346.00	346.00														
249.00	398.00	346.00	346.00														
398.00	1131.00	346.00	346.00														
755.00	774.00	346.00	346.00	L1	LOG												
775.00	775.50	346.00	346.00	L1	LOG												
780.00	780.50	346.00	346.00	L1	LOG												
880.00	880.80	346.00	346.00	L1	LOG												
886.00	886.50	346.00	346.00	L1	LOG												
958.00	961.00	346.00	346.00	L1	LOG												
995.00	1037.00	346.00	346.00	G2	TDST												
1003.50	1012.50	346.00	346.00	L1	LOG												
1012.50	1018.00	346.00	346.00	L1	LOG												
1131.00	1149.00	346.00	346.00	L1	LOG												
1131.00	1287.00	346.00	346.00											MS	FD	ALL	4
1283.00	1313.00	346.00	346.00	L1	LOG												
1287.00	1468.00	346.00	346.00											MS	FM	ALL	4
1313.00	1317.50	346.00	346.00	L1	LOG												
1468.00	1479.00	346.00	346.00											MS	FP	ALL	4
1479.00	1721.00	346.00	346.00											MS	FM	ALL	4
1721.00	1762.00	346.00	346.01											MS	FP	ALL	4
1762.00	1829.00	346.01	346.56											MS	FM	ALL	4
1829.00	1851.00	346.56	346.74											MS	FP	ALL	4
1851.00	1903.00	346.74	347.16											MS	FM	ALL	4
1903.00	1955.00	347.16	347.59											MS	FD	ALL	4
1955.00	1998.00	347.59	347.94											MS	FP	ALL	4
1998.00	2157.00	347.94	349.24											MS	FD	ALL	4
2157.00	2216.00	349.24	349.72											MS	FM	ALL	4
2216.00	2271.00	349.72	353.27											MS	FP	ALL	4
2271.00	2295.00	353.27	357.00											MS	FD	ALL	4
2295.00	2381.00	357.00	370.38											MS	FM	ALL	4
2381.00	2401.00	370.38	373.49	G4	TDST												
2381.00	2411.00	370.38	375.04											MS	FP	ALL	4
2411.00	2553.00	375.04	397.13											MS	FM	ALL	4

Statistics		top (m)	base (m)	-----Ages----- (Harland mA)		--SHOWS-- Show Srce		-----POROSITY----- Spot Aver Min Max Srce Authr				-----PERMEABILITY----- Spot Aver Min Max KV Srce Auth				ENVIRONMENT----- Env Lndfm Source			
Min																			
Max		2553.00	397.13																
No.		33	32			13	13									20	18	20	
Mean																			

COPYRIGHT AGSO

RESFACS Database

Gull 1 -11.941389 127.910278 Bonaparte Basin
PEDIN/File numbers: W6700012 N/A

Petrel Sub-basin

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV Srce Authr	ENVIRONMENT----- Env Lndfm Source Cf
148.00	302.00	0.04 5.68				MS WCR 3
302.00	381.00	5.68 8.57				MS R ALL 1
381.00	417.00	8.57 9.89				MS OB ALL 2
417.00	472.00	9.89 38.45				MS R ALL 1
472.00	597.00	38.45 68.46				MS OB ALL 2
597.00	838.00	68.46 75.14				CDE LA ALL 2
597.41	2133.60	68.48 128.04	G1 LOGM			
838.00	1064.00	75.14 81.05				MS ALL 2
1064.00	1155.00	81.05 83.01				CDE LA ALL 2
1155.00	2094.00	83.01 114.00				MS ALL 2
1534.21	1534.36	91.16 91.17		25.00	CORE BMR	
1831.70	1831.85	97.52 97.52		22.00	CORE BMR	
2094.00	2129.00	114.00 125.00				MS ALL 2
2129.00	2341.00	125.00 147.89				MS ALL 2
2133.60	3421.38	128.04 237.03	G1 LOGM			
2208.12		141.19		12.00	CORE OPER 70.0	CORE OPER
2208.28		141.19		8.00	CORE OPER 125.0	CORE OPER
2209.07	2209.19	141.21 141.22		17.00	CORE BMR 143.0	64.0 CORE BMR
2209.34		141.22		11.00	CORE OPER 150.0	CORE OPER
2211.35	2211.53	141.28 141.29		11.00	CORE BMR 2.6	6.7 CORE BMR
2211.63		141.29		8.50	CORE OPER 19.0	CORE OPER
2211.93	2212.12	141.31 141.31		10.00	CORE BMR 3.3	3.7 CORE BMR
2341.00	2402.00	147.89 155.69				MS ALL 2
2402.00	2440.00	155.69 160.86				MS ALL 2
2438.40		160.64		9.20	CORE OPER .9	CORE OPER
2438.91	2439.09	160.71 160.74		12.00	CORE BMR 58.0	40.0 CORE BMR
2440.00	2545.00	160.86 167.82				CDP ALL 3
2440.23		160.88		7.41	CORE OPER 1.2	CORE OPER
2441.57	2441.75	160.97 160.98		13.00	CORE BMR 28.0	22.0 CORE BMR
2442.21		161.01		8.10	CORE OPER 2.2	CORE OPER
2545.00	2579.00	167.82 170.06				CDE ALL 3
2579.00	2615.00	170.06 171.40				CDP ALL 3
2690.77		174.14		11.00	CORE OPER 36.0	CORE OPER
2691.08		174.15		12.70	CORE OPER 80.0	CORE OPER
2691.23	2691.37	174.15 174.16		12.00	CORE BMR 30.0	26.0 CORE BMR
2691.99		174.18		12.00	CORE OPER 19.0	CORE OPER
2692.15		174.19		11.90	CORE OPER 23.0	CORE OPER
2692.68	2692.89	174.20 174.21		13.00	CORE BMR 4.6	4.6 CORE BMR
2853.28	2853.42	192.80 192.81		11.00	CORE BMR 9.7	8.3 CORE BMR
2853.42	2853.56	192.81 192.83		11.00	CORE BMR 24.0	23.0 CORE BMR
2853.54		192.82		10.00	CORE OPER 30.0	CORE OPER
2854.45		192.90		9.20	CORE OPER 92.0	CORE OPER
2855.82		193.02		8.90	CORE OPER 30.0	CORE OPER
2856.43		193.07		8.40	CORE OPER 28.0	CORE OPER

COPYRIGHT AGSO

RESFACS Database

Keep River 1 -15.168056 129.089444 Bonaparte Basin
PEDIN/File numbers: W8680042 68/2029

Petrel Sub-basin

top (m)	base (m)	---Ages---		--SHOWS--		---POROSITY---					---PERMEABILITY---					ENVIRONMENT---						
		(Harland	mA)	Show	Src	Spot	Aver	Min	Max	Src	Authr	Spot	Aver	Min	Max	KV	Src	Auth	Env	Lndfm	Source	Cf
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
	50.00		281.72																			
50.00	218.00	281.72	282.52																CDP		LOGG	3
50.00	218.00	281.72	282.52																LDG		LOGG	3
218.00	286.00	282.52	282.84																CDE		ALL	3
286.00	472.00	282.84	283.72																LDFM		ALL	3
472.00	591.00	283.72	284.29																LDFM		ALL	3
488.59		283.80																	CDP		ALL	3
488.90		283.80				17.50				CORE	OPER	.3						CORE	SNPA			
489.20		283.81				14.50				CORE	OPER	.1						CORE	SNPA			
489.51		283.81				10.00				CORE	OPER	.2						CORE	SNPA			
489.81		283.81				14.50				CORE	OPER	.2						CORE	SNPA			
490.12		283.81				3.90				CORE	OPER	.5						CORE	SNPA			
490.42		283.81				15.50				CORE	OPER	147.0						CORE	SNPA			
490.73		283.81				13.40				CORE	OPER	285.0						CORE	SNPA			
491.03		283.82				2.90				CORE	OPER											
491.34		283.82				13.10				CORE	OPER	.1						CORE	SNPA			
491.64		283.82				11.10				CORE	OPER	.1						CORE	SNPA			
491.95		283.82				1.40				CORE	OPER	.1						CORE	SNPA			
492.25		283.82				2.30				CORE	OPER	.1						CORE	SNPA			
492.56		283.82				2.00				CORE	OPER	.1						CORE	SNPA			
492.86		283.82				2.10				CORE	OPER	.1						CORE	SNPA			
591.00	678.00	284.29	284.71			3.60				CORE	OPER	.1						CORE	SNPA			
676.96		284.70																MS		ALL	2	
677.27		284.70				12.90				CORE	OPER	54.0						CORE	SNPA			
677.57		284.70				11.60				CORE	OPER	59.0						CORE	SNPA			
677.88		284.70				12.20				CORE	OPER	85.0						CORE	SNPA			
678.00	756.00	284.71	285.08			13.70				CORE	OPER	127.0						CORE	SNPA			
678.18		284.71																CDP		ALL	3	
678.48		284.71				14.60				CORE	OPER	110.0						CORE	SNPA			
678.79		284.71				14.60				CORE	OPER	145.0						CORE	SNPA			
679.09		284.71				16.30				CORE	OPER	50.0						CORE	SNPA			
679.40		284.71				15.80				CORE	OPER	29.0						CORE	SNPA			
679.70		284.71				16.30				CORE	OPER	36.0						CORE	SNPA			
680.01		284.71				16.80				CORE	OPER	47.0						CORE	SNPA			
680.31		284.72				16.60				CORE	OPER											
680.62		284.72				16.50				CORE	OPER	35.0						CORE	SNPA			
756.00	1155.00	285.08	341.13			16.10				CORE	OPER	45.0						CORE	SNPA			
926.59		285.89																CDP		ALL	3	
926.90		285.89				6.50				CORE	OPER	.1						CORE	SNPA			
927.20		285.89				4.00				CORE	OPER	.1						CORE	SNPA			
927.81		285.89				5.60				CORE	OPER											
929.94		285.90				6.40				CORE	OPER	.9						CORE	SNPA			
1155.00	1785.00	341.13	344.59			1.00				CORE	OPER	.1						CORE	SNPA			
1230.48		341.54																MS		ALL	2	
						2.00				CORE	OPER	.1						CORE	SNPA			

Keep River 1									
1232.31		341.55			3.90	CORE	OPER		
1386.84	1524.00	342.40	343.15	G1	LOGM				
1497.18		343.00						.1	CORE SNPA
1785.00	1992.00	344.59	345.72						CDP ALL 3
1892.81	3093.72	345.18	353.38	G1	LOGM				
1947.06		345.48						3.20	
1947.37		345.48				CORE	OPER	.3	CORE SNPA
1947.67		345.48				CORE	OPER		
1948.59		345.48				CORE	OPER		
1948.89		345.49				CORE	OPER	.1	CORE SNPA
1949.20		345.49				CORE	OPER	.1	CORE SNPA
1992.00	2497.00	345.72	348.50						
2044.90		346.01				CORE	OPER	.1	CORE SNPA MS ALL 3
2045.21		346.01				CORE	OPER	.1	
2045.51		346.02				CORE	OPER	.1	
2280.21		347.30				CORE	OPER	.1	
2281.12		347.31				CORE	OPER	.1	
2490.52		348.46				CORE	OPER	.1	
2491.44		348.46				CORE	OPER	.1	
2491.74		348.47				CORE	OPER	.1	
2497.00	2719.00	348.50	349.71						
2583.00	3353.00	348.97	356.09	G4	TDST				MS OB ALL 3
2719.00	2771.00	349.71	350.00						CDP ALL 3
2720.34		349.72				CORE	OPER	2.80	
2720.64		349.72				CORE	OPER	.80	
2771.00	3222.00	350.00	354.72						MS ALL 2
3019.65		352.60				CORE	OPER	.1	CORE SNPA
3020.26		352.61				CORE	OPER	.1	CORE SNPA
3020.57		352.61				CORE	OPER	.1	CORE SNPA
3020.87		352.62				CORE	OPER	.1	CORE SNPA
3021.18		352.62				CORE	OPER	.1	
3022.70		352.64				CORE	OPER	.1	
3093.72	4761.89	353.38	368.99	G1	LOGM				CORE SNPA
3177.54		354.26				CORE	OPER	.50	
3185.77		354.34							
3186.07		354.35				CORE	OPER	.1	CORE SNPA
3186.38		354.35				CORE	OPER	.1	CORE SNPA
3188.51		354.37				CORE	OPER	.4	CORE SNPA
3188.82		354.38				CORE	OPER	.1	CORE SNPA
3222.00	3446.00	354.72	357.07			CORE	OPER	.5	CORE SNPA
3413.76		356.73				CORE	OPER	.1	CDP ALL 3
3414.06		356.73				CORE	OPER	.1	
3414.37		356.74				CORE	OPER	.1	
3414.67		356.74				CORE	OPER	.1	
3414.98		356.74				CORE	OPER	.1	
3446.00	3571.00	357.07	358.38						CORE SNPA CDP ALL 3
3493.92		357.57				CORE	OPER	.1	
3494.53		357.58				CORE	OPER	.1	
3494.84		357.58				CORE	OPER	.1	
3495.45		357.59				CORE	OPER	.1	
3495.75		357.59				CORE	OPER	.1	
3496.06		357.59				CORE	OPER	.1	
3496.36		357.60				CORE	OPER	.1	

Keep River 1

3496.67		357.60	.50	CORE	OPER						
3496.97		357.60	.70	CORE	OPER	.1		CORE	SNPA		
3497.28		357.61	.70	CORE	OPER	.1		CORE	SNPA		
3497.58		357.61	.60	CORE	OPER	.1		CORE	SNPA		
3497.88		357.61	.70	CORE	OPER	.1		CORE	SNPA		
3571.00	3726.00	358.38	360.00								
3726.00	4020.00	360.00	362.18								
3734.10		360.06	.60	CORE	OPER	.1				MS	2
3734.41		360.06	.90	CORE	OPER	.1		CORE	SNPA	MVS	2
3734.71		360.06	.60	CORE	OPER	.1		CORE	SNPA	R	
3924.30		361.47	1.60	CORE	OPER			CORE	SNPA	ALL	
3924.91		361.48	1.90	CORE	OPER			CORE	SNPA	ALL	
3925.21		361.48	1.50	CORE	OPER						
3925.52		361.48	1.90	CORE	OPER						
3925.82		361.48	1.40	CORE	OPER						
3926.13		361.48	1.70	CORE	OPER						
3927.04		361.49	1.60	CORE	OPER						
3927.35		361.49	2.10	CORE	OPER						
3927.65		361.50	1.40	CORE	OPER						
3927.96		361.50	1.20	CORE	OPER						
4020.00	4645.00	362.18	366.82								
4102.91		362.80	.90	CORE	OPER					MVS	2
4103.22		362.80	1.80	CORE	OPER					R	
4103.52		362.80	.70	CORE	OPER					ALL	
4103.83		362.80	.90	CORE	OPER						
4104.13		362.81	.70	CORE	OPER						
4104.44		362.81	1.00	CORE	OPER						
4104.74		362.81	.70	CORE	OPER						
4105.05		362.81	.80	CORE	OPER						
4105.35		362.81	.70	CORE	OPER						
4105.66		362.82	.60	CORE	OPER						
4265.68		364.00	.80	CORE	OPER	.1		CORE	SNPA		
4265.98		364.01	.60	CORE	OPER	.1		CORE	SNPA		
4266.29		364.01	.70	CORE	OPER	.1		CORE	SNPA		
4266.59		364.01	.70	CORE	OPER	.5		CORE	SNPA		
4266.90		364.01	.80	CORE	OPER	.2		CORE	SNPA		
4267.20		364.01	.90	CORE	OPER	.1		CORE	SNPA		
4267.50		364.02	.80	CORE	OPER	.1		CORE	SNPA		
4267.81		364.02	.60	CORE	OPER	.1		CORE	SNPA		
4268.11		364.02	.70	CORE	OPER	.1		CORE	SNPA		
4268.42		364.02	1.00	CORE	OPER	16.8		CORE	SNPA		
4268.72		364.03	1.00	CORE	OPER	.1		CORE	SNPA		
4441.55		365.31	.80	CORE	OPER	.2		CORE	SNPA		
4442.16		365.31	1.20	CORE	OPER	40.0		CORE	SNPA		
4442.46		365.31	.60	CORE	OPER	.1		CORE	SNPA		
4442.76		365.32	.90	CORE	OPER						
4443.68		365.32	1.00	CORE	OPER	.1		CORE	SNPA		
4444.29		365.33	1.30	CORE	OPER	62.0		CORE	SNPA		
4444.90		365.33	.80	CORE	OPER	.1		CORE	SNPA		
4614.37		366.59	.90	CORE	OPER	.1		CORE	SNPA		
4614.67		366.59	1.40	CORE	OPER	2.2		CORE	SNPA		
4614.98		366.59	.30	CORE	OPER	.1		CORE	SNPA		
4615.28		366.60	.50	CORE	OPER	.1		CORE	SNPA		

Keep River 1

4615.59	366.60	.60	CORE OPER	.2	CORE SNPA				
4615.89	366.60	1.70	CORE OPER	31.0	CORE SNPA				
4616.50	366.61	1.00	CORE OPER	.2	CORE SNPA				
4616.81	366.61	.40	CORE OPER	.1	CORE SNPA				
4617.11	366.61	.70	CORE OPER	.1	CORE SNPA				
4617.42	366.61	.50	CORE OPER	.1	CORE SNPA				
4617.72	366.62	.60	CORE OPER	.1	CORE SNPA				
4618.02	366.62	.60	CORE OPER	.1	CORE SNPA				
4618.33	366.62	.60	CORE OPER	5.6	CORE SNPA				
4618.63	366.62	.40	CORE OPER	.1	CORE SNPA				
4645.00	4737.00	366.82	367.50			MS	R	ALL	3
4737.00	4750.00	367.50	368.28			CDP		ALL	4
4746.96	368.10	.40	CORE OPER	.2	CORE SNPA				
4747.26	368.12	.40	CORE OPER	.1	CORE SNPA				
4747.56	368.13	.80	CORE OPER	.1	CORE SNPA				
4750.00	4762.00	368.28	369.00			LEE		ALL	2
4759.45	368.85	1.00	CORE OPER	.1	CORE SNPA				
4759.76	368.87	.70	CORE OPER	.2	CORE SNPA				
4760.06	368.88	.40	CORE OPER	.1	CORE SNPA				
4760.37	368.90	1.10	CORE OPER	.1	CORE SNPA				
4760.67	368.92	.70	CORE OPER	.1	CORE SNPA				
4760.98	368.94	.50	CORE OPER	.1	CORE SNPA				
4761.28	368.96	1.00	CORE OPER	.1	CORE SNPA				
4761.59	368.98	1.10	CORE OPER	.1	CORE SNPA				

Statistics		-----Ages-----		--SHOWS--		-----POROSITY-----					-----PERMEABILITY-----					-----ENVIRONMENT-----							
top	base	(m)	(m)	(Harland	mA)	Show	Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source
Min								0.30						0.1									
Max	4762.00	369.00						17.50						285.0									
No.	174	173			4	4		145				145	145	113					113	113	23	4	23
Mean								3.22						12.6									

COPYRIGHT AGSO

RESFACS Database

Kinmore 1 -14.033614 129.262448 Bonaparte Basin

Petrel Sub-basin

PEDIN/File numbers: W8740005 74/117

top (m)	base (m)	-----Ages----- (Harland mA)	---SHOWS--- Show Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	ENVIRONMENT----- Env Lndfm Source Cf
38.00	202.00																MS WCR 4
38.00	202.00																CDP WCR 4
202.00	275.00	240.99	242.43														CDP ALL 4
202.00	275.00	240.99	242.43														MS ALL 4
275.00	403.00	242.43	244.98														MS ALL 4
403.00	505.00	244.98	247.00														CDP ALL 4
505.00	529.00	247.00	247.93														CDD SMB ALL 4
505.00	847.00	247.00	260.26		31.00			LOGE	OPER								
529.00	562.00	247.93	249.21														CDDF ALL 4
562.00	569.00	249.21	249.48														MVS R ALL 3
569.00	586.00	249.48	250.14														CDDF ALL 4
586.00	665.00	250.14	253.20														CDD SMB ALL 4
665.00	682.00	253.20	253.86														CDDF ALL 4
682.00	747.00	253.86	256.39														CDD SMB ALL 4
747.00	810.00	256.39	258.83														CDDF ALL 4
810.00	847.00	258.83	260.26														CDDP ALL 4
847.00	854.00	260.26	260.53														MVS R ALL 3
847.00	1321.00	260.26	272.15		22.00			LOGE	OPER								
854.00	866.00	260.53	261.00														CDDP ALL 4
866.00	891.00	261.00	261.61														CDD SMB ALL 3
891.00	906.00	261.61	261.98														CDDF ALL 4
906.00	1321.00	261.98	272.15														CDP ALL 3
1250.00	2510.00	270.41	285.72	G1	LOGM												
1321.00	1795.00	272.15	279.43														LDFB ALL 4
1795.00	2294.00	279.43	283.82		19.00			LOGE	OPER								LDFM ALL 4
1795.00	2505.00	279.43	285.67		15.00			LOGE	OPER								
2294.00	2505.00	283.82	285.67														LDFL ALL 4
2294.00	2505.00	283.82	285.67														LDG ALL 4
2505.00	2931.00	285.67	314.23		6.50			LOGE	OPER								LDFM ALL 4
2505.00	2931.00	285.67	314.23														LDFB ALL 4
2510.00	2700.00	285.72	297.47	G1	LOGM												
2700.00	3000.00	297.47	319.24	L1	LOGM												
2700.00	3000.00	297.47	319.24	G1	LOGM												
2931.00	3038.00	314.23	380.00														LDF ALL 3
3000.00	3250.00	319.24	471.50	G1	LOGM												
3038.00	3250.00	380.00	471.50														LDP SF ALL 1

Statistics																					
top	base	----Ages----		--SHOWS--		-----POROSITY-----					-----PERMEABILITY-----					-----ENVIRONMENT-----					
(m)	(m)	(Harland	mA)	Show	Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source
Min	38.00						6.50														
Max	3250.00	471.50					31.00														
No.	36	34		5	5		5				5 5								28	7	28
Mean							18.70														

COPYRIGHT AGSO

RESFACS Database

Petrel Sub-basin

Kulshill 1 -14.363056 129.5425 Bonaparte Basin
PEDIN/File numbers: W8650002 65/4145

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	ENVIRONMENT----- Env Lndfm Source Cf
5.00	255.00	267.51	272.38														CDD ALL 3
255.00	948.00	272.38	281.63														CDP ALL 3
366.98		274.64		29.00				CORE	SNPA								
427.02		275.25		31.00				CORE	SNPA	760.0						CORE	SNPA
427.33		275.26		29.30				CORE	SNPA	610.0						CORE	SNPA
427.63		275.26		31.10				CORE	SNPA	900.0						CORE	SNPA
427.94		275.26		27.90				CORE	SNPA	490.0						CORE	SNPA
428.24		275.27		27.10				CORE	SNPA	350.0						CORE	SNPA
428.55		275.27		27.10				CORE	SNPA	560.0						CORE	SNPA
428.85		275.27		30.00				CORE	SNPA	610.0						CORE	SNPA
429.16		275.27		30.50				CORE	SNPA	520.0						CORE	SNPA
429.46		275.28		30.50				CORE	SNPA	600.0						CORE	SNPA
429.77		275.28		30.10				CORE	SNPA	700.0						CORE	SNPA
430.07		275.28		29.10				CORE	SNPA	520.0						CORE	SNPA
621.79		277.29		23.60				CORE	SNPA	.3						CORE	SNPA
622.10		277.29		18.80				CORE	SNPA	.1						CORE	SNPA
622.40		277.30		11.00				CORE	SNPA	.0						CORE	SNPA
622.71		277.30		5.00				CORE	SNPA	.1						CORE	SNPA
623.01		277.31		16.30				CORE	SNPA	.3						CORE	SNPA
623.32		277.31		26.60				CORE	SNPA	8.0						CORE	SNPA
623.62		277.31		11.20				CORE	SNPA	.1						CORE	SNPA
623.93		277.32		15.40				CORE	SNPA	.1						CORE	SNPA
716.28		278.55		23.80				CORE	SNPA								
716.58		278.55		23.60				CORE	SNPA	2.2						CORE	SNPA
716.89		278.55		25.60				CORE	SNPA	10.2						CORE	SNPA
717.19		278.56		11.10				CORE	SNPA	.1						CORE	SNPA
717.50		278.56		8.90				CORE	SNPA	.0						CORE	SNPA
717.80		278.57		11.50				CORE	SNPA	.0						CORE	SNPA
718.11		278.57		9.30				CORE	SNPA	.1						CORE	SNPA
718.41		278.57		21.10				CORE	SNPA	11.0						CORE	SNPA
718.72		278.58		9.70				CORE	SNPA	.1						CORE	SNPA
719.02		278.58		29.70				CORE	SNPA	420.0						CORE	SNPA
719.33		278.59		29.70				CORE	SNPA	440.0						CORE	SNPA
719.63		278.59		27.40				CORE	SNPA	193.0						CORE	SNPA
719.94		278.59		28.40				CORE	SNPA	270.0						CORE	SNPA
720.24		278.60		25.80				CORE	SNPA	210.0						CORE	SNPA
720.55		278.60		27.20				CORE	SNPA	178.0						CORE	SNPA
720.85		278.61		25.80				CORE	SNPA	113.0						CORE	SNPA
777.24		279.36								1.2						CORE	SNPA
812.29		279.82		27.80				CORE	SNPA	300.0						CORE	SNPA
812.60		279.83		29.00				CORE	SNPA	450.0						CORE	SNPA
812.90		279.83		25.80				CORE	SNPA	325.0						CORE	SNPA
813.21		279.83		27.60				CORE	SNPA								
813.51		279.84		24.20				CORE	SNPA	50.0						CORE	SNPA

813.82		279.84		23.00
814.12		279.85		23.40
814.43		279.85		24.10
814.73		279.85		26.30
815.04		279.86		21.50
815.34		279.86		19.70
815.64		279.87		25.80
815.95		279.87		24.40
816.25		279.87		24.60
816.56		279.88		27.30
892.45		280.89		
937.26		281.48		22.00
937.56		281.49		18.00
937.87		281.49		20.40
938.17		281.50		21.80
938.48		281.50		23.20
938.78		281.50		24.40
939.09		281.51		25.00
939.39		281.51		
939.70		281.52		25.10
940.00		281.52		25.30
940.31		281.52		24.80
940.31		281.52		25.30
940.61		281.53		25.50
940.92		281.53		25.60
941.22		281.54		25.60
941.53		281.54		25.70
941.83		281.54		25.80
948.00	1036.00	281.63	282.80	
1036.00	1277.00	282.80	286.00	
1176.53	1455.42	284.66	295.00	L2 LOGM
1201.83		285.00		25.80
1202.13		285.00		6.60
1202.44		285.01		5.10
1202.74		285.01		4.80
1204.57		285.04		4.40
1204.87		285.04		7.10
1205.18		285.05		8.40
1205.48		285.05		5.90
1205.79		285.05		8.10
1206.09		285.06		5.30
1206.40		285.06		5.30
1206.70		285.07		5.10
1231.70		285.40		19.10
1232.00		285.40		18.00
1232.31		285.41		6.60
1232.61		285.41		12.60
1232.92		285.41		15.20
1233.22		285.42		18.80
1233.53		285.42		4.90
1277.00	1577.00	286.00	301.14	
1347.22		289.54		8.60
1347.52		289.56		11.30

CORE	SNPA	188.0
CORE	SNPA	80.0
CORE	SNPA	560.0
CORE	SNPA	300.0
CORE	SNPA	6.0
CORE	SNPA	6.0
CORE	SNPA	170.0
CORE	SNPA	62.0
CORE	SNPA	212.0
CORE	SNPA	330.0
		.1
CORE	SNPA	25.0
CORE	SNPA	42.0
CORE	SNPA	100.0
CORE	SNPA	200.0
CORE	SNPA	290.0
CORE	SNPA	400.0
CORE	SNPA	400.0
		400.0
CORE	SNPA	460.0
CORE	SNPA	460.0
CORE	SNPA	440.0
CORE	SNPA	
CORE	SNPA	460.0
CORE	SNPA	480.0
CORE	SNPA	560.0
CORE	SNPA	560.0
CORE	SNPA	620.0

CORE	SNPA	500.0
CORE	SNPA	.0
CORE	SNPA	.0
CORE	SNPA	.1
CORE	SNPA	.0
CORE	SNPA	.0
CORE	SNPA	.1
CORE	SNPA	.0
CORE	SNPA	.1
CORE	SNPA	.0
CORE	SNPA	.0
CORE	SNPA	.0
CORE	SNPA	.0
CORE	SNPA	62.0
CORE	SNPA	71.0
CORE	SNPA	.1
CORE	SNPA	1085.0
CORE	SNPA	30.0
CORE	SNPA	113.0
CORE	SNPA	.0
CORE	SNPA	.0
CORE	SNPA	.1

CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA

CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA

LDG	ALL	3
LDG	ALL	3

[illegible]

CDP	ALL	3
-----	-----	---

CORE SNPA
CORE SNPA

1347.83		289.57		14.30
1348.13		289.59		13.10
1348.44		289.61		15.20
1348.74		289.62		3.70
1349.04		289.64		3.10
1456.94		295.08		15.10
1457.25		295.10		14.80
1457.55		295.11		14.60
1457.86		295.13		15.30
1458.16		295.14		14.90
1458.47		295.16		14.80
1458.77		295.17		15.90
1459.08		295.19		14.30
1459.38		295.20		15.30
1459.69		295.22		13.80
1459.99		295.23		12.80
1460.30		295.25		14.90
1460.60		295.27		15.60
1502.05		297.36		10.40
1502.36		297.37		4.70
1502.66		297.39		4.40
1502.97		297.40		2.90
1503.27		297.42		11.30
1503.58		297.43		4.50
1503.88		297.45		13.10
1503.88		297.45		
1504.19		297.47		13.40
1577.00	1818.00	301.14	311.47	
1579.47		301.26		10.00
1579.78		301.28		11.10
1580.08		301.29		7.00
1580.39		301.31		7.40
1580.69		301.33		3.70
1581.00		301.34		3.00
1581.30		301.36		3.40
1597.46		302.17		14.60
1597.76		302.19		11.10
1598.07		302.20		11.50
1598.37		302.22		11.70
1598.68		302.23		9.00
1598.98		302.25		8.10
1599.29		302.26		5.50
1599.59		302.28		11.60
1599.90		302.30		11.20
1633.12		303.97		
1673.96		306.03		14.90
1674.27		306.05		8.50
1674.57		306.06		14.30
1674.88		306.08		9.60
1675.18		306.09		10.00
1675.49		306.11		11.70
1675.79		306.12		15.20
1676.10		306.14		14.70

CORE	SNPA	2.1
CORE	SNPA	.2
CORE	SNPA	7.0
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	138.0
CORE	SNPA	125.0
CORE	SNPA	138.0
CORE	SNPA	100.0
CORE	SNPA	270.0
CORE	SNPA	330.0
CORE	SNPA	290.0
CORE	SNPA	125.0
CORE	SNPA	670.0
CORE	SNPA	500.0
CORE	SNPA	385.0
CORE	SNPA	590.0
CORE	SNPA	1000.0
CORE	SNPA	2.0
CORE	SNPA	
CORE	SNPA	
CORE	SNPA	
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	8.0
		.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	35.0
CORE	SNPA	48.0
CORE	SNPA	42.0
CORE	SNPA	15.6
CORE	SNPA	113.0
CORE	SNPA	4.5
CORE	SNPA	
CORE	SNPA	
		.2
		2.2
CORE	SNPA	1.1
CORE	SNPA	.1
CORE	SNPA	.5
CORE	SNPA	.2
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.2
CORE	SNPA	.1

[illegible]

CDP	ALL	3
1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	21
22	23	24
25	26	27
28	29	30
31	32	33
34	35	36
37	38	39
40	41	42
43	44	45
46	47	48
49	50	51
52	53	54
55	56	57
58	59	60
61	62	63
64	65	66
67	68	69
70	71	72
73	74	75
76	77	78
79	80	81
82	83	84
85	86	87
88	89	90
91	92	93
94	95	96
97	98	99
100	101	102
103	104	105
106	107	108
109	110	111
112	113	114
115	116	117
118	119	120
121	122	123
124	125	126
127	128	129
130	131	132
133	134	135
136	137	138
139	140	141
142	143	144
145	146	147
148	149	150
151	152	153
154	155	156
157	158	159
160	161	162
163	164	165
166	167	168
169	170	171
172	173	174
175	176	177
178	179	180
181	182	183
184	185	186
187	188	189
190	191	192
193	194	195
196	197	198
199	200	201
202	203	204
205	206	207
208	209	210
211	212	213
214	215	216
217	218	219
220	221	222
223	224	225
226	227	228
229	230	231
232	233	234
235	236	237
238	239	240
241	242	243
244	245	246
247	248	249
250	251	252
253	254	255
256	257	258
259	260	261
262	263	264
265	266	267
268	269	270
271	272	273
274	275	276
277	278	279
280	281	282
283	284	285
286	287	288
289	290	291
292	293	294
295	296	297
298	299	300
301	302	303
304	305	306
307	308	309
310	311	312
313	314	315
316	317	318
319	320	321
322	323	324
325	326	327
328	329	330
331	332	333
334	335	336
337	338	339
340	341	342
343	344	345
346	347	348
349	350	351
352	353	354
355	356	357
358	359	360
361	362	363
364	365	366
367		

Kulshill 1

1676.70	306.16	12.90
1677.31	306.19	7.80
1677.62	306.20	16.20
1677.92	306.21	15.00
1782.17	310.15	9.50
1782.47	310.16	1.50
1782.78	310.17	12.10
1783.08	310.18	9.50
1783.38	310.20	12.90
1783.69	310.21	12.80
1783.99	310.22	10.30
1784.30	310.23	11.00
1818.00	1882.00	311.47 313.83
1844.04	1996.44	312.43 318.04 L2 LOGM
1844.04	1996.44	312.43 318.04 G1 LOGM
1879.70	313.74	6.20
1880.01	313.75	6.20
1880.31	313.76	5.30
1880.62	313.78	6.50
1880.92	313.79	2.30
1881.23	313.80	5.30
1882.00	2044.00	313.83 319.79
1936.39	315.83	10.20
1936.70	315.84	10.20
1937.00	315.85	1.90
1937.31	315.86	11.60
1937.61	315.87	10.80
1937.92	315.89	11.00
2041.25	319.69	23.90
2041.55	319.70	24.80
2041.86	319.71	24.40
2042.16	2164.08	319.72 324.72 L2 LOGM
2042.16	2164.08	319.72 324.72 G1 LOGM
2042.16	319.72	24.30
2042.46	319.73	16.80
2042.77	319.75	21.70
2043.07	319.76	21.20
2043.38	319.77	22.90
2043.68	319.78	22.20
2043.99	319.79	22.90
2044.00	2185.00	319.79 325.80
2044.29	319.80	22.20
2056.18	320.24	9.70
2056.49	320.25	10.10
2056.79	4393.39	320.26 370.74 G1 TDST
2056.79	320.26	9.50
2057.10	320.27	10.40
2057.40	320.28	10.10
2057.70	320.30	11.00
2058.01	320.31	6.80
2058.31	320.32	9.80
2109.22	322.00	10.90
2109.83	322.00	6.90

CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	1.2
CORE	SNPA	.6
CORE	SNPA	.7
CORE	SNPA	.1
CORE	SNPA	.2
CORE	SNPA	.3
CORE	SNPA	.8
CORE	SNPA	
CORE	SNPA	.1
CORE	SNPA	2.6
CORE	SNPA	
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	1.3
CORE	SNPA	.1
CORE	SNPA	.3
CORE	SNPA	31.0
CORE	SNPA	
CORE	SNPA	1.2
CORE	SNPA	.9
CORE	SNPA	.1
CORE	SNPA	1.5
CORE	SNPA	1.7
CORE	SNPA	
CORE	SNPA	20.0
CORE	SNPA	26.0
CORE	SNPA	16.2
CORE	SNPA	
CORE	SNPA	15.2
CORE	SNPA	.4
CORE	SNPA	4.9
CORE	SNPA	4.9
CORE	SNPA	8.5
CORE	SNPA	9.2
CORE	SNPA	16.8
CORE	SNPA	
CORE	SNPA	16.0
CORE	SNPA	.3
CORE	SNPA	.3
CORE	SNPA	
CORE	SNPA	.2
CORE	SNPA	.5
CORE	SNPA	.4
CORE	SNPA	.9
CORE	SNPA	.1
CORE	SNPA	.2
CORE	SNPA	.2
CORE	SNPA	.1

CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA

CORE SNPA
CORE SNPA

MS ALL 3

CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA

MS ALL 3

CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA

CORE SNPA
CORE SNPA
CORE SNPA

CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA

CDP ALL 3

CORE SNPA
CORE SNPA
CORE SNPA

CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA
CORE SNPA

Kulshill 1

2110.13	322.00			8.00
2110.44	322.00			3.40
2110.74	322.00			5.50
2111.04	322.00			7.20
2111.65	322.02			10.70
2111.96	322.03			6.50
2112.26	322.05			11.30
2112.57	322.07			11.00
2112.87	322.08			8.30
2113.18	322.10			2.40
2113.48	322.11			3.00
2164.08	2325.62	324.72	333.06 G1	LOGM
2164.08	2325.62	324.72	333.06 L1	LOGM
2185.00	2650.00	325.80	342.92	
2205.84	326.88			5.20
2206.14	326.90			1.00
2206.45	326.91			2.60
2206.75	326.93			1.70
2207.06	326.94			2.90
2207.36	326.96			2.70
2207.67	326.97			3.10
2207.97	326.99			2.60
2208.28	327.01			3.30
2208.58	327.02			3.00
2208.89	327.04			4.50
2209.19	327.05			5.50
2365.86	335.14			13.00
2377.44	2956.56	335.74	347.63 G1	LOGM
2538.98	341.21			8.00
2650.00	2728.00	342.92	344.12	
2688.95	343.52			1.50
2689.25	343.52			.40
2689.56	343.53			2.20
2689.86	343.53			2.90
2690.16	343.54			1.70
2691.08	343.55			2.20
2691.38	343.			
2691.69	343.56			1.40
2691.99	343.57			.70
2728.00	3216.00	344.12	351.62	
2803.86	345.29			2.70
2804.16	345.29			2.10
2805.38	345.31			1.50
2805.68	345.31			1.00
2805.99	345.32			.70
2806.29	345.32			.80
2971.80	4394.00	347.87	370.75 G1	LOGM
2971.80	4394.00	347.87	370.75 L1	LOGM
3216.00	3761.00	351.62	360.00	
3217.47	351.64			2.60
3217.77	351.65			2.70
3218.08	351.65			3.40
3218.38	351.66			4.10

CORE	SNPA	.2
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	3.8
CORE	SNPA	.1

CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA

CDP ALL 3

CORE	SNPA	
CORE	SNPA	.1
CORE	SNPA	.5
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	2.0
CORE	SNPA	31.0
CORE	SNPA	.4
CORE	SNPA	.4
CORE	SNPA	5.4
CORE	SNPA	.1
CORE	SNPA	1.5
CORE	SNPA	

CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA

CDP ALL 3

CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1

CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA

CDP ALL 3

CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1

CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA

CDP ALL 3

CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1
CORE	SNPA	.1

CORE	SNPA
CORE	SNPA
CORE	SNPA
CORE	SNPA

Kulshill 1

3218.69	351.66	3.90	CORE	SNPA	.1	CORE	SNPA			
3218.99	351.67	4.00	CORE	SNPA	.1	CORE	SNPA			
3332.38	353.41	3.80	CORE	SNPA	.1	CORE	SNPA			
3332.68	353.42	3.40	CORE	SNPA	.1	CORE	SNPA			
3332.99	353.42	4.80	CORE	SNPA	.1	CORE	SNPA			
3333.29	353.42	4.60	CORE	SNPA	.1	CORE	SNPA			
3333.60	353.43	5.00	CORE	SNPA	.1	CORE	SNPA			
3333.90	353.43	5.10	CORE	SNPA	.1	CORE	SNPA			
3334.21	353.44	4.80	CORE	SNPA	.1	CORE	SNPA			
3334.51	353.44	5.10	CORE	SNPA	.1	CORE	SNPA			
3428.70	354.89	1.00	CORE	SNPA	.1	CORE	SNPA			
3429.00	354.90	1.40	CORE	SNPA	.1	CORE	SNPA			
3429.30	354.90	1.20	CORE	SNPA	.1	CORE	SNPA			
3430.22	354.91	1.30	CORE	SNPA	.1	CORE	SNPA			
3430.83	354.92	2.50	CORE	SNPA	.1	CORE	SNPA			
3431.13	354.93	.60	CORE	SNPA	.1	CORE	SNPA			
3526.84	356.40	3.00	CORE	SNPA		CORE	SNPA			
3623.77	357.89	2.50	CORE	SNPA	.1	CORE	SNPA			
3624.07	357.90	2.60	CORE	SNPA	.1	CORE	SNPA			
3624.38	357.90	4.10	CORE	SNPA	.1	CORE	SNPA			
3624.68	357.90	3.10	CORE	SNPA	.1	CORE	SNPA			
3624.99	357.91	1.90	CORE	SNPA	.1	CORE	SNPA			
3625.29	357.91	.60	CORE	SNPA	.1	CORE	SNPA			
3721.30	359.39	3.00	CORE	SNPA		CORE	SNPA			
3761.00	4057.00 360.00 367.50							CDP	ALL	3
3832.86	361.82	1.00	CORE	SNPA						
4053.84	367.42	.60	CORE	SNPA	.1	CORE	SNPA			
4054.14	367.43	1.10	CORE	SNPA	.1	CORE	SNPA			
4054.45	367.44	1.10	CORE	SNPA	.1	CORE	SNPA			
4054.75	367.44	2.10	CORE	SNPA	.1	CORE	SNPA			
4057.00	4394.00 367.50 370.75							CDP	ALL	3
4162.35	368.52	1.30	CORE	SNPA	.1	CORE	SNPA			
4162.65	368.52	2.10	CORE	SNPA	.1	CORE	SNPA			
4162.96	368.52	1.40	CORE	SNPA	.1	CORE	SNPA			
4163.26	368.52	1.20	CORE	SNPA	.1	CORE	SNPA			
4163.57	368.53	1.60	CORE	SNPA	.1	CORE	SNPA			
4163.87	368.53	1.00	CORE	SNPA	.1	CORE	SNPA			
4164.18	368.53	.40	CORE	SNPA	.1	CORE	SNPA			
4164.48	368.54	.90	CORE	SNPA	.1	CORE	SNPA			
4164.79	368.54	.40	CORE	SNPA	.1	CORE	SNPA			
4295.85	369.80	.80	CORE	SNPA	.1	CORE	SNPA			
4296.16	369.81	.40	CORE	SNPA	.1	CORE	SNPA			
4391.56	370.73	.70	CORE	SNPA	.1	CORE	SNPA			
4391.86	370.73	.60	CORE	SNPA	.1	CORE	SNPA			
4392.17	370.73	.40	CORE	SNPA	.1	CORE	SNPA			
4392.47	370.74	.50	CORE	SNPA	.1	CORE	SNPA			
4392.78	370.74	.70	CORE	SNPA	.1	CORE	SNPA			
4393.08	370.74	6.50	CORE	SNPA	.1	CORE	SNPA			
4393.39	370.74	.50	CORE	SNPA	.1	CORE	SNPA			
4393.69	370.75	.60	CORE	SNPA	.1	CORE	SNPA			

Kulshill 1

Statistics		-----Ages-----		--SHOWS--		-----POROSITY-----					-----PERMEABILITY-----					ENVIRONMENT-----					
top (m)	base (m)	(Harland	mA)	Show	Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source
Min	5.00	267.51				0.40						0.0									
Max	4394.00	370.75				31.10						1085.0									
No.	306	306		11	11	275				275	275	262					262	262	15		15
Mean						11.51						93.4									

COPYRIGHT AGSO

RESFACS Database

Kulshill 2 -14.405 129.544444 Bonaparte Basin
PEDIN/File numbers: W8660002 66/4210

Petrel Sub-basin

top (m)	base (m)	-----Ages----- (Harland mA)	---SHOWS--- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV	-----ENVIRONMENT----- Srce Auth Env Lndfm Source
304.80	1798.32	201.63	327.21 G1 LOGM			
1141.55		314.95		7.13		CORE OPER .4
1142.09		315.02		16.20		CORE OPER .4
1143.61		315.23		7.30		CORE OPER 10.0
1144.12		315.25		16.75		CORE OPER 1.1
1144.83		315.26		13.90		CORE OPER .1
1145.51		315.27		14.30		CORE OPER .3
1568.20		319.56		11.10		CORE OPER .2
1568.42		319.57		4.75		CORE OPER .1
1569.42		319.59		7.81		CORE OPER 3.7
1665.53		322.79		17.21		CORE OPER 4.3
1665.88		322.80		16.13		CORE OPER 61.0
1666.04		322.80		19.10		CORE OPER .4
1666.27		322.81		4.35		CORE OPER .1
1798.32	1959.86	327.21	331.27 L2 LOGM			
1798.32	1959.86	327.21	331.27 G1 LOGM			
1808.07		327.52		2.20		CORE OPER 1.1
1825.57		327.93		2.86		CORE OPER .0
1826.67		327.95		1.90		CORE OPER .0
1957.79		330.99		9.33		CORE OPER .3
1958.64		331.06		2.80		CORE OPER 1.7
1959.71		331.24		3.23		CORE OPER .0

Statistics top (m)	base (m)	-----Ages----- (Harland mA)	---SHOWS--- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV	-----ENVIRONMENT----- Srce Auth Env Lndfm Source
Min	304.80	201.63		1.90	0.0	
Max	1959.86	331.27		19.10	61.0	
No.	22	22	3 3	19	19	19 19
Mean				9.39	4.5	

NO ENVIRONMENT CODES ENTERED FOR KULSHILL 2 - SEE KULSHILL 1

COPYRIGHT AGSO
RESFACS Database

Lacrosse 1 -14.297486 128.582694 Bonaparte Basin

Petrel Sub-basin

PEDIN/File numbers: W6690001 68/2053

top	base	Ages		SHOWS		POROSITY				PERMEABILITY				ENVIRONMENT								
(m)	(m)	(Harland	mA)	Show	Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source	Cf
57.00	154.00	0.01	125.45																MS		ALL	3
154.00	232.00	125.45	243.33																CDDP		ALL	3
232.00	298.00	243.33	247.00																CDDF		ALL	3
298.00	304.00	247.00	247.27																CDD	SMB	ALL	3
304.00	333.00	247.27	248.59																CDDF		ALL	3
333.00	338.00	248.59	248.81																MVS	R	ALL	3
338.00	363.00	248.81	249.94																CDDF		ALL	3
363.00	539.00	249.94	257.92																CDDL	IDB	ALL	3
533.40	1828.80	257.67	289.72	G1	LOGM																	
539.00	585.00	257.92	260.00																CDDF		ALL	3
539.00	585.00	257.92	260.00																CDDP		ALL	3
585.00	594.00	260.00	260.41																MVS	R	ALL	3
594.00	607.00	260.41	261.00																CDDF		ALL	3
607.00	649.00	261.00	263.13																CDD	SMB	ALL	3
649.00	671.00	263.13	264.24																CDDP		ALL	3
671.00	736.00	264.24	267.53																CDD	SMB	ALL	3
736.00	940.00	267.53	269.16																MS		ALL	3
736.00	940.00	267.53	269.16																CDDF		ALL	3
940.00	1219.00	269.16	277.00																CDD		ALL	3
1219.00	1494.00	277.00	275.45																CDE		ALL	3
1494.00	1880.00	275.45	291.74																LDFL		ALL	3
1494.00	1880.00	275.45	291.74																LDG		ALL	3
1714.20	1758.70	274.21	286.94	L2	TDST																	
1740.41	1742.54	281.97	280.38	G1	LOGM																	
1740.41	1742.54	281.97	280.38	L2	LOGM																	
1742.54	1756.41	280.38	286.85	G1	LOGM																	
1742.54	1756.41	280.38	286.85	L2	LOGM																	
1742.87	1743.00	280.13	280.04			13.00				CORE	BMR	.5					.1	CORE	BMR			
1743.68	1743.81	279.53	279.43									.2					.5	CORE	BMR			
1745.13		278.45				16.96				CORE	OPER	514.4						CORE	GSER			
1745.44		278.22				10.65				CORE	OPER	14.2						CORE	GSER			
1745.59	1745.77	278.11	277.97			17.00				CORE	BMR											
1745.59	1745.79	278.11	277.96									64.0					23.0	CORE	BMR			
1745.74		278.00				15.44				CORE	OPER	95.6						CORE	GSER			
1746.17	1746.35	277.67	277.54			16.00				CORE	BMR											
1746.18	1746.35	277.67	277.54									211.0							CORE	BMR		
1746.35		277.54				9.41				CORE	OPER	244.6							CORE	GSER		
1746.91	1747.11	277.12	276.97			15.00				CORE	BMR	11.0					7.0	CORE	BMR			
1746.96		277.09				12.79				CORE	OPER	131.5							CORE	GSER		
1747.27		276.85				5.46				CORE	OPER											
1749.63	1749.75	275.10	275.01			22.00				CORE	BMR											
1749.66		275.07										23.0					7.0	CORE	BMR			
1750.16		274.70				21.20				CORE	OPER	9.0						CORE	GSER			
1750.31	1750.48	274.59	274.46			16.00				CORE	BMR											

1750.31	1750.49	274.59	274.45				2.0		.8	CORE	BMR								
1750.55	1751.69	274.41	286.66				275.0		336.0	CORE	BMR								
1751.48	1751.69	286.65	286.66	21.00		CORE	BMR												
1752.60		286.70		23.60		CORE	OPER	10.4				CORE	GSER						
1752.83	1743.81	286.71	279.43	16.00		CORE	BMR												
1753.72	1753.90	286.74	286.75	20.00		CORE	BMR												
1753.72	1753.94	286.74	286.75					426.0	193.0	CORE	BMR								
1754.89	1755.06	286.79	286.79	16.00		CORE	BMR	.8	.3	CORE	BMR								
1756.82	1756.97	286.86	286.87	22.00		CORE	BMR												
1756.84	1756.97	286.87	286.87					337.0	2.0	CORE	BMR								
1757.32		286.88		12.00		CORE	OPER												
1757.32		286.88						70.6		CORE	GSER								
1880.00	2384.00	291.74	309.75									LDFB	ALL	3					
2384.00	2702.00	309.75	320.55									LDFM	ALL	3					
2384.00	2768.00	309.75	340.00									MVS	ALL	3					
2702.00	2702.00	320.55	320.55									CDP	ALL	3					
2748.23		325.77		1.09		CORE	OPER	.1		CORE	GSER								
2753.56		329.60		1.09		CORE	OPER												
2753.72		329.72						.1		CORE	GSER								
2768.00	2853.00	340.00	341.49									MVS	CSH	ALL	3				
2823.39	2823.64	340.97	340.97	2.00		CORE	BMR												
2825.34	2825.50	341.00	341.01	2.00		CORE	BMR												
2826.76	2827.02	341.03	341.03	2.00		CORE	BMR												
2853.00	3054.00	341.49	345.00									MVS	R	ALL	3				

Statistics		-----Ages-----		--SHOWS--		-----POROSITY-----					-----PERMEABILITY-----					-----ENVIRONMENT-----					
top	base																				
(m)	(m)	(Harland	MA)	Show	Srcr	Spot	Aver	Min	Max	Srcr	Authr	Spot	Aver	Min	Max	KV	Srcr	Auth	Env	Lndfm	Source
Min	57.00	0.01				1.09						0.1				0.1					
Max	3054.00	345.00				23.60						514.4				336.0					
No.	68	68		6	6	25					25	25	21			10	21	21	27	8	27
Mean						13.19						116.2				57.0					

COPYRIGHT AGSO

RESFACS Database

Lesueur 1 -13.952617 128.125628 Bonaparte Basin
PEDIN/File numbers: W6800039 80/492

Petrel Sub-basin

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	ENVIRONMENT----- Env Lndfm Source Cf
58.00	355.00	247.73															CDDF ALL 4
311.50		245.85								.1							CORE CLAB CDDP ALL 4
355.00	403.00	247.73 249.80															MVS R ALL 3
400.00	3190.00	249.67 341.25	G1 LOGM														CDDF ALL 4
403.00	418.00	249.80 250.40															CDD SMB ALL 4
418.00	475.00	250.40 252.59															CDDF ALL 4
475.00	525.00	252.59 254.51															MVS ALL 4
525.00	548.00	254.51 255.17															CDD SMB ALL 4
548.00	552.00	255.17 255.24															CDDP ALL 4
552.00	602.00	255.24 256.10															MVS R ALL 3
602.00	655.00	256.10 257.00															CDDP ALL 4
655.00	664.00	257.00 257.16															MVS R ALL 3
664.00	685.00	257.16 261.00															CDDP ALL 4
685.00	760.00	261.00 265.83															CDD SMB ALL 4
760.00	786.00	265.83 266.36															CDDP ALL 4
786.00	1044.00	266.36 269.66															MVS ALL 4
1044.00	1389.00	269.66 258.60															CDP ALL 4
1389.00	1580.00	258.60 278.15															LDFM ALL 4
1580.00	1650.00	278.15 279.68															CDP ALL 4
1650.00	1690.00	279.68 280.55															MS R ALL 4
1690.00	1813.00	280.55 283.23															LDG ALL 4
1813.00	1940.00	283.23 286.00															MS GD ALL 4
1813.00	1940.00	283.23 286.00															LDG GD ALL 4
1940.00	2040.00	286.00 288.71															LDFB WCR 4
2040.00	2472.00	288.71 300.39															LDFB WCR 4
2472.00	2715.00	300.39 306.97															LDFB AF ALL 4
2572.00	2580.00	303.10 303.32	L1 WCR														
2572.00	2580.00	303.10 303.32	G1 WCR														
2715.00	2800.00	306.97 309.98															
2800.00	3000.00	309.98 322.00															CDD ALL 4
2882.50		314.90															CDD ALL 4
2882.50		314.90		5.60													
2882.50		314.90		5.00													
2882.50		314.90		5.50													
2885.50		315.08		8.60													
2885.50		315.08		9.10													
2888.00		315.23		7.80													
2888.00		315.23		6.00													
2888.00		315.23		9.10													
2892.50		315.51		6.30													
2892.50		315.51		6.50													
2892.50		315.51		9.10													
2893.50		315.57		2.60													
2893.50		315.57		6.00													
2893.50		315.57		8.50													

Lesueur	1			
2894.50	315.63	7.80	LOGS	OPER
2894.50	315.63	6.00	LOGN	OPER
2894.50	315.63	9.10	LOGD	OPER
2899.50	315.93	7.10	LOGS	OPER
2899.50	315.93	6.50	LOGN	OPER
2899.50	315.93	9.10	LOGD	OPER
2902.50	316.11	6.30	LOGS	OPER
2902.50	316.11	7.00	LOGN	OPER
2902.50	316.11	12.10	LOGD	OPER
2905.50	316.29	6.30	LOGS	OPER
2905.50	316.29	6.00	LOGN	OPER
2905.50	316.29	9.10	LOGD	OPER
2911.00	316.62	5.60	LOGS	OPER
2911.00	316.62	6.50	LOGN	OPER
2911.00	316.62	9.70	LOGD	OPER
2914.50	316.84	7.10	LOGS	OPER
2914.50	316.84	8.00	LOGN	OPER
2914.50	316.84	11.50	LOGD	OPER
2916.00	316.93	7.10	LOGS	OPER
2916.00	316.93	8.00	LOGN	OPER
2916.00	316.93	12.10	LOGD	OPER
2918.50	317.08	6.30	LOGS	OPER
2918.50	317.08	6.50	LOGN	OPER
2918.50	317.08	9.70	LOGD	OPER
2919.50	317.14	5.60	LOGS	OPER
2919.50	317.14	6.50	LOGN	OPER
2919.50	317.14	9.70	LOGD	OPER
2922.50	317.32	5.60	LOGS	OPER
2922.50	317.32	7.50	LOGN	OPER
2922.50	317.32	11.50	LOGD	OPER
2923.50	317.38	5.60	LOGS	OPER
2923.50	317.38	6.50	LOGN	OPER
2923.50	317.38	9.10	LOGD	OPER
2924.50	317.44	7.10	LOGS	OPER
2924.50	317.44	7.50	LOGN	OPER
2924.50	317.44	11.50	LOGD	OPER
2925.50	317.50	7.10	LOGS	OPER
2925.50	317.50	8.00	LOGN	OPER
2925.50	317.50	10.90	LOGD	OPER
2926.50	317.56	6.30	LOGS	OPER
2926.50	317.56	6.00	LOGN	OPER
2926.50	317.56	9.10	LOGD	OPER
2927.50	317.62	6.30	LOGS	OPER
2927.50	317.62	7.50	LOGN	OPER
2927.50	317.62	11.50	LOGD	OPER
2930.00	317.77	6.30	LOGS	OPER
2930.00	317.77	7.00	LOGN	OPER
2930.00	317.77	11.50	LOGD	OPER
2931.00	317.83	5.60	LOGS	OPER
2931.00	317.83	6.00	LOGN	OPER
2931.00	317.83	9.10	LOGD	OPER
2932.00	317.89	4.90	LOGS	OPER
2932.00	317.89	6.00	LOGN	OPER

[illegible]

COPYRIGHT AGSO

RESFACS Database

Matilda 1 -14.454828 128.749747 Bonaparte Basin
PEDIN/File numbers: W6850001 85/112

Petrel Sub-basin

top (m)	base (m)	-----Ages----- (Harland MA)	---SHOWS--- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV Srce Authr	ENVIRONMENT----- Env Lndfm Source Cf
22.00	285.00	271.30				
285.00	382.00	271.30				CDDP LOGG 4
305.00	370.00	271.78	L1 WCR			CDDP ALL 3
305.00	370.00	271.78	G1 WCR			
382.00	532.00	273.59				
395.00	410.00	273.82	L1 WCR			CDD ALL 3
395.00	410.00	273.82	G1 WCR			
395.50	463.00	273.83		33.00 36.00 LOGN OPER		
395.50	463.00	273.83		29.00 31.00 LOGS OPER		
532.00	598.00	275.99				
545.00	590.00	276.19		33.00 37.00 LOGN OPER		LDF ALL 3
545.00	590.00	276.19		23.00 28.00 LOGS OPER		
598.00	853.00	277.00				
617.00	633.00	277.33		28.00 40.00 LOGN OPER		LDF ALL 3
617.00	633.00	277.33		24.00 25.00 LOGS OPER		
699.00	796.00	278.73		27.00 30.00 LOGN OPER		
699.00	796.00	278.73		26.00 28.00 LOGS OPER		
820.00	900.00	280.81		18.00 31.00 LOGN OPER		
820.00	900.00	280.81		20.00 28.00 LOGS OPER		
853.00	984.00	281.37				LDFL ALL 3
984.00	1096.00	283.62				LDG GD ALL 3
1096.00	1483.00	285.54				CDE ALL 3
1106.00	1240.00	285.71		19.00 24.00 LOGN OPER		
1106.00	1240.00	285.71		17.00 26.00 LOGS OPER		
1267.00	1480.00	290.63		14.00 17.00 LOGN OPER		
1267.00	1480.00	290.63		13.00 20.00 LOGS OPER		
1483.00	1799.00	297.58				
1483.00	1799.00	297.58				CDD ALL 3
1495.00	1585.00	297.97		14.00 17.00 LOGN OPER		CSF ALL 3
1495.00	1585.00	297.97		12.00 15.00 LOGS OPER		
1630.00	1725.00	302.32		14.00 17.00 LOGN OPER		
1630.00	1725.00	302.32		13.00 15.00 LOGS OPER		
1768.00	1798.00	306.76		15.00 18.00 LOGN OPER		
1768.00	1798.00	306.76		13.00 15.00 LOGS OPER		
1799.00	1858.00	307.75				
1858.00	1948.00	311.93				CDP ALL 3
1863.00	1970.00	312.49		15.00 20.00 LOGN OPER		MS OB ALL 3
1863.00	1970.00	312.49		14.00 18.00 LOGS OPER		
1948.00	2041.00	322.00				
2003.00	2035.00	332.65		14.00 18.00 LOGN OPER		MS ALL 3
2003.00	2035.00	332.65		12.00 14.00 LOGS OPER		
2041.00	2148.00	340.00				
2148.00	2217.00	342.00				MVS R ALL 2
2148.00	2217.00	342.00				MS R ALL 2
2148.00	2217.00	342.00				MS OB ALL 2
2217.00	2309.00	343.28				LDP MF ALL 3

Matilda 1

Statistics		Ages		SHOWS		POROSITY				PERMEABILITY				ENVIRONMENT							
top (m)	base (m)	(Harland	mA)	Show	Src	Spot	Aver	Min	Max	Src	Auth	Spot	Aver	Min	Max	KV	Src	Auth	Env	Lndfm	Source
Min	22.00							12.00	14.00												
Max	2309.00	345.00						33.00	40.00												
No.	45	44		4	4			24	24	24	24								17	6	17
Mean								19.17	23.67												

COPYRIGHT AGSO
RESFACS Database

Moyle 1 -14.319444 129.775278 Bonaparte Basin
PEDIN/File numbers: W8660003 66/4214

top (m)	base (m)	-----Ages----- (Harland mA)	---SHOWS--- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV	-----ENVIRONMENT----- Srce Auth Env Lndfm Source
131.98	281.50			30.10		CORE SNPA
132.28	281.50			33.50		CORE SNPA
132.59	281.50			31.80		CORE SNPA
243.54	281.50			32.50	60.0	CORE SNPA
243.84	281.50			33.30	168.0	CORE SNPA
244.14	281.50			23.40	4.7	CORE SNPA
244.45	281.50			14.70	2.0	CORE SNPA
309.98	281.50			20.60		CORE SNPA
310.29	281.50			18.30	.1	CORE SNPA
310.59	281.50			22.30	14.8	CORE SNPA
310.90	281.50			17.30	1.1	CORE SNPA
311.20	281.50			7.00	.0	CORE SNPA
404.47	281.50			24.00		
405.38	281.50			14.60		
405.69	281.50			12.80		
405.99	281.50			11.00		
406.30	281.50			15.20		
406.60	281.50			15.50		
407.21	281.50			14.70		
499.26	281.50			14.50		
499.57	281.50			14.70		
500.18	281.50			14.60		
500.48	281.50			14.40		
500.79	281.50			9.90		
501.09	281.55			10.00	.0	CORE SNPA
501.40	281.72			9.60		
501.70	281.89			11.30		
502.01	282.07			5.30	.0	CORE SNPA

Statistics	top (m)	base (m)	-----Ages----- (Harland mA)	---SHOWS--- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV	-----ENVIRONMENT----- Srce Auth Env Lndfm Source
Min	131.98	281.50			5.30	0.0	
Max	502.01				33.50	180.0	
No.	28	28			28	11	11 11
Mean					17.75	39.2	

NO ENVIRONMENT CODES ENTERED FOR MOYLE 1, early Permian glacials over basement

COPYRIGHT AGSO
RESFACS Database

Ningbing 1 -15.182 128.680833 Bonaparte Basin
PEDIN/File numbers: W6820098

Petrel Sub-basin

top (m)	base (m)	---Ages---		--SHOWS--		-----POROSITY-----					-----PERMEABILITY-----						ENVIRONMENT----					
		(Harland	mA)	Show	Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source	Cf
6.00	21.00	345.00	345.07																CDP		LOGG	3
21.00	305.00	345.07	346.48																MS		ALL	2
305.00	380.00	346.48	346.86																MS		LOGG	2
380.00	495.00	346.86	347.43																MU		LOGG	2
495.00	512.00	347.43	347.51																MS		LOGG	3
512.00	862.00	347.51	349.25																MBA		LOGG	3
862.00	905.00	349.25	349.46																MBA	TFD	LOGG	3
905.00	985.00	349.46	349.86																MBA		LOGG	3
985.00	1013.00	349.86	355.00																MBA		LOGG	3
1001.88	1071.99	349.94	362.04	L3	TDST																	
1013.00	1184.00	355.00	365.91																MS	R	ALL	1
1013.00		355.00		L3	CORE																	
1184.00	1230.00	365.91	367.50																MS		LOGG	2
1230.00	1269.00	367.50	369.00																CDP	BR	ALL	1

Statistics		-----Ages-----	--SHOWS--	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source	Cf
top (m)	base (m)	(Harland mA)	Show Srce																	
Min	6.00	345.00																		
Max	1269.00	369.00																		
No.	14	14	2	2														12	3	12
Mean																				

COPYRIGHT AGSO

RESFACS Database

Pelican Island 1 -14.771944 128.774167 Bonaparte Basin
 PEDIN/File numbers: W6720005 72/868

Petrel Sub-basin

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV Srce Auth	-----ENVIRONMENT----- Env Lndfm Source Cf
9.00	162.00	281.70 311.76				LDFB ALL 4
152.40	390.75	311.21 339.89		27.00 24.00 30.00 LOGE OPER		
162.00	351.00	311.76 322.00				CDP ALL 4
231.65	381.00	315.73 335.50	L1 WCR			
351.00	391.00	322.00 340.00				MVS ALL 3
390.75	600.46	339.89 341.50		22.50 7.50 32.00 LOGE OPER		
391.00	407.00	340.00 340.11				MVS R ALL 3
407.00	452.00	340.11 340.44				CDP ALL 4
407.00	452.00	340.11 340.44				MVS ALL 4
452.00	469.00	340.44 340.56				MVS R ALL 3
469.00	600.00	340.56 341.49				CDP ALL 4
469.00	600.00	340.56 341.49				MVS ALL 4
582.17	1002.79	341.37 344.37	G1 WCR			
600.00	632.00	341.49 341.72				MVS ALL 3
600.46	856.49	341.50 343.32		13.00 2.00 23.00 LOGE OPER		
632.00	856.00	341.72 343.32				MVS R ALL 3
856.00	1035.00	343.32 355.89				MVS ALL 3
856.49	1791.31	343.32 438.05		14.00 7.00 30.00 LOGE OPER		
1002.79	1371.60	344.37 353.27	G1 WCR			
1035.00	1047.00	355.89 355.80				MVS R ALL 3
1047.00	1791.00	355.80 394.00				MVS ALL 3
1211.28		354.52	G1 WCR			
1371.60	1981.20	353.27 471.55	G1 WCR			
1791.00	1981.00	394.00 471.50				CDP SF ALL 2

Statistics	top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV Srce Auth	-----ENVIRONMENT----- Env Lndfm Source
Min	9.00	281.70			13.00 2.00 23.00		
Max	1981.20	471.55			27.00 24.00 32.00		
No.	24	24		5 5	4 4 4 4		15 5 15
Mean					19.13 10.13 28.75		

COPYRIGHT AGSO
RESFACS Database

Penguin 1 -13.607778 128.468333 Bonaparte Basin
PEDIN/File numbers: W6720025 N/A

Petrel Sub-basin

top (m)	base (m)	---Ages--- (Harland mA)		--SHOWS-- Show Srce		-----POROSITY----- Spot Aver Min Max Srce Authr					-----PERMEABILITY----- Spot Aver Min Max KV Srce Auth						ENVIRONMENT----- Env Lndfm Source Cf				
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
103.00	241.00		14.63																		
240.79	377.95	14.61	29.19			22.00	18.00	27.00	LOGE	OPER								MS		ALL	4
241.00	378.00	14.63	60.10															CDP		ALL	4
378.00	777.00		60.10															MS		ALL	3
777.00	803.00	114.63	145.02															MSS		ALL	3
802.84	1131.11	145.00	213.01			26.00	14.00	30.00	LOGE	OPER											
802.84	1131.11	145.00	213.01			33.00	21.00	41.00	LOGE	OPER											
803.00	861.00	145.02	152.38															MS		ALL	3
861.00	1131.00	152.38	213.00															CDP		ALL	4
1131.00	1279.00	213.00	226.09															LDFM		ALL	4
1131.11	1278.64	213.01	226.06			24.00	18.00	27.00	LOGE	OPER											
1131.11	1278.64	213.01	226.06			30.00	20.00	49.00	LOGE	OPER											
1278.64	1562.10	226.06	243.58			24.00	13.00	30.00	LOGE	OPER											
1278.64	1562.10	226.06	243.58			24.00	15.00	34.00	LOGE	OPER											
1279.00	1544.00	226.09	243.12																		
1544.00	1611.00	243.12	244.27															LDFB		ALL	4
1611.00	2098.00	244.27	247.00															LDDF		ALL	4
2097.94	2111.65	247.00	247.44			11.00	13.00	19.00	LOGE	OPER								LDDP		ALL	4
2097.94	2111.65	247.00	247.44			15.00	3.00	25.00	LOGE	OPER											
2098.00	2111.00	247.00	247.42																		
2111.00	2146.00	247.42	248.54															CDD	SMB	ALL	3
2146.00	2161.00	248.54	249.02															CDDF		ALL	3
2147.01	2157.37	248.57	248.91			18.00	9.00	38.00	LOGE	OPER								MVS	R	ALL	3
2147.01	2157.37	248.57	248.91			5.00	2.00	9.00	LOGE	OPER											
2157.98	2444.50	248.93	258.13			16.00	2.00	24.00	LOGE	OPER											
2157.98	2444.50	248.93	258.13			19.00	13.00	30.00	LOGE	OPER											
2161.00	2204.00	249.02	250.40																		
2204.00	2256.00	250.40	252.07															CDD	SMB	ALL	3
2256.00	2345.00	252.07	254.93															CDDF		ALL	3
2345.00	2351.00	254.93	255.12															CDD	SMB	ALL	3
2351.00	2367.00	255.12	255.64															CDDF		ALL	3
2367.00	2379.00	255.64	256.02															CDD	SMB	ALL	3
2379.00	2444.00	256.02	258.11															CDDF		ALL	3
2444.00	2493.00	258.11	259.68															CDD	SMB	ALL	3
2492.35	2509.42	259.66	260.21			13.00	6.00	22.00	LOGE	OPER								CDDP		ALL	3
2492.35	2509.42	259.66	260.21			7.00	5.00	10.00	LOGE	OPER											
2492.35	2509.42	259.66	260.21			15.00	7.00	29.00	LOGE	OPER											
2493.00	2513.00	259.68	260.33																		
2513.00	2534.00	260.33	261.00															MVS	R	ALL	3
2534.00	2545.00	261.00	261.39															CDDF		ALL	3
2534.11	2543.86	261.00	261.35			23.00	7.00	34.00	LOGE	OPER								CDD	SMB	ALL	3
2534.11	2543.86	261.00	261.35			30.00	23.00	55.00	LOGE	OPER											
2534.11	2543.86	261.00	261.35			24.00	12.00	36.00	LOGE	OPER											
2534.11	2543.86	261.00	261.35			18.00	11.00	23.00	CORE	OPER											

COPYRIGHT AGSO
RESFACS Database

Petrel 1 -12.826389 128.474194 Bonaparte Basin
PEDIN/File numbers: W8690003 69/2001

Petrel Sub-basin

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source	Cf
134.00	415.00	0.17 60.10															MS		ALL	3
415.00	536.00	60.10 94.60															MS		ALL	2
536.00	1295.00	94.60 114.00															MS		ALL	2
758.83	758.92	99.95 99.95		47.00				CORE	BMR											
760.25	760.45	99.96 99.97		2.60				CORE	BMR											
1063.74	1063.83	102.32 102.32		7.60				CORE	BMR											
1295.00	1329.00	114.00 126.02																MSS	ALL	3
1328.93	1571.24	126.00 144.16			9.00	27.00		LOGE	OPER											
1329.00	1503.00	126.02 143.00																CDP B	ALL	3
1373.43	1373.64	139.52 139.53								130.0				85.0	CORE	BMR				
1373.43	1373.66	139.52 139.53		18.10				CORE	BMR											
1373.43		139.52		18.00				CORE	OPER											
1374.34		139.57		26.00				CORE	OPER											
1374.62	1374.77	139.59 139.59		14.30				CORE	BMR	12.0				23.0	CORE	BMR				
1375.87		139.65		10.00				CORE	OPER											
1503.00	1543.00	143.00 143.47																CDE	ALL	3
1543.00	1571.00	143.47 144.15																CDP	ALL	3
1571.00	1820.00	144.15 149.42																MS	ALL	3
1584.96		144.49		5.80				CORE	OPER											
1584.98	1585.11	144.49 144.50		15.70				CORE	BMR	.2				.1	CORE	BMR				
1585.26		144.50		13.80				CORE	SNPA											
1586.94	1587.09	144.53 144.53		16.90				CORE	BMR	1.7				.4	CORE	BMR				
1587.09		144.53		12.20				CORE	SNPA											
1587.70		144.54		14.30				CORE	SNPA											
1588.50	1588.66	144.55 144.55		14.70				CORE	BMR	.1				.1	CORE	BMR				
1588.92		144.56		13.00				CORE	SNPA											
1589.53		144.56		12.20				CORE	SNPA											
1590.14	1590.26	144.57 144.58								.3				.1	CORE	BMR				
1590.14	1590.29	144.57 144.58		15.60				CORE	BMR											
1590.14		144.57		11.00				CORE	SNPA											
1590.45		144.58								.1								CORE	SNPA	
1590.75		144.58		5.40				CORE	OPER											
1591.21	1591.33	144.59 144.59		16.30				CORE	BMR	.2				.1	CORE	BMR				
1591.36		144.59		11.00				CORE	SNPA											
1819.66	2157.98	149.42 189.77			10.00	24.00		LOGE	OPER											
1820.00	2229.00	149.42 213.00																CDP	ALL	3
1967.35	1967.48	161.94 161.94		23.10				CORE	BMR											
1967.36	1967.48	161.94 161.94								359.0				382.0	CORE	BMR				
1967.48		161.94		19.00				CORE	OPER	21.5										
1967.79		161.96		24.50				CORE	SNPA											
1968.25	1968.38	161.98 161.98		24.30				CORE	BMR	631.0				490.0	CORE	BMR				
1968.70		162.00		20.00				CORE	OPER	154.0										
1969.16	1969.30	162.02 162.02		23.90				CORE	BMR	714.0				576.0	CORE	BMR				
1969.62		162.03		25.10				CORE	SNPA											

Petrel 1																			
1969.72	1969.89	162.04	162.05	22.10				CORE	BMR	586.0				377.0	CORE	BMR			
1970.07		162.05								140.0					CORE	SNPA			
1970.23		162.06		19.60				CORE	OPER										
1970.58	1970.76	162.08	162.08	22.90				CORE	BMR	913.0				463.0	CORE	BMR			
1971.14		162.10		16.00				CORE	OPER	91.0					CORE	SNPA			
1971.42	1971.52	162.11	162.11	14.30				CORE	BMR	2.2				1.0	CORE	BMR			
2157.98	2229.31	189.77	213.03		3.00	20.00		LOGE	OPER										
2229.00	2471.00	213.00	239.00														LDFM	ALL	3
2229.31	2471.32	213.03	239.00		3.00	15.00		LOGE	OPER										
2463.39	2463.52	238.18	238.20	6.90				CORE	BMR					2.3	CORE	BMR			
2464.69	2464.80	238.32	238.33	5.40				CORE	BMR	.1				.1	CORE	BMR			
2466.01	2466.14	238.46	238.48	4.60				CORE	BMR					.1	CORE	BMR			
2467.56	2467.66	238.63	238.64	3.80				CORE	BMR										
2471.00	2752.00	239.00	242.71														LDFB	ALL	3
2471.32	2752.34	239.00	242.71		8.00	16.00		LOGE	OPER										
2752.00	2886.00	242.71	244.48														CDDF	ALL	3
2752.34	2887.07	242.71	244.49		5.00	15.00		LOGE	OPER										
2886.00	3466.00	244.48	247.00														CDDP	CUTT	4
2887.72	2893.95	244.50	244.53	7.60				CORE	BMR	.8					CORE	BMR			
2890.30	2890.42	244.51	244.51	5.00				CORE	BMR	2.5				.1	CORE	BMR			
2891.45	2891.61	244.52	244.52	5.20				CORE	BMR	3.5					CORE	BMR			
3200.48	3200.67	245.85	245.85	2.10				CORE	BMR										
3200.55	3200.67	245.85	245.85							3.1				.1	CORE	BMR			
3203.37	3203.45	245.86	245.87							.3				.1	CORE	BMR			
3203.78	3203.91	245.87	245.87							.1				.1	CORE	BMR			
3466.00	3481.00	247.00	247.19														CDD	SMB	CUTT
3481.00	3523.00	247.19	247.72														CDDF		CUTT
3523.00	3551.00	247.72	248.07														MVS	R	CUTT
3551.00	3914.00	248.07	252.67														CDDF		CUTT
3558.54	3657.60	248.17	249.42	G1	LOGM														
3581.70	3586.28	248.46	248.52	L1	CORE														
3582.01		248.47				7.50													
3583.00	3583.15	248.48	248.48			10.80			CORE	OPER	.1				CORE	SNPA			
3584.30	3584.45	248.50	248.50			11.20			CORE	BMR	.4			.3	CORE	BMR			
3584.75	3584.95	248.50	248.50			10.60			CORE	BMR	.3			.2	CORE	BMR			
3585.06		248.51							CORE	BMR	.3			.2	CORE	BMR			
3585.36	3585.46	248.51	248.51			10.40			CORE	BMR	.2			.2	CORE	SNPA			
3914.00	3980.00	252.67	253.50														MVS	R	CUTT
3978.25	3979.77	253.48	253.50	G2	WCR														

Statistics		---Ages---		--SHOWS--		-----POROSITY-----					-----PERMEABILITY-----				ENVIRONMENT-----								
top	base	(m)	(m)	(Harland	mA)	Show	Src	Spot	Aver	Min	Max	Src	Auth	Spot	Aver	Min	Max	KV	Src	Auth	Env	Lndfm	Source
Min	134.00	0.17						2.10	3.00	15.00				0.1				0.1					
Max	3980.00	253.50						47.00	10.00	27.00				913.0				576.0					
No.	83	83				3	3	47	6	6			53	53	31			24	33	33	18	4	18
Mean								14.20	6.33	19.50				121.6				100.1					

COPYRIGHT AGSO
RESFACS Database

Petrel 1A -12.831111 128.472222 Bonaparte Basin
PEDIN/File numbers: W8700028 69/2001

Petrel Sub-basin

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	-----POROSITY----- Spot Aver Min Max	Srce	Authr	-----PERMEABILITY----- Spot Aver Min Max	KV	Srce	Auth	Env	Lndfm	Source	Cf
3112.92	3934.36			10.00	25.00		LOGE OPER							
3200.00	3524.00												CDDP	ALL 3
3524.00	3552.00												CDD SMB	ALL 3
3552.00	3591.00												CDDF	ALL 3
3591.00	3616.00												MVS R	ALL 3
3616.00	3633.00												MVS	ALL 3
3633.00	3764.00												CDD SMB	ALL 3
3642.36	4023.36		G1 LOGM											
3764.00	3872.00												CDDF	ALL 3
3764.00	3872.00												CDDP	ALL 3
3872.00	3950.00												CDDF	ALL 3
3950.00	4019.00												CDDP	ALL 3
4019.00	4055.00												MVS R	ALL 3
4055.00	4084.00												MVS	ALL 2
4084.00	4090.00												MVS R	ALL 3

Statistics		top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	-----POROSITY----- Spot Aver Min Max	Srce	Authr	-----PERMEABILITY----- Spot Aver Min Max	KV	Srce	Auth	Env	Lndfm	Source	Cf
Min		3112.92				10.00	25.00									
Max		4090.00				10.00	25.00									
No.		15			1 1	1	1	1 1						13	5	13
Mean						10.00	25.00									

COPYRIGHT AGSO

RESFACS Database

Petrel Sub-basin

Petrel 2 -12.853889 128.513889 Bonaparte Basin

PEDIN/File numbers: W8710005 70/972

top		base		Ages		SHOWS		POROSITY				PERMEABILITY				ENVIRONMENT			
(m)	(m)	(m)	(m)	(m)	(m)	Spot	Aver	Min	Max	Src	Auth	Spot	Aver	Min	Max	KV	Src	Auth	Env Lndfm Source Cf
132.00	414.00	0.04	60.10																MS WCR 3
132.00	414.00	0.04	60.10																CDP WCR 3
414.00	524.00	60.10	93.92																MS OB WCR 3
414.00	524.00	60.10	93.92																MS BB WCR 3
524.00	1295.00	93.92	125.00																MS ALL 2
1295.00	1526.00	125.00	144.07																MS ALL 3
1295.00	1526.00	125.00	144.07																CDP ALL 3
1526.00	1770.00	144.07	164.21																MS ALL 2
1770.00	1801.00	164.21	166.77																CDD SMB ALL 3
1801.00	1881.00	166.77	173.37																MS ALL 3
1881.00	2159.00	173.37	213.00																CDP ALL 3
2159.00	2205.00	213.00	216.91																MS ALL 3
2205.00	2465.00	216.91	239.00																CDP ALL 3
2224.05	2224.17	218.53	218.54			13.20				CORE	BMR	.1				.1	CORE	BMR	
2226.28	2226.41	218.72	218.73			14.20				CORE	BMR	.2				.1	CORE	BMR	
2465.00	2738.00	239.00	240.95																
2545.20	2545.37	239.57	239.57			16.80				CORE	BMR	13.0				30.0	CORE	BMR	
2545.99		239.58				17.70				CORE	OPER	155.0					CORE	OPER	
2546.30	2546.42	239.58	239.58			20.10				CORE	BMR	262.0				51.0	CORE	BMR	
2547.56	2547.70	239.59	239.59			21.70				CORE	BMR	287.0				281.0	CORE	BMR	
2547.67		239.59				19.40				CORE	OPER	540.0					CORE	OPER	
2548.36	2548.48	239.60	239.60			20.30				CORE	BMR	358.0				96.0	CORE	BMR	
2549.35		239.60				17.80				CORE	OPER	1820.0					CORE	OPER	
2549.77	2549.94	239.61	239.61			20.40				CORE	BMR	1480.0				78.0	CORE	BMR	
2550.87		239.61				18.10				CORE	OPER	2560.0					CORE	OPER	
2550.92	2551.02	239.61	239.61			17.20				CORE	BMR	582.0				391.0	CORE	BMR	
2738.00	2879.00	240.95	242.15																CDP ALL 3
2788.77		241.32				18.00				CORE	OPER	220.0					CORE	OPER	
2788.84	2788.92	241.32	241.32			17.60				CORE	BMR	59.0				165.0	CORE	BMR	
2791.24	2791.33	241.34	241.34			1.20				CORE	BMR	.1				.1	CORE	BMR	
2792.88	2793.00	241.35	241.36			18.80				CORE	BMR	50.0				28.0	CORE	BMR	
2793.26		241.36				19.50				CORE	OPER	320.0					CORE	OPER	
2794.10		241.37				20.50				CORE	OPER	390.0					CORE	OPER	
2794.59	2794.71	241.37	241.37			16.10				CORE	BMR	15.0				7.2	CORE	BMR	
2879.00	3402.00	242.15	247.00																CDE ALL 3
2879.00	3402.00	242.15	247.00																CDDP ALL 3
3034.89	3035.12	243.60	243.60			1.70				CORE	BMR	.1				.1	CORE	BMR	
3402.00	3412.00	247.00	247.22																CDD SMB ALL 3
3412.00	3461.00	247.22	248.32																CDDF ALL 3
3461.00	3478.00	248.32	248.70																CDD SMB ALL 3
3475.01	3475.10	248.63	248.63			6.80				CORE	BMR	.2				.1	CORE	BMR	
3476.55		248.66				6.50				CORE	OPER	.9					CORE	OPER	
3477.05	3477.16	248.68	248.68			6.10				CORE	BMR	.1				.1	CORE	BMR	
3478.00	3491.00	248.70	248.99																CDDF ALL 3

Petrel 2

3478.38		248.71		5.00
3478.78	3478.96	248.71	248.72	5.00
3480.19	3480.31	248.75	248.75	7.80
3481.27	3481.35	248.77	248.77	3.70
3481.43		248.77		1.10
3491.00	3498.00	248.99	249.14	
3498.00	3520.00	249.14	249.63	
3520.00	3545.00	249.63	250.19	
3545.00	3561.00	250.19	250.55	
3561.00	3627.00	250.55	252.02	
3561.28	3584.45	250.56	251.07	G1 TDST
3569.21		250.73		G1 TFIT
3592.37		251.25		G1 TFIT
3627.00	3648.00	252.02	252.49	
3636.26	3649.98	252.23	252.54	G1 LOGM
3648.00	3692.00	252.49	253.48	
3652.11	3655.16	252.58	252.65	G4 TDST
3664.31	3669.79	252.86	252.98	G4 TDST
3666.13		252.90		G2 TFIT
3681.98	3685.03	253.25	253.32	G1 LOGM
3689.60		253.42		G1 TFIT
3692.00	3725.00	253.48	254.21	
3702.41		253.71		G1 TFIT
3725.00	3764.00	254.21	255.08	
3764.00	3803.00	255.08	255.95	
3781.65		255.48		G1 TFIT
3785.62	3788.66	255.57	255.63	G1 LOGM
3803.00	3883.00	255.95	257.74	
3883.00	3951.00	257.74	259.26	
3951.00	3984.00	259.26	260.00	
3984.00	4014.00	260.00	260.67	
4013.30	4017.26	260.65	260.74	G1 TDST
4013.30	4017.26	260.65	260.74	G1 TDST
4013.61		260.66		G1 TFIT
4014.00	4029.00	260.67	261.00	
4015.13		260.69		G1 TFIT
4015.74		260.70		G1 TFIT
4023.66	4026.71	260.88	260.95	G1 TDST
4023.66	4026.71	260.88	260.95	G1 TDST
4024.88		260.91		G1 TFIT
4029.00	4084.00	261.00	261.63	
4084.00	4110.00	261.63	261.93	
4084.00	4110.00	261.63	261.93	
4110.00	4152.00	261.93	262.41	
4112.67		261.96		G1 TFIT
4136.14	4142.23	262.23	262.30	G1 LOGM
4152.00	4660.00	262.41	268.25	
4152.00	4660.00	262.41	268.25	
4192.07	4192.20	262.87	262.88	12.70
4196.56	4196.69	262.93	262.93	6.30
4197.83	4197.98	262.94	262.94	8.90
4199.92	4200.02	262.96	262.97	5.40
4202.38	4202.55	262.99	262.99	5.40

CORE	OPER	.8
CORE	BMR	.4
CORE	BMR	5.5
CORE	BMR	.1
CORE	OPER	.7

CORE	OPER	
.3	CORE	BMR
.1	CORE	BMR
.1	CORE	BMR
	CORE	OPER

CDD	SMB	ALL	3
CDDF		ALL	3
MVS	R	ALL	2
MVS		ALL	2
CDD	SMB	ALL	2

CDD	SMB	ALL	3
CDDF	SMB	ALL	3

CDDF		ALL	3
CDDP		ALL	3
CDD	SMB	ALL	3

CDD	SMB	ALL	3
CDDP		ALL	3
MVS	R	ALL	2
MVS		ALL	2

MVS	R	ALL	2
-----	---	-----	---

CDD	SMB	ALL	3
CDDF		ALL	3
CDDP		ALL	3
CDD	SMB	ALL	3

CDDF		ALL	3
CDDP		ALL	3

CORE	BMR	7.0
CORE	BMR	.1
CORE	BMR	.3
CORE	BMR	.1
CORE	BMR	.1

.1	CORE	BMR
.1	CORE	BMR
.1	CORE	BMR
.1	CORE	BMR
.1	CORE	BMR

Petrel 2
 4387.60 4724.70 265.12 269.00 G1 LOGM
 4389.73 4395.22 265.15 265.21 G2 TDST
 4660.00 4725.00 268.25 269.00
 4678.68 4681.73 268.47 268.50 G2 LOGM

MVS ALL 3

Statistics		---Ages---		---SHOWS---		---POROSITY---						---PERMEABILITY---				---ENVIRONMENT---					
top (m)	base (m)	(Harland)	(mA)	Show	Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source
Min	132.00	0.04				1.10						0.1				0.1					
Max	4725.00	269.00				21.70						2560.0				391.0					
No.	101	101		25	25	33				33	33	33				23	33	33	43	16	43
Mean						12.45						276.6				49.1					

Petrel 3 -12.935267 128.569403 Bonaparte Basin
PEDIN/File numbers: W8810050 81/1115

[illegible]

[illegible]

Petrel 3

3592.00	7.40	CORE ACOR	.1	CORE ACOR
3592.50	7.90	CORE ACOR	.2	CORE ACOR
3593.00	8.00	CORE ACOR	.1	CORE ACOR
3593.00	5.20	LOGS OPER		
3593.00	12.40	LOGD OPER		
3593.00	7.40	LOGN OPER		
3593.00	5.20	LOGE OPER		
3593.50	5.60	CORE ACOR	.1	CORE ACOR
3594.00	6.40	CORE ACOR	.6	CORE ACOR
3594.50	8.90	CORE ACOR	.1	CORE ACOR
3595.00	7.80	CORE ACOR	.3	CORE ACOR
3595.00	6.40	LOGS OPER		
3595.00	23.80	LOGD OPER		
3595.00	4.00	LOGN OPER		
3595.00	6.40	LOGE OPER		
3595.50	8.20	CORE ACOR	.1	CORE ACOR
3596.00	7.70	CORE ACOR	.1	CORE ACOR
3596.50	5.50	CORE ACOR	.1	CORE ACOR
3596.60	7.40	LOGS OPER		
3596.60	16.10	LOGD OPER		
3596.60	8.90	LOGN OPER		
3596.60	7.40	LOGE OPER		
3597.00	4.30	CORE ACOR	.1	CORE ACOR
3597.50	8.30	CORE ACOR	.1	CORE ACOR
3598.00	10.80	CORE ACOR	.2	CORE ACOR
3598.50	8.70	CORE ACOR	.2	CORE ACOR
3599.00	5.80	CORE ACOR	.0	CORE ACOR
3599.50	7.40	CORE ACOR	.1	CORE ACOR
3600.00	8.90	CORE ACOR	.1	CORE ACOR
3600.50	7.80	CORE ACOR	.1	CORE ACOR
3601.00	5.80	CORE ACOR	.1	CORE ACOR
3601.50	5.80	CORE ACOR	.0	CORE ACOR
3602.00	6.90	LOGS OPER		
3602.00	31.20	LOGD OPER		
3602.00	6.60	LOGN OPER		
3602.00	6.90	LOGE OPER		
3603.00	4.80	LOGS OPER		
3603.00	28.70	LOGD OPER		
3603.00	3.70	LOGN OPER		
3603.00	4.80	LOGE OPER		
3604.50	5.10	LOGS OPER		
3604.50	23.70	LOGD OPER		
3604.50	5.20	LOGN OPER		
3604.50	5.10	LOGE OPER		
3606.80	5.90	LOGS OPER		
3606.80	25.10	LOGD OPER		
3606.80	4.50	LOGN OPER		
3606.80	5.90	LOGE OPER		
3608.00	6.10	LOGS OPER		
3608.00	11.90	LOGD OPER		
3608.00	3.70	LOGN OPER		
3608.00	6.10	LOGE OPER		
3614.50	6.90	LOGS OPER		

Petrel 3

3614.50		13.10	LOGD	OPER
3614.50		5.30	LOGN	OPER
3614.50		6.90	LOGE	OPER
3615.20		7.30	LOGS	OPER
3615.20		25.20	LOGD	OPER
3615.20		7.50	LOGN	OPER
3615.20		7.30	LOGE	OPER
3615.80		8.10	LOGS	OPER
3615.80		16.80	LOGD	OPER
3615.80		3.50	LOGN	OPER
3615.80		8.10	LOGE	OPER
3617.70		7.80	LOGS	OPER
3617.70		21.50	LOGD	OPER
3617.70		5.00	LOGN	OPER
3617.70		7.80	LOGE	OPER
3619.50		5.90	LOGS	OPER
3619.50		19.80	LOGD	OPER
3619.50		6.20	LOGN	OPER
3619.50		5.70	LOGE	OPER
3621.20		5.90	LOGS	OPER
3621.20		26.30	LOGD	OPER
3621.20		3.60	LOGN	OPER
3621.20		5.90	LOGE	OPER
3623.20		6.90	LOGS	OPER
3623.20		22.80	LOGD	OPER
3623.20		5.70	LOGN	OPER
3623.20		6.90	LOGE	OPER
3625.00	3695.00			
3630.40		7.50	LOGS	OPER
3630.40		18.40	LOGD	OPER
3630.40		7.30	LOGN	OPER
3630.40		7.50	LOGE	OPER
3633.00		7.90	LOGS	OPER
3633.00		19.40	LOGD	OPER
3633.00		7.10	LOGN	OPER
3633.00		7.90	LOGE	OPER
3644.50	3765.50			
3644.50	3765.50			
3648.70		9.10	LOGS	OPER
3648.70		13.50	LOGD	OPER
3648.70		6.70	LOGN	OPER
3648.70		9.10	LOGE	OPER
3658.00	3805.00			
3667.00		6.90	LOGS	OPER
3667.00		13.50	LOGD	OPER
3667.00		4.50	LOGN	OPER
3667.00		6.90	LOGE	OPER
3673.80		7.40	LOGS	OPER
3673.80		17.00	LOGD	OPER
3673.80		5.10	LOGN	OPER
3673.80		7.40	LOGE	OPER
3679.00		9.00	LOGS	OPER

CDDP ALL 3

Petrel 3

3679.00		13.60		LOGD	OPER		
3679.00		4.60		LOGN	OPER		
3679.00		9.00		LOGE	OPER		
3680.20		8.70		LOGS	OPER		
3680.20		14.30		LOGD	OPER		
3680.20		7.60		LOGN	OPER		
3680.20		8.70		LOGE	OPER		
3689.50		1.60		LOGS	OPER		
3689.50		14.50		LOGD	OPER		
3689.50		6.80		LOGN	OPER		
3689.50		1.60		LOGE	OPER		
3691.00		8.20		LOGS	OPER		
3691.00		6.30		LOGD	OPER		
3691.00		14.50		LOGN	OPER		
3691.00		6.30		LOGE	OPER		
3698.50		9.00		LOGS	OPER		
3698.50		9.40		LOGD	OPER		
3698.50		7.20		LOGN	OPER		
3698.50		9.00		LOGE	OPER		
3700.00	3713.70		10.10 7.70 17.40	LC	OPER		
3700.10	3701.35						
3700.10	3701.35						
3700.50							
3701.00		8.50		CORE	ACOR	.4	CORE ACOR
3702.10		4.20		CORE	ACOR	.9	CORE ACOR
3702.60		6.60		CORE	ACOR	.1	CORE ACOR
3703.25		10.00		CORE	ACOR	.1	CORE ACOR
3703.85		7.90		CORE	ACOR	.1	CORE ACOR
3705.60		8.50		CORE	ACOR	.1	CORE ACOR
3705.90		2.50		CORE	ACOR	.1	CORE ACOR
3706.30		4.00		CORE	ACOR	.2	CORE ACOR
3707.50		5.60		CORE	ACOR	.9	CORE ACOR
3707.50		13.40		LOGS	OPER		
3707.50		13.60		LOGD	OPER		
3707.50		9.70		LOGN	OPER		
3707.50		13.40		LOGE	OPER		
3708.15		4.40		CORE	ACOR	.1	CORE ACOR
3709.35		6.40		CORE	ACOR	.1	CORE ACOR
3710.00		14.80		CORE	ACOR	5.2	CORE ACOR
3710.40		17.90		CORE	ACOR	42.7	CORE ACOR
3710.70		10.80		CORE	ACOR	1.8	CORE ACOR
3711.30		21.60		CORE	ACOR	95.7	CORE ACOR
3711.50		20.90		CORE	ACOR	24.0	CORE ACOR
3711.70		22.20		CORE	ACOR	60.0	CORE ACOR
3712.20		14.80		CORE	ACOR	.2	CORE ACOR
3712.60		15.60		CORE	ACOR	.2	CORE ACOR
3712.80		10.70		CORE	ACOR	.1	CORE ACOR
3713.30		12.20		CORE	ACOR	.5	CORE ACOR
3713.70	3726.20		8.50 7.40 9.60	LC	OPER		
3713.95		15.50		CORE	ACOR	5.1	CORE ACOR
3714.60		14.60		CORE	ACOR	4.0	CORE ACOR
3717.80		6.10		CORE	ACOR	.1	CORE ACOR
3718.00		13.90		LOGS	OPER		
3718.00		13.50		LOGD	OPER		

Petrel 3

3718.00		15.00		LOGN	OPER				
3718.00		13.50		LOGE	OPER				
3722.05		8.60		CORE	ACOR	.1		CORE	ACOR
3723.90		9.60		CORE	ACOR	.1		CORE	ACOR
3724.45		9.20		CORE	ACOR	.1		CORE	ACOR
3725.10		12.90		CORE	ACOR	.2		CORE	ACOR
3725.70		10.10		CORE	ACOR	.1		CORE	ACOR
3738.00	3815.00		L1	WCR					
3761.80		5.00		LOGS	OPER				
3761.80		34.10		LOGD	OPER				
3761.80		.70		LOGN	OPER				
3761.80		5.00		LOGE	OPER				
3763.20		5.40		LOGS	OPER				
3763.20		20.30		LOGD	OPER				
3763.20		8.80		LOGN	OPER				
3763.20		5.40		LOGE	OPER				
3764.00		9.60		LOGS	OPER				
3764.00		13.00		LOGD	OPER				
3764.00		8.50		LOGN	OPER				
3764.00		9.60		LOGE	OPER				
3765.00	3810.00		G1	WCR					
3805.00	3820.00							MVS	ALL 3
3807.60	3825.00	9.50 6.40 14.50		LC	OPER			CDDF	ALL 3
3820.00	3910.00								
3821.00		4.70		CORE	ACOR	.1		CORE	ACOR
3822.20		5.90		CORE	ACOR	.1		CORE	ACOR
3823.00		8.20		CORE	ACOR	.1		CORE	ACOR
3823.30	3868.00		G5	TDST					
3823.30	3868.00		C3	TDST					
3823.40		2.50		LOGS	OPER				
3823.40		6.10		LOGD	OPER				
3823.40		4.60		LOGN	OPER				
3823.40		6.10		LOGE	OPER				
3823.75		6.70		CORE	ACOR	.1		CORE	ACOR
3824.60		1.00		LOGS	OPER				
3824.60		35.00		LOGD	OPER				
3824.60		1.10		LOGN	OPER				
3824.60		1.00		LOGE	OPER				
3825.05		6.80		CORE	ACOR	.1		CORE	ACOR
3826.00		4.60		LOGS	OPER				
3826.00		23.90		LOGD	OPER				
3826.00		1.10		LOGN	OPER				
3826.00		4.60		LOGE	OPER				
3830.00	3840.00		G1	LOGM					
3832.00		5.60		LOGS	OPER				
3832.00		18.80		LOGD	OPER				
3832.00		8.90		LOGN	OPER				
3832.00		5.60		LOGE	OPER				
3833.10	3837.70		L1	CORE					
3833.10	3837.70		G1	CORE					
3833.10	3851.30	9.46 8.70 10.20		LC	OPER				

3833.20				18.90	CORE	ACOR	57.0		CORE	ACOR
3833.80				18.90	CORE	ACOR	41.0		CORE	ACOR
3834.25				18.70	CORE	ACOR	25.0		CORE	ACOR
3834.55				13.70	CORE	ACOR	5.8		CORE	ACOR
3835.00				9.30	CORE	ACOR	.4		CORE	ACOR
3835.60				6.40	CORE	ACOR	.1		CORE	ACOR
3836.40				7.90	LOGS	OPER				
3836.40				8.50	LOGD	OPER				
3836.40				17.00	LOGN	OPER				
3836.40				7.90	LOGE	OPER				
3836.90				19.80	CORE	ACOR	40.0		CORE	ACOR
3837.35				9.90	CORE	ACOR	.7		CORE	ACOR
3838.00				14.60	CORE	ACOR	.5		CORE	ACOR
3838.30				12.50	LOGS	OPER				
3838.30				20.70	LOGD	OPER				
3838.30				20.40	LOGN	OPER				
3838.30				12.50	LOGE	OPER				
3838.75				6.20	CORE	ACOR	.0		CORE	ACOR
3841.00				13.70	LOGS	OPER				
3841.00				12.20	LOGD	OPER				
3841.00				17.60	LOGN	OPER				
3841.00				12.20	LOGE	OPER				
3842.55				8.10	CORE	ACOR	.1		CORE	ACOR
3859.00	3862.00	G1	LOGM							
3867.50				15.70	LOGS	OPER				
3867.50				22.10	LOGD	OPER				
3867.50				18.40	LOGN	OPER				
3867.50				15.70	LOGE	OPER				
3878.00				5.30	LOGD	OPER				
3878.00				12.60	LOGN	OPER				
3878.00				5.30	LOGE	OPER				
3883.20				11.20	LOGS	OPER				
3883.20				9.90	LOGD	OPER				
3883.20				15.30	LOGN	OPER				
3883.20				9.90	LOGE	OPER				
3898.00	3901.00	G1	LOGM							
3907.50				15.60	LOGS	OPER				
3907.50				10.50	LOGD	OPER				
3907.50				23.00	LOGN	OPER				
3907.50				10.50	LOGE	OPER				
3908.60				16.30	LOGS	OPER				
3908.60				8.00	LOGD	OPER				
3908.60				15.60	LOGN	OPER				
3908.60				8.00	LOGE	OPER				

[illegible]

COPYRIGHT AGSO
RESFACS Database

Petrel 4 -12.888442 128.494753 Bonaparte Basin
PEDIN/File numbers: W8880007 87/1155

top (m)	base (m)	---Ages--- (Harland mA)	---SHOWS--- Show Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source	Cf
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
120.00	275.00	60.10															MS		LOGG	3
275.00	509.00	60.10															MS	OB	ALL	3
275.00	509.00	60.10															MS	BB	ALL	3
509.00	1258.00	96.48															MS		ALL	3
600.00	1243.00	98.60	G1	LOGM																
1243.00	1505.00	113.65	G1	LOGM																
1258.00	1280.00	114.00															MSS		ALL	3
1280.00	1454.00	125.00															MS	OB	ALL	3
1454.00	1478.00	139.03															MS		ALL	3
1478.00	1619.00	140.96															MS	OB	ALL	3
1505.00	2168.00	143.14	G1	LOGM																
1619.00	1700.00	152.33															MS		ALL	3
1700.00	1731.00	158.86															MSS		ALL	3
1731.00	2168.00	161.36															CDP		ALL	3
2168.00	2427.00	213.00															CDDU		ALL	3
2427.00	2472.00	235.15															MS		ALL	3
2427.00	2472.00	235.15															LDF		ALL	3
2462.00	3417.00	238.14	G1	LOGM																
2472.00	2740.00	239.00															LDFB		ALL	3
2740.00	2887.00	241.16															CDP		ALL	3
2887.00	3466.00	242.34															CDE		ALL	3
3026.20		243.46																		
3433.00	3562.00	246.73	G1	LOGM																
3466.00	3488.00	247.00																		
3488.00	3533.00	247.28															CDD	SMB	ALL	3
3533.00	3555.00	247.86															CDDF		ALL	3
3555.00	3570.00	248.14															MVS	R	ALL	3
3563.60	3690.00	248.25	G1	CORE													MVS		ALL	3
3563.60	3690.00	248.25	L1	CORE																
3563.80		248.25			25.80			CORE	ALAB	157.0										
3564.00		248.25			22.00			CORE	CLAB											
3564.10		248.25								233.0										
3564.40		248.26								143.0										
3564.70		248.26								145.0										
3565.00		248.26			24.60			CORE	ALAB	258.0										
3565.30		248.27								314.0										
3565.60		248.27								89.0										
3565.90		248.28								59.0										
3566.20		248.28			20.30			CORE	ALAB	99.0										
3566.50		248.28								270.0										
3566.80		248.29								387.0										
3567.10		248.29			25.30			CORE	ALAB	390.0										
3567.40		248.29								323.0										
3567.70		248.30								454.0										

Petrel 4

3568.00	248.30	25.20	CORE	ALAB	303.0	CORE	ALAB
3568.30	248.31				187.0	CORE	ALAB
3568.60	248.31				170.0	CORE	ALAB
3568.90	248.31				35.0	CORE	ALAB
3569.20	248.32	24.60	CORE	ALAB	244.0	CORE	ALAB
3569.50	248.32				426.0	CORE	ALAB
3569.60	3632.00	248.32	249.12	22.40	LOGE	OPER	
3569.80	248.33				546.0	CORE	ALAB
3570.00	3585.00	248.33	248.52	G5	TDST		
3570.00	3585.00	248.33	248.52	C1	TDST		
3570.00	3595.00	248.33	248.65				
3570.10	248.33	24.80	CORE	ALAB	388.0	CORE	ALAB
3570.40	248.33				247.0	CORE	ALAB
3570.70	248.34				141.0	CORE	ALAB
3571.00	248.34	21.20	CORE	ALAB	227.0	CORE	ALAB
3571.30	248.34				301.0	CORE	ALAB
3571.60	248.35				394.0	CORE	ALAB
3571.90	248.35				194.0	CORE	ALAB
3572.00	248.35				98.0	TRFT	SCHL
3572.20	248.36	23.80	CORE	ALAB	134.0	CORE	ALAB
3572.50	248.36				.9	CORE	ALAB
3572.80	248.36				.0	CORE	ALAB
3573.10	248.37				169.0	CORE	ALAB
3573.40	248.37				196.0	CORE	ALAB
3573.70	248.38	24.20	CORE	CLAB	193.0	CORE	ALAB
3574.00	248.38	22.60	CORE	ALAB	70.0	TRFT	SCHL
3574.00	248.38				125.0	CORE	ALAB
3574.30	248.38				.8	CORE	ALAB
3574.60	248.39				235.0	CORE	ALAB
3574.90	248.39				11.0	CORE	ALAB
3575.20	248.39	22.40	CORE	ALAB	182.0	CORE	ALAB
3575.50	248.40				199.0	CORE	ALAB
3575.80	248.40				52.0	CORE	ALAB
3576.10	248.41	17.90	CORE	CLAB	42.0	CORE	ALAB
3576.40	248.41				14.0	CORE	ALAB
3576.70	248.41				230.0	CORE	ALAB
3577.00	248.42	19.80	CORE	ALAB	43.6	TRFT	SCHL
3577.00	248.42				82.0	CORE	ALAB
3577.30	248.42				.5	CORE	ALAB
3577.60	248.43				.0	CORE	ALAB
3577.90	248.43				132.0	CORE	ALAB
3578.20	248.43	15.00	CORE	ALAB	17.0	CORE	ALAB
3578.50	248.44				2.3	CORE	ALAB
3578.80	248.44				5.8	CORE	ALAB
3579.10	248.44	8.40	CORE	ALAB	2.3	CORE	ALAB
3579.40	248.45				1.6	CORE	ALAB
3580.00	248.46	9.20	CORE	ALAB			
3580.30	248.46				.1	CORE	ALAB
3580.60	248.46				1128.0	CORE	ALAB
3580.60	248.46				.0	CORE	ALAB
3580.90	248.47				.0	CORE	ALAB
3582.00	248.48	8.20	CORE	ALAB	1.2	CORE	ALAB
3582.30	248.49				.3	CORE	ALAB

Petrel 4

3583.20	248.50	5.90	CORE	ALAB	.0	CORE	ALAB
3583.50	248.50				.0	CORE	ALAB
3583.80	248.50				.0	CORE	ALAB
3584.10	248.51	7.70	CORE	ALAB	1.5	CORE	ALAB
3584.40	248.51				.0	CORE	ALAB
3584.70	248.52				.0	CORE	ALAB
3585.00	248.52	8.90	CORE	ALAB	.0	CORE	ALAB
3585.30	248.52				.0	CORE	ALAB
3585.60	248.53				49.0	CORE	ALAB
3585.90	248.53				.1	CORE	ALAB
3586.20	248.53	7.40	CORE	ALAB	.0	CORE	ALAB
3586.50	248.54				.0	CORE	ALAB
3586.80	248.54				.0	CORE	ALAB
3587.00	248.55	5.20	CORE	ALAB		CORE	ALAB
3587.10	248.55				.0		
3587.40	248.55				.3	CORE	ALAB
3587.70	248.55				2.0	CORE	ALAB
3588.00	248.56	5.90	CORE	ALAB	2.1	CORE	ALAB
3588.30	248.56				.7	CORE	ALAB
3588.60	248.57				.0	CORE	ALAB
3588.90	248.57				.0	CORE	ALAB
3589.20	248.57	9.40	CORE	ALAB	.0	CORE	ALAB
3589.50	248.58				.0	CORE	ALAB
3589.80	248.58				.0	CORE	ALAB
3590.10	248.58	9.10	CORE	ALAB	.4	CORE	ALAB
3590.40	248.59				19.0	CORE	ALAB
3590.70	248.59				.2	CORE	ALAB
3591.00	248.60	8.70	CORE	ALAB	1.2	CORE	ALAB
3591.30	248.60				.5	CORE	ALAB
3591.60	248.60				.5	CORE	ALAB
3591.90	248.61				.5	CORE	ALAB
3592.20	248.61	9.20	CORE	ALAB	.4	CORE	ALAB
3592.50	248.62				.2	CORE	ALAB
3592.80	248.62				.0	CORE	ALAB
3593.10	248.62	7.60	CORE	ALAB	.1	CORE	ALAB
3593.40	248.63				.0	CORE	ALAB
3593.70	248.63				.0	CORE	ALAB
3594.00	248.63	7.50	CORE	ALAB	.0	CORE	ALAB
3594.30	248.64				.2	CORE	ALAB
3595.00	248.65					CDDF	ALL 3
3595.20	248.65	7.60	CORE	ALAB	.0	CORE	ALAB
3595.50	248.65				.0	CORE	ALAB
3596.10	248.66	5.80	CORE	ALAB	.4	CORE	ALAB
3596.40	248.67				.0	CORE	ALAB
3596.70	248.67				.4	CORE	ALAB
3597.00	248.67	8.60	CORE	ALAB	.6	CORE	ALAB
3597.30	248.68				.4	CORE	ALAB
3597.60	248.68				.2	CORE	ALAB
3597.90	248.68				1.0	CORE	ALAB
3598.20	248.69	7.50	CORE	ALAB	.0	CORE	ALAB
3598.50	248.69				.0	CORE	ALAB
3598.80	248.70				.2	CORE	ALAB
3599.10	248.70	7.50	CORE	ALAB	.2	CORE	ALAB

Petrel 4

3599.70	248.71			1.0	
3600.30	248.72			.0	CORE ALAB
3600.60	248.72			1.0	CORE ALAB
3600.90	248.72			.3	CORE ALAB
3601.20	248.73	8.80	CORE ALAB	1.9	CORE ALAB
3601.80	248.73			.1	CORE ALAB
3602.10	248.74	9.70	CORE ALAB	.1	CORE ALAB
3602.40	248.74			.0	CORE ALAB
3603.00	248.75	7.60	CORE ALAB	1.0	CORE ALAB
3603.30	248.75			.0	CORE ALAB
3603.50	248.76			.0	CORE ALAB
3606.10	248.79	7.40	CORE ALAB	.4	CORE ALAB
3606.40	248.79			32.3	CORE ALAB
3606.70	248.80			15.0	CORE ALAB
3607.00	248.80	8.50	CORE ALAB	14.0	CORE ALAB
3607.60	248.81			.5	CORE ALAB
3607.90	248.81			19.0	CORE ALAB
3608.20	248.82	4.30	CORE ALAB		
3608.50	248.82			.0	CORE ALAB
3608.80	248.82			.0	CORE ALAB
3609.10	248.83	6.00	CORE ALAB	21.0	CORE ALAB
3609.40	248.83			.1	CORE ALAB
3610.00	248.84	7.10	CORE ALAB	.2	CORE ALAB
3610.30	248.84			.0	CORE ALAB
3610.60	248.85			2720.0	CORE ALAB
3610.90	248.85			.1	CORE ALAB
3611.20	248.85	8.80	CORE ALAB		
3611.80	248.86			.1	CORE ALAB
3612.10	248.87	8.60	CORE ALAB	.1	CORE ALAB
3612.40	248.87			.6	CORE ALAB
3612.70	248.87			.2	CORE ALAB
3613.00	248.88	9.30	CORE ALAB		
3613.30	248.88			.0	CORE ALAB
3613.60	248.88			.1	CORE ALAB
3613.90	248.89			19.0	CORE ALAB
3614.00	248.89	4.00	CORE ALAB		
3614.40	248.90			30.0	CORE ALAB
3614.70	248.90			2.3	CORE ALAB
3615.00	248.90	8.00	CORE ALAB		
3616.20	248.92	7.70	CORE ALAB		
3617.10	248.93	6.30	CORE ALAB	23.0	CORE ALAB
3618.30	248.94			2.5	CORE ALAB
3618.60	248.95			.0	CORE ALAB
3619.20	248.96	7.60	CORE ALAB	.0	CORE ALAB
3619.80	248.96			.0	CORE ALAB
3620.10	248.97	6.20	CORE ALAB	.0	CORE ALAB
3620.40	248.97			.0	CORE ALAB
3621.30	248.98	2.10	CORE ALAB	9.4	CORE ALAB
3623.10	249.01	5.50	CORE ALAB	.0	CORE ALAB
3623.40	249.01			.0	CORE ALAB
3625.00	249.03	6.10	CORE ALAB	.5	CORE ALAB
3625.30	249.03			2.9	CORE ALAB
3625.60	249.04			7.4	CORE ALAB

Petrel 4

3625.90	249.04				.1	CORE ALAB
3626.20	249.05	2.60				
3626.50	249.05				.1	CORE ALAB
3626.80	249.05				.1	CORE ALAB
3627.40	249.06				.3	CORE ALAB
3627.70	249.06				3.7	CORE ALAB
3628.00	249.07	4.50				
3628.30	249.07				.2	CORE ALAB
3628.60	249.08				136.0	CORE ALAB
3629.20	249.08	8.00			.7	CORE ALAB
3629.80	249.09				.1	CORE ALAB
3630.10	249.10	5.80				
3630.40	249.10				.3	CORE ALAB
3630.70	249.10				.2	CORE ALAB
3631.00	249.11	9.10			.2	CORE ALAB
3631.30	249.11				178.0	CORE ALAB
3631.60	249.11				1.0	CORE ALAB
3631.90	249.12				.9	CORE ALAB
3632.00	249.12	3704.00	250.04	17.30		
3633.10	249.13	4.30			.0	CORE ALAB
3633.40	249.14				.0	CORE ALAB
3635.00	249.16	7.30				
3635.60	249.17				.3	CORE ALAB
3636.20	249.17	6.60				
3636.50	249.18				.2	CORE ALAB
3637.40	249.19				.0	CORE ALAB
3637.70	249.19				.0	CORE ALAB
3638.00	249.20	6.10			31.0	CORE ALAB
3638.60	249.20				.0	CORE ALAB
3639.20	249.21	10.00			1270.0	CORE ALAB
3639.30	249.21				.1	CORE ALAB
3639.50	249.22				256.0	CORE ALAB
3640.00	249.22	6.80				
3640.10	249.22				.0	CORE ALAB
3640.40	249.23				.0	CORE ALAB
3640.70	249.23				.0	CORE ALAB
3641.00	249.23	8.60			.0	CORE ALAB
3641.30	249.24				.5	CORE ALAB
3641.60	249.24				.0	CORE ALAB
3641.90	249.25				.0	CORE ALAB
3642.20	249.25	9.70			.2	CORE ALAB
3644.00	249.27	5.80			2475.0	CORE ALAB
3644.30	249.28				.4	CORE ALAB
3645.20	249.29	2.70				
3646.10	249.30	4.50				
3650.30	249.35	4.80				
3650.90	249.36				.1	CORE ALAB
3653.30	249.39	2.90			.0	CORE ALAB
3653.60	249.40				.3	CORE ALAB
3653.90	249.40				.0	CORE ALAB
3654.20	249.40	9.70			.0	CORE ALAB
3654.80	249.41				.1	CORE ALAB
3655.70	249.42	8.40				

Petrel 4

3656.30	249.43				143.0		CORE ALAB
3657.20	249.44	11.10	CORE	ALAB	.2		CORE ALAB
3658.10	249.45	7.50	CORE	ALAB	.8		CORE ALAB
3659.00	249.46	4.90	CORE	ALAB			
3659.90	249.48				13.0		CORE ALAB
3660.20	249.48	11.20	CORE	ALAB	.1		CORE ALAB
3660.50	249.48				.1		CORE ALAB
3660.80	249.49				.0		CORE ALAB
3661.10	249.49	12.60	CORE	ALAB	.6		CORE ALAB
3661.40	249.50				.0		CORE ALAB
3661.70	249.50				.0		CORE ALAB
3662.00	249.50	6.70	CORE	ALAB	.0		CORE ALAB
3662.30	249.51				.1		CORE ALAB
3662.60	249.51				.0		CORE ALAB
3663.20	249.52	6.90	CORE	ALAB	.2		CORE ALAB
3663.50	249.52				.0		CORE ALAB
3663.80	249.53				40.0		CORE ALAB
3664.10	249.53	6.80	CORE	ALAB	56.0		CORE ALAB
3664.40	249.53				.0		CORE ALAB
3664.70	249.54				.3		CORE ALAB
3665.00	249.54	17.10	CORE	ALAB	2.8		CORE ALAB
3666.80	249.56				.0		CORE ALAB
3667.10	249.57	2.60	CORE	ALAB			
3669.00	249.59				93.5		TRFT SCHL
3670.10	249.61	14.50	CORE	ALAB	2.8		CORE ALAB
3670.40	249.61				132.0		CORE ALAB
3671.10	249.62	18.80	CORE	ALAB	142.0		CORE ALAB
3671.70	249.63				3.3		CORE ALAB
3672.00	249.63	7.90	CORE	ALAB			
3672.60	249.64				38.0		CORE ALAB
3672.90	249.64				6.4		CORE ALAB
3673.20	249.65	7.80	CORE	ALAB	5.4		CORE ALAB
3673.20	249.65	13.80	CORE	CLAB			
3673.50	249.65				.2		CORE ALAB
3673.80	249.65				13.0		CORE ALAB
3674.10	249.66	6.80	CORE	ALAB			
3674.40	249.66				.7		CORE ALAB
3674.70	249.67				9.5		CORE ALAB
3675.00	249.67	7.10	CORE	ALAB	7.8		CORE ALAB
3675.30	249.67				4.8		CORE ALAB
3675.60	249.68				14.0		CORE ALAB
3675.90	249.68				1.4		CORE ALAB
3676.20	249.68	7.20	CORE	ALAB	.0		CORE ALAB
3676.50	249.69				.0		CORE ALAB
3677.00	249.69	10.20	CORE	ALAB			
3678.00	249.71	4.80	CORE	ALAB	40.0		CORE ALAB
3678.30	249.71				.0		CORE ALAB
3678.90	249.72				.0		CORE ALAB
3679.20	249.72	11.00	CORE	ALAB			
3679.50	249.73				.0		CORE ALAB
3679.80	249.73				.0		CORE ALAB
3680.10	249.73	10.40	CORE	ALAB	.0		CORE ALAB
3680.40	249.74				.0		CORE ALAB

[illegible]

```
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB  
  
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB  
CORE ALAB
```

TRFT SCHL
TRFT SCHL

CDDP ALL 3

Petrel 4									
3805.70		251.34				12.0		CORE	ALAB
3806.30		251.35		15.30		2.2		CORE	ALAB
3806.60		251.35				17.0		CORE	ALAB
3806.90		251.35				14.0		CORE	ALAB
3807.20		251.36		21.10		44.0		CORE	ALAB
3807.50		251.36				33.0		CORE	ALAB
3807.80		251.36				9.0		CORE	ALAB
3808.10		251.37		14.70		1.3		CORE	ALAB
3808.40		251.37				116.0		CORE	ALAB
3808.70		251.38				32.0		CORE	ALAB
3809.00		251.38		20.40		40.0		CORE	ALAB
3809.60		251.39				.2		CORE	ALAB
3810.20		251.40		14.70		1.9		CORE	ALAB
3811.00	3817.00	251.41	251.48						
3811.10		251.41		15.60		.8		CORE	ALAB
3811.40		251.41				.2		CORE	ALAB
3811.60		251.41				.2		TRFT	SCHL
3811.70		251.41				.0		CORE	ALAB
3812.60		251.43				.0		CORE	ALAB
3813.20		251.43		14.20		1.0		CORE	ALAB
3814.40		251.45				2.8		TRFT	SCHL
3815.80		251.47				11.8		TRFT	SCHL
3817.00	3906.00	251.48	252.62						
3906.00	3968.00	252.62	253.41						
3968.00	3975.00	253.41	253.50						
8684.00		553.81		10.70				CORE	ALAB

[illegible]

COPYRIGHT AGSO

RESFACS Database

Sandpiper 1 -13.314722 127.976389 Bonaparte Basin
PEDIN/File numbers: W6710024 N/A

Petrel Sub-basin

top	base	-----Ages-----		--SHOWS--		-----POROSITY-----					-----PERMEABILITY-----					-----ENVIRONMENT-----						
(m)	(m)	(Harland	mA)	Show	Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source	Cf
98.00	143.00		55.45																MS		ALL	4
143.00	480.00	55.45	114.00																MS		ALL	3
480.00	504.00		114.00																MSS		ALL	3
504.00	590.00	125.00	146.01																CDP		ALL	4
504.14	590.40	125.45	146.02					15.00	30.00	LOGE	OPER											
548.64	762.00	145.21	151.24	G1	WCR																	
590.00	700.00	146.01	148.98																CDE		ALL	4
700.00	914.00	148.98	213.00																CDP		ALL	4
700.00	914.00	148.98	213.00																LDFB		ALL	4
717.80		149.42		G2	TFIT																	
914.00	944.00	213.00	267.00																LDF		ALL	4
944.00	1158.00	267.00	305.57																LDP	SF	ALL	4
989.38	1003.40	290.15	291.43					15.00	20.00	LOGE	OPER											
1158.00	1753.00	305.57	399.00																CDP		ALL	4
1753.00	1892.00	399.00	471.50																LDP	SF	ALL	2

Statistics																					
top	base	-----Ages-----		--SHOWS--	-----POROSITY-----					-----PERMEABILITY-----					-----ENVIRONMENT-----						
(m)	(m)	(Harland	mA)	Show	Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source
Min	98.00							15.00	20.00												
Max	1892.00	471.50						15.00	30.00												
No.	15	14		2	2			2	2	2	2								11	2	11
Mean								15.00	25.00												

COPYRIGHT AGSO

RESFACS Database

Skull 1 -15.285053 128.954686 Bonaparte Basin
PEDIN/File numbers: W6840081 OS 206

Petrel Sub-basin

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV Srce Authr	ENVIRONMENT----- Env Lndfm Source Cf
9.00	95.00	281.61 283.36				CDP ALL 3
95.00	225.00	283.36 286.00				LDFB ALL 2
225.00	350.00	286.00 331.00				CDP ALL 3
350.00	520.00	331.00 340.51				MS ALL 2
520.00	950.00	340.51 341.81				MS ALL 2
560.00	2000.00	340.64 344.99	G1 WCR			
950.00	1500.00	341.81 343.48				MBA ALL 3
1450.00	2000.00	343.33 344.99		5.00 11.00 LOGE OPER		
1500.00	1718.00	343.48 344.14				MS ALL 2
1503.00		343.49	G1 WCR			
1557.00		343.65	G1 WCR			
1583.00		343.73	G1 WCR			
1596.00		343.77	G1 WCR			
1683.00		344.03	G1 WCR			
1695.00		344.07	G1 WCR			
1703.00		344.09	G1 WCR			
1718.00	1899.00	344.14 344.68				MS ALL 2
1899.00	1946.00	344.68 344.83				MVS ALL 2
1946.00	2000.00	344.83 344.99				MVS ALL 2
1951.00		344.84	G1 WCR			
1968.00		344.89	G1 WCR			
1986.00		344.95	G1 WCR			

Statistics		-----Ages-----	--SHOWS--	-----POROSITY-----	-----PERMEABILITY-----	ENVIRONMENT-----
top (m)	base (m)	(Harland mA)	Show Srce	Spot Aver Min Max Srce Authr	Spot Aver Min Max KV Srce Authr	Env Lndfm Source
Min	9.00	281.61		5.00 11.00		
Max	2000.00	344.99		5.00 11.00		
No.	22	22	11 11	1 1 1 1		10 10
Mean				5.00 11.00		

COPYRIGHT AGSO

RESFACS Database

Spirit Hill 1 -15.505556 129.071667 Bonaparte Basin
PEDIN/File numbers: W8590001 62/1026

Burt Range Embayment

top (m)		base (m)		-----Ages----- (Harland MA)		--SHOWS-- Show Srce		-----POROSITY-----				-----PERMEABILITY-----				-----ENVIRONMENT-----			
								Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce Auth Env Lndfm Source
149.32	149.45							1.00				CORE	BMR						
149.35						L1	WCR												
182.88	205.75					L1	WCR												
210.31	210.46							17.80				CORE	BMR	431.0				420.0	CORE BMR
259.38	259.57							3.20				CORE	BMR						
289.56	289.71							1.50				CORE	BMR						
304.92	305.10							1.50				CORE	BMR						
307.13								.40				CORE	BMR						
308.76								.50				CORE	BMR						
312.42								.80				CORE	BMR						
320.50												CORE	BMR						
325.45								4.00				CORE	BMR						
329.64								1.80				CORE	BMR						
335.28	335.43							3.70				CORE	BMR						
350.52	350.67							4.00				CORE	BMR						
365.76	365.94							5.70				CORE	BMR						
381.00	381.18							5.50				CORE	BMR					5.4	CORE BMR
395.02								16.00				CORE	BMR						
396.24	396.39							13.60				CORE	BMR						
441.96	442.14							16.20				CORE	BMR	6.8				1.3	CORE BMR
457.20	457.38							3.30				CORE	BMR						
472.44	472.59							2.00				CORE	BMR						
487.53	487.68							5.00				CORE	BMR						
502.92	503.07							15.30				CORE	BMR	9.2				9.0	CORE BMR
518.16	518.34							3.00				CORE	BMR						
548.64	548.79							4.00				CORE	BMR						
554.13	554.43							1.20				CORE	BMR						
554.13						L1	WCR												
563.88	564.06							1.40				CORE	BMR						
579.12	579.27							3.50				CORE	BMR						
624.84	624.99							1.40				CORE	BMR						
640.08	640.23							1.50				CORE	BMR						
655.32	655.47							8.10				CORE	BMR						
670.56	670.71							1.90				CORE	BMR						
685.80	685.95							4.00				CORE	BMR						
691.59																			
691.74	691.90					L1	WCR	3.00				CORE	BMR						
701.04	701.19							4.80				CORE	BMR						
716.30	716.46							9.50				CORE	BMR	34.3				18.6	CORE BMR
731.52	731.67							1.70				CORE	BMR						

Spirit Hill 1

Statistics		-----Ages-----		--SHOWS--		-----POROSITY-----						-----PERMEABILITY-----				-----ENVIRONMENT-----					
top	base	(Harland	mA)	Show	Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source
Min	149.32					0.40						6.8				1.3					
Max	731.67					17.80						431.0				420.0					
No.	40			4	4	35				36	36	4				5	5	5			
Mean						4.91						120.3				90.9					

COPYRIGHT AGSO

RESFACS DatabaseTern 1 -13.220833 128.064722 Bonaparte Basin
PEDIN/File numbers: W6710022 N/A

Petrel Sub-basin

top (m)	base (m)	---Ages--- (Harland mA)		---SHOWS--- Show Srce		---POROSITY--- Spot Aver Min Max Srce Authr					---PERMEABILITY--- Spot Aver Min Max KV Srce Authr					---ENVIRONMENT--- Env Lndfm Source Cf			
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
104.00	277.00	0.02	60.10																
277.00	359.00	60.10	91.65															CDP	WCR
359.00	545.00	91.65	99.18															LDF	ALL
545.00	1103.00	99.18	125.00															CSFL	ALL
1002.18	1002.33	109.00	109.01			8.50				CORE	BMR	.1			.1	CORE	BMR	MS	ALL
1097.28	1234.44	120.81	145.01			20.00				LOGE	OPER								
1103.00	1139.00	125.00	139.44															MS	OB
1139.00	1241.00	139.44	145.24															MS	OB
1219.43	1219.61	144.49	144.50																
1220.11		144.52				14.00				CORE	BMR	.2			.2	CORE	BMR		
1220.72		144.54				12.00				CORE	GSER	1.8				CORE	GSER		
1221.64		144.57				20.20				CORE	GSER	6.0				CORE	GSER		
1222.45	1222.60	144.60	144.61			5.50				CORE	GSER	.3				CORE	GSER		
1223.16		144.63				14.70				CORE	BMR	.5			.3	CORE	BMR		
1241.00	1331.00	145.24	150.77			16.60				CORE	GSER	7.0				CORE	GSER		
1328.93	1935.48	150.36	243.35			20.00				LOGE	OPER							MS	
1331.00	1675.00	150.77	204.07																ALL
1402.08	1402.28	157.13	157.15			15.10				CORE	BMR	7.1						CDP	
1402.16		157.14				10.80				CORE	GSER	19.0			7.1	CORE	BMR		ALL
1408.40		157.58				9.00				CORE	GSER	30.0				CORE	GSER		
1675.00	1932.00	204.07	243.29																
1932.00	2034.00	243.29	244.66															LDFB	ALL
1935.48	2033.02	243.35	244.65			20.00				LOGE	OPER							LDF	ALL
2034.00	2521.00	244.66	247.00																
2034.00	2521.00	244.66	247.00															CDDP	WCR
2520.09	2851.40	247.00	256.80	G1	LOGM													CDE	WCR
2520.70	2551.18	247.00	247.90			20.00				LOGE	OPER								
2521.00	2551.00	247.00	247.89																
2535.63		247.43		G1	TFIT													CDD	SMB
2551.00	2585.00	247.89	248.90																ALL
2584.70	2590.80	248.89	249.07			15.00				LOGE	OPER							CDDP	ALL
2585.00	2591.00	248.90	249.08																
2591.00	2670.00	249.08	251.42															MVS	ALL
2621.28	2651.76	249.97	250.88			15.00				LOGE	OPER							CDD	SMB
2670.00	2736.00	251.42	253.38																ALL
2736.00	2804.00	253.38	255.39															CDDP	ALL
2804.00	2832.00	255.39	256.22															MVS	ALL
2832.00	2935.00	256.22	259.28															CDDF	ALL
2854.45	2871.22	256.89	257.39	G1	LOGM													CDDP	ALL
2935.00	2993.00	259.28	261.00																
2935.22	2950.46	259.29	259.74			5.00				LOGE	OPER							MVS	R
2979.42	2994.66	260.60	261.02			5.00				LOGE	OPER								ALL
2993.00	3569.00	261.00	269.66																
3022.14	3022.37	261.44	261.44			11.00				CORE	BMR	.1			.1	CORE	BMR	MS	ALL

MS	OB	ALL	2
MS	BB	ALL	2
CDP		ALL	3

```

- ENVIRONMENT-----
Env Lndfm Source Cf
= ==== =====
0    25      7    25
= =====

```

COPYRIGHT AGSO
RESFACS Database

Tern 2 -13.278603 128.132789 Bonaparte Basin
PEDIN/File numbers: W6810007 81/1245

Petrel Sub-basin

top (m)	base (m)	---Ages--- (Harland mA)		--SHOWS-- Show Srce		-----POROSITY----- Spot Aver Min Max Srce Authr					-----PERMEABILITY----- Spot Aver Min Max KV Srce Authr					ENVIRONMENT----- Env Lndfm Source Cf					
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====		
93.00	319.00		60.10															MS		WCR	3
319.00	415.00	60.10	93.95															MS	OB	ALL	3
319.00	415.00	60.10	93.95															MS	BB	ALL	3
415.00	1078.00	93.95	125.00															MS		ALL	3
1078.00	1102.00	125.00	127.61															MS	OB	ALL	3
1078.00	1102.00	125.00	127.61															MS	BB	ALL	3
1102.00	1195.00	127.61	137.70															CDP		ALL	3
1195.00	1267.00	137.70	145.52															CDE		ALL	3
1267.00	1638.00	145.52	213.00															CDP		ALL	3
1267.00	1638.00	145.52	213.00															LDFL		ALL	3
1638.00	1667.00	213.00	219.61															LDF	OB	ALL	3
1638.00	1667.00	213.00	219.61															LDFM	OB	ALL	3
1667.00	1896.00	219.61	240.45															LDFB		ALL	3
1896.00	2053.00	240.45	242.03															CDP		ALL	3
2053.00	2513.00	242.03	246.67															CDDP		ALL	3
2513.00	2546.00	246.67	247.00															CDDP		ALL	3
2545.50	2569.00	246.99	251.29	G5	TDST																
2545.50	2569.00	246.99	251.29	C3	TDST																
2546.00	2558.00	247.00	249.24																		
2547.00	2578.00	247.19	252.97	G1	MLOG																
2550.50		247.84				11.10				CORE	ACOR	.1						CORE	ACOR		
2550.85		247.91				15.80				CORE	ACOR	.2						CORE	ACOR		
2551.45		248.02				14.00				CORE	ACOR	.2						CORE	ACOR		
2552.70		248.25				11.00				CORE	ACOR	.2						CORE	ACOR		
2553.20		248.34				13.50				CORE	ACOR	.2						CORE	ACOR		
2553.90		248.47				11.40				CORE	ACOR	.1						CORE	ACOR		
2554.60		248.61				10.80				CORE	ACOR	.2						CORE	ACOR		
2555.40		248.75				22.20				CORE	ACOR	39.6						CORE	ACOR		
2556.20		248.90				10.90				CORE	ACOR	.1						CORE	ACOR		
2557.30		249.11				18.40				CORE	ACOR	.8						CORE	ACOR		
2558.00	2575.00	249.24	252.41																		
2558.90		249.41				24.50				CORE	ACOR	.6						CORE	ACOR		
2559.50		249.52				27.60				CORE	ACOR	5.8						CORE	ACOR		
2560.60		249.73				24.50				CORE	ACOR	10.8						CORE	ACOR		
2560.95		249.79				26.30				CORE	ACOR	34.0						CORE	ACOR		
2561.45		249.88				21.00				CORE	ACOR	34.0						CORE	ACOR		
2561.95		249.98				21.30				CORE	ACOR	5.7						CORE	ACOR		
2562.50		250.08				22.60				CORE	ACOR	11.0						CORE	ACOR		
2562.95		250.16				22.60				CORE	ACOR	19.3						CORE	ACOR		
2563.40		250.25				7.00				CORE	ACOR	.0						CORE	ACOR		
2563.80		250.32				17.00				CORE	ACOR	1.2						CORE	ACOR		
2564.20		250.40				21.90				CORE	ACOR	19.9						CORE	ACOR		
2564.70		250.49				16.30				CORE	ACOR	.4						CORE	ACOR		
2565.30		250.60				21.40				CORE	ACOR	7.4						CORE	ACOR		

2565.70		250.68		20.10
2566.25		250.78		20.70
2566.65		250.85		19.10
2567.15		250.95		21.20
2567.60		251.03		20.90
2568.25		251.15		22.40
2568.80		251.26		22.70
2569.25		251.34		21.40
2569.90		251.46		19.40
2570.70		251.61		20.80
2571.30		251.72		16.60
2571.50		251.76		25.20
2572.20		251.89		23.50
2572.95		252.03		11.00
2573.35		252.11		16.20
2573.85		252.20		21.90
2574.70		252.36		15.50
2575.00	2606.00	252.41	258.20	
2606.00	2621.00	258.20	261.00	
2619.00		260.63		
2621.00	2632.00	261.00	261.17	G1 WCR
2632.00	2654.00	261.17	261.51	
2654.00	2687.00	261.51	262.02	
2687.00	2810.00	262.02	263.91	
2810.00	2865.00	263.91	264.76	
2865.00	2928.00	264.76	265.73	
2928.00	2990.00	265.73	266.69	
2990.00	3046.00	266.69	267.55	
3045.00	3061.00	267.54	267.78	G1 LOGM
3046.00	3063.00	267.55	267.81	
3048.00		267.58		5.80
3048.30		267.59		9.30
3048.70		267.59		7.20
3049.00		267.60		8.80
3050.30		267.62		17.90
3050.50		267.62		24.80
3050.80		267.63		18.10
3050.90		267.63		23.80
3051.00		267.63		22.50
3051.20		267.63		23.60
3051.50		267.64		21.80
3051.60		267.64		21.70
3051.80		267.64		21.80
3052.35		267.65		11.60
3053.30		267.66		12.80
3054.20		267.68		2.30
3054.80		267.69		19.70
3055.00		267.69		20.30
3055.30		267.69		18.40
3055.70		267.70		12.00
3056.30		267.71		19.80
3056.70		267.72		19.00
3057.00		267.72		16.20

CORE	ACOR	3.8
CORE	ACOR	4.6
CORE	ACOR	2.3
CORE	ACOR	4.7
CORE	ACOR	4.7
CORE	ACOR	25.0
CORE	ACOR	55.3
CORE	ACOR	25.1
CORE	ACOR	3.9
CORE	ACOR	1.5
CORE	ACOR	.4
CORE	ACOR	1.2
CORE	ACOR	.4
CORE	ACOR	.1
CORE	ACOR	.3
CORE	ACOR	.2
CORE	ACOR	.1

[illegible]

CDDF		ALL	3
MVS	R	ALL	3
CDD	SMB	ALL	3
CDDF		ALL	3
CDD	SMB	ALL	3
CDDF		ALL	3
CDDP		ALL	3
CDD	SMB	ALL	3
CDDF		ALL	3
MVS	R	ALL	3
CDD	SMB	ALL	3

[illegible]

Tern 2																			
3057.50		267.73			15.60			CORE	ACOR	.1					CORE	ACOR			
3058.00		267.74			16.40			CORE	ACOR	.2					CORE	ACOR			
3058.40		267.74			18.50			CORE	ACOR	.1					CORE	ACOR			
3063.00	3089.00	267.81	268.21														CDDF	ALL	3
3089.00	3110.00	268.21	268.54														CDD	SMB	ALL
3092.00	3110.00	268.26	268.54	G1	LOGM														
3110.00	3140.00	268.54	269.00														CDDF	ALL	3

Statistics		-----Ages-----		--SHOWS--		-----POROSITY-----					-----PERMEABILITY-----					-----ENVIRONMENT-----							
top	base	(m)	(m)	(Harland	mA)	Show	Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source
Min	93.00							2.30						0.0									
Max	3140.00	269.00						27.60						55.3									
No.	104	103				6	6	66				66	66	66					66	66	32	14	32
Mean								17.90						6.1									

COPYRIGHT AGSO

RESFACS Database

Petrel Sub-basin

Tern 3 -13.3356 128.104117 Bonaparte Basin

PEDIN/File numbers: W6820009 82/1271

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	ENVIRONMENT----- Env Lndfm Source Cf
93.00	270.00	0.05 60.10															MS ALL 4
270.00	320.00	60.10 92.67															CDP SMB ALL 3
320.00	960.00	92.67 116.20															MS ALL 3
960.00	968.00	116.20 125.00															MVS ALL 3
968.00	1030.00	125.00 132.59															MS ALL 3
1030.00	1052.00	132.59 135.28															CDP ALL 3
1052.00	1118.00	135.28 143.35															CDE ALL 3
1118.00	1468.00	143.35 213.00															LDFB ALL 3
1468.00	1497.00	213.00 217.26															CDE ALL 3
1497.00	1523.00	217.26 221.08															CDE SMB ALL 3
1523.00	1583.00	221.08 229.89															CDE ALL 3
1583.00	1764.00	229.89 240.19															CDP ALL 3
1764.00	1909.00	240.19 241.63															CDE ALL 3
1909.00	2400.00	241.63 246.52															CDDP ALL 3
2300.00	2683.00	245.53 250.50	G1 LOGM														CDDP ALL 3
2400.00	2448.00	246.52 247.00															CDD SMB ALL 3
2448.00	2488.00	247.00 247.60															
2450.10		247.03															
2450.40		247.04															
2450.50	2451.20	247.04 247.05															
2450.50	2451.20	247.04 247.05															
2450.50	2451.20	247.04 247.05															
2450.70		247.04															
2451.00		247.04															
2451.20	2452.00	247.05 247.06															
2451.20	2452.00	247.05 247.06															
2451.20	2452.00	247.05 247.06															
2451.30		247.05															
2451.60		247.05															
2451.90		247.06															
2452.00	2453.00	247.06 247.07															
2452.00	2453.00	247.06 247.07															
2452.00	2453.00	247.06 247.07															
2452.20		247.06															
2452.50		247.07															
2452.85		247.07															
2453.00	2454.00	247.07 247.09															
2453.00	2454.00	247.07 247.09															
2453.00	2454.00	247.07 247.09															
2453.10		247.08															
2453.30		247.08															
2454.00	2455.50	247.09 247.11															
2454.00	2455.50	247.09 247.11															
2454.00	2455.50	247.09 247.11															

Tern 3

2456.00	2457.00	247.12	247.13	15.00	LOGN	OPER		
2456.00	2457.00	247.12	247.13	11.80	LOGN	OPER		
2456.00	2457.00	247.12	247.13	11.20	LOGN	OPER		
2457.00	2458.00	247.13	247.15	12.50	LOGN	OPER		
2457.00	2458.00	247.13	247.15	17.60	LOGN	OPER		
2457.00	2458.00	247.13	247.15	16.80	LOGN	OPER		
2458.00	2459.30	247.15	247.17	16.00	LOGN	OPER		
2458.00	2459.30	247.15	247.17	13.80	LOGN	OPER		
2458.00	2459.30	247.15	247.17	12.80	LOGN	OPER		
2459.30	2460.50	247.17	247.19	19.00	LOGN	OPER		
2459.30	2460.50	247.17	247.19	7.30	LOGN	OPER		
2459.30	2460.50	247.17	247.19	4.30	LOGN	OPER		
2461.20	2462.20	247.20	247.21	19.00	LOGN	OPER		
2461.20	2462.20	247.20	247.21	13.50	LOGN	OPER		
2461.20	2462.20	247.20	247.21	11.40	LOGN	OPER		
2461.20		247.20		15.80	CORE	OPER	9.2	CORE ACOR
2461.50		247.20		16.90	CORE	OPER	8.2	CORE ACOR
2461.80		247.21		8.00	CORE	OPER	5.6	CORE ACOR
2462.10		247.21		15.30	CORE	OPER	8.3	CORE ACOR
2462.40		247.21		13.90	CORE	OPER	9.3	CORE ACOR
2462.60	2464.00	247.22	247.24	22.50	LOGN	OPER		
2462.60	2464.00	247.22	247.24	11.70	LOGN	OPER		
2462.60	2464.00	247.22	247.24	9.30	LOGN	OPER		
2462.70		247.22		13.30	CORE	OPER	2.8	CORE ACOR
2463.00		247.22		7.70	CORE	OPER	1.6	CORE ACOR
2463.30		247.23		9.70	CORE	OPER	2.1	CORE ACOR
2463.60		247.23		7.10	CORE	OPER	1.3	CORE ACOR
2463.90		247.24		7.20	CORE	OPER	1.8	CORE ACOR
2464.00	2465.50	247.24	247.26	18.50	LOGN	OPER		
2464.00	2465.50	247.24	247.26	8.00	LOGN	OPER		
2464.00	2465.50	247.24	247.26	3.20	LOGN	OPER		
2464.20		247.24		9.10	CORE	OPER	1.3	CORE ACOR
2464.55		247.25		6.90	CORE	OPER	1.5	CORE ACOR
2464.80		247.25		12.20	CORE	OPER	3.1	CORE ACOR
2465.10		247.25		15.40	CORE	OPER	4.0	CORE ACOR
2465.40		247.26		9.90	CORE	OPER	4.8	CORE ACOR
2465.50	2467.00	247.26	247.28	21.50	LOGN	OPER		
2465.50	2467.00	247.26	247.28	13.00	LOGN	OPER		
2465.50	2467.00	247.26	247.28	9.50	LOGN	OPER		
2465.70		247.26		19.40	CORE	OPER	11.0	CORE ACOR
2466.00		247.27		10.10	CORE	OPER	5.4	CORE ACOR
2466.30		247.27		21.10	CORE	OPER	11.9	CORE ACOR
2466.70		247.28		14.70	CORE	OPER	4.3	CORE ACOR
2466.90		247.28		18.90	CORE	OPER	5.8	CORE ACOR
2467.00	2468.00	247.28	247.30	28.00	LOGN	OPER		
2467.00	2468.00	247.28	247.30	17.20	LOGN	OPER		
2467.00	2468.00	247.28	247.30	14.20	LOGN	OPER		
2467.20		247.29		11.20	CORE	OPER	6.2	CORE ACOR
2467.50		247.29		21.00	CORE	OPER	12.9	CORE ACOR

Tern 3							
2467.80		247.29		18.00	CORE OPER	8.1	CORE ACOR
2468.00	2469.00	247.30	247.31	22.50	LOGN OPER		
2468.00	2469.00	247.30	247.31	15.90	LOGN OPER		
2468.00	2469.00	247.30	247.31	12.90	LOGN OPER		
2468.10		247.30		21.20	CORE OPER	13.2	CORE ACOR
2468.50		247.31		21.00	CORE OPER	11.6	CORE ACOR
2468.80		247.31		21.50	CORE OPER	23.2	CORE ACOR
2469.00		247.31		19.10	CORE OPER	12.4	CORE ACOR
2469.30		247.32		19.90	CORE OPER	20.0	CORE ACOR
2469.50	2470.40	247.32	247.33	30.00	LOGN OPER		
2469.50	2470.40	247.32	247.33	17.00	LOGN OPER		
2469.50	2470.40	247.32	247.33	13.60	LOGN OPER		
2469.60		247.32		21.30	CORE OPER	19.6	CORE ACOR
2469.90		247.33		17.90	CORE OPER	9.4	CORE ACOR
2470.20		247.33		20.80	CORE OPER	13.3	CORE ACOR
2470.40	2471.60	247.33	247.35	31.00	LOGN OPER		
2470.40	2471.60	247.33	247.35	19.20	LOGN OPER		
2470.40	2471.60	247.33	247.35	16.80	LOGN OPER		
2470.50		247.34		12.50	CORE OPER	5.0	CORE ACOR
2470.80		247.34		22.00	CORE OPER	30.3	CORE ACOR
2471.10		247.34		19.30	CORE OPER	21.1	CORE ACOR
2471.40		247.35		17.40	CORE OPER	9.1	CORE ACOR
2471.60	2472.80	247.35	247.37	30.00	LOGN OPER		
2471.60	2472.80	247.35	247.37	19.60	LOGN OPER		
2471.60	2472.80	247.35	247.37	16.60	LOGN OPER		
2471.70		247.35		18.00	CORE OPER	7.8	CORE ACOR
2472.00		247.36		21.00	CORE OPER	14.2	CORE ACOR
2472.30		247.36		22.10	CORE OPER	30.7	CORE ACOR
2472.60		247.37		18.40	CORE OPER	11.9	CORE ACOR
2472.90		247.37		21.80	CORE OPER	33.4	CORE ACOR
2473.20		247.38		21.40	CORE OPER	19.0	CORE ACOR
2473.50	2475.00	247.38	247.40	28.50	LOGN OPER		
2473.50	2475.00	247.38	247.40	19.30	LOGN OPER		
2473.50	2475.00	247.38	247.40	17.50	LOGN OPER		
2473.50		247.38		20.70	CORE OPER	30.4	CORE ACOR
2473.80		247.38		21.20	CORE OPER	26.6	CORE ACOR
2474.10		247.39		19.30	CORE OPER	18.9	CORE ACOR
2474.40		247.39		20.80	CORE OPER	29.9	CORE ACOR
2474.70		247.40		21.30	CORE OPER	39.2	CORE ACOR
2475.00		247.40		8.50	CORE OPER	1.6	CORE ACOR
2475.30		247.41		20.00	CORE OPER	18.8	CORE ACOR
2475.80		247.41		20.10	CORE OPER	23.9	CORE ACOR
2476.00	2477.00	247.42	247.43	24.50	LOGN OPER		
2476.00	2477.00	247.42	247.43	18.30	LOGN OPER		
2476.00	2477.00	247.42	247.43	16.30	LOGN OPER		
2476.10		247.42		20.00	CORE OPER	32.9	CORE ACOR
2476.40		247.42		20.40	CORE OPER	66.8	CORE ACOR
2476.70		247.43		19.80	CORE OPER	30.9	CORE ACOR
2477.00		247.43		21.90	CORE OPER	30.9	CORE ACOR

[illegible]

COPYRIGHT AGSO

RESFACS Database

Turtle 1 -14.476608 128.944842 Bonaparte Basin

Petrel Sub-basin

PEDIN/File numbers: W6840001 83/1309

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV Srce Authr	-----ENVIRONMENT----- Env Lndfm Source
607.00	623.00	254.98	259.94 L2 LOGM			
623.00	948.00	259.94	274.23 G1 WCR			
948.00	953.50	274.23	274.28 L2 CORE			
948.00	953.50	274.23	274.28 G1 CORE			
951.25		274.26		25.50	CORE ACOR 1311.0	CORE ACOR
951.55		274.26			6.9	CORE ACOR
951.85		274.27			1484.0	CORE ACOR
952.00	955.00	274.27	274.29 G1 TDST			
952.00	955.00	274.27	274.29 L2 TDST			
952.15		274.27		26.30	CORE ACOR 1495.0	CORE ACOR
952.45		274.27			684.0	CORE ACOR
952.75		274.28			2169.0	CORE ACOR
953.05		274.28		29.70	CORE ACOR 1880.0	CORE ACOR
953.37		274.28			1312.0	CORE ACOR
953.65		274.28			1659.0	CORE ACOR
953.95		274.29			1297.0	CORE ACOR
954.35		274.29		27.70	CORE ACOR 279.0	CORE ACOR
954.65		274.29			41.8	CORE ACOR
954.95		274.29			285.0	CORE ACOR
955.25		274.30		27.60	CORE ACOR 435.0	CORE ACOR
955.55		274.30			270.0	CORE ACOR
955.85		274.30			259.0	CORE ACOR
956.15		274.30		26.90	CORE ACOR 372.0	CORE ACOR
956.45		274.31			490.0	CORE ACOR
956.75		274.31			375.0	CORE ACOR
957.05		274.31		28.30	CORE ACOR 925.0	CORE ACOR
957.35		274.32			318.0	CORE ACOR
957.65		274.32			171.0	CORE ACOR
957.95		274.32			1085.0	CORE ACOR
958.25		274.32		27.70	CORE ACOR 1359.0	CORE ACOR
958.55		274.33			2051.0	CORE ACOR
958.85		274.33			1139.0	CORE ACOR
959.15		274.33		27.50	CORE ACOR 917.0	CORE ACOR
959.45		274.33			836.0	CORE ACOR
959.75		274.34			1128.0	CORE ACOR
960.05		274.34		26.30	CORE ACOR 439.0	CORE ACOR
960.35		274.34			1016.0	CORE ACOR
960.65		274.34			688.0	CORE ACOR
960.95		274.35			22.1	CORE ACOR
961.25		274.35		22.10	CORE ACOR 48.9	CORE ACOR
961.55		274.35			107.0	CORE ACOR
961.85		274.35			441.0	CORE ACOR
962.15		274.36		22.90	CORE ACOR 1849.0	CORE ACOR
962.45		274.36			9.6	CORE ACOR

Turtle 1

962.75	274.36			2892.0	CORE ACOR
963.05	274.37	20.70		43.3	CORE ACOR
963.35	274.37			2507.0	CORE ACOR
963.65	274.37			2051.0	CORE ACOR
963.95	274.37			1484.0	CORE ACOR
964.25	274.38	28.00		1635.0	CORE ACOR
964.55	274.38			660.0	CORE ACOR
964.85	274.38			660.0	CORE ACOR
965.15	274.38	27.80		594.0	CORE ACOR
965.45	274.39			714.0	CORE ACOR
965.75	274.39			1139.0	CORE ACOR
966.05	274.39	27.90		757.0	CORE ACOR
966.35	274.39			1025.0	CORE ACOR
966.65	274.40			767.0	CORE ACOR
966.95	274.40			2051.0	CORE ACOR
967.25	274.40	28.00		2302.0	CORE ACOR
967.55	274.40			157.0	CORE ACOR
967.85	274.41			53.0	CORE ACOR
968.15	274.41	14.80		1.7	CORE ACOR
1225.00	1470.00	276.74	282.17 L2 WCR		
1225.00	1470.00	276.74	282.17 G1 WCR		
1317.90	278.14	14.00		1157.0	CORE ACOR
1318.20	278.15	21.30		344.0	CORE ACOR
1318.50	278.15			181.0	CORE ACOR
1318.80	278.16			9.0	CORE ACOR
1319.10	278.16	22.20		169.0	CORE ACOR
1319.40	278.17			27.4	CORE ACOR
1319.70	278.17			717.0	CORE ACOR
1320.00	278.17	28.20		2924.0	CORE ACOR
1320.30	278.18			.1	CORE ACOR
1320.60	278.18			.1	CORE ACOR
1320.90	278.19			.1	CORE ACOR
1321.20	278.19	16.90		6.4	CORE ACOR
1321.50	278.20			11.9	CORE ACOR
1321.80	278.20			772.0	CORE ACOR
1322.20	278.21	10.50		11.6	CORE ACOR
1322.50	278.21			.1	CORE ACOR
1322.80	278.22			1089.0	CORE ACOR
1323.10	278.22	24.20		1010.0	CORE ACOR
1323.40	278.23			855.0	CORE ACOR
1323.70	278.23			184.0	CORE ACOR
1324.10	278.24	21.80		193.0	CORE ACOR
1324.40	278.24			1339.0	CORE ACOR
1324.70	278.25			761.0	CORE ACOR
1325.00	278.25	26.00		823.0	CORE ACOR
1325.30	278.25			1565.0	CORE ACOR
1325.60	278.26			882.0	CORE ACOR
1325.90	278.26			934.0	CORE ACOR
1326.20	278.27	24.60		527.0	CORE ACOR
1326.50	278.27			21.1	CORE ACOR
1326.80	278.28			.1	CORE ACOR
1327.10	278.28	6.72		.1	CORE ACOR
1327.40	278.29			.1	CORE ACOR

Turtle 1

1327.70	278.29					.1	CORE ACOR
1328.00	278.30	17.90				.1	CORE ACOR
1328.30	278.30					.1	CORE ACOR
1328.60	278.30					.1	CORE ACOR
1328.90	278.31					.1	CORE ACOR
1329.20	278.31	3.43				.1	CORE ACOR
1329.50	278.32					.1	CORE ACOR
1329.80	278.32					198.0	CORE ACOR
1330.20	278.33	24.10				757.0	CORE ACOR
1330.50	278.33					803.0	CORE ACOR
1330.80	278.34					681.0	CORE ACOR
1331.20	278.34	24.20				476.0	CORE ACOR
1331.50	278.35					672.0	CORE ACOR
1331.80	278.35					717.0	CORE ACOR
1332.20	278.36	21.50				161.0	CORE ACOR
1332.50	278.36					279.0	CORE ACOR
1332.80	278.37					205.0	CORE ACOR
1333.20	278.37	20.80				306.0	CORE ACOR
1457.20	281.81	17.10				351.0	CORE ACOR
1457.50	281.82					36.9	CORE ACOR
1457.80	281.83					8.2	CORE ACOR
1458.10	281.84	5.23				.1	CORE ACOR
1458.40	281.85					.1	CORE ACOR
1458.70	281.85					.1	CORE ACOR
1459.20	281.87	4.55				.1	CORE ACOR
1459.50	281.88					.1	CORE ACOR
1459.80	281.88					.1	CORE ACOR
1460.10	281.89	3.69				.1	CORE ACOR
1460.40	281.90					.1	CORE ACOR
1460.70	281.91					.1	CORE ACOR
1461.00	281.92	9.56				.1	CORE ACOR
1461.30	281.93					.1	CORE ACOR
1461.60	281.93					.1	CORE ACOR
1461.90	281.94					3.6	CORE ACOR
1462.20	281.95	20.00				.1	CORE ACOR
1462.40	281.96					95.2	CORE ACOR
1462.50	281.96					26.0	CORE ACOR
1463.10	281.98	16.70				62.1	CORE ACOR
1463.40	281.98					268.9	CORE ACOR
1463.70	281.99					92.2	CORE ACOR
1464.00	282.00	16.20				134.4	CORE ACOR
1464.30	282.01					57.2	CORE ACOR
1464.60	282.02					49.3	CORE ACOR
1464.90	282.03					.1	CORE ACOR
1465.20	282.03	20.00				280.4	CORE ACOR
1465.50	282.04					188.7	CORE ACOR
1465.80	282.05					.1	CORE ACOR
1466.00	282.06					.1	CORE ACOR
1466.00	282.06	282.11 G2	TDST				
1466.00	282.06	282.11 L3	TDST				
1466.10	282.06	7.86				.1	CORE ACOR
1466.40	282.07					.1	CORE ACOR
1468.60	282.13	1.66				.1	CORE ACOR
1468.90	282.14					.1	CORE ACOR

Turtle 1									
1469.20		282.15			3.30		CORE	ACOR .1	CORE ACOR
1470.00	1610.00	282.17	286.12 G1	WCR					
1610.00	1639.70	286.12	287.83 G1	WCR					
1610.00	1639.70	286.12	287.83 L2	WCR					
1615.70	1617.20	286.44	286.53 G3	TDST					
1615.70	1617.20	286.44	286.53 L3	TDST					
1616.30		286.48			14.80		CORE	ACOR 9.1	CORE ACOR
1616.60		286.50						389.0	CORE ACOR
1616.90		286.51						527.0	CORE ACOR
1617.20		286.53			25.70		CORE	ACOR 507.0	CORE ACOR
1617.50		286.55						.1	CORE ACOR
1617.80		286.57						.1	CORE ACOR
1618.10		286.58			23.30		CORE	ACOR 231.0	CORE ACOR
1618.40		286.60						368.0	CORE ACOR
1618.70		286.62						108.0	CORE ACOR
1619.00	1621.00	286.63	286.75 G3	TDST					
1619.00	1621.00	286.63	286.75 L3	TDST					
1619.00	1621.00	286.63	286.75 G4	TDST					
1619.00	1621.00	286.63	286.75 L5	TDST					
1619.00		286.63			23.20		CORE	ACOR 160.0	CORE ACOR
1619.30		286.65						139.0	CORE ACOR
1619.60		286.67						146.0	CORE ACOR
1619.90		286.69						179.0	CORE ACOR
1620.20		286.70			19.80		CORE	ACOR 165.0	CORE ACOR
1620.50		286.72						10.8	CORE ACOR
1620.80		286.74						9.7	CORE ACOR
1621.10		286.76			17.30		CORE	ACOR 1389.0	CORE ACOR
1621.40		286.77						2020.0	CORE ACOR
1621.70		286.79						6.4	CORE ACOR
1622.00	1624.00	286.81	286.92 G3	TDST					
1622.00	1624.00	286.81	286.92 L3	TDST					
1622.00	1624.00	286.81	286.92 L3	TDST					
1622.10		286.81			17.80		CORE	ACOR 2020.0	CORE ACOR
1622.40		286.83						84.8	CORE ACOR
1622.70		286.85						3584.0	CORE ACOR
1623.00		286.87			23.60		CORE	ACOR 5.2	CORE ACOR
1623.30		286.88						140.0	CORE ACOR
1623.60		286.90						114.0	CORE ACOR
1623.90		286.92						632.0	CORE ACOR
1624.20		286.93			18.60		CORE	ACOR 135.0	CORE ACOR
1624.50		286.95						66.3	CORE ACOR
1624.80		286.97						414.0	CORE ACOR
1625.10		286.99			17.30		CORE	ACOR 25.2	CORE ACOR
1625.50		287.01						154.0	CORE ACOR
1625.80		287.03						102.0	CORE ACOR
1626.10		287.04			11.10		CORE	ACOR .1	CORE ACOR
1626.40		287.06						.1	CORE ACOR
1626.70		287.08						11.9	CORE ACOR
1627.00		287.10			17.20		CORE	ACOR 41.8	CORE ACOR
1627.30		287.11						.1	CORE ACOR
1627.60		287.13						.1	CORE ACOR
1627.90		287.15						12.3	CORE ACOR
1628.20		287.17			16.10		CORE	ACOR 64.9	CORE ACOR

1628.50		287.18			
1628.80		287.20			
1629.10		287.22			11.30
1629.40		287.23			
1629.85		287.26			
1630.10		287.27			20.40
1630.40		287.29			
1630.70		287.31			
1631.00		287.33			21.00
1631.30		287.34			
1631.60		287.36			
1631.90		287.38			
1632.20		287.40			18.80
1632.90		287.44			
1633.30		287.46			24.40
1633.60		287.48			
1633.90		287.49			
1634.20		287.51			15.90
1634.50		287.53			
1634.80		287.55			
1635.10		287.56			22.50
1635.50		287.59			
1635.80		287.60			
1636.10		287.62			4.90
1636.40		287.64			
1636.70		287.66			
1637.00		287.67			5.78
1637.30		287.69			
1637.60		287.71			
1637.90		287.72			
1638.20		287.74			25.20
1638.50		287.76			
1638.80		287.78			
1639.00	1648.00	287.79	288.31	G1	WCR
1639.10		287.79			25.30
1639.40		287.81			
1639.70		287.83			
1640.00		287.85			23.50
1640.30		287.86			
1640.60		287.88			
1640.90		287.90			
1641.20		287.91			23.00
1641.50		287.93			
1641.80		287.95			
1642.10		287.97			15.10
1642.70		288.00			
1648.00	1715.00	288.31	292.17	G1	WCR
1715.00	1753.00	292.17	294.36	G1	WCR
1753.00	1780.00	294.36	295.92	G1	WCR
1780.00	1850.00	295.92	299.96	G1	WCR
1890.00	2169.00	302.26	312.60	G1	WCR
2178.00	2198.00	312.93	313.67	G1	WCR
2198.00	2200.00	313.67	313.74	G1	WCR

			.1
			28.3
CORE	ACOR		.1
			36.4
			698.0
CORE	ACOR		1144.0
			267.0
			1222.0
CORE	ACOR		2137.0
			1949.0
			1372.0
			1089.0
CORE	ACOR		475.0
			537.0
CORE	ACOR		650.0
			2215.0
			1122.0
CORE	ACOR		475.0
			661.0
			463.0
CORE	ACOR		1565.0
			524.0
			.1
CORE	ACOR		.1
			.1
			.1
CORE	ACOR		.1
			788.0
			1658.0
			1736.0
CORE	ACOR		1764.0
			1883.0
			1684.0
CORE	ACOR		2179.0
			1984.0
			896.0
CORE	ACOR		1170.0
			457.0
			731.0
			1462.0
CORE	ACOR		918.0
			1235.0
			1079.0
CORE	ACOR		94.0
			1182.0

[illegible]

Turtle 1									
2200.00	2295.00	313.74	322.09	G1	WCR				
2200.00	2295.00	313.74	322.09	L2	WCR				
2233.50	2239.00	315.11	315.55	G2	TDST				
2295.00	2315.00	322.09	324.62	G1	WCR				
2295.00	2315.00	322.09	324.62	L2	WCR				
2340.00	2385.00	327.78	333.69	G1	WCR				
2340.00	2385.00	327.78	333.69	L1	WCR				
2385.00	2435.00	333.69	338.11	G1	WCR				
2385.00	2435.00	333.69	338.11	L1	WCR				
2477.00		341.75				.70	CORE	ACOR	
2478.00		341.84				.60	CORE	ACOR	
2479.00		341.92				1.70	CORE	ACOR	
2481.00		341.98				1.20	CORE	ACOR	
2482.30		342.01				8.30	CORE	ACOR	
2483.10		342.02				10.40	CORE	ACOR	
2484.00	2668.00	342.04	345.92	G1	WCR				
2484.00	2668.00	342.04	345.92	L1	WCR				
2484.00		342.04				8.60	CORE	ACOR	
2485.00		342.06				10.80	CORE	ACOR	
2486.00		342.08				4.90	CORE	ACOR	
2487.00		342.10				6.80	CORE	ACOR	
2488.20		342.13				9.60	CORE	ACOR	
2489.00		342.15				9.70	CORE	ACOR	
2490.50		342.18				9.10	CORE	ACOR	
2492.00		342.21				12.20	CORE	ACOR	
2493.00		342.23				9.90	CORE	ACOR	
2668.00	2700.00	345.92	349.63	G1	WCR				

Statistics

Turtle 1																					
top	base	-----Ages-----		--SHOWS--		-----POROSITY-----						-----PERMEABILITY-----				ENVIRONMENT-----					
(m)	(m)	(Harland	mA)	Show	Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source
=====																					
Min	607.00	254.98				0.60						0.1									
Max	2700.00	349.63				29.70						3584.0									
No.	283	283		42	42	89				89	89	226					226	226			
Mean						17.16						580.0									
=====																					

NO ENVIRONMENT CODES ENTERED FOR TURTLE 1, SEE TURTLE 2

RESFACS Database

Turtle 2 -14.505892 128.945819 Bonaparte Basin
PEDIN/File numbers: W6890006 88/818

top (m)	base (m)	Ages		--SHOWS--		POROSITY						PERMEABILITY					ENVIRONMENT					
		(Harland	mA)	Show	Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source	Cf
-----	-----	-----	-----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	=
58.00	106.00		2.67																CDP		LOGG	4
106.00	264.00	2.67	128.95																CDP		LOGG	4
264.00	273.00	128.95	246.41																CDD	SMB	LOGG	4
273.00	299.00	246.41	247.60																CDDF		LOGG	4
299.00	307.00	247.60	247.97																MVS	R	ALL	2
306.00	550.00	247.92	259.08	L1	WCR																	
306.00	550.00	247.92	259.08	G1	WCR																	
307.00	322.00	247.97	248.65																			
322.00	386.00	248.65	251.58																MVS		ALL	3
386.00	413.00	251.58	252.81																CDD	SMB	ALL	3
413.00	446.00	252.81	254.32																CDDF		ALL	3
446.00	472.00	254.32	255.51																CDD	SMB	ALL	3
472.00	574.00	255.51	260.18																CDDF		ALL	3
573.00	585.00	260.13	260.68	L2	WCR														CDDP		ALL	3
574.00	582.00	260.18	260.54																			
582.00	592.00	260.54	261.00																MVS	R	ALL	2
592.00	612.00	261.00	261.61																MS		ALL	3
612.00	645.00	261.61	262.61																CDD	SMB	ALL	3
645.00	912.00	262.61	270.70																CDDF		ALL	3
760.00	800.00	266.09	267.31	L1	WCR														MS		ALL	3
912.00	1196.00	270.70	276.49																			
920.00	940.00	272.01	274.09	L1	WCR														CDP		ALL	3
922.20		272.37				26.60				CORE	ALAB	224.0							CORE	ALAB		
922.30		272.39																.7	CORE	ALAB		
922.50		272.42										43.0							CORE	ALAB		
922.80		272.47										5.0							CORE	ALAB		
922.90		272.49																	CORE	ALAB		
923.10		272.52				28.90				CORE	ALAB	394.0					27.0		CORE	ALAB		
923.40		272.57										101.0							CORE	ALAB		
923.50		272.59																	CORE	ALAB		
923.70		272.62															66.0		CORE	ALAB		
923.90		272.65										54.0							CORE	ALAB		
924.00		272.67										1463.0							CORE	ALAB		
924.10		272.69				28.10				CORE	ALAB											
924.70		272.78																.0	CORE	ALAB		
925.00		272.83																.0	CORE	ALAB		
925.30		272.88				16.40				CORE	ALAB	.1							CORE	ALAB		
925.60		272.93										1385.0						.0	CORE	ALAB		
925.80		272.96										1529.0							CORE	ALAB		
926.20		273.03															143.0		CORE	ALAB		
926.40		273.06				29.30				CORE	ALAB	1684.0							CORE	ALAB		
926.50		273.08																21.0	CORE	ALAB		
926.80		273.13										629.0							CORE	ALAB		
927.00		273.16										22.0							CORE	ALAB		
																	657.0		CORE	ALAB		

Turtle 2

927.10	273.18	28.30	CORE	ALAB	138.0	CORE	ALAB
927.40	273.23				460.0	CORE	ALAB
927.60	273.26					1091.0	CORE ALAB
927.70	273.27	L3 TRFT			679.0	CORE	ALAB
928.00	273.32	27.90	CORE	ALAB	1265.0	CORE	ALAB
928.20	273.35					186.0	CORE ALAB
928.30	273.36				1896.0	CORE	ALAB
928.60	273.41				2076.0	CORE	ALAB
928.80	273.44					722.0	CORE ALAB
928.90	273.45				470.0	CORE	ALAB
929.20	273.50	28.30	CORE	ALAB	757.0	CORE	ALAB
929.40	273.53					445.0	CORE ALAB
929.50	273.54				546.0	CORE	ALAB
929.80	273.59				203.0	CORE	ALAB
930.00	273.61					108.0	CORE ALAB
930.10	273.63	26.50	CORE	ALAB	76.0	CORE	ALAB
930.40	273.67				211.0	CORE	ALAB
930.60	273.70					142.0	CORE ALAB
930.70	273.72				257.0	CORE	ALAB
931.00	273.76	27.60	CORE	ALAB	252.0	CORE	ALAB
931.20	273.79					294.0	CORE ALAB
931.30	273.81				343.0	CORE	ALAB
931.60	273.85				389.0	CORE	ALAB
931.90	273.90				2352.0	789.0	CORE ALAB
932.10	273.93	28.00	CORE	ALAB	2011.0	CORE	ALAB
932.40	273.97				53.0	CORE	ALAB
932.50	273.98					5.6	CORE ALAB
932.70	274.01				22.0	CORE	ALAB
933.00	274.02	27.30	CORE	ALAB	89.0	CORE	ALAB
933.10	274.02					32.0	CORE ALAB
933.70	274.03					2.0	CORE ALAB
933.90	274.03						CORE ALAB
934.20	274.03	25.40	CORE	ALAB			
934.30	274.03					4.6	CORE ALAB
934.50	274.04				69.0	CORE	ALAB
934.80	274.04				55.0	CORE	ALAB
934.90	274.04					.0	CORE ALAB
935.10	274.04	23.40	CORE	ALAB			
935.50	274.05					.0	CORE ALAB
935.70	274.05				51.0	CORE	ALAB
936.00	274.05	25.70	CORE	ALAB	184.0	CORE	ALAB
936.10	274.05					.0	CORE ALAB
936.30	274.05				348.0	CORE	ALAB
936.50	274.06					120.0	CORE ALAB
936.60	274.06				2187.0	CORE	ALAB
937.00	274.06	29.90	CORE	ALAB			
937.10	274.06					1407.0	CORE ALAB
937.20	274.06				2049.0	CORE	ALAB
937.50	274.06				1800.0	CORE	ALAB
937.70	274.07					1328.0	CORE ALAB
937.80	274.07				2141.0	CORE	ALAB
938.10	274.07	29.00	CORE	ALAB	1468.0	CORE	ALAB
938.30	274.07					1080.0	CORE ALAB

93

Turtle 2

1600.30	283.78			.0		CORE ALAB
1600.60	283.79			.0		CORE ALAB
1600.80	283.79				.0	CORE ALAB
1600.90	283.79			.1		CORE ALAB
1601.20	283.80	19.00	CORE ALAB	.1		CORE ALAB
1601.40	283.80				.0	CORE ALAB
1601.50	283.80			.0		CORE ALAB
1601.80	283.81			.0		CORE ALAB
1602.00	283.81				.0	CORE ALAB
1602.10	283.81	20.70	CORE ALAB	.0		CORE ALAB
1602.40	283.82			.0		CORE ALAB
1602.60	283.82			.0		CORE ALAB
1602.70	283.83				.0	CORE ALAB
1602.80	283.83			.3		CORE ALAB
1602.90	283.83			.0		CORE ALAB
1603.20	283.84	10.00	CORE ALAB	.0		CORE ALAB
1603.30	283.84				.0	CORE ALAB
1603.50	283.84			.1		CORE ALAB
1603.90	283.85				.0	CORE ALAB
1604.10	283.85	14.40	CORE ALAB	.0		CORE ALAB
1604.40	283.86			.0		CORE ALAB
1604.50	283.86				.0	CORE ALAB
1604.70	283.87			.0		CORE ALAB
1605.00	283.87	10.40	CORE ALAB	.0		CORE ALAB
1605.10	283.87				.0	CORE ALAB
1605.30	283.88			.0		CORE ALAB
1605.50	283.88			.0		CORE ALAB
1605.70	283.88				.0	CORE ALAB
1605.80	283.89			.7		CORE ALAB
1606.10	283.89	25.20	CORE ALAB	18.0		CORE ALAB
1606.30	283.90				.3	CORE ALAB
1606.40	283.90			77.0		CORE ALAB
1606.70	283.90					CORE ALAB
1606.90	283.91				1.9	CORE ALAB
1607.00	283.91	21.10	CORE ALAB	1.8		CORE ALAB
1607.30	283.92			116.0		CORE ALAB
1607.50	283.92				8.2	CORE ALAB
1607.60	283.92			11.0		CORE ALAB
1607.90	283.93			74.0		CORE ALAB
1608.10	283.93				.1	CORE ALAB
1608.20	283.93	9.90	CORE ALAB	.2		CORE ALAB
1608.50	283.94			22.0		CORE ALAB
1609.10	283.95	16.90	CORE ALAB	10.0		CORE ALAB
1609.40	283.96				.0	CORE ALAB
1610.00	283.97				58.0	CORE ALAB
1610.10	283.97	20.40	CORE ALAB			CORE ALAB
1610.40	283.98			.2		CORE ALAB
1610.60	283.98				1.8	CORE ALAB
1610.70	283.98			.0		CORE ALAB
1611.00	283.99	25.00	CORE ALAB	2.6		CORE ALAB
1611.20	283.99				.0	CORE ALAB
1611.30	283.99			.0		CORE ALAB
1611.60	284.00			.0		CORE ALAB

DATE	TIME	LOCATION	ACTIVITY	STATUS	REMARKS	TIME	LOCATION	ACTIVITY	STATUS	REMARKS
1611.80	284.00									
1611.90	284.00									
1612.20	284.01	7.10	CORE	ALAB	.0					
1612.40	284.01				.0					
1612.50	284.02									
1612.80	284.02				.0					
1613.00	284.03				.0					
1613.10	284.03	8.00	CORE	ALAB	.0					
1613.40	284.03				.0					
1613.60	284.04									
1613.70	284.04				.0					
1614.00	284.05	11.80	CORE	ALAB	.1					
1614.21	284.05									
1715.00	2228.00	286.00	312.08							
2153.60	2156.60	309.47	309.58							
2228.00	2452.00	312.08	340.00							
2315.00	2318.00	317.32	317.71	L2	WCR					
2315.00	2318.00	317.32	317.71	G1	WCR					
2387.00	2428.20	328.42	335.76							
2404.00	2450.00	331.45	339.64	L2	WCR					
2404.00	2450.00	331.45	339.64	G1	WCR					
2415.10	333.42	8.60	CORE	CLAB	.0					
2415.20	333.44	8.50	CORE	CLAB	.1					
2415.30	333.46	8.60	CORE	CLAB	.1					
2415.50	333.50	9.00	CORE	CLAB	.1					
2415.80	333.55	8.80	CORE	CLAB	.1					
2416.20	333.62	5.50	CORE	CLAB	.1					
2416.50	333.67	5.10	CORE	CLAB	.0					
2416.80	333.73	10.00	CORE	CLAB	.1					
2417.10	333.78	9.20	CORE	CLAB	.0					
2417.40	333.83	9.60	CORE	CLAB	.1					
2417.70	333.89	9.00	CORE	CLAB	.1					
2418.00	333.94	9.50	CORE	CLAB	.0					
2418.60	334.05	8.80	CORE	CLAB	.1					
2418.90	334.10	8.90	CORE	CLAB	.0					
2419.20	334.15	8.80	CORE	CLAB	.0					
2419.50	334.21	9.50	CORE	CLAB	.2					
2419.80	334.26	8.80	CORE	CLAB	.0					
2420.10	334.31	8.40	CORE	CLAB	.0					
2420.40	334.37	9.50	CORE	CLAB	.0					
2420.70	334.42	8.70	CORE	CLAB	.1					
2421.00	334.48	8.50	CORE	CLAB	.0					
2421.50	334.56	8.40	CORE	CLAB	.0					
2421.80	334.62	10.60	CORE	CLAB	.0					
2422.10	334.67	10.60	CORE	CLAB	.0					
2422.40	334.72	11.40	CORE							

Turtle 2

2425.20	335.22	9.60
2426.40	335.44	8.20
2427.50	335.63	9.30
2427.80	335.69	12.90
2428.10	335.74	11.40
2428.60	335.83	13.10
2428.90	335.88	12.10
2429.20	335.94	14.60
2429.50	335.99	13.80
2429.80	336.04	13.30
2430.10	336.10	13.00
2430.40	336.15	14.00
2430.80	336.22	12.60
2431.20	336.29	14.00
2431.50	336.35	14.60
2431.80	336.40	14.30
2432.10	336.45	11.70
2432.40	336.51	12.80
2432.80	336.58	14.20
2433.10	336.63	13.80
2433.40	336.69	14.30
2450.00	2550.00	339.64 341.59 L2 WCR
2450.00	2550.00	339.64 341.59 G1 WCR
2452.00	2526.00	340.00 341.20
2483.10	340.50	8.10
2483.40	340.51	
2483.70	340.51	
2484.00	340.52	2.30
2484.30	340.52	
2484.60	340.53	
2484.90	340.53	
2485.20	340.54	1.70
2485.50	340.54	
2485.80	340.55	
2486.10	340.55	2.60
2486.40	340.56	
2486.70	340.56	
2487.00	340.57	1.00
2487.30	340.57	
2487.60	340.58	
2487.90	340.58	
2488.20	340.59	1.80
2488.50	340.59	
2488.80	340.60	
2489.10	340.60	2.20
2489.40	340.61	
2489.70	340.61	
2490.00	340.62	1.30
2490.30	340.62	
2490.90	340.63	
2491.20	340.64	2.10
2491.50	340.64	
2491.80	340.65	

CORE	CLAB	.1
CORE	CLAB	.0
CORE	CLAB	.1
CORE	CLAB	.2
CORE	CLAB	.1
CORE	CLAB	.4
CORE	CLAB	.2
CORE	CLAB	.3
CORE	CLAB	.3
CORE	CLAB	.2
CORE	CLAB	.1
CORE	CLAB	.2
CORE	CLAB	.2
CORE	CLAB	.1
CORE	CLAB	.3
CORE	CLAB	.3
CORE	CLAB	.1
CORE	CLAB	.2
CORE	CLAB	.2
CORE	CLAB	.2
CORE	CLAB	.2

CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB
CORE	CLAB

MVS R ALL 2

CORE	ALAB	1.9
		.2
		.0
CORE	ALAB	.0
		.4
		.0
		.0
CORE	ALAB	.0
		.0
CORE	ALAB	.0
		.0
CORE	ALAB	.0
		.1
		.0
		.0
CORE	ALAB	.0
		.0
CORE	ALAB	.0
		.0
CORE	ALAB	.0
		.0
CORE	ALAB	.0
		.0
CORE	ALAB	.0
		.0
CORE	ALAB	.0
		.0
CORE	ALAB	.0
		.0

CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB
CORE	ALAB

Turtle 2																			
2492.10	340.65	1.40						CORE	ALAB	.0								CORE	ALAB
2492.40	340.66									.0								CORE	ALAB
2492.70	340.66									.0								CORE	ALAB
2493.00	340.67	1.40						CORE	ALAB	.0								CORE	ALAB
2493.30	340.67									.0								CORE	ALAB
2493.60	340.68									.0								CORE	ALAB
2493.90	340.68									.4								CORE	ALAB
2494.20	340.69	7.50						CORE	ALAB	.0								CORE	ALAB
2494.50	340.69									.0								CORE	ALAB
2494.80	340.69									.0								CORE	ALAB
2526.00	2575.00	341.20	342.00															CDE	LA
2545.10	341.51	7.80						CORE	CLAB	.1									
2545.40	341.52	8.50						CORE	CLAB	.1									
2545.70	341.52	8.50						CORE	CLAB	.1									
2546.00	341.53	7.90						CORE	CLAB	.1									
2546.30	341.53	8.10						CORE	CLAB	.1									
2546.60	341.54	7.10						CORE	CLAB	.1									
2546.90	341.54	7.10						CORE	CLAB	.1									
2547.20	341.55	7.70						CORE	CLAB	.1									
2547.50	341.55	7.30						CORE	CLAB	.1									
2547.80	341.56	7.60						CORE	CLAB	.0									
2548.10	341.56	7.30						CORE	CLAB	.0									
2548.40	341.56	7.80						CORE	CLAB	.1									
2548.70	341.57	7.60						CORE	CLAB	.1									
2549.00	341.57	7.50						CORE	CLAB	.0									
2549.30	341.58	6.30						CORE	CLAB	.0									
2549.60	341.58	4.20						CORE	CLAB	.0									
2555.60	341.68	2.30						CORE	CLAB	.0									
2555.90	341.69	1.20						CORE	CLAB	.0									
2558.60	341.73	7.30						CORE	CLAB	.0									
2571.00	2607.00	341.93	342.52	L3	TDST														
2575.00	2590.00	342.00	342.24	L2	WCR														
2575.00	2590.00	342.00	342.24	G1	WCR														
2575.00	2620.00	342.00	342.73																
2595.10	342.32	1.80						CORE	ALAB	.0								CORE	ALAB
2620.00	2737.00	342.73	344.63																
2620.00	2737.00	342.73	344.63																
2630.00	2737.00	342.89	344.63	L3	WCR														
2630.00	2737.00	342.89	344.63	G1	WCR														
2632.00	2721.00	342.92	344.37	L3	TDST														
2737.00	2760.00	344.63	345.00															CDE	LA

Statistics		---Ages---		--SHOWS--		---POROSITY---						---PERMEABILITY---				---ENVIRONMENT---							
top	base	(m)	(m)	(Harland	mA)	Show	Src	Spot	Aver	Min	Max	Src	Authr	Spot	Aver	Min	Max	KV	Src	Auth	Env	Lndfm	Source
Min	58.00							1.00	11.00					0.0				0.0					
Max	2760.00	345.00						30.70	21.30					3053.0				2108.0					
No.	350	349				22	22	126	5			131	131	228				63	289	289	29	15	29
Mean								12.68	16.18					200.6				174.3					

COPYRIGHT AGSO

RESFACS Database

Weaber 2A -15.347639 129.108222 Bonaparte Basin
PEDIN/File numbers: W8880016 OS 328

top (m)	base (m)	-----Ages----- (Harland mA)	--SHOWS-- Show Srce	-----POROSITY----- Spot Aver Min Max Srce Authr	-----PERMEABILITY----- Spot Aver Min Max KV Srce Authr	ENVIRONMENT----- Env Lndfm Source Cf
5.00	75.00	246.93 282.65				MS ALL 2
75.00	128.00	282.65 283.53				CDP BB ALL 3
85.00	506.00	282.82 342.51	G1 WCR			
128.00	150.00	283.53 283.89				CDP LA ALL 3
150.00	277.00	283.89 313.00				LDFB ALL 3
277.00	280.00	313.00 340.03				LDFB ALL 3
280.00	374.00	340.03 341.06				LDFB ALL 4
374.00	405.00	341.06 341.40				CDP ALL 3
405.00	445.00	341.40 341.84				MS ALL 3
445.00	525.00	341.84 342.72				CDD SMB ALL 2
525.00	550.00	342.72 342.99				CDD IDB ALL 2
550.00	779.00	342.99 345.50				MS ALL 2
560.00	1659.00	343.10 356.43	G1 WCR			
779.00	1025.00	345.50 348.19				MBA ALL 2
1010.00	1075.00	348.03 348.74		6.00	LC OPER	
1020.00	1037.00	348.14 348.32	G3 TDST			
1023.00	1034.00	348.17 348.29		6.00	LC OPER	
1025.00	1028.00	348.19 348.22	G1 WCR			
1025.00	1032.00	348.19 348.27				MBA TFD ALL 2
1030.50	1031.00	348.25 348.26	G1 WCR			
1032.00	1062.00	348.27 348.59				MBA ALL 2
1062.00	1063.00	348.59 348.61	G1 WCR			
1062.00	1070.00	348.59 348.68				MBA TFD ALL 2
1070.00	1230.00	348.68 350.43				MBA ALL 2
1230.00	1234.00	350.43 350.48				MBA TFD ALL 2
1232.00	1233.50	350.46 350.47	G1 WCR			
1234.00	1373.00	350.48 352.00				MBA SWC 2
1234.00		350.48	G1 WCR			
1350.00	1500.00	351.75 353.79		6.00	LC OPER	
1373.00	1376.50	352.00 352.05	G1 WCR			
1373.00	1377.00	352.00 352.06				MS WCR 2
1377.00	1468.00	352.06 353.34				MS ALL 3
1380.50	1381.00	352.11 352.11	G1 WCR			
1383.00	1383.50	352.14 352.15	G1 WCR			
1410.00		352.52	G1 WCR			
1412.00		352.55	G1 WCR			
1414.00		352.58	G1 WCR			
1422.00	1423.00	352.69 352.70	G1 WCR			
1427.00	1428.00	352.76 352.77	G1 WCR			
1468.00	1489.00	353.34 353.63	G1 WCR			MS ALL 2

Weaber 2A

Statistics		---Ages---		--SHOWS--		-----POROSITY-----				-----PERMEABILITY-----				-----ENVIRONMENT-----							
top (m)	base (m)	(Harland	mA)	Show	Srce	Spot	Aver	Min	Max	Srce	Authr	Spot	Aver	Min	Max	KV	Srce	Auth	Env	Lndfm	Source
Min	5.00	246.93					6.00														
Max	1659.00	356.43					6.00														
No.	40	40		17	17		3			3	3								21	7	21
Mean							6.00														

APPENDIX: 2

AGE/DEPTH PLOTS

APPENDIX 2
AGE/DEPTH PLOTS
for the wells listed below:-


BARNETT 1
BARNETT 2
BARNETT 3
BERKLEY 1
BONAPARTE 1
BOUGAINVILLE 1
CAMBRIDGE 1
CURLEW 1
FLAT TOP 1
FRIGATE 1
GARIMALA 1
GULL 1
KULSHILL 1
KULSHILL 2
LACROSSE 1
LESUEUR 1
NEWBY 1
NINGBING 1
PELICAN ISLAND 1
PENGUIN 1
PETREL 1
PETREL 1A
PETREL 2
SANDPIPER 1
SKULL 1
TERN 1
TURTLE 1
TURTLE 2
WEABER 2A

PETREL SUB-BASIN MODULE 1995

BARNETT 1




TIMESLICE



PETREL SUB-BASIN MODULE 1995 BARNETT 2




TIMESLICE




PETREL SUB-BASIN MODULE 1995
BARNETT 3

TIMESLICE



BERKLEY 1

Ma Depth below KB meters




PETREL SUB-BASIN MODULE 1995

BONAPARTE 1



TIMESLICE

Ma Depth below KB meters




PETREL SUB-BASIN MODULE 1995



BOUGAINVILLE 1

TIMESLICE

Ma Depth below KB meters




PETREL SUB-BASIN MODULE 1995



TIMESLICE


CAMBRIDGE 1



PETREL SUB-BASIN MODULE 1995
CURLEW 1

TIMESLICE

Ma Depth below KB meters




PETREL SUB-BASIN MODULE 1995

FLAT TOP 1



TIMESLICE




PETREL SUB-BASIN MODULE 1995



TIMESLICE

FRIGATE 1




PETREL SUB-BASIN MODULE 1995

GARIMALA 1



TIMESLICE

Ma Depth below KB meters




PETREL SUB-BASIN MODULE 1995



GULL 1

TIMESLICE


Ma Depth below KB meters





TIMESLICE

KULSHILL 1




PETREL SUB-BASIN MODULE 1995

KULSHILL 2



TIMESLICE

Ma Depth below KB meters




PETREL SUB-BASIN MODULE 1995



TIMESLICE

LACROSSE 1




PETREL SUB-BASIN MODULE 1995

LESUEUR 1



TIMESLICE




PETREL SUB-BASIN MODULE 1995



TIMESLICE

NEWBY 1




PETREL SUB-BASIN MODULE 1995

NINGBING 1



TIMESLICE


Ma Depth below KB meters





TIMESLICE

PELICAN ISLAND 1




PETREL SUB-BASIN MODULE 1995

PENGUIN 1




TIMESLICE





TIMESLICE

PETREL 1




PETREL SUB-BASIN MODULE 1995

PETREL 1A



TIMESLICE






TIMESLICE

PETREL 2

Ma Depth below KB meters




PETREL SUB-BASIN MODULE 1995

SANDPIPER 1




TIMESLICE





TIMESLICE

SKULL 1




PETREL SUB-BASIN MODULE 1995

TERN 1



TIMESLICE




PETREL SUB-BASIN MODULE 1995

TURTLE 1



TIMESLICE


Ma Depth below KB meters



PETREL SUB-BASIN MODULE 1995
TURTLE 2

TIMESLICE

Ma Depth below KB meters






TIMESLICE

WEABER 2A

Ma Depth below KB meters



APPENDIX: 3

STRATDAT DATABASE

APPENDIX 3
STRATDAT REPORTS WITH BIOSTRATIGRAPHIC ZONATIONS AND TIME SLICE PICKS
for the wells listed below:-

BARNETT 1
BARNETT 2
BARNETT 3
BERKLEY 1
BONAPARTE 1
BOUGAINVILLE 1
CAMBRIDGE 1
CURLEW 1
FLAT TOP 1
FRIGATE 1
GARIMALA 1
GULL 1
KEEP RIVER 1
KINMORE 1
KULSHILL 1
KULSHILL 2
LACROSSE 1
LESUEUR 1
MATILDA 1
MOYLE 1
NEWBY 1
NINGBING 1
PELICAN ISLAND 1
PENGUIN 1
PETREL 1
PETREL 1A
PETREL 2
PETREL 4
SANDPIPER 1
SKULL 1
TERN 1
TERN 2
TERN 3
TURTLE 1
TURTLE 2
WEABER 2A

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth,Pick

Barnett 1 -14.530467 129.061359 Bonaparte Basin
PEDIN/File numbers: W8850004 84/945

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes---- Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
765.00	S6245 H	268.00	Stage 3b	PALAEO	P	B1	O	1
840.50	S6245 L	274.00	Stage 3b	PALAEO	P	A3	O	1
841.00	S6245 L	274.00	Stage 3b	PALAEO	A	A4	O	1
841.00	S6250 H	274.00	Stage 3a	PALAEO	A	A4	O	1
1047.00	S6250 L	277.00	Stage 3a	PALAEO	P	B3	O	1
1136.00	S6402 H	277.00	G.confluens	PALAEO	P	B3	O	1
1427.00	S6402 L	286.00	G.confluens	PALAEO	P	B3	O	1
1507.00	S6402 L	286.00	G.confluens	PALAEO	A	B3	O	1
1550.80	S7110 H	286.00	D.birkheadensis	PALAEO	A	A4	O	1
1765.00	S7110 H	286.00	D.birkheadensis	PALAEO	P	B3	O	1
1870.00	S7110 L	308.50	D.birkheadensis	PALAEO	P	B4	O	1

23 swc and 6 core samples processed from 765 to 2024 m. 10 barren, oldest
playnoflora at 1870 m
Spinose acritarchs indicate marine/brackish waters at 765, 812.5, 840.5,
1374, 1550.8 m.

1 Foster, C.B., 1985a, Palynological Report. Aquitaine Barnett No. 1
(765-2024m), Bonaparte Basin.13pp.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Barnett 2

*** CONFIDENTIAL *** -14.532316 129.052213 Bonaparte Basin
PEDIN/File numbers: W8890013 89/690

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----- Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
22.00	QT107 H	0.00	Time Slice Cainozoic 7	TIMESLICE P	H1	C	2	
235.00	QT105 L	11.90	Time Slice Cainozoic 5	TIMESLICE P	H2	C	2	
235.00	QT607 H	246.00	Time Slice Permian 7	TIMESLICE P	H2	C	2	
518.00	QT605 L	261.00	Time Slice Permian 5	TIMESLICE P	H2	C	2	
518.00	QT604 H	261.00	Time Slice Permian 4	TIMESLICE P	H2	C	2	
829.10	S6245 M	271.00	Stage 3b	SINGL DEPTH	B1	O	1	
1051.00	QT602 L	277.00	Time Slice Permian 2	TIMESLICE P	H2	C	2	
1051.00	QT601 H	277.00	Time Slice Permian 1	TIMESLICE P	H2	C	2	
1103.00	S6402 H	277.00	G.confluens	PALAEO P	B2	O	1	
1332.00	S6402 L	286.00	G.confluens	PALAEO P	B3	O	1	
1567.00	QT601 L	286.00	Time Slice Permian 1	TIMESLICE P	H2	C	2	
1567.00	QT706 H	286.00	Time Slice Carboniferous 6	TIMESLICE P	H2	C	2	
1938.00	S7115 M	315.25	S.ybertii	SINGL DEPTH	B3	O	1	
2060.00	QT705 L	322.00	Time Slice Carboniferous 5	TIMESLICE P	H2	C	2	
2060.00	QT704 H	322.00	Time Slice Carboniferous 4	TIMESLICE P	H2	C	2	
2068.00	S7120 H	322.00	G.maculosa	PALAEO P	B4	O	1	
2083.00	S7120 L	340.00	G.maculosa	PALAEO P	B3	O	1	
2084.00	QT704 L	340.00	Time Slice Carboniferous 4	TIMESLICE P	H2	C	2	
2084.00	QT703 H	340.00	Time Slice Carboniferous 3	TIMESLICE P	H2	C	2	
2192.00	S7130 H	340.00	G.frustulentus Microflora	PALAEO A	B5	O	1	
2197.80	S7130 H	340.00	G.frustulentus Microflora	PALAEO P	B3	O	1	
2387.00	S7130 L	360.00	G.frustulentus Microflora	PALAEO A	B2	O	1	
2396.00	S7130 L	360.00	G.frustulentus Microflora	PALAEO P	D4	O	1	
2400.00	QT703 L	350.00	Time Slice Carboniferous 3	TIMESLICE P	H2	C	2	
2400.00	QT702 H	350.00	Time Slice Carboniferous 2	TIMESLICE P	H2	C	2	
2400.00	S7261 H	350.00	Grandispora cf. G.praecipua	PALAEO P	B1	O	1	
2816.00	S7261 L	352.00	Grandispora cf. G.praecipua	PALAEO P	D3	O	1	
2818.00	QT702 L	352.00	Time Slice Carboniferous 2	TIMESLICE P	H2	C	2	

110 samples comprising 58 cuttings, 10 cores, 42 swc from the interval 829.1 to 2815.8 m were studied by Foster (1989).
6 biozones were recognised, the Grandispora sp. cf. G. praecipua Zone was defined for the first time from this well by Foster (1989).
Assemblages from 2068 to 2083 m (swcs 11 to 14) are not older than G. maculosa Assemblage. SWC samples showed evidence of contamination Cainozoic uncontrolled except in Curlew 1.
Good control when combined with Barnett 1 and 3.

1 Foster, C.B., 1989, Palynological Report. Elf-Aquitaine Barnett #2, Bonaparte Basin. 30pp. (unpublished report for Elf-Aquitaine)

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Barnett 2
2 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Barnett 3

*** CONFIDENTIAL *** -14.53425 129.05034 Bonaparte Basin
PEDIN/File numbers: W8900023 90/851

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes---- Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
1279.00	S6402	H 277.00	G.confluens	PALAEO	P	B2	O	1
1495.00	S6402	L 286.00	G.confluens	PALAEO	P	B3	O	1
1496.50	S7100	H 277.00	M.tentula	PALAEO	P	B3	O	1
1556.00	S7100	L 286.00	M.tentula	PALAEO	P	B3	O	1
1603.50	S7110	M 297.25	D.birkheadensis	SNGL DEPTH		B3	O	1

The M. tentula Zone is that of G.R. Wood, Santos Ltd (unpubl.). He considers that M. tentula first occurs below G. confluens, a view supported by Backhouse (1991, Rev. Palaeobot. Palynol. 67)

- 1 Marshall, N.G. & Wood, G.R., 1990, Palynological Report No. 1990/44.
Barnett No. 3, Santos Ltd.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Berkley 1 -14.004331 127.831472 Bonaparte Basin
PEDIN/File numbers: W6820005 82/903

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
75.00	QT107	H	0.00 Time Slice Cainozoic 7	TIMESLICE	P	H1	C	4
133.00	QT106	L	5.10 Time Slice Cainozoic 6	TIMESLICE	P	H2	C	4
133.00	QT604	H	261.00 Time Slice Permian 4	TIMESLICE	P	H2	C	4
315.00	S6250	H	274.00 Stage 3a	PALAEO	P	D2	O	1
555.00	QT602	L	277.00 Time Slice Permian 2	TIMESLICE	P	H2	C	4
555.00	QT601	H	277.00 Time Slice Permian 1	TIMESLICE	P	H2	C	4
555.00	S6250	L	277.00 Stage 3a	PALAEO	P	D4	O	1
555.00	S6402	H	277.00 G.confluens	PALAEO	P	D4	O	1
810.00	S6402	L	286.00 G.confluens	PALAEO	P	D2	O	1
815.00	L2040	H	Igneous basement	FORMATION	P	H2	C	4
815.00	QT601	L	286.00 Time Slice Permian 1	TIMESLICE	P	H2	C	4
873.00	L2040	L	Igneous basement	FORMATION	P	H2	C	4

Macleod's (1982) was the intial report on cuttings. Assemblages from 315 to 720 m were assigned to Stage III (Early Permian); 735-810 m assigned to Stage II.

Although Macleod's report uses III and II notation, it corresponds to 3 and 2 of Kemp et al., 1977. Stage 2 was considered as Late Carboniferous.

Ingram relooked at 4 cuttings samples and used the same notation. Stage III at 625 m, and 765-800 m to Stage II. These Stages are not confused with Balme's Units I - VII.

The key for Stage 3 is P. (or V.) pseudoreticulatus. This is not listed by Ingram. Macleod records the species as M. pseudoreticulatus, down to 675 m only, no support for inclusion of 720 m.

Use of Microbaculispora for the key Stage 3 marker, seems to indicate that similar, but not identical forms, were included in pseudoreticulatus. Later work by Foster (1986) suggests it was G. confluens, which precedes Stage 3.

Re-examination of palynological slides from Berkeley by Foster (1986) recognised the older G. confluens Zone from 810 to 755 m and Stage 3 from 315 - 755 m: both Early Permian.

Cainozoic uncontrolled except in Curlew 1.

Basement is Proterozoic meta-quartz-diorite or monozite.

Drilled 815 to 873 m.

Amdel report GS P812/82, Sm/Nd age 1.34 Ga.

- 1 Foster, C.B., 1986, A review of Early Carboniferous-Early Permian palynological assemblages from selected samples from Kulshill Nos 1 & 2, Lesueur No. 1, Larcrosse No. 1, Pelican Island No. 1 and Berkley No. 1. 56pp., 7 figs, 19 pls.
- 2 Macleod, M., 1982, Palynological report on ditch cutting samples from

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

- Berkely No. 1, for Magnet Petroleum 9 pp.
3 Ingram, B., 1982, Preliminary palynological results, Berkely No. 1, 2pp.
4 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Bonaparte 1 -15.016667 128.741667 Bonaparte Basin
PEDIN/File numbers: W6630007 63/1015

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref	----codes----			
					/Alt	Conf	Sec	Ref	
5.00	QT705	H	308.50	Time Slice Carboniferous	5	TIMESLICE	P	H1	C 3
190.00	QT705	L	322.00	Time Slice Carboniferous	5	TIMESLICE	P	H2	C 3
190.00	QT703	H	340.00	Time Slice Carboniferous	3	TIMESLICE	P	H2	C 3
209.40	S7125	H	340.00	A.largus		PALAEO	P	A4	O 1
1325.58	S7125	L	352.00	A.largus		PALAEO	P	A2	O 1
1630.00	QT703	L	350.00	Time Slice Carboniferous	3	TIMESLICE	P	H2	C 3
1630.00	QT702	H	352.00	Time Slice Carboniferous	2	TIMESLICE	P	H2	C 3
2280.00	QT702	L	352.00	Time Slice Carboniferous	2	TIMESLICE	P	H2	C 3
2280.00	QT810	H	360.00	Time Slice Devonian	10	TIMESLICE	P	H3	C 3
3209.00	QT809	L	367.50	Time Slice Devonian	9	TIMESLICE	P	H3	C 3

Playford's 1971 study formed the basis of the A. largus Zone, as such it included this well. Playford noted that four events might be of significance between Bonaparte 1 and 2.

Wood (1988) further suggested subdivision of the largus Zone: Unit B (1325-1067 m), Unit C (1067-509 m), and Unit D (509-209 m). These have yet to be confirmed by common use.

Crb3 well constrained.

Low Crb2 from M.spinosa (ostracod) Jones BMR Bull 228

High Dev10 from bivalves Playford, BMR Bull. 115

- 1 Playford, G., 1971, Lower Carboniferous spores from the Bonaparte Gulf Basin Wesetrn Australia and Northern Territory. BMR Bulletin 115.
- 2 Wood, G.R., 1988, Palynological Report No. 1988/43, Weaber No. 2A, Santos Ltd, 9 pp.
- 3 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Bougainville 1 -13.773583 129.041806 Bonaparte Basin

PEDIN/File numbers: W8720002 72/70

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
49.00	QT107	H	0.00 Time Slice Cainozoic 7	TIMESLICE	P	H1	C	1
254.00	QT104	L	29.20 Time Slice Cainozoic 4	TIMESLICE	P	H2	C	1
254.00	QT304	H	114.00 Time Slice Cretaceous 4	TIMESLICE	P	H2	C	1
313.00	M3250	H	119.50 upper M.australis 2dii	PALAEO	P	B4	E	
313.00	M3255	L	126.00 lower M.australis 2diii	PALAEO	P	B4	E	
317.00	QT303	L	125.00 Time Slice Cretaceous 3	TIMESLICE	P	H2	C	1
317.00	QT405	H	177.00 Time Slice Jurassic 5	TIMESLICE	P	H2	C	1
457.00	QT401	L	213.00 Time Slice Jurassic 1	TIMESLICE	P	H2	C	1
457.00	QT506	H	213.00 Time Slice Triassic 6	TIMESLICE	P	H2	C	1
600.00	QT503	L	239.00 Time Slice Triassic 3	TIMESLICE	P	H2	C	1
600.00	QT502	H	239.00 Time Slice Triassic 2	TIMESLICE	P	H2	C	1
1342.00	QT501	L	248.00 Time Slice Triassic 1	TIMESLICE	P	H2	C	1
1342.00	QT607	H	246.00 Time Slice Permian 7	TIMESLICE	P	H2	C	1
1832.00	QT605	L	261.00 Time Slice Permian 5	TIMESLICE	P	H2	C	1
1832.00	QT604	H	261.00 Time Slice Permian 4	TIMESLICE	P	H2	C	1
2162.00	QT602	L	277.00 Time Slice Permian 2	TIMESLICE	P	H2	C	1
2162.00	QT601	H	277.00 Time Slice Permian 1	TIMESLICE	P	H2	C	1
2676.00	QT601	L	286.00 Time Slice Permian 1	TIMESLICE	P	H2	C	1

Cainozoic uncontrolled except in Curlew 1.
Pre K3 control by correlation to Petrel 1 and Barnett 2.

1 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Cambridge 1 -14.290431 128.432639 Bonaparte Basin

PEDIN/File numbers: W6840006 84/665

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
30.00	QT107 H	0.00	Time Slice Cainozoic 7	TIMESLICE P		H1	C	2
96.00	QT106 L	5.10	Time Slice Cainozoic 6	TIMESLICE P		H2	C	2
96.00	QT607 H	246.00	Time Slice Permian 7	TIMESLICE P		H2	C	2
142.00	S6400 H	249.50	upper Stage 5	PALAEO P		B1	O	1
222.50	S6400 L	255.00	upper Stage 5	PALAEO P		B2	O	1
252.50	S6215 H	255.00	lower Stage 5c	MIN AGE P		B2	O	1
273.00	S6225 L	261.00	lower Stage 5a	MAX AGE P		B2	O	1
276.00	QT605 L	261.00	Time Slice Permian 5	TIMESLICE P		H2	C	2
276.00	QT604 H	261.00	Time Slice Permian 4	TIMESLICE P		H2	C	2
295.50	S6245 H	268.00	Stage 3b	PALAEO P		B3	O	1
570.00	S6245 L	274.00	Stage 3b	PALAEO P		B3	O	1
573.00	S6250 H	274.00	Stage 3a	PALAEO P		B2	O	1
698.80	S6250 L	277.00	Stage 3a	PALAEO P		B2	O	1
760.00	QT601 H	277.00	Time Slice Permian 1	TIMESLICE P		H2	C	2
760.00	QT602 L	277.00	Time Slice Permian 2	TIMESLICE P		H2	C	2
761.00	S6402 H	277.00	G.confluens	PALAEO P		B2	O	1
1285.00	S6402 L	286.00	G.confluens	PALAEO P		B3	O	1
1340.70	S7110 H	286.00	D.birkheadensis	PALAEO A		B3	O	1
1342.00	QT601 L	286.00	Time Slice Permian 1	TIMESLICE P		H2	C	2
1342.00	QT706 H	286.00	Time Slice Carboniferous 6	TIMESLICE P		H2	C	2
1402.00	S7110 H	286.00	D.birkheadensis	PALAEO A		B3	O	1
1621.50	S7110 L	308.50	D.birkheadensis	PALAEO P		B3	O	1
1671.60	S7115 H	308.50	S.ybertii	PALAEO P		B3	O	1
1699.00	S7115 L	322.00	S.ybertii	PALAEO P		B3	O	1
1774.00	QT705 L	322.00	Time Slice Carboniferous 5	TIMESLICE P		H2	C	2
1774.00	QT704 H	322.00	Time Slice Carboniferous 4	TIMESLICE P		H2	C	2
1788.00	S7120 H	322.00	G.maculosa	PALAEO P		B3	O	1
1817.00	QT704 L	340.00	Time Slice Carboniferous 4	TIMESLICE P		H2	C	2
1817.00	QT703 H	340.00	Time Slice Carboniferous 3	TIMESLICE P		H2	C	2
1817.00	S7120 L	340.00	G.maculosa	PALAEO P		B3	O	1
1928.00	S7125 L	352.00	A.largus	SNGL DEPTH		B1	O	1
2184.00	QT703 L	350.00	Time Slice Carboniferous 3	TIMESLICE P		H2	C	2

61 swc from 142 to 2210 m inclusive analysed; 16 barren, deepest dated at 1928m. The 45 productive samples assigned to 8 zones.
Cainozoic uncontrolled except in Curlew 1.
Good control on all horizons.

1 Foster, C.B., 1984, Appendix 5, WMC Cambridge No.1, Well Completion

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Report

2 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLYSelection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, PickCurlew 1 -11.770556 128.263889 Bonaparte Basin
PEDIN/File numbers: W8740008 73/15

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----- Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
133.00	QT107 H	0.00	Time Slice Cainozoic 7	TIMESLICE	P	H1	C	5
259.08	P1130 H	12.10	N12/13	PALAEO	P	B4	E	
308.15	P1160 L	26.30	N4	PALAEO	P	B4	E	
339.00	QT104 L	29.20	Time Slice Cainozoic 4	TIMESLICE	P	H2	C	5
339.00	QT311 H	65.00	Time Slice Cretaceous 11	TIMESLICE	P	H2	C	5
371.86	M3105 H	64.50	A.circumtabulata	MIN AGE	P	B4	O	1
545.29	M3135 L	79.50	I.korojonense ob	MAX AGE	P	B3	O	4
812.91	M3195 L	92.00	P.infusorioides lai	MAX AGE	P	B3	O	4
938.80	M3200 H	92.00	D.multispinum laii	MIN AGE	P	B4	O	4
1158.25	M3210 H	99.50	P.ludbrookiaie 1b	PALAEO	A	B4	O	4
1584.96	M3210 H	99.50	P.ludbrookiaie 1b	PALAEO	P	B1	O	1
1645.92	P3270 H	97.50	P.buxtorfi	PALAEO	P	B4	E	
1703.83	M3210 L	104.00	P.ludbrookiaie 1b	PALAEO	P	B1	O	1
1705.00	QT305 L	114.00	Time Slice Cretaceous 5	TIMESLICE	P	H2	C	5
1705.00	QT304 H	114.00	Time Slice Cretaceous 4	TIMESLICE	P	H2	C	5
1715.44	M3235 L	115.00	D.davidii 2biii	MAX AGE	P	B4	O	4
1715.44	M3230 H	111.00	lower M.tetracantha 2bii	MIN AGE	P	B4	O	4
1718.00	QT303 L	125.00	Time Slice Cretaceous 3	TIMESLICE	P	H2	C	5
1718.00	QT302 H	125.00	Time Slice Cretaceous 2	TIMESLICE	P	H2	C	5
1720.01	M3260 L	130.00	M.testudinaria 2div	MAX AGE	P	B5	O	4
1720.01	M3252 H	119.50	M.australis 2dii/iii	MIN AGE	P	B5	O	4
1746.50	M3210 L	104.00	P.ludbrookiaie 1b	PALAEO	A	D2	O	3
1912.01	M3327 H	143.00	P.iehienne 4ci/ii	MIN AGE	P	B5	O	1
1914.14	M4100 H	144.50	D.jurassicum 5A/B	PALAEO	P	D2	O	3
1933.96	M4100 L	147.00	D.jurassicum 5A/B	PALAEO	P	B2	O	1
1947.67	M4120 H	147.00	O.montgomeryi 5CI-III	MIN AGE	P	D2	O	3
1966.57	M4140 L	154.50	D.swanense 6A	MAX AGE	P	B2	O	1
1975.13	M4145 L	158.00	W.clathrata 6B	MAX AGE	P	B3	O	4
2000.71	M4165 L	164.00	R.aemula 7AI	MAX AGE	P	B2	O	1
2019.00	M4171 H	164.00	W.digitata 7AII/BI	PALAEO	P	B3	O	1
2029.97	M4171 L	167.00	W.digitata 7AII/BI	PALAEO	P	B3	O	1
2126.00	QT407 L	167.00	Time Slice Jurassic 7	TIMESLICE	P	H2	C	5

Micropal & palynology by S.N.P.A. Is mostly unreliable. Palynology by R.Helby (1975) & R.Morgan (pers.comm. on cts at 6400' & 6510'). Updated by A.D.Partridge, Aug 1990. Note: 4 sidetracks drilled to get through Bathurst Is.

Original hole & sidetrack-1 got to 5739' before abandonment.

This review is based on re-interpretation of data presented in reports by Helby (1975), Whelan (1990) and Morgan (1991).

Helby (1975) provided data from 17 SWC and 4 ditch cuttings samples. Selected

taxa were listed and discussion provided. The original data sheets were also reviewed for this report.

Poumot (1975) reported results of examination of 35 SWC samples. Selected taxa were listed from each sample. No range chart was available for this review.

Whelan (1990) examined 11 ditch cuttings samples between 1080-6210'. Non-quantitative range charts, with moderate discussion were provided. Morgan (1991) reported the results of examination of 5 ditch cuttings samples. A quantitative range chart was provided and the samples were interpreted in terms of the HMP zonation.

Poumot recorded *Is. korojonense* at 1350' and 1789' suggesting that the interval is no older than Mid Campanian.

Poumot recorded *Dinogymnium acuminatum* at 2550' and *Aiora fenestrata* at 2667' suggesting that the sample is no older than *P. infusorioides* Zone equivalent. Poumot recorded *Diconodinium multispinosum* between 2840-2628'. It is most likely that these comprise a broad plexus including *D. multispinum*, *D. pusillum* and *D. davidii*.

Samples between 2840-3545' include *D. multispinosum* but appear to lack Albian indices and are tentatively assigned to the *D. multispinum* Zone (1aii).

Supported by *C. edwardsii acme* at 3080'.

The top of the Albian is tentatively drawn above Poumot's sample at 3800', which contains *D. tuberculatum*.

Poumot recorded *Diconodinium* spp., *Muderongia tetracantha*, *Dingodinium cerviculum* and *Pseudoceratium* sp. at 5628' supporting confident assignment to the interval of the *M. tetracantha* Zone to *D. davidii* Zone.

Poumot recorded *Muderongia macwhaei* and *Dingodinium cerviculum* 5643' supporting a confident assignment to the interval of the *M. australis* Zone to the *M. testudinaria* Zone.

The rich spore-pollen assemblage, apparently lacking microplankton, recorded by Poumot at 6050' suggest that it lies below the Darwin Formation.

A relatively continuous sequence of Tithonian-Kimmeridgian zones from *D. jurassicum* through *W. clathrata* Zone (5a-6b) is recorded. The *W. spectabilis* Zone was not recorded between 6480-6564'.

Reviewed by Robin Helby, November 1994.

Regional Cainozoic control well.

Good control on all horizons.

- 1 Helby R., 1975, WCR Appendix 2 - Palynology Report, 77-94.
- 2 Whelan G., 1990, II.2.2 Palynology - extract from unpublished IEDS report.
- 3 Morgan R., 1991, New palynology on BMR cutts for Curlew-1. CCL Rpt 822.
- 4 Poumot C., 1975, Well Completion Report, 2.2 - Phytoplanktology, 52-74.
- 5 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLYSelection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, PickFlat Top 1 -12.376472 129.265528 Bonaparte Basin Darwin Shelf
PEDIN/File numbers: W8700002 N/A

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
55.00	QT107 H	0.00	Time Slice Cainozoic 7	TIMESLICE P		H1	C	2
189.00	QT104 L	29.20	Time Slice Cainozoic 4	TIMESLICE P		H2	C	2
189.00	QT308 H	91.00	Time Slice Cretaceous 8	TIMESLICE P		H2	C	2
713.00	M3210 M	101.75	P.ludbrookiae 1b	SNGL DEPTH		D2	O	1
730.00	QT305 L	114.00	Time Slice Cretaceous 5	TIMESLICE P		H2	C	2
730.00	QT304 H	114.00	Time Slice Cretaceous 4	TIMESLICE P		H2	C	2
740.00	QT302 H	125.00	Time Slice Cretaceous 2	TIMESLICE P		H2	C	2
740.00	QT303 L	125.00	Time Slice Cretaceous 3	TIMESLICE P		H2	C	2
741.00	M3235 M	114.00	D.davidii 2biii	SNGL DEPTH		D2	O	1
783.00	M4135 M	149.25	C.perforans 5D	SNGL DEPTH		D5	O	1
814.00	M4165 H	162.00	R.aemula 7AI	PALAEO P		D2	O	1
826.00	M4165 L	164.00	R.aemula 7AI	PALAEO P		D4	O	1
870.00	QT406 L	177.00	Time Slice Jurassic 6	TIMESLICE P		H2	C	2
870.00	QT405 H	177.00	Time Slice Jurassic 5	TIMESLICE P		H2	C	2
875.00	S4135 H	173.00	D.complex	MIN AGE P		D4	O	1
978.00	QT401 L	213.00	Time Slice Jurassic 1	TIMESLICE P		H2	C	2
978.00	QT506 H	213.00	Time Slice Triassic 6	TIMESLICE P		H2	C	2
981.00	S5110 H	210.00	A.reducta	MIN AGE P		D5	O	1
1113.00	QT503 L	239.00	Time Slice Triassic 3	TIMESLICE P		H2	C	2
1113.00	QT502 H	239.00	Time Slice Triassic 2	TIMESLICE P		H2	C	2
1231.00	S5130 H	225.00	S.speciosus (NWS)	MIN AGE P		D5	O	1
1247.00	QT501 L	248.00	Time Slice Triassic 1	TIMESLICE P		H2	C	2
1247.00	QT607 H	246.00	Time Slice Permian 7	TIMESLICE P		H2	C	2
1262.00	S5160 H	248.00	P.microcorpus	MIN AGE P		D2	O	1
1442.00	S6150 H	273.00	D.townrowii (Powis/Esso use)	PALAEO P		B4	E	
1455.00	QT605 L	261.00	Time Slice Permian 5	TIMESLICE P		H2	C	2
1455.00	QT604 H	261.00	Time Slice Permian 4	TIMESLICE P		H2	C	2
1760.00	S6150 L	277.00	D.townrowii (Powis/Esso use)	PALAEO P		B4	E	
1898.00	QT602 L	277.00	Time Slice Permian 2	TIMESLICE P		H2	C	2
1898.00	QT601 H	277.00	Time Slice Permian 1	TIMESLICE P		H2	C	2
1898.00	S7100 H	277.00	M.tentula	PALAEO P		B4	E	
2164.00	S7100 L	286.00	M.tentula	PALAEO P		B4	E	
2174.00	QT601 L	286.00	Time Slice Permian 1	TIMESLICE P		H2	C	2

This report is based on a re-interpretation of data presented by Morgan (1991). Morgan examined 21 ditch cuttings samples between 713-1286m. Quantitative distribution data were provided. Morgan interpreted the data in terms of the HMP zonation. There are some differences in interpretation. Morgan's assigned the sample at 814m to the D. jurassicum Zone. The occurrence of Wanaea digitata, W. indotata and R. aemula suggest that the

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

sample is no younger than the *W. spectabilis* Zone.
Morgan tentatively assigned the sample at 826m to the *W. digitata* Zone.
However, this sample contained *R. aemula* and *R. filamentosum* suggesting that it was more likely *R. aemula* Zone.
Morgan assigned the 875m sample to the *W. digitata* Zone. There is a marked jump in spore-pollen and the apparent absence of *Contignisporites* spp. and *M. florida* suggest the sample could be as old as the upper *D. complex* Zone.
Samples at 914m and 969m were apparently lean but contained *Dissiliodinium*, *Ctenidodinium* and *Mendicodinium* species - consistent with the Bathonian assignment at 875m.
Although recoveries were very low the occurrence of *F. australis* and *A. astigmosus* at 981 suggest that the Mid-Late Triassic has been intersected.
The occurrence of *E. viens* at 1216m suggests that the lower *M. crenulatus* Zone and/or the *S. speciosus* Zone is represented in the well.
The apparent absence of *E. vicens* at 1231m is weak support for a pre- *S. speciosus* assignment, while the occurrence of *Ovalipollis* indicates that the assemblages is possibly no older than the *S. quadrifidus* Zone.
I support Morgan's pick of the *P. microcorpus* Zone at 1262m, although not at 1286m. I consider that the *P. microcorpus* indices are possibly caved into this level. 38% *S. ovatus* and 8% *P. limpidus* suggests Stage 5 to me.
Reviewed by Robin Helby November, 1994.
Cainozoic uncontrolled except in Curlew 1.
Good control on all sequences.
Seismic correlation to other wells.

- 1 Morgan R., 1991, New palynology data from Flat Top-1. CCL Rpt 856.
- 2 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
 Ordering : WELL Depth, Pick

Frigate 1 -13.179722 127.923611 Bonaparte Basin
 PEDIN/File numbers: W6780001 77/1684

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes---- Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
112.00	QT107 H	0.00	Time Slice Cainozoic 7	TIMESLICE P		H1	C	5
265.00	QT104 L	29.20	Time Slice Cainozoic 4	TIMESLICE P		H2	C	5
265.00	QT309 H	83.00	Time Slice Cretaceous 9	TIMESLICE P		H2	C	5
646.18	M3200 L	97.50	D.multispinum laii	MAX AGE P		D5	O	2
877.82	M3205 H	97.50	X.asperatus laiii	MIN AGE P		D4	O	2
979.02	M3210 L	104.00	P.ludbrookia 1b	MAX AGE P		B1	O	1
995.00	QT307 L	104.00	Time Slice Cretaceous 7	TIMESLICE P		H2	C	5
995.00	QT302 H	125.00	Time Slice Cretaceous 2	TIMESLICE P		H2	C	5
999.13	M3265 H	130.00	P.burgerii 3a	MIN AGE P		B5	O	1
1002.79	M3270 H	132.00	S.tabulata 3b	MIN AGE P		D3	O	1
1013.46	M3290 H	137.00	E.torynum 4ai/ii	MIN AGE A		D5	O	2
1029.61	M4120 H	147.00	O.montgomeryi 5CI-III	PALAEO P		B2	O	3
1196.04	M4120 L	148.50	O.montgomeryi 5CI-III	PALAEO P		B1	O	3
1233.53	M4140 M	152.25	D.swanense 6A	SNGL DEPTH		B1	O	3
1263.09	M4150 H	158.00	W.spectabilis 6CI/II	PALAEO P		B1	O	3
1284.12	M4150 L	162.00	W.spectabilis 6CI/II	PALAEO P		B2	O	3
1563.00	QT406 L	177.00	Time Slice Jurassic 6	TIMESLICE P		H2	C	5
1563.00	QT405 H	177.00	Time Slice Jurassic 5	TIMESLICE P		H2	C	5
1585.00	QT405 L	180.00	Time Slice Jurassic 5	TIMESLICE P		H2	C	5

This report is based on re-interpretation of reports by Helby and by Poumot in the well completion report, Morgan (1991) and unpublished data from Helby (1979).

Helby (in WCR) provided discussion and distribution data from 10 SWC and 4 ditch cuttings samples. These data were supplemented by a review of the existing samples (Helby, 1978).

Poumot (in WCR) provided discussion of 17 SWC and 12 ditch cuttings samples. Assemblage data were presented as an aggregated selection from as many as 12 samples.

Morgan (1991) examined 3 ditch cuttings samples. Detailed assemblage data were provided.

Poumot (in WCR) assigned samples between 1080-1280m to the Late Cretaceous.

None of the taxa listed, with the possible exception of "Proteacidites scaboratus", necessarily indicate a post-Cenomanian age.

Top Albian is interpreted in ditch cuttings at 2880' on the basis of Poumot's record of D. tuberculatum. However, it should be noted that Poumot has aggregated selected taxa from 2 samples, so that D. tuberculatum may be absent from the higher sample.

Helby (in WCR) indicated that at least one of the samples at 999m and 1001m was mislabelled or out-of-place. The occurrence of Systematophora spp. in cuttings at 3290/3300' suggest that the sample at 1001m cannot be in situ.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Frigate 1

The top of the Petrel Formation is suggested by the occurrence in ditch cuttings of *R. aemula* (at 3325' - Poumot in WCR) and supported by the occurrence of *E. torynum* (at 3300/70' - Helby, 1979).

However, the SWC sample at 3375' is considered no older than the *S. tabulata* (3b) Zone. This sample may be out-of-place.

Helby (1979), re-assigned the samples at 1154.5m and 1196m to the *O. montgomeryi* Zone (5c), the sample at 1233.4m to the *Omatia* spp. (6a-D. *swanense*) and the samples at 1263m and 1284m to the *O. butticula* Zone (-*W. spectabilis* 6c).

Morgan (1991) assigned the sample at 1290m to the *D. swanense* Zone (6a). However, he also recorded *W. digitata*, *Meiourigonyaulax* sp. (spiny), *Kylindrocysta* sp. 221 and *Ctenidodinium* cf. *tenellum*. These taxa could support a 6ciiib/7ai assignment.

Poumot assigned samples below 4200' to the Oxfordian. His data do not support a critical review. Helby recorded proximo-chorate cysts at 1504.3m suggesting that the sample was no older than Callovian, although contamination was reported (Helby, 1978).

Reviewed by Robin Helby - August 1994.

Cainozoic uncontrolled except in Curlew 1.

Poor control in early and middle Jurassic section.

- 1 HELBY R., 1978, Palynological Report - Frigate-1 Well Completion Report, Appendix 2.
- 2 POUMOT C., 1978, In Frigate-1 Well Completion Report
- 3 HELBY R., 1979, Rapid review of ARCO Frigate-1 well palynology. Unpublished Report.
- 4 MORGAN R., 1991 New palynology on BMR cutts for Frigate-1. Unpublished Report.
- 5 McConachie, B., et al (1995) AGSO Record No. 1995/7.

19-Jul-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: well like 'Garimala%'
Ordering : WELL Depth, Pick

Garimala 1 -15.187917 128.726333 Bonaparte Basin
PEDIN/File numbers: W6880030

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes---- Conf	Sec	Ref
1.80	QT703	H	340.00 Time Slice Carboniferous 3	TIMESLICE	P	H1	C	2
1317.00	S7125	H	340.00 A.largus	PALAEO	P	B4	O	1
1761.00	S7125	L	352.00 A.largus	PALAEO	P	B4	O	1
1955.00	QT701	H	352.00 Time Slice Carboniferous 1	TIMESLICE	P	H1	O	2
2235.00	S7130	H	340.00 G.frustulentus Microflora	SNGL DEPTH	P	B4	O	1
2250.00	QT701	L	360.00 Time Slice Carboniferous 1	TIMESLICE	P	H1	O	
2250.00	QT810	H	360.00 Time Slice Devonian 10	TIMESLICE	A	H1	O	

Wood proposes a four fold subdivision (A-D) of A.largus Zone in this report.
As he notes, more work is required to test this proposal.

Assemblages from 1317 to 1491.5 m are assigned to A. largus Unit B by Wood,
Unit A (oldest) spans ?1529.5 to 1761 m. Wood shows correlatives of these
Units in surrounding wells.

Assemblage at 2235 m is very poorly preserved, belongs to A. largus or G.
spiculifera; hence assignment to the G. frustulentus Microflora, which
includes both these zones.

Assemblage at 2259.5 m very poorly preserved, ranges in age from A. largus to
R. lepidophyta (Late Devonian to Early Carboniferous, Viséan).

All assemblages from 1317 to 2529 m are highly carbonised, Wood's report
provides estimates of vitrinite reflectance based on spore colour. It ranges
from Rve 1 -1.1% to greater than 1.3% .

The following swc samples were barren: 1721.5, 1825, 1866.5, 1886, 1909,
1934.5, 2000.5, 2190.5, 2309, 2400.5, 2463, 2529 m.
Crb1 to Crb3 well constrained.

- 1 Wood, G.R., 1989, Palynology Report No. 1988/53, Garimala No. 1, WCR of
SANTOS LTD. 6 pp.
- 2 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLYSelection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, PickGull 1 -11.941389 127.910278 Bonaparte Basin
PEDIN/File numbers: W6700012 N/A

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
148.00	QT107 H	0.00	Time Slice Cainozoic 7	TIMESLICE P	H1	C	7	
472.00	QT105 L	11.90	Time Slice Cainozoic 5	TIMESLICE P	H2	C	7	
472.00	QT311 H	65.00	Time Slice Cretaceous 11	TIMESLICE P	H2	C	7	
728.85	M3105 H	64.50	A.circumtabulata	MIN AGE P	D4	O	1	
1067.00	P3240 M	86.90	H.papula	SNGL DEPTH P	D4	E		
1079.00	P3255 M	89.55	P.helvetica	SNGL DEPTH P	B3	E		
1224.40	M3205 H	97.50	X.asperatus 1aiii	MIN AGE A	B4	O	1	
1828.82	M3205 H	97.50	X.asperatus 1aiii	MIN AGE P	B4	O	1	
1890.00	P3270 H	97.50	P.buxtorfi	PALAEO P	B4	E		
2017.00	P3270 L	98.70	P.buxtorfi	PALAEO P	B4	E		
2048.87	M3210 M	101.75	P.ludbrookiae 1b	SNGL DEPTH P	B2	O	2	
2094.00	QT305 L	114.00	Time Slice Cretaceous 5	TIMESLICE P	H2	C	7	
2094.00	QT304 H	114.00	Time Slice Cretaceous 4	TIMESLICE P	H2	C	7	
2096.11	M3225 H	109.00	M.tetracantha 2bi/ii	MIN AGE P	B4	O	2	
2103.73	M3235 M	114.00	D.davidii 2biii	SNGL DEPTH P	B1	O	1	
2108.91	M3250 M	121.25	upper M.australis 2dii	SNGL DEPTH P	B2	O	2	
2129.00	QT303 L	125.00	Time Slice Cretaceous 3	TIMESLICE P	H2	C	7	
2129.00	QT302 H	125.00	Time Slice Cretaceous 2	TIMESLICE P	H2	C	7	
2129.03	M3270 M	133.50	S.tabulata 3b	SNGL DEPTH P	B4	O	2	
2150.97	M3300 H	138.00	upper B.reticulatum 4aiii	MIN AGE P	B4	O	2	
2211.63	M3315 L	142.00	C.delicata 4bii	MAX AGE P	A4	O	2	
2346.96	M3327 H	143.00	P.iehiense 4ci/ii	MIN AGE P	D5	O	2	
2440.00	M4160 H	160.50	lower W.spectabilis 6CII	MIN AGE P	D5	O	3	
2470.00	M4165 H	162.00	R.aemula 7AI	MIN AGE P	D3	O	3	
2503.63	M4171 M	165.50	W.digitata 7AII/BI	SNGL DEPTH P	B2	O	2	
2574.95	S4125 H	167.00	C.cooksoniae	PALAEO P	B2	O	2	
2579.22	S4125 L	173.00	C.cooksoniae	PALAEO P	B2	O	2	
2770.00	QT406 L	177.00	Time Slice Jurassic 6	TIMESLICE P	H2	C	7	
2770.00	QT405 H	177.00	Time Slice Jurassic 5	TIMESLICE P	H2	C	7	
2773.68	S4135 H	173.00	D.complex	MIN AGE P	D4	O	2	
2914.80	S4145 H	179.00	I.turbatus	MIN AGE P	B4	O	2	
3019.65	S4150 L	210.00	C.torosa	MAX AGE P	B4	O	2	
3042.00	S4150 L	210.00	C.torosa	MAX AGE A	B4	O	4	
3111.00	QT401 L	213.00	Time Slice Jurassic 1	TIMESLICE P	H2	C	7	
3111.00	QT506 H	213.00	Time Slice Triassic 6	TIMESLICE P	H2	C	7	
3124.20	S5110 H	210.00	A.reducta	MIN AGE P	B5	O	5	
3319.00	S5120 H	219.00	M.crenulatus	MIN AGE P	D5	O	4	
3387.85	S5130 H	225.00	S.speciosus (NWS)	PALAEO P	B2	O	5	
3389.38	S5130 L	235.00	S.speciosus (NWS)	PALAEO P	B2	O	5	
3418.33	S5100 L	249.00	Falcisporites Superzone	MAX AGE P	B5	O	5	
3421.00	QT503 L	239.00	Time Slice Triassic 3	TIMESLICE P	H2	C	7	

Palynology based on work by R.J.Helby (1974, Petrel rept). Top Triassic seismic interpretation by M.Taylor, Aug 1989. Palynology review & partial update by A.D.Partridge April 1990.

This review is based on re-interpretation of data provided in reports by Helby (1974a, b), Lister (1971), Morgan (1991a,b) and Poumot (1971). Poumot (1971) provided selected, non-quantitative distribution data and discussion from 27 SWC, 21 ditch cuttings and 11 core samples from 7 conventional cores.

Poumot's data are based on selected taxa, some of which are coded. Interpretations reflect the lack of zonation studies at that time.

Lister (1971) studied 4 samples from conventional core 9. Lister assigned an early Jurassic age to those samples.

Helby (1974a) provided non-quantitative distribution data from 22 SWC, 2 conventional core samples (CC4) and 3 ditch cuttings samples. Some Helby samples were re-examined as part of this project.

Helby (1974b) provided non-quantitative data from 8 SWC samples.

Morgan (1991a) provided quantitative distribution data from 11 ditch cuttings samples between 2150-2495m. Morgan's interpretations between 2150-2225m are not supported by data from other samples, reflecting heavy caving in the Morgan cuttings samples.

Morgan (1991b) provided quantitative distribution data from 14 ditch cuttings and 1 SWC samples between 3042-3389m.

Poumot tentatively assigned the sample at 1020' to the Florscheutzia levipoli Zone, although F. levipoli was not listed on his range chart (unless coded). Poumot recorded a 'Proteacidites interval' between 1200-1580'. The occurrence of P. pachypolus at 1400' may indicate early Eocene or older associations.

Poumot defined a Maastrichtian interval at 1990/2010'. This is not supported by the listed taxa. His first downhole occurrence of Cretaceous microplankton was at 2390'.

Poumot's identification of Diconodinium multispinum probably represents the D. pusillum/cristatum plexus. Samples between 4017-5840' are only tentatively considered late Albian and could be as young as Cenomanian.

The downhole occurrence of Dinopterygium tuberculatum at 6000' confirms the Albian age.

The sample at 6877' is no younger than the lower M. tetracantha Zone (2biib), and on the basis of the occurrence of Diconodinium sp., reported by Poumot, could be as old as D. davidii Zone (2biii).

The assignment of the sample at 6902' to the D. davidii Zone is a very high confidence pick.

The top of Petrel Formation occurs in the sample gap between 6985-7057'.

The samples in the upper Petrel Formation are not well characterized and are regarded as no younger than the B. reticulatum Zone on the basis of the consistent occurrence of P. apiculatum and B. apicoramosa.

The sample at 7700' is tentatively considered no younger than the P. iehiense Zone on the basis of the occurrence of Sirmiodinium triangularis and Oligosphaeridium sp. A.

Morgan (1991a) recorded Microdinium sp. 619 (-M. oxfordianum) at 2440/50m. This form is rare or absent above the mid W. spectabilis Zone (6ciib). S. crystallinum was tentatively recorded supporting assignment to the W.spectabilis Zone.

The first downhole occurrence of Ctenidodinium sp. together with R. aemula supports an R. aemula Zone (7a) assignment. The apparent absence of R. aemula

at 8214' supports a *W. digitata* Zone assignment.

The increasing rarity of microplankton suggests downhole shallowing. Samples between 8448-9127' are considered no younger than the *C. cooksoniae* spore-pollen Zone on the basis of the consistent occurrence of the nominate species.

The top of the Triassic sequence is placed above the sample at 10250' where *F. australis* was relatively prominent, although Morgan (1991b) recorded a specimen of *Rimaeporites aquionalis* at 3042m is a sample dominated (79%) by *C. torosa*.

The relatively prominent occurrence of *E. vigens* and *S. speciosus* between 3388-3389m suggest that the Carnian has been intersected at or above those levels.

Reviewed by Robin Helby, December 1994.

Cainozoic uncontrolled except in Curlew 1.

Good control on all horizons.

- 1 Poumot, C., Palynostratigraphy in WCR, Appendix 1A, 46-55.
- 2 Helby R., 1974a, A palynological study of the Petrel Formation. Unpubl., Rpt to ARCO Australia.
- 3 Morgan, R., 1991a. New palynology on BMR cutts for Gull-1, Browse-Bonaparte Basin. CCL Rpt 824.
- 4 Morgan, R., 1991b. New palynology data from Gull-1, Browse-Bonaparte Basins, Australia. CCL Rpt 857.
- 5 Helby R., 1974b. A palynological study of the Cambridge Gulf Group. Unpubl., Rpt to ARCO Australia.
- 6 Lister, T.R., 1971. Palynology Report, ARCO Gull No. 1 well. In WCR, Appendix 1B, 56-58.
- 7 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Keep River 1 -15.168056 129.089444 Bonaparte Basin

PEDIN/File numbers: W8680042 68/2029

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref	----codes----		
					/Alt	Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
4.70	QT601 H	277.00	Time Slice Permian 1	TIMESLICE P	H1	C	1	
950.00	QT601 L	286.00	Time Slice Permian 1	TIMESLICE P	H2	C	1	
950.00	QT703 H	340.00	Time Slice Carboniferous 3	TIMESLICE P	H2	C	1	
2771.00	QT703 L	350.00	Time Slice Carboniferous 3	TIMESLICE P	H2	C	1	
2771.00	QT702 H	350.00	Time Slice Carboniferous 2	TIMESLICE P	H2	C	1	
3726.00	QT701 L	360.00	Time Slice Carboniferous 1	TIMESLICE P	H2	C	1	
3726.00	QT810 H	360.00	Time Slice Devonian 10	TIMESLICE P	H3	C	1	
4737.00	QT809 L	367.50	Time Slice Devonian 9	TIMESLICE P	H3	C	1	
4737.00	QT808 H	367.50	Time Slice Devonian 8	TIMESLICE P	H3	C	1	
4762.00	QT808 L	370.50	Time Slice Devonian 8	TIMESLICE P	H3	C	1	

Only controlled by correlation to Skull 1.

1 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Kinmore 1 -14.033614 129.262448 Bonaparte Basin
PEDIN/File numbers: W8740005 74/117

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----- Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
38.00	QT107 H	0.00	Time Slice Cainozoic 7	TIMESLICE P		H1	C	1
102.00	QT105 L	11.90	Time Slice Cainozoic 5	TIMESLICE P		H2	C	1
102.00	QT502 H	239.00	Time Slice Triassic 2	TIMESLICE P		H2	C	1
505.00	QT501 L	248.00	Time Slice Triassic 1	TIMESLICE P		H2	C	1
505.00	QT607 H	246.00	Time Slice Permian 7	TIMESLICE P		H2	C	1
866.00	QT605 L	261.00	Time Slice Permian 5	TIMESLICE P		H2	C	1
866.00	QT604 H	261.00	Time Slice Permian 4	TIMESLICE P		H2	C	1
1519.00	QT602 L	277.00	Time Slice Permian 2	TIMESLICE P		H2	C	1
1519.00	QT601 H	277.00	Time Slice Permian 1	TIMESLICE P		H2	C	1
2542.00	QT601 L	286.00	Time Slice Permian 1	TIMESLICE P		H2	C	1
2542.00	QT706 H	286.00	Time Slice Carboniferous 6	TIMESLICE P		H2	C	1
3038.00	L3015 H		Evaporite(s)	FORMATION P		H2	C	1
3038.00	QT705 L	322.00	Time Slice Carboniferous 5	TIMESLICE P		H2	C	1
3038.00	QTX00 H	438.00	Time Slice Ordovician undif	TIMESLICE P		H2	C	1
3250.00	L3015 L		Evaporite(s)	FORMATION P		H2	C	1
3250.00	QTX00 L	505.00	Time Slice Ordovician undif	TIMESLICE P		H2	C	1

Cainozoic uncontrolled except in Curlew 1.
Only controlled by correlations to Penguin 1 and Flat Top 1.
3038 to 3250 m is halite.

1 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLYSelection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, PickKulshill 1 -14.363056 129.5425 Bonaparte Basin
PEDIN/File numbers: W8650002 65/4145

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
4.50	QT604	H 261.00	Time Slice Permian 4	TIMESLICE	P	H1	C	2
186.54	S6245	H 268.00	Stage 3b	PALAEO	P	A4	O	1
188.52	S6245	L 274.00	Stage 3b	PALAEO	P	A3	O	1
367.28	S6250	H 274.00	Stage 3a	PALAEO	P	A3	O	1
428.95	S6250	L 277.00	Stage 3a	PALAEO	P	A3	O	1
600.00	QT602	L 277.00	Time Slice Permian 2	TIMESLICE	P	H2	C	2
600.00	QT601	H 277.00	Time Slice Permian 1	TIMESLICE	P	H2	C	2
621.49	S6402	H 277.00	G.confluens	PALAEO	P	A2	O	1
1201.83	S6402	L 286.00	G.confluens	PALAEO	P	A3	O	1
1277.00	QT601	L 286.00	Time Slice Permian 1	TIMESLICE	P	H2	C	2
1277.00	QT706	H 286.00	Time Slice Carboniferous 6	TIMESLICE	P	H2	C	2
1502.36	S7110	H 286.00	D.birkheadensis	PALAEO	A	A3	O	1
1504.19	S6402	L 286.00	G.confluens	PALAEO	A	A4	O	1
1579.47	S7110	H 286.00	D.birkheadensis	PALAEO	P	A3	O	1
1676.10	S7110	L 308.50	D.birkheadensis	PALAEO	P	A3	O	1
1781.86	S7115	H 308.50	S.ybertii	PALAEO	P	A3	O	1
1881.23	S7115	L 322.00	S.ybertii	PALAEO	P	A3	O	1
2104.00	QT705	L 322.00	Time Slice Carboniferous 5	TIMESLICE	P	H2	C	2
2104.00	QT704	H 322.00	Time Slice Carboniferous 4	TIMESLICE	P	H2	C	2
2111.35	S7120	H 322.00	G.maculosa	PALAEO	P	A3	O	1
2364.64	S7120	L 340.00	G.maculosa	PALAEO	P	A3	O	1
2460.00	QT704	L 340.00	Time Slice Carboniferous 4	TIMESLICE	P	H2	C	2
2460.00	QT703	H 340.00	Time Slice Carboniferous 3	TIMESLICE	P	H2	C	2
3761.00	QT703	L 350.00	Time Slice Carboniferous 3	TIMESLICE	P	H2	C	2
3761.00	QT810	H 360.00	Time Slice Devonian 10	TIMESLICE	P	H3	C	2
4057.00	QT809	L 367.50	Time Slice Devonian 9	TIMESLICE	P	H3	C	2
4057.00	QT808	H 367.50	Time Slice Devonian 8	TIMESLICE	P	H3	C	2
4394.00	QT807	L 374.00	Time Slice Devonian 7	TIMESLICE	P	H3	C	2

44 samples restudied from 612 to 14094 ft; 24 productive, examination from existing palynological slides, no control on sample quality. Estimates here from yield and preservation, on slides.

Assemblage at 612 ft lacks the index *G. trisinus*, but is included in Stage 3B, as palynoflora from the same core (1), belongs to this zone.

G. confluens at 4935 ft, below *D. birkheadensis* at 4929 ft a problem. Both samples from core 16; core upside down in tray? Minor faulting reported in WCR over this interval.

Samples below 8325 ft barren; *G. maculosa* oldest zone recorded at 7758 ft.

Cainozoic uncontrolled except in Curlew 1.

Good control on rocks younger than Crb3.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

- 1 Foster, C.B., 1986, A review of Early Carboniferous-Early Permian palynological assemblages from selected samples from Kulshill Nos 1 & 2, Lesueur No. 1, Larcrosse No. 1, Pelican Island No. 1 and Berkley No. 1. 56pp., 7 figs, 19 pls.
- 2 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth,Pick

Kulshill 2 -14.405 129.544444 Bonaparte Basin
PEDIN/File numbers: W8660002 66/4210

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes---- Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
1143.79	S7115	H 308.50	S.ybertii	PALAEO	P	A3	O	1
1568.91	S7115	L 322.00	S.ybertii	PALAEO	P	A3	O	1
1807.46	S7120	H 322.00	G.maculosa	PALAEO	P	A3	O	1
1958.29	S7120	L 340.00	G.maculosa	PALAEO	P	A3	O	1

Palynological slides from seven productive samples from 3752 to 6424 ft
(cores 1 to 6) were re-examined by Foster (1986).
Yield was low, preservation ranged from poor to fair. Evidence of salinity,
from occurrences of spinose acritarchs, is in all but the uppermost sample at
3752.58 ft.

- 1 Foster, C.B., 1986, A review of Early Carboniferous-Early Permian
palynological assemblages from selected samples from Kulshill Nos 1 & 2,
Lesueur No. 1, Larcrosse No. 1, Pelican Island No. 1 and Berkley No. 1.
56pp., 7 figs, 19 pls.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering: WELL Depth, Pick

Lacrosse 1 -14.297486 128.582694 Bonaparte Basin
PEDIN/File numbers: W6690001 68/2053

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
57.00	QT107 H	0.00	Time Slice Cainozoic 7	TIMESLICE P	H1	C	3	
154.00	QT105 L	11.90	Time Slice Cainozoic 5	TIMESLICE P	H2	C	3	
154.00	QT502 H	239.00	Time Slice Triassic 2	TIMESLICE P	H2	C	3	
298.00	QT501 L	248.00	Time Slice Triassic 1	TIMESLICE P	H2	C	3	
298.00	QT607 H	246.00	Time Slice Permian 7	TIMESLICE P	H2	C	3	
607.00	QT605 L	261.00	Time Slice Permian 5	TIMESLICE P	H2	C	3	
607.00	QT604 H	261.00	Time Slice Permian 4	TIMESLICE P	H2	C	3	
835.00	S6380 M	271.00	PP2.2	SNGL DEPTH	B3	O	1	
1015.00	S6385 M	275.50	PP2.1	SNGL DEPTH	B3	O	1	
1219.00	QT602 L	277.00	Time Slice Permian 2	TIMESLICE P	H2	C	3	
1219.00	QT601 H	277.00	Time Slice Permian 1	TIMESLICE P	H2	C	3	
1735.00	QT601 L	286.00	Time Slice Permian 1	TIMESLICE P	H2	C	3	
1735.00	QT706 H	286.00	Time Slice Carboniferous 6	TIMESLICE P	H2	C	3	
1757.20	S7110 H	286.00	D.birkheadensis	PALAEO P	A3	O	2	
2207.70	S7110 L	308.50	D.birkheadensis	PALAEO P	B3	O	2	
2445.00	S7115 H	308.50	S.ybertii	PALAEO P	B3	O	2	
2739.00	S7115 L	322.00	S.ybertii	PALAEO P	B3	O	2	
2743.00	QT705 L	322.00	Time Slice Carboniferous 5	TIMESLICE P	H2	C	3	
2743.00	QT704 H	322.00	Time Slice Carboniferous 4	TIMESLICE P	H2	C	3	
2750.00	S7120 H	322.00	G.maculosa	PALAEO P	A3	O	2	
2763.90	S7120 L	340.00	G.maculosa	PALAEO P	B3	O	2	
2768.00	QT704 L	340.00	Time Slice Carboniferous 4	TIMESLICE P	H2	C	3	
2768.00	QT703 H	340.00	Time Slice Carboniferous 3	TIMESLICE P	H2	C	3	
3054.00	QT703 L	350.00	Time Slice Carboniferous 3	TIMESLICE P	H2	C	3	

Santos Ltd provided data for the following: 835, 1015, 1751.5, 1757*, 2208, 2450, 2739, 2750*, 2760 m. They refer to all samples as swc, but those marked * are probably from core
No reliability data is available from the Santos data, all are assumed to be fair (3).

For the assemblages examined by Foster (1986), there is no evidence of influence of salinity at the site of deposition.
Foster (1986) studied assemblages from 18 samples, 17 contained spores; samples from 5763 to 9068 ft (inclusive).
Cainozoic uncontrolled except in Curlew 1.
Good control on Crb3 to P4

- 1 Data from Santos Ltd, received at AGSO 25/3/94
- 2 Foster, C.B., 1986, A review of Early Carboniferous-Early Permian palynological assemblages from selected samples from Kulshill Nos 1 & 2,

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Leseuer No. 1, Larcrosse No. 1, Pelican Island No. 1, and Berkley No.

1. 56pp., 19 pls (unpubl)

3 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLYSelection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick
-----Lesueur 1 -13.952617 128.125628 Bonaparte Basin
PEDIN/File numbers: W6800039 80/492

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes---- Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
58.00	QT107	H	0.00 Time Slice Cainozoic 7	TIMESLICE	P	H1	C	2
153.00	QT104	L	29.20 Time Slice Cainozoic 4	TIMESLICE	P	H2	C	2
153.00	QT502	H	239.00 Time Slice Triassic 2	TIMESLICE	P	H2	C	2
338.00	QT501	L	248.00 Time Slice Triassic 1	TIMESLICE	P	H2	C	2
338.00	QT607	H	246.00 Time Slice Permian 7	TIMESLICE	P	H2	C	2
408.00	S6110	H	249.50 D.parvithola	PALAEO	P	D3	O	3
530.60	S6110	L	255.00 D.parvithola	PALAEO	P	B3	O	3
544.50	S6115	H	255.00 D.dulhuntyi	PALAEO	P	B3	O	3
684.00	S6115	L	257.50 D.dulhuntyi	PALAEO	P	B3	O	3
685.00	QT605	L	261.00 Time Slice Permian 5	TIMESLICE	P	H2	C	2
685.00	QT604	H	261.00 Time Slice Permian 4	TIMESLICE	P	H2	C	2
718.40	S6140	H	265.00 P.cicatricosa	PALAEO	P	B3	O	3
863.40	S6140	L	268.00 P.cicatricosa	PALAEO	P	B3	O	3
872.20	S6245	H	268.00 Stage 3b	PALAEO	P	B3	O	3
1297.00	QT602	L	277.00 Time Slice Permian 2	TIMESLICE	P	H2	C	2
1297.00	QT601	H	277.00 Time Slice Permian 1	TIMESLICE	P	H2	C	2
1504.50	S6245	L	274.00 Stage 3b	PALAEO	P	B3	O	3
1507.50	S6250	H	274.00 Stage 3a	PALAEO	P	B3	O	3
1527.00	S6250	L	277.00 Stage 3a	PALAEO	P	B3	O	3
1547.00	S6402	H	277.00 G.confluens	PALAEO	P	B3	O	1
1834.00	S6402	L	286.00 G.confluens	PALAEO	P	B3	O	1
1940.00	QT601	L	286.00 Time Slice Permian 1	TIMESLICE	P	H2	C	2
1940.00	QT706	H	286.00 Time Slice Carboniferous 6	TIMESLICE	P	H2	C	2
2040.00	S7110	H	286.00 D.birkheadensis	PALAEO	P	B3	O	3
2742.00	S7110	L	308.50 D.birkheadensis	PALAEO	P	D3	O	3
2803.00	S7115	H	308.50 S.ybertii	PALAEO	P	B3	O	3
2897.50	S7115	L	322.00 S.ybertii	PALAEO	P	B3	O	3
3000.00	QT705	L	322.00 Time Slice Carboniferous 5	TIMESLICE	P	H2	C	2
3000.00	QT704	H	322.00 Time Slice Carboniferous 4	TIMESLICE	P	H2	C	2
3006.50	S7120	H	322.00 G.maculosa	PALAEO	P	B3	O	3
3055.50	S7120	L	340.00 G.maculosa	PALAEO	P	B3	O	3
3057.00	QT704	L	340.00 Time Slice Carboniferous 4	TIMESLICE	P	H2	C	2
3057.00	QT703	H	340.00 Time Slice Carboniferous 3	TIMESLICE	P	H2	C	2
3136.00	S7125	H	340.00 A.largus	PALAEO	P	B3	O	3
3495.00	S7125	L	352.00 A.largus	PALAEO	P	B3	O	3
3589.00	QT703	L	350.00 Time Slice Carboniferous 3	TIMESLICE	P	H2	C	2

Re-examination of palynological slides from 9 samples from 1547 to 1834 m.
 No evidence of marineness over the interval studied by Foster (1986).
 Cainozoic uncontrolled except in Curlew 1.
 Only the P1 section has been dated in the well.

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Lesueur 1

The 1990 study by Foster is based only on the original range charts of Helby (WCR). The strew slides need to be re-examined.

Helby recognised a *D. stellata* zone from 408-478.2m; as originally recognised by Helby, and Price in eastern Australia, this was the uppermost subzone of *D. parvithola*.

According to Price (1992 unpubl) *D. stellata* is now redefined to occur midway in the *D. parvithola* zone; to avoid confusion I have used only the broad zonal concept.

The range of *G. frustulentus* Zone in WCR by Helby is given as 3111-3528 m. But core samples from 3111.1 and 3111.2m are barren, as are samples from 3525-3528m. Current interp based on the range of *A. largus*, uppermost assemblage of *G. frustulentus* Mflora.

Range of *G. maculosa* in WCR 3006.5-3040m. On the basis of the appearance of *S. ybertii*, as noted by Helby, assemblage from 3055.5m is also likely to be in this zone.

Lower *S. ybertii* Zone of WCR = *S. ybertii* of this interpretation, based on the appearance of saccate pollen. Upper *S. ybertii* of WCR, now called *D. birkheadensis* Zone, with no *S. ybertii* present.

1507.5-1834 m in WCR assigned to the *V. pseudoreticulatus* Zone, now subdivided as shown above based on re-examination of strew slides (see note 1 above).

The absence of *G. trisinus* from the WCR data, indicates that by default, samples from 1507.5-1527 m belong to the *P. (al. Verrucosisporites) pseudoreticulatus* Zone of the WCR.

WCR places the top of the lower *G. trisinus* Zone (= Stage 3B), the top suggested here is at 872.2 m, based on the first appearance of *P. (al. Thymospora) cicatricosa* in the next highest sample at 863.4m.

The *D. dulhuntyi* Zone (544.5-684m) is a much broader interval than recognised in the WCR; it incorporates the *D. ericianus* and lower *D. dulhuntyi* zones of the WCR. The WCR zones are informal and do not relate to later usage of Kemp et al. 1977.

D. parvithola Zone of Foster's (1990) interp. is based on the first appearance of that species. In the WCR 544.5 m is included in the zone, but the species is not in that assemblage. See note 16.

WCR shows doubtful specimens of *D. parvithola* at 668.1, 675.1, and 680.5m.

THESE SPECIMENS NEED TO BE RE-EXAMINED TO DETERMINE THE BASE OF THE ZONE.

There is no comment on the degree of contamination of the swc samples; such data are essential.

- 1 Foster, C.B., 1986, A review of Early Carboniferous-Early Permian palynological assemblages from selected samples from Kulshill Nos 1 & 2, Lesueur No. 1, Larcrosse No. 1, Pelican Island No. 1 and Berkley No. 1. 56pp., 7 figs, 19 pls.
- 2 McConachie, B., et al (1995) AGSO Record No. 1995/7.
- 3 Foster, C.B., 1990, Interpretation of Palynological Study of Aquitaine Lesueur No. 1 (WMC unpublished).

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Matilda 1 -14.454828 128.749747 Bonaparte Basin
PEDIN/File numbers: W6850001 85/112

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes---- Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
22.00	QT107	H	0.00 Time Slice Cainozoic 7	TIMESLICE	P	H1	C	2
147.00	QT105	L	11.90 Time Slice Cainozoic 5	TIMESLICE	P	H2	C	2
147.00	QT603	H	268.00 Time Slice Permian 3	TIMESLICE	P	H2	C	2
302.00	S6245	H	268.00 Stage 3b	PALAEO	P	B1	O	1
353.80	S6245	L	274.00 Stage 3b	PALAEO	A	B2	O	1
376.50	S6245	L	274.00 Stage 3b	PALAEO	P	B3	O	1
423.50	S6250	H	274.00 Stage 3a	PALAEO	P	B1	O	1
597.50	S6250	L	277.00 Stage 3a	PALAEO	P	B1	O	1
598.00	QT602	L	277.00 Time Slice Permian 2	TIMESLICE	P	H2	C	2
598.00	QT601	H	277.00 Time Slice Permian 1	TIMESLICE	P	H2	C	2
679.50	S6402	H	277.00 G.confluens	PALAEO	P	B2	O	1
1007.00	S6402	L	286.00 G.confluens	PALAEO	P	B2	O	1
1123.00	QT601	L	286.00 Time Slice Permian 1	TIMESLICE	P	H2	C	2
1123.00	QT706	H	286.00 Time Slice Carboniferous 6	TIMESLICE	P	H2	C	2
1133.50	S7110	H	286.00 D.birkheadensis	PALAEO	A	B2	O	1
1256.50	S7110	H	286.00 D.birkheadensis	PALAEO	P	B2	O	1
1799.50	S7110	L	308.50 D.birkheadensis	PALAEO	P	B2	O	1
1846.50	S7115	H	308.50 S.ybertii	PALAEO	P	B2	O	1
1901.00	S7115	L	322.00 S.ybertii	PALAEO	P	B2	O	1
1948.00	QT705	L	322.00 Time Slice Carboniferous 5	TIMESLICE	P	H2	C	2
1948.00	QT704	H	322.00 Time Slice Carboniferous 4	TIMESLICE	P	H2	C	2
1973.50	S7120	H	322.00 G.maculosa	PALAEO	P	B2	O	1
2037.50	S7120	L	340.00 G.maculosa	PALAEO	P	B2	O	1
2041.00	QT704	L	340.00 Time Slice Carboniferous 4	TIMESLICE	P	H2	C	2
2041.00	QT703	H	340.00 Time Slice Carboniferous 3	TIMESLICE	P	H2	C	2
2309.00	QT703	L	350.00 Time Slice Carboniferous 3	TIMESLICE	P	H2	C	2

35 sidewall cores from 302 to 2287.5 m processed; six barren. Deepest
reliable date at 2037.5m
Cainozoic uncontrolled except in Curlew 1.
No control on rocks older than Crb 3

- 1 Foster, C.B., 1985, Appendix 5, Palynological Report, WMC Matilda No. 1,
W A 128P, 25pp (in: Well Completion Report)
- 2 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth,Pick

Moyle 1 -14.319444 129.775278 Bonaparte Basin
PEDIN/File numbers: W8660003 66/4214

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes---- Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
4.20	QT601 H	277.00	Time Slice Permian 1	TIMESLICE P	H1	C	1	
501.00	L2040 H		Igneous basement	FORMATION P	H2	C	1	
501.00	QT601 L	286.00	Time Slice Permian 1	TIMESLICE P	H1	C	1	
518.00	L2040 L		Igneous basement	FORMATION P	H2	C	1	

Permian section overlying presumed Proterozoic rocks.
Green tholeiitic gabbro from 501 to 518 m.
Treachery Shale overlies basement.

1 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Newby 1 -11.835278 129.101944 Bonaparte Basin
PEDIN/File numbers: W8690002 N/A

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes---- Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
265.00	P1160 H	21.78	N4	PALAEO	P	D4	E	
371.00	M3200 H	92.00	D.multispinum laii	PALAEO	P	B4	E	
850.00	M3215 L	109.00	C.denticulata 1c/2a	PALAEO	P	B4	E	
981.00	S3165 L	144.00	C.australiensis	PALAEO	P	B4	E	
1062.00	S4100 L	150.00	R.watherooensis	PALAEO	P	B4	E	

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Ningbing 1 -15.182 128.680833 Bonaparte
PEDIN/File numbers: W6820098

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref	----codes----		
					/Alt	Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
6.00	QT703 H	340.00	Time Slice Carboniferous 3	TIMESLICE P		H1	C	3
479.00	S7125 H	340.00	A.largus	PALAEO	P	B2	O	1
1013.00	QT703 L	350.00	Time Slice Carboniferous 3	TIMESLICE P		H2	C	3
1013.00	QT810 H	360.00	Time Slice Devonian 10	TIMESLICE P		H2	C	3
1042.00	S7125 L	352.00	A.largus	PALAEO	P	B2	O	1
1045.00	S7125 L	352.00	A.largus	PALAEO	A	B4	O	1
1230.00	QT809 L	367.50	Time Slice Devonian 9	TIMESLICE P		H2	C	3
1230.00	QT808 H	367.50	Time Slice Devonian 8	TIMESLICE P		H3	C	3
1269.00	QT808 L	370.50	Time Slice Devonian 8	TIMESLICE P		H3	C	3

Assemblage at 1045 m (swc 1), is very poorly preserved, *G. frustulentus* is common, but age uncertain; Late Devonian or Early Carboniferous (Playford 1982).

18 swc samples examined by Playford (1982), from 479-1045 m, all productive.

17 belong to the *A. largus* Zone (see next note).

Following a study of Garimala No. 1, Wood (1989), reinterpreted the Ningbing No. 1 assemblages, assigning them to his informal units of the *A. largus* Zone. 1009 - 577.5 Unit B, 577.5 - 221 Unit C.

Crb3 well constrained.

Dev10 conodont at 1022 (Nicoll, BMR Prof. Opinion 1983/002)

A. largus at 1042 from SWC of drilling mud & lmst chips?

- 1 Playford, G., 1982, Palynological report on sidewall cores from Ningbing No. 1 Well, Bonaparte Gulf Basin, Western Australia. 5 pp (in WCR)
- 2 Wood, G.R., 1989, Palynological Report No. 1988/53, Garimala No. 1, Santos Ltd. 10 pp.
- 3 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLYSelection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, PickPelican Island 1 -14.771944 128.774167 Bonaparte Basin
PEDIN/File numbers: W6720005 72/868

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
4.50	QT601 H	277.00	Time Slice Permian 1	TIMESLICE P	H1	C	3	
48.80	S7100 H	277.00	M.tentula	PALAEO P	D3	E	2	
61.00	S7100 L	286.00	M.tentula	PALAEO P	D3	E	2	
105.00	QT601 L	286.00	Time Slice Permian 1	TIMESLICE P	H2	C	3	
105.00	QT705 H	308.50	Time Slice Carboniferous 5	TIMESLICE P	H2	C	3	
170.60	S7115 H	308.50	S.ybertii	PALAEO P	D2	E	1	
315.20	S7115 L	322.00	S.ybertii	PALAEO P	B2	E	1	
351.00	QT705 L	322.00	Time Slice Carboniferous 5	TIMESLICE P	H2	C	3	
351.00	QT704 H	322.00	Time Slice Carboniferous 4	TIMESLICE P	H2	C	3	
354.80	S7120 H	322.00	G.maculosa	PALAEO A	B2	E	1	
385.30	S7120 L	340.00	G.maculosa	PALAEO P	B3	E	1	
391.00	QT704 L	340.00	Time Slice Carboniferous 4	TIMESLICE P	H2	C	3	
391.00	QT703 H	340.00	Time Slice Carboniferous 3	TIMESLICE P	H2	C	3	
402.20	S7125 H	340.00	A.largus	PALAEO P	B3	E	1	
1748.60	S7125 L	352.00	A.largus	PALAEO P	B3	O	1	
1791.00	L3015 H		Evaporite(s)	FORMATION P	H2	C	3	
1791.00	QTX00 H	438.00	Time Slice Ordovician undif	TIMESLICE P	H2	C	3	
1791.00	QT703 L	350.00	Time Slice Carboniferous 3	TIMESLICE P	H2	C	3	
1981.00	L3015 L		Evaporite(s)	FORMATION P	H2	C	3	
1981.00	QTX00 L	505.00	Time Slice Ordovician undif	TIMESLICE P	H2	C	3	

Foster (1986) re-examined assemblages from swc material in the S. ybertii and G. maculosa zones.

In the original study, Helby assigned assemblages from 160 ft and 200 ft to Zone A, later referring to it as the Potonieisporites Assemblage. Based on Helby's record of Microbaculispora sp. from Zone A, Esso included them in their M. tentula zone; additional work is needed to confirm the Esso interpretation.

In Helby's original report palynofloras from 1320 ft to 5737 ft were assigned to Zone D, later referred to as the A. largus Assemblage. I concur with this, rather than the Esso interpretation of the G. spiculifera Assemblage.

Further work is needed to confirm Helby's data, but the occurrence of E. coronata, together with others, suggests A. largus only. C. Foster 1994 Cainozoic uncontrolled except in Curlew 1.

No control on rocks older than Crb3.

1791 to 1981 m is halite.

- 1 Helby, R. J., 1972, Appendix 1. Palynological Report WCR ARCO, Pelican Island No. 1, 13pp + 18pls.
- 2 Esso in-house interpretation of Helby's (1972) data- see remarks

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

2,3,4,5.
3 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLYSelection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, PickPenguin 1 -13.607778 128.468333 Bonaparte Basin
PEDIN/File numbers: W6720025 N/A

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
103.00	QT107	H	0.00 Time Slice Cainozoic 7	TIMESLICE	P	H1	C	4
378.00	QT104	L	29.20 Time Slice Cainozoic 4	TIMESLICE	P	H2	C	4
378.00	QT308	H	91.00 Time Slice Cretaceous 8	TIMESLICE	P	H2	C	4
684.89	M3210	M	101.75 P.ludbrookiae 1b	SNGL DEPTH	P	B4	O	1
759.56	M3215	M	106.50 C.denticulata 1c/2a	SNGL DEPTH	P	B4	O	2
762.00	QT305	L	114.00 Time Slice Cretaceous 5	TIMESLICE	P	H2	C	4
762.00	QT304	H	114.00 Time Slice Cretaceous 4	TIMESLICE	P	H2	C	4
786.38	M3235	M	114.00 D.davidii 2biii	SNGL DEPTH	P	B1	O	2
794.31	M3250	L	123.00 upper M.australis 2dii	MAX AGE	P	B2	O	2
794.31	M3245	H	118.50 A.cinctum 2di	MIN AGE	A	B2	O	2
795.00	QT303	L	125.00 Time Slice Cretaceous 3	TIMESLICE	P	H2	C	4
795.00	QT410	H	144.00 Time Slice Jurassic 10	TIMESLICE	P	H2	C	4
829.06	M4135	L	150.00 C.perforans 5D	MAX AGE	A	B2	O	2
1055.00	QT406	L	177.00 Time Slice Jurassic 6	TIMESLICE	P	H2	C	4
1055.00	QT405	H	177.00 Time Slice Jurassic 5	TIMESLICE	P	H2	C	4
1060.70	S4135	H	173.00 D.complex	MIN AGE	P	B4	O	2
1100.33	S4150	L	210.00 C.torosa	MAX AGE	P	B4	O	2
1100.33	S4145	H	179.00 I.turbatus	MIN AGE	A	B4	O	2
1131.00	QT401	L	213.00 Time Slice Jurassic 1	TIMESLICE	P	H2	C	4
1131.00	QT506	H	213.00 Time Slice Triassic 6	TIMESLICE	P	H2	C	4
1274.67	S5100	H	210.00 Falcisporites Superzone	MIN AGE	P	B5	O	3
1425.00	QT503	L	239.00 Time Slice Triassic 3	TIMESLICE	P	H2	C	4
1425.00	QT502	H	239.00 Time Slice Triassic 2	TIMESLICE	P	H2	C	4
1440.18	S5145	H	240.50 T.playfordii	PALAEO	P	B5	O	3
1563.62	S5145	L	244.50 T.playfordii	PALAEO	P	B2	O	3
1661.16	S5150	H	244.50 P.samoilovichii	PALAEO	P	B5	O	3
1828.80	S5150	L	247.00 P.samoilovichii	PALAEO	P	B5	O	1
2098.00	QT501	L	248.00 Time Slice Triassic 1	TIMESLICE	P	H2	C	4
2098.00	QT607	H	246.00 Time Slice Permian 7	TIMESLICE	P	H2	C	4
2534.00	QT605	L	261.00 Time Slice Permian 5	TIMESLICE	P	H2	C	4
2534.00	QT604	H	261.00 Time Slice Permian 4	TIMESLICE	P	H2	C	4
2760.00	QT602	L	277.00 Time Slice Permian 2	TIMESLICE	P	H2	C	4

This report is based on re-interpretation of the reports by Poumot in the Well Completion Report and the unpublished reports of Helby (1974a, b). Some Helby samples were re-examined for this review.

Poumot (in WCR) provided discussion of 24 SWC's and 1 ditch cutting sample. Distribution data concerning selected taxa were provided on Enclosure 5.

Helby provided data concerning 12 SWC samples. Distribution charts were provided, although for this report the original data sheets were reviewed and some of the slides were re-examined.

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Penguin 1

Poumot listed very limited assemblages between 1354-2038' which are interpreted, here, as ranging from Turonian to Mid Albian in age. The sample at 2247' is considered no older than the *P. ludbrookiae* Zone on the basis of the occurrence of the eponymous species. The sample at 2580' is assigned confidently to the *D. davidii* Zone on the basis of the occurrence of the eponymous species together with *D. cerviculum*, *M. tetracantha* and *P. turneri*. The sample at 2606' is confidently assigned to the interval *A. cinctum* Zone to upper *M. australis* Zone on the basis of the occurrence of the relative eponymous species and a diverse accessory suite. The sample at 2720' is definitely no older than the *C. perforans* Zone. Helby (1974a) recorded *O. montgomeryi* (in slide 1) indicating that it could be assigned to the *O. montgomeryi* Zone. Further specimens were not recorded. The sample at 3480' is assigned to the interval of the lower *D. complex* Zone to the upper *I. turbatus* Zone (7d/9a) on the basis of the relatively common occurrence of *I. turbatus*. The sample at 3610' is assigned to the interval lower *I. turbatus* Zone to *C. torosa* Zone on the basis of the abundant occurrence of *C. torosa* with *I. turbatus*. Helby recorded questionable *Aratrisporites* specimens at 4182', which may indicate penetration the *Falcisporites* Superzone. The samples between 4725-5130' are assigned confidently to the *T. playfordii* Zone on the basis of the occurrence of the eponymous species. Reviewed by Robin Helby, September 1994. Cainozoic uncontrolled except in Curlew 1. No control on Permian or older sequences.

- 1 Poumot C., 1972, IIB. Palynoplanktology, in WCR, 35-38.
- 2 HELBY, R. (1974a): A palynological study of the Petrel Formation. Unpubl. Rpt to ARCO.
- 3 HELBY, R. (1974b): A palynological study of the Cambridge Gulf Group. Unpubl. Rpt to ARCO.
- 4 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLYSelection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick-----
Petrel 1 -12.826389 128.474194 Bonaparte Basin
PEDIN/File numbers: W8690003 69/2001

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes---- Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
134.00	QT107	H	0.00 Time Slice Cainozoic 7	TIMESLICE	P	H1	C	9
415.00	QT104	L	29.20 Time Slice Cainozoic 4	TIMESLICE	P	H2	C	9
415.00	QT308	H	91.00 Time Slice Cretaceous 8	TIMESLICE	P	H2	C	9
700.43	M3210	H	99.50 P.ludbrookiaie 1b	PALAEO	P	B3	O	2
1280.16	M3210	L	104.00 P.ludbrookiaie 1b	PALAEO	P	B1	O	3
1295.00	QT305	L	114.00 Time Slice Cretaceous 5	TIMESLICE	P	H2	C	9
1295.00	QT304	H	114.00 Time Slice Cretaceous 4	TIMESLICE	P	H2	C	9
1304.54	M3235	M	114.00 D.davidii 2biii	SNGL DEPTH	P	D2	O	4
1314.30	M3252	H	119.50 M.australis 2dii/iii	PALAEO	P	D4	O	3
1316.74	M3255	L	126.00 lower M.australis 2diii	PALAEO	P	D5	O	5
1318.00	QT303	L	125.00 Time Slice Cretaceous 3	TIMESLICE	P	H2	C	9
1318.00	QT302	H	125.00 Time Slice Cretaceous 2	TIMESLICE	P	H2	C	9
1328.93	M3260	H	126.00 M.testudinaria 2div	MIN AGE	P	D2	O	4
1341.12	M3290	H	137.00 E.torynum 4ai/ii	MIN AGE	A	D5	O	4
1373.43	M3290	H	137.00 E.torynum 4ai/ii	MIN AGE	P	A4	O	3
1439.27	M3327	H	143.00 P.iehienne 4ci/ii	MIN AGE	P	B4	O	3
1585.27	M4100	H	144.50 D.jurassicum 5A/B	PALAEO	P	A2	O	3
1749.55	M4100	L	147.00 D.jurassicum 5A/B	PALAEO	P	D2	O	5
1767.84	M4120	M	147.75 O.montgomeryi 5CI-III	SNGL DEPTH	P	B2	O	3
1780.03	M4140	H	150.00 D.swanense 6A	PALAEO	P	D2	O	4
1825.75	M4140	L	154.50 D.swanense 6A	PALAEO	P	D4	O	4
1873.91	M4150	M	160.00 W.spectabilis 6CI/II	SNGL DEPTH	P	B4	O	3
1904.39	M4165	L	164.00 R.aemula 7AI	MAX AGE	P	B3	O	3
2028.44	S4120	L	167.00 M.florida	MAX AGE	P	B2	O	3
2057.00	QT406	L	177.00 Time Slice Jurassic 6	TIMESLICE	P	H2	C	9
2057.00	QT405	H	177.00 Time Slice Jurassic 5	TIMESLICE	P	H2	C	9
2125.07	S4135	L	179.00 D.complex	MAX AGE	P	B5	O	3
2229.00	QT401	L	213.00 Time Slice Jurassic 1	TIMESLICE	P	H2	C	9
2229.00	QT506	H	213.00 Time Slice Triassic 6	TIMESLICE	P	H2	C	9
2471.00	QT503	L	239.00 Time Slice Triassic 3	TIMESLICE	P	H2	C	9
2471.00	QT502	H	239.00 Time Slice Triassic 2	TIMESLICE	P	H2	C	9
2819.40	S5145	M	242.50 T.playfordii	SNGL DEPTH	P	B1	O	1
2887.68	S5156	H	244.50 K.saeptatus (WA)	MIN AGE	P	A2	O	6
2987.65	S5156	H	244.50 K.saeptatus (WA)	PALAEO	P	B3	O	1
3204.06	S5156	L	248.00 K.saeptatus (WA)	PALAEO	P	A3	O	1
3466.00	QT501	L	248.00 Time Slice Triassic 1	TIMESLICE	P	H2	C	9
3466.00	QT607	H	246.00 Time Slice Permian 7	TIMESLICE	P	H2	C	9
3980.00	QT605	L	261.00 Time Slice Permian 5	TIMESLICE	P	H2	C	9

The Triassic zonal data are reinterpreted from Kemp's (WCR) taxa lists.
Assignment to Dolby & Balme's (1976) T. playfordii Zone based on the record

of that species, and abundant *Aratrisporites* spp. Although *Aratrisporites* is recorded in the samples at 9802 ft and 10192 ft, they are not common. Moreover, *T. playfordii* is not present; using these criteria the assemblages are assigned to the *K. saeptatus* Zone. This review is based on re-interpretation of data provided in reports by Kemp (1969), Poumot (1969), Lister (1970), Helby (1974a, b) and Morgan (1991a, b). Some Helby samples were re-examined. Kemp (1969) reported data from 28 SWC and 6 samples from 3 conventional cores. Range charts were not provided although selected taxa from each sample were listed and discussed. Kemp's interpretations reflect the restricted zonal information available at that time and are generally of limited use. Poumot (1969) reported on examination of numerous ditch cuttings samples and samples from each of the conventional cores. Limited range data and some discussion were presented. Poumot's interpretations reflect the restricted zonal data available at that time and are generally of limited use. Helby (1974a) recorded range data from 20 SWC samples and 15 samples from 4 conventional cores between 3316-6972'. Some of these samples were re-examined during this review. Helby (1974b) recorded Triassic data from 10 samples. Helby's data were expressed in terms of the prototype version, subsequently developed and published as the Helby et al. (1987) zonation. Morgan (1991a, b) provided quantitative range data from 17 ditch cuttings samples between 4280-6320' and 27 ditch cuttings samples between 2228-3502m, respectively. McMinn (1986) studied numerous SWC and conventional core samples from the Wangarlu Formation. These data were not available at the time of completion of this review. Samples above 2930' are considered no older than early Albian on the basis of the occurrence of *Hoegisporis* spp., which HMP (1987 fig. 33) indicate as ranging from the mid *C. paradoxa* Zone. Samples between 2998-4200' are assigned confidently to the late Albian on the basis of the consistent occurrence *D. tuberculatum* and *P. ludbrookiae* in assemblages with prominent *Diconodinium*. Morgan (1991a) recorded a reasonable *D. davidii* association (2biii) in cuttings at 4280'. The lower part of the Darwin Formation is represented by mid to late Neocomian samples between 4312-4360' (samples from Helby, Lister and Morgan). Morgan recorded *P. mirabila* at 4400' suggesting by implication that the *F. cylindrica* Superzone had been intersected and that the base of the Darwin Fm would be above that depth. Petrel Group assemblages above 5000' are not well characterised. Environment of deposition is shallow marine with spores-pollen dominant. Samples are considered no older than *P. iehiense* Zone. A relatively continuous sequence from upper *D. jurassicum* (5ai) Zone to *D. swanense* (6a) Zone is reported between 5201-5890'. Samples at 6148' and 6177' are assigned to the *W. spectabilis* (6cii+) Zone on the basis of the occurrence of *S. crystallinum* with M.P. 618 (triangular). The sample at 6248' is considered no older than the *R. aemula* (7a) Zone on the basis of the occurrence of *R. aemula*, *w. digitata* and the apparent absence of *S. crystallinum*. Samples from 9474' are assigned to the *K. saeptatus* Zone on the basis of the prominent occurrence of the eponymous species and the apparent absence of *T.*

playfordii. Aratrisporites still present.

The occurrence of *M. florida* in the SWC at 6655' indicates that the sample is no older than *W. digitata* (7bi) equivalent. Samples from the lower Petrel Group are not well characterised or are barren.

See Petrel 1A for additional data - Petrel 1 was a gas blow out & Petrel 1A spudded 1893' away & drilled vertically to 6900' before deviating to - base of Petrel 1, & had final TD of 13418' i.e. all of Petrel 1A (Morgan) Data is in highly deviated hole

Reviewed by Robin Helby, November 1994.

Cainozoic uncontrolled except in Curlew 1.

Data by correlation to Petrel 1.

No control on Permian or older sequences .

Correlations to Penguin 1 and Flat Top 1.

- 1 Kemp, E.M., 1969, Palynology of Arco Petrel No. 1 Well. Appendix 1 (B) in WCR, 56-68.
- 2 Kemp E.M., 1969, Palynology of ARCO Petrel No. 1 Well, Appendix 1 in WCR.
- 3 Helby R., 1974a, A palynological study of the Petrel Formation. Unpubl. Rpt to ARCO Australia.
- 4 Morgan R., 1991a, New palynology on BMR cutts for Petrel-1. BMR C&CL R827.
- 5 Lister T.R., 1970, Palynology of ARCO Petrel No. 1 Well - Summary Report. Burmah Oil Palyn Rpt 1.
- 6 Helby R., 1974b, A palynological study of the Cambridge Gulf Group. Unpubl. Rpt to ARCO Australia.
- 7 Poumot C., 1969, Appendix 1A in CRP Laboratory studies, WCR.
- 8 McMinn A., Dinoflagellate palynostratigraphy of the Late Cretaceous or northwestern Australia. Unpubl. Ph.D. thesis Macquarie Univ.
- 9 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Petrel 1A -12.831111 128.472222 Bonaparte Basin
PEDIN/File numbers: W8700028 69/2001

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref	----codes----			
=====	=====	=====	=====	=====	==	==	==	==	==
2325.62	S5100 H	210.00	Falcisporites Superzone	MIN AGE	P	D5	O	1	
2374.39	S5125 H	225.00	upper S.speciosus (NWS)	MIN AGE	P	D2	O	1	
2779.78	S5146 H	242.00	lower T.playfordii	MIN AGE	P	D4	O	1	
3324.76	S5160 H	248.00	P.microcorpus	MIN AGE	P	D4	O	1	

Morgan (1991b) recorded the highest Triassic at 2326m - rare *F. australis*. He also recorded a good Carnian assemblage at 2374m.

Morgan (1991b) recorded abundant *A. tenuispinosus* in cuttings at 2780m, suggesting that the *T. playfordii* Zone had been intersected. *T. playfordii* was recorded in the SWC sample at 9250'.

The proportion of acritarchs in the assemblages increases markedly downhole from 2987m.

Falcisporites australis (10%), *P. microcorpus* and *A. bulliensis* (15%) in ditch cuttings at 3325m suggest that the *P. microcorpus* Zone has been intersected.

See Petrel 1 for additional data - Petrel 1 was a gas blow out & Petrel 1A spudded 1893' away & drilled vertically to 6900' before deviating to ~ base of Petrel 1, & had final TD of 13418' i.e. all of Petrel 1A (Morgan) data is in highly deviated hole.

Reviewed by Robin Helby, November 1994.

- 1 Morgan R., 1991b, New palynological data from Petrel-1A. BMR C&CL Rpt R860.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Petrel 2 -12.853889 128.513889 Bonaparte Basin
PEDIN/File numbers: W8710005 70/972

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
132.00	QT107 H	0.00	Time Slice Cainozoic 7	TIMESLICE P	H1	C	1	
414.00	QT104 L	29.20	Time Slice Cainozoic 4	TIMESLICE P	H2	C	1	
414.00	QT308 H	91.00	Time Slice Cretaceous 8	TIMESLICE P	H2	C	1	
1280.00	QT305 L	114.00	Time Slice Cretaceous 5	TIMESLICE P	H2	C	1	
1280.00	QT304 H	114.00	Time Slice Cretaceous 4	TIMESLICE P	H2	C	1	
1295.00	QT303 L	125.00	Time Slice Cretaceous 3	TIMESLICE P	H2	C	1	
1295.00	QT302 H	125.00	Time Slice Cretaceous 2	TIMESLICE P	H2	C	1	
1925.00	QT406 L	177.00	Time Slice Jurassic 6	TIMESLICE P	H2	C	1	
1925.00	QT405 H	177.00	Time Slice Jurassic 5	TIMESLICE P	H2	C	1	
2159.00	QT401 L	213.00	Time Slice Jurassic 1	TIMESLICE P	H2	C	1	
2159.00	QT506 H	213.00	Time Slice Triassic 6	TIMESLICE P	H2	C	1	
2465.00	QT503 L	239.00	Time Slice Triassic 3	TIMESLICE P	H2	C	1	
2465.00	QT502 H	239.00	Time Slice Triassic 2	TIMESLICE P	H2	C	1	
2787.00	S5145 H	240.50	T.playfordii	PALAEO P	B2	E		
2794.00	S5145 H	240.50	T.playfordii	PALAEO A	B1	E		
2794.00	S6135 L	265.00	P.sinuosus	PALAEO P	B4	E		
3402.00	QT501 L	248.00	Time Slice Triassic 1	TIMESLICE P	H2	C	1	
3402.00	QT607 H	246.00	Time Slice Permian 7	TIMESLICE P	H2	C	1	
4029.00	QT605 L	261.00	Time Slice Permian 5	TIMESLICE P	H2	C	1	
4029.00	QT604 H	261.00	Time Slice Permian 4	TIMESLICE P	H2	C	1	
4725.00	QT602 L	277.00	Time Slice Permian 2	TIMESLICE P	H2	C	1	

Cainozoic uncontrolled except in Curlew 1.
Data by correlation to Petrel 1.
No control on Permian or older sequences .
Correlations to Penguin 1 and Flat Top 1.

1 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth,Pick

Petrel 4 -12.888442 128.494753 Bonaparte Basin
PEDIN/File numbers: W8880007 87/1155

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==	==
120.00	QT107 H	0.00	Time Slice Cainozoic 7	TIMESLICE P		H1	C	1	
275.00	QT104 L	29.20	Time Slice Cainozoic 4	TIMESLICE P		H2	C	1	
275.00	QT308 H	91.00	Time Slice Cretaceous 8	TIMESLICE P		H2	C	1	
1258.00	QT305 L	114.00	Time Slice Cretaceous 5	TIMESLICE P		H2	C	1	
1258.00	QT304 H	114.00	Time Slice Cretaceous 4	TIMESLICE P		H2	C	1	
1280.00	QT303 L	125.00	Time Slice Cretaceous 3	TIMESLICE P		H2	C	1	
1280.00	QT302 H	125.00	Time Slice Cretaceous 2	TIMESLICE P		H2	C	1	
1925.00	QT406 L	177.00	Time Slice Jurassic 6	TIMESLICE P		H2	C	1	
1925.00	QT405 H	177.00	Time Slice Jurassic 5	TIMESLICE P		H2	C	1	
2168.00	QT401 L	213.00	Time Slice Jurassic 1	TIMESLICE P		H2	C	1	
2168.00	QT506 H	213.00	Time Slice Triassic 6	TIMESLICE P		H2	C	1	
2472.00	QT503 L	239.00	Time Slice Triassic 3	TIMESLICE P		H2	C	1	
2472.00	QT502 H	239.00	Time Slice Triassic 2	TIMESLICE P		H2	C	1	
3466.00	QT501 L	248.00	Time Slice Triassic 1	TIMESLICE P		H2	C	1	
3466.00	QT607 H	246.00	Time Slice Permian 7	TIMESLICE P		H2	C	1	
3975.00	QT605 L	261.00	Time Slice Permian 5	TIMESLICE P		H2	C	1	

Cainozoic uncontrolled except in Curlew 1.
Data by correlation to Petrel 1.
No control on Permian or older sequences .
Correlations to Penguin 1 and Flat Top 1.

1 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLYSelection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick
-----Sandpiper 1 -13.314722 127.976389 Bonaparte Basin
PEDIN/File numbers: W6710024 N/A

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==	==
98.00	QT107	H	0.00 Time Slice Cainozoic 7	TIMESLICE	P	H1	C	3	
143.00	QT105	L	11.90 Time Slice Cainozoic 5	TIMESLICE	P	H2	C	3	
143.00	QT307	H	99.00 Time Slice Cretaceous 7	TIMESLICE	P	H2	C	3	
249.94	M3210	H	99.50 P.ludbrookiae 1b	PALAEO	A	B5	O	1	
365.76	M3210	H	99.50 P.ludbrookiae 1b	PALAEO	P	B3	O	1	
457.20	M3210	L	104.00 P.ludbrookiae 1b	PALAEO	P	B1	O	2	
480.00	QT305	L	114.00 Time Slice Cretaceous 5	TIMESLICE	P	H2	C	3	
480.00	QT304	H	114.00 Time Slice Cretaceous 4	TIMESLICE	P	H2	C	3	
480.06	M3235	H	113.00 D.davidii 2biii	PALAEO	P	B1	O	2	
498.65	M3235	L	115.00 D.davidii 2biii	PALAEO	P	B5	O	2	
504.00	QT303	L	125.00 Time Slice Cretaceous 3	TIMESLICE	P	H2	C	3	
504.00	QT302	H	125.00 Time Slice Cretaceous 2	TIMESLICE	P	H2	C	3	
509.63	M3327	H	143.00 P.iehienne 4ci/ii	MIN AGE	P	B4	O	2	
512.06	M4100	H	144.50 D.jurassicum 5A/B	PALAEO	P	B2	O	2	
627.89	M4100	L	147.00 D.jurassicum 5A/B	PALAEO	P	B2	O	2	
658.37	M4120	H	147.00 O.montgomeryi 5CI-III	MIN AGE	P	B2	O	2	
685.80	M4135	H	148.50 C.perforans 5D	PALAEO	P	B1	O	2	
727.25	M4135	L	150.00 C.perforans 5D	PALAEO	P	B4	O	2	
762.00	M4150	M	160.00 W.spectabilis 6CI/II	SNGL DEPTH	P	B1	O	2	
785.00	QT406	L	177.00 Time Slice Jurassic 6	TIMESLICE	P	H2	C	3	
785.00	QT405	H	177.00 Time Slice Jurassic 5	TIMESLICE	P	H2	C	3	
912.57	S4145	L	193.50 I.turbatus	MAX AGE	P	B4	O	2	
914.00	QT401	L	213.00 Time Slice Jurassic 1	TIMESLICE	P	H2	C	3	
914.00	QT500	H	213.00 Time Slice Triassic undiff.	TIMESLICE	P	H2	C	3	
944.00	QT500	L	248.00 Time Slice Triassic undiff.	TIMESLICE	P	H2	C	3	
944.00	QT700	H	286.00 Time Slice Carboniferous undiff.	TIMESLICE	P	H2	C	3	
1753.00	L3015	H	Evaporite(s)	FORMATION	P	H2	C	3	
1753.00	QT700	L	360.00 Time Slice Carboniferous undiff.	TIMESLICE	P	H2	C	3	
1753.00	QTX00	H	438.00 Time Slice Ordovician undiff.	TIMESLICE	P	H2	C	3	
1892.00	L3015	L	Evaporite(s)	FORMATION	P	H2	C	3	
1892.00	QTX00	L	505.00 Time Slice Ordovician undiff.	TIMESLICE	P	H2	C	3	

This review is based on reinterpretation of data provided in reports by Poumot (1971) and Helby (1974a).
Poumot recorded data from 15 SWC samples between 820-2994'. A range chart illustrating non-quantitative ranges of selected taxa and limited discussion were provided.
Helby (1974a) recorded data from 21 SWC samples. A non-quantitative range chart was provided. The sequence was interpreted in terms of a prototype version of the HMP zonation.
Selected samples from the Helby collection have been re-examined during this

review.

The preferred Albian top is placed at the occurrence of *Dinopterygium tuberculatum*. It is not possible to determine which *Diconodinium* species Poumot included within *D. multispinum*.

Helby recorded the *D. davidii* Zone (high confidence pick) at 1575'.

Diconodinium spp. were recorded in the sample at 1636' but these are interpreted as contamination. No zone assignment.

The occurrence of *Rhynch. serrata* at 1672' suggests that the sample is no younger than the *P. iehiense* Zone (4cii+).

The prominent occurrence of *Nummus similis* at 1680' indicates that the upper *D. jurassicum* Zone (5a) had been intersected.

The lower *D. jurassicum* Zone (5b), the *Omatia montgomeryi* Zone (5c) and the *C. perforans* Zone (5d) are identified confidently between 2060-2386'.

The *W. spectabilis* Zone is confidently identified at 2500', on the basis of the occurrence of *S. crystallinum* and *W. indotata*.

The sample at 2994' is considered no older than the lower *I. turbatus* Zone on the basis of relatively prominent occurrence of the nominate species with abundant *Dictyophyllidites* spp.

Poumot recorded Carboniferous to Devonian assemblages at deeper levels in Sandpiper-1.

Reviewed by Robin Helby November 1994.

Cainozoic uncontrolled except in Curlew 1.

No control on pre-Jurassic sequence.

Halite from 1753 to 1892 m.

1 Poumot C., 1971, in WCR.

2 Helby R., 1974a. A palynological study of the Petrel Formation. Unpubl. Rpt to ARCO Australia.

3 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Skull 1 -15.285053 128.954686 Bonaparte Basin
PEDIN/File numbers: W6840081 OS 206

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes---- Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
3.50	QT601 H	277.00	Time Slice Permian 1	TIMESLICE	P	H1	C	2
225.00	QT601 L	286.00	Time Slice Permian 1	TIMESLICE	P	H2	C	2
225.00	QT706 H	286.00	Time Slice Carboniferous 6	TIMESLICE	P	H2	C	2
350.00	QT705 L	322.00	Time Slice Carboniferous 5	TIMESLICE	P	H2	C	2
350.00	QT703 H	340.00	Time Slice Carboniferous 3	TIMESLICE	P	H2	C	2
408.00	S7125 H	340.00	A.largus	PALAEO	P	B4	O	1
1721.00	S7125 L	352.00	A.largus	PALAEO	P	B3	O	1
1765.00	S7130 H	340.00	G.frustulentus Microflora	PALAEO	P	B4	O	1
1782.00	S7130 L	360.00	G.frustulentus Microflora	PALAEO	P	B4	O	1
2001.00	QT703 L	350.00	Time Slice Carboniferous 3	TIMESLICE	P	H2	C	2

Assemblages from 1782 -1765 m carbonized and poorly preserved, tetrads of
eponymous species allows this zonal identification. Data from Playford (1984)
- see references
Crb1 to Crb3 well constrained.

- 1 Playford, G., 1984, Palynological report on sidewall cores from Skull
No.1 well, Bonaparte Gulf Basin, Western Australia. 7pp. 1 table.
- 2 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLYSelection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, PickTern 1 -13.220833 128.064722 Bonaparte Basin
PEDIN/File numbers: W6710022 N/A

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
104.00	QT107 H	0.00	Time Slice Cainozoic 7	TIMESLICE P		H1	C	6
277.00	QT104 L	29.20	Time Slice Cainozoic 4	TIMESLICE P		H2	C	6
277.00	QT308 H	91.00	Time Slice Cretaceous 8	TIMESLICE P		H2	C	6
402.34	M3200 H	92.00	D.multispinum laii	MIN AGE	P	B5	O	1
466.95	M3205 H	97.50	X.asperatus laiii	MIN AGE	P	B5	O	1
1002.18	M3215 L	109.00	C.denticulata 1c/2a	MAX AGE	P	B5	O	1
1088.00	QT305 L	114.00	Time Slice Cretaceous 5	TIMESLICE P		H2	C	6
1088.00	QT304 H	114.00	Time Slice Cretaceous 4	TIMESLICE P		H2	C	6
1103.00	QT303 L	125.00	Time Slice Cretaceous 3	TIMESLICE P		H2	C	6
1103.00	QT302 H	125.00	Time Slice Cretaceous 2	TIMESLICE P		H2	C	6
1132.94	M3290 H	137.00	E.torynum 4ai/ii	MIN AGE	P	B3	O	2
1219.51	M4100 H	144.50	D.jurassicum 5A/B	PALAEO	P	A2	O	2
1244.19	M4100 L	147.00	D.jurassicum 5A/B	PALAEO	P	B2	O	2
1267.97	M4100 L	147.00	D.jurassicum 5A/B	PALAEO	A	D4	O	3
1292.35	M4120 H	147.00	O.montgomeryi 5CI-III	PALAEO	P	D2	O	2
1297.84	M4120 L	148.50	O.montgomeryi 5CI-III	PALAEO	P	D2	O	3
1310.95	M4140 L	154.50	D.swanense 6A	MAX AGE	P	D4	O	3
1310.95	M4120 L	148.50	O.montgomeryi 5CI-III	PALAEO	A	D2	O	3
1320.09	M4135 H	148.50	C.perforans 5D	MIN AGE	P	D4	O	3
1327.10	M4140 H	150.00	D.swanense 6A	PALAEO	P	B2	O	2
1341.12	M4140 L	154.50	D.swanense 6A	PALAEO	P	D2	O	2
1432.56	M4150 H	158.00	W.spectabilis 6CI/II	MIN AGE	P	B4	O	2
1528.27	M4175 M	166.50	lower W.digitata 7BI	SNGL DEPTH		B1	O	2
1620.00	QT406 L	177.00	Time Slice Jurassic 6	TIMESLICE P		H2	C	6
1620.00	QT405 H	177.00	Time Slice Jurassic 5	TIMESLICE P		H2	C	6
1668.17	S4145 H	179.00	I.turbatus	MIN AGE	P	B4	O	2
1735.00	QT401 L	213.00	Time Slice Jurassic 1	TIMESLICE P		H2	C	6
1735.00	QT502 H	239.00	Time Slice Triassic 2	TIMESLICE P		H2	C	6
1762.35	S5145 H	240.50	T.playfordii	PALAEO	P	B4	O	4
1981.81	S5145 L	244.50	T.playfordii	PALAEO	P	D2	O	4
2021.00	S5145 L	244.50	T.playfordii	PALAEO	A	D4	O	5
2036.00	S5156 H	244.50	K.saeptatus (WA)	PALAEO	P	D4	O	5
2341.00	S5156 L	248.00	K.saeptatus (WA)	PALAEO	A	D4	O	5
2481.07	S5156 L	248.00	K.saeptatus (WA)	PALAEO	P	D5	O	1
2521.00	QT501 L	248.00	Time Slice Triassic 1	TIMESLICE P		H2	C	6
2521.00	QT607 H	246.00	Time Slice Permian 7	TIMESLICE P		H2	C	6
2993.00	QT605 L	261.00	Time Slice Permian 5	TIMESLICE P		H2	C	6
2993.00	QT604 H	261.00	Time Slice Permian 4	TIMESLICE P		H2	C	6
4057.00	QT602 L	277.00	Time Slice Permian 2	TIMESLICE P		H3	C	6
4057.00	QT706 H	286.00	Time Slice Carboniferous 6	TIMESLICE P		H3	C	6
4352.00	QT706 L	308.50	Time Slice Carboniferous 6	TIMESLICE P		H3	C	6

This review is based on reports by C. Poumot (1971), R. Helby (1974a, b) and R. Morgan (1991a, b). Selected Helby samples have been re-examined. The Poumot report is included as part of Appendix 1 in the well completion report. Poumot presented data from 36 samples, including 23 SWC, 3 conventional core and 10 ditch cuttings samples.

Poumot presented range data for the samples but were coded and thus the data are of limited use. The preparations were generally very poor and the assemblage lists are consequently limited.

Helby (1974a, b) examined 18 samples, including 13 SWC, 2 conventional core samples (CC2) and 3 ditch cuttings samples. The SWC samples were reprocessed from residues provided by Aquitaine.

The Helby data were presented as non-quantitative range charts. These data were interpreted in terms of a prototype version of the Helby et al. (1987) zonation.

The Morgan reports (1991a, b) deal with 11 and 16 ditch cuttings samples, respectively. The data are presented as quantitative range charts and are interpreted in terms of the HMP zonation.

Poumot's data are difficult to interpret. However, the occurrence of *Hoegisporis* between 1532-3288' suggests that the samples are no older than upper C. *denticulata* (1c-) Zone equivalent.

The boundary of the Darwin Fm and the Petrel Group is not well defined by the palynology. The sample at 3688' is equivocal (3c/4a).

The occurrence of *Eg. torynum* and *Fr. cylindrica* at 3717' indicate that the Petrel Group has been intersected - high confidence pick.

The *D. jurassicum* (5a/b), *O. montgomeryi* (5c), *C. perforans* (5d) and possibly the *D. swanense* (6a) Zones are represented in the interval 4001-4331'.

The sample at 4353 is no younger than the W. *clathrata* Zone (6b). The listed assemblage suggests some contamination.

The sample at 5014' contains a relatively diverse and particularly distinct dinocyst suite, providing a high confidence assignment.

The sample at 5473' is considered no younger than the lower C. *turbatus* Zone (9B) on the basis of the occurrence of *C. turbatus* in roughly equal proportions with *Araucariacites fissus* (s.l.).

The sample at 5782' is correlated with the lower part of the T. *playfordii* Zone on the basis of the prominent occurrence of *Aratrisporites* spp., *Densoisporites* spp. and *Lundbladisporea* spp.

Morgan (1991b) reported *Samaropollenites speciosus* at 2006m, suggesting that Mid to Late Triassic zones were represented at higher levels.

Reviewed by Robin Helby, August 1994

Cainozoic uncontrolled except in Curlew 1.

No control on Permian or older sequences.

Correlations to Penguin 1 and Flat Top 1.

- 1 Poumot C., 1971, in WCR Appendix 1, Lithostratigraphic and Palaeontological Reports, 44-46.
- 2 Helby R., 1974a. A palynological study of the Petrel Formation. Unpubl. Rpt to ARCO Australia.
- 3 Morgan R., 1991a. New palynology on BMR cutts for Tern-1. Unpubl. Rpt.
- 4 Helby R., 1974b. A palynological study of the Cambridge Gulf Group. Unpubl. Rpt. to ARCO Australia.
- 5 Morgan R., 1991b. New palynology data from Tern-1. Unpubl. Rpt.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Tern 1

6 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth,Pick

Tern 2 -13.278603 128.132789 Bonaparte Basin
PEDIN/File numbers: W6810007 81/1245

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
93.00	QT107 H	0.00	Time Slice Cainozoic 7	TIMESLICE P		H1	C	1
319.00	QT104 L	29.20	Time Slice Cainozoic 4	TIMESLICE P		H2	C	1
319.00	QT308 H	91.00	Time Slice Cretaceous 8	TIMESLICE P		H2	C	1
1067.00	QT305 L	114.00	Time Slice Cretaceous 5	TIMESLICE P		H2	C	1
1067.00	QT304 H	114.00	Time Slice Cretaceous 4	TIMESLICE P		H2	C	1
1078.00	QT303 L	125.00	Time Slice Cretaceous 3	TIMESLICE P		H2	C	1
1078.00	QT302 H	125.00	Time Slice Cretaceous 2	TIMESLICE P		H2	C	1
1557.00	QT406 L	177.00	Time Slice Jurassic 6	TIMESLICE P		H2	C	1
1557.00	QT405 H	177.00	Time Slice Jurassic 5	TIMESLICE P		H2	C	1
1638.00	QT401 L	213.00	Time Slice Jurassic 1	TIMESLICE P		H2	C	1
1638.00	QT506 H	213.00	Time Slice Triassic 6	TIMESLICE P		H2	C	1
1752.00	QT503 L	239.00	Time Slice Triassic 3	TIMESLICE P		H2	C	1
1752.00	QT502 H	239.00	Time Slice Triassic 2	TIMESLICE P		H2	C	1
2546.00	QT501 L	248.00	Time Slice Triassic 1	TIMESLICE P		H2	C	1
2546.00	QT607 H	246.00	Time Slice Permian 7	TIMESLICE P		H2	C	1
2621.00	QT605 L	261.00	Time Slice Permian 5	TIMESLICE P		H2	C	1
2621.00	QT604 H	261.00	Time Slice Permian 4	TIMESLICE P		H2	C	1
3140.00	QT602 L	277.00	Time Slice Permian 2	TIMESLICE P		H2	C	1

Cainozoic uncontrolled except in Curlew 1.
No control on Permian or older sequences .
Correlations to Penguin 1, Flat Top 1 and Tern 1.

1 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Tern 3 -13.3356 128.104117 Bonaparte Basin
PEDIN/File numbers: W6820009 82/1271

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----- Conf	Sec	Ref
93.00	QT107	H 0.00	Time Slice Cainozoic 7	TIMESLICE P		H1	C	1
270.00	QT104	L 29.20	Time Slice Cainozoic 4	TIMESLICE P		H2	C	1
270.00	QT308	H 91.00	Time Slice Cretaceous 8	TIMESLICE P		H2	C	1
958.00	QT305	L 114.00	Time Slice Cretaceous 5	TIMESLICE P		H2	C	1
958.00	QT304	H 114.00	Time Slice Cretaceous 4	TIMESLICE P		H2	C	1
968.00	QT303	L 125.00	Time Slice Cretaceous 3	TIMESLICE P		H2	C	1
968.00	QT302	H 125.00	Time Slice Cretaceous 2	TIMESLICE P		H2	C	1
1393.00	QT406	L 177.00	Time Slice Jurassic 6	TIMESLICE P		H2	C	1
1393.00	QT405	H 177.00	Time Slice Jurassic 5	TIMESLICE P		H2	C	1
1468.00	QT401	L 213.00	Time Slice Jurassic 1	TIMESLICE P		H2	C	1
1468.00	QT506	H 213.00	Time Slice Triassic 6	TIMESLICE P		H2	C	1
1645.00	QT503	L 239.00	Time Slice Triassic 3	TIMESLICE P		H2	C	1
1645.00	QT502	H 239.00	Time Slice Triassic 2	TIMESLICE P		H2	C	1
2448.00	QT501	L 248.00	Time Slice Triassic 1	TIMESLICE P		H2	C	1
2448.00	QT607	H 246.00	Time Slice Permian 7	TIMESLICE P		H2	C	1
2683.00	QT606	L 255.00	Time Slice Permian 6	TIMESLICE P		H2	C	1

Cainozoic uncontrolled except in Curlew 1.
No control on Permian or older sequences .
Correlations to Penguin 1, Flat Top 1 and Tern 1.

1 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Turtle 1 -14.476608 128.944842 Bonaparte Basin
PEDIN/File numbers: W6840001 83/1309

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
313.70	S6400 H	249.50	upper Stage 5	PALAEO	P	B2	O	1
583.50	S6400 L	255.00	upper Stage 5	PALAEO	A	B3	O	1
610.00	S6400 L	255.00	upper Stage 5	PALAEO	P	B4	O	1
644.20	S6245 H	268.00	Stage 3b	PALAEO	P	B3	O	1
877.00	S6245 L	274.00	Stage 3b	PALAEO	A	B3	O	1
910.70	S6245 L	274.00	Stage 3b	PALAEO	P	B3	O	1
935.00	S6250 H	274.00	Stage 3a	PALAEO	P	B3	O	1
942.00	S6250 H	274.00	Stage 3a	PALAEO	A	B3	O	1
1212.00	S6250 L	277.00	Stage 3a	PALAEO	P	B3	O	1
1333.60	S6402 H	277.00	G.confluens	PALAEO	P	A3	O	1
1608.00	S6402 L	286.00	G.confluens	PALAEO	P	B3	O	1
1653.10	S7110 H	286.00	D.birkheadensis	PALAEO	P	A3	O	1
1892.00	S7110 L	308.50	D.birkheadensis	PALAEO	P	B2	O	1
2230.50	S7115 H	308.50	S.ybertii	PALAEO	P	B2	O	1
2250.50	S7115 L	322.00	S.ybertii	PALAEO	P	B3	O	1
2342.00	S7120 H	322.00	G.maculosa	PALAEO	P	B3	O	1
2387.00	S7120 L	340.00	G.maculosa	PALAEO	P	B3	O	1
2479.24	S7125 H	340.00	A.largus	PALAEO	P	A3	O	1
2672.00	S7125 L	352.00	A.largus	PALAEO	P	B3	O	1

73 samples from 67 swc and 6 cores, from 313.7 to 2695 m examined for palynomorphs. 13 samples barren
The G. confluens Zone, subsequently of Foster & Waterhouse (1988), was first used in this well.
The D. birkheadensis Zone is that of Powis (1983, and unpublished MS)
Spinose acritarchs as indicators of salinity, occur at the following levels:
313.7, 332.5, 345, 567, 610, 628.5, 644.2, 735-935, 2230.5-2250.5, 2479.4 m

- 1 Foster, C.B., 1984, Appendix 5, Palynological Report, WMC Turtle No. 1, W A 128P, Bonaparte Basin (in Well Completion Report)- upgraded in 1986. See Foster (1986).

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLYSelection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, PickTurtle 2 -14.505892 128.945819 Bonaparte Basin
PEDIN/File numbers: W6890006 88/818

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes----- Conf	Sec	Ref
=====	=====	=====	=====	=====	==	==	==	==
58.00	QT107	H	0.00 Time Slice Cainozoic 7	TIMESLICE	P	H1	C	2
264.00	QT105	L	11.90 Time Slice Cainozoic 5	TIMESLICE	P	H2	C	2
264.00	QT607	H	246.00 Time Slice Permian 7	TIMESLICE	P	H2	C	2
592.00	QT605	L	261.00 Time Slice Permian 5	TIMESLICE	P	H2	C	2
592.00	QT604	H	261.00 Time Slice Permian 4	TIMESLICE	P	H2	C	2
912.00	S6245	H	268.00 Stage 3b	PALAEO	P	B3	O	1
927.60	S6245	L	274.00 Stage 3b	PALAEO	P	A1	O	1
932.74	S6250	H	274.00 Stage 3a	PALAEO	P	A3	O	1
936.50	S6250	L	277.00 Stage 3a	PALAEO	P	A3	O	1
1250.00	QT602	L	277.00 Time Slice Permian 2	TIMESLICE	P	H2	C	2
1250.00	QT601	H	277.00 Time Slice Permian 1	TIMESLICE	P	H2	C	2
1255.00	S6402	H	277.00 G.confluens	PALAEO	P	B3	O	1
1652.00	S6402	L	286.00 G.confluens	PALAEO	P	B5	O	1
1715.00	QT601	L	286.00 Time Slice Permian 1	TIMESLICE	P	H2	C	2
1715.00	QT706	H	286.00 Time Slice Carboniferous 6	TIMESLICE	P	H2	C	2
1719.00	S7110	H	286.00 D.birkheadensis	PALAEO	P	B3	O	1
1918.50	S7110	L	308.50 D.birkheadensis	PALAEO	P	B3	O	1
2227.00	S7110	L	308.50 D.birkheadensis	PALAEO	A	B4	O	1
2287.00	S7115	H	308.50 S.ybertii	PALAEO	A	B5	O	1
2292.00	S7115	H	308.50 S.ybertii	PALAEO	P	B3	O	1
2312.00	S7115	L	322.00 S.ybertii	PALAEO	P	B1	O	1
2351.00	QT705	L	322.00 Time Slice Carboniferous 5	TIMESLICE	P	H2	C	2
2351.00	QT704	H	322.00 Time Slice Carboniferous 4	TIMESLICE	P	H2	C	2
2381.50	S7120	H	322.00 G.maculosa	PALAEO	P	B3	O	1
2433.00	S7120	L	340.00 G.maculosa	PALAEO	P	B4	O	1
2452.00	QT704	L	340.00 Time Slice Carboniferous 4	TIMESLICE	P	H2	C	2
2452.00	QT703	H	340.00 Time Slice Carboniferous 3	TIMESLICE	P	H2	C	2
2523.00	S7130	H	340.00 G.frustulentus Microflora	PALAEO	P	B6	O	1
2586.00	S7130	L	360.00 G.frustulentus Microflora	PALAEO	P	B6	O	1
2657.00	S7125	H	340.00 A.largus	PALAEO	P	B3	O	1
2728.00	S7125	L	352.00 A.largus	PALAEO	P	B3	O	1
2760.00	QT703	L	350.00 Time Slice Carboniferous 3	TIMESLICE	P	H2	C	2

51 samples from cores and swc, from 912 to 2741m inclusive examined. 16 samples barren, deepest productive at 2728 m.
Two swc samples from 2523 and 2586 m are very tentatively assigned to this zone. Sample reliability is low with evidence of fracture and contamination.
Cainozoic uncontrolled except in Curlew 1.
Control mostly by correlation to Turtle 1

1 Foster, C.B., 1989, Palynological report - WMC Turtle #2, WA 128P,

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Bonaparte Basin. 14pp.
2 McConachie, B., et al (1995) AGSO Record No. 1995/7.

18-May-95

S T R A T D A T Database

COPYRIGHT AGSO
INTERNAL USE ONLY

Selection: latit between -16 and -11.5 and longit between 127 and 130.5
Ordering : WELL Depth, Pick

Weaber 2A -15.347639 129.108222 Bonaparte Basin
PEDIN/File numbers: W8880016 OS 328

Depth (m)	Datum	Harland Age MA	Zone or Formation	Pick type	Pref /Alt	----codes---- Conf	Sec	Ref
5.70	QT601 H	277.00	Time Slice Permian 1	TIMESLICE P	H1	C	2	
277.00	QT601 L	286.00	Time Slice Permian 1	TIMESLICE P	H2	C	2	
277.00	QT703 H	340.00	Time Slice Carboniferous 3	TIMESLICE P	H2	C	2	
554.00	S7125 H	340.00	A.largus	PALAEO P	B2	O	1	
1221.00	S7125 L	352.00	A.largus	PALAEO P	B3	O	1	
1300.00	S7125 L	352.00	A.largus	PALAEO A	B3	O	1	
1373.00	QT702 L	352.00	Time Slice Carboniferous 2	TIMESLICE P	H2	C	2	
1373.00	QT701 H	352.00	Time Slice Carboniferous 1	TIMESLICE P	H2	C	2	
1440.00	S7130 M	350.00	G.frustulentus Microflora	SNGL DEPTH	B4	O	1	
1657.00	QT701 L	360.00	Time Slice Carboniferous 1	TIMESLICE P	H2	C	2	

Ten swc examined by Wood. 1375 m and 1623 m (deepest sample) BARREN.
As in Garimala 1, Wood applies a four fold division of A. largus. In this well: 554-1017 m Unit C, ?1221-1017 m Unit B.
Sample at 1440 (swc 10) vey low yeild, very low diversity with G. frustulentus, assigned to this broad Microflora- no further subdivision possible.
Cainozoic uncontrolled except in Curlew 1.
Crb1 to Crb3 well constrained.

- 1 Wood, G.R., 1988, Palynological Report No. 1988/43, Weaber No. 2A, Santos Ltd, 9 pp.
- 2 McConachie, B., et al (1995) AGSO Record No. 1995/7.

APPENDIX: 4

**ORGCHEM AND RESFACS DATABASE BY
TIMESLICE**

Cz1-7

top	GCHEM				POROS				
(m)	Tmax	HI	TOC	Refl	Spot	Aver	Min	Max	Spot

Barnett 3	Mean				17.85				
Gull 1	Mean		0.3						
Penguin 1	Mean					22	18	27	
Petrel 2	Mean		0.2						

K5-K11

top	GCHEM				POROS				
(m)	Tmax	HI	TOC	Refl	Spot	Aver	Min	Max	Spot

Curlew 1	Mean	419	45	0.5	0.6				
Flat Top 1	Mean	434	80	0.5	0.4				
Gull 1	Mean	429	36	1.5	0.4	23.5			
Penguin 1	Mean			1	0.3				
Petrel 1	Mean					19.07			
Petrel 2	Mean	420	34	0.7	0.5				
Petrel 4	Mean								
Tern 1	Mean					8.5			0.1
Tern 2	Mean			0.1					

K3-K4

top	GCHEM				POROS				
(m)	Tmax	HI	TOC	Refl	Spot	Aver	Min	Max	Spot

Bougainville 1	Mean	422	71	0.8	0.3				
Curlew 1	Mean	436	99	1.2					
Flat Top 1	Mean	428	72	8.1	0.4			20	30
Gull 1	Mean	429	67	2.2					
Penguin 1	Mean	429	25	0.8	0.3				
Petrel 1	Mean						9	27	
Petrel 2	Mean	424	32	0.7	0.5				
Petrel 4	Mean								
Sandpiper 1	Mean							15	30
Tern 1	Mean					20			

J6-K2

top		GCHEM				POROS			
(m)	Tmax	HI	TOC	Refl	Spot	Aver	Min	Max	Spot
Barnett 1	Mean								
Barnett 3	Mean				14.36				
Curlew 1	Mean	439	56	0.8	0.7				
Flat Top 1	Mean	429	88	7.4	0.3		22.5	30	
Frigate 1	Mean				22.97				
Gull 1	Mean	431	120	1	0.6	11.1			44.2
Kulshill 2	Mean				0.5				
Penguin 1	Mean	427	29	0.6	0.3	29.5	17.5	35.5	
Petrel 1	Mean			1.5		16.75	9.5	25.5	208.7
Petrel 2	Mean	422	45	1.2	0.5				
Petrel 4	Mean								
Sandpiper 1	Mean						15	30	
Tern 1	Mean	426	104	1.3	0.4	13.1	20		8

J1-J5

top		GCHEM				POROS			
(m)	Tmax	HI	TOC	Refl	Spot	Aver	Min	Max	Spot
Barnett 3	Mean				24.16				
Bougainville 1	Mean	412	57	1	0.4				
Flat Top 1	Mean	434	181	12.9	0.4		25	30	450
Frigate 1	Mean				22.4				
Gull 1	Mean	438	52	1.3	0.7	8.86			21.7
Kulshill 2	Mean				0.4				
Penguin 1	Mean	421	524	6.7	0.4	29.5	17.5	35.5	
Petrel 1	Mean					6.5	22		
Petrel 2	Mean	425	65	1.7	0.6				
Petrel 4	Mean								
Tern 1	Mean	433	62	2.2	0.5	20			

Tr3-6

top	GCHEM				POROS				
(m)	Tmax	HI	TOC	Refl	Spot	Aver	Min	Max	Spot

Barnett 3	Mean				14.63				
Bougainville 1	Mean	369	56	0.3	0.3				
Curlew 1	Mean	434	46	0.6					
Flat Top 1	Mean	296	25	0.3	0.5		24.5	29	
Gull 1	Mean			0.1	0.8	5.66			0.3
Kulshill 2	Mean				0.4				
Penguin 1	Mean	424	321	4.7	0.4	26.83	16.83	35.17	
Petrel 1	Mean			0.8	5.18	4.67	17		0.1
Petrel 2	Mean	405	61	0.6	0.6	18.08			671.4
Petrel 4	Mean								
Tern 1	Mean						20		

Tr1-2

top	GCHEM				POROS				
(m)	Tmax	HI	TOC	Refl	Spot	Aver	Min	Max	Spot

Barnett 3	Mean				17.17				
Bougainville 1	Mean	427	107	0.5	0.4				
Curlew 1	Mean	433	24	0.5					
Flat Top 1	Mean	364	29	0.2	0.5		24	28	
Kinmore 1	Mean	433	62	0.2	0.4		31		
Kulshill 2	Mean								
Lacrosse 1	Mean				0.3				
Lesueur 1	Mean								0.1
Penguin 1	Mean	429	138	0.6	0.5	18.5	11	27	
Petrel 1	Mean			0.3	4.98	6.5	15.5		1.7
Petrel 2	Mean	435	80	0.4	0.8	14.18			131.8
Petrel 4	Mean								0.4
Tern 1	Mean	430	43	0.4	0.6		20		
Tern 2	Mean		78	0.4	0.6				
Tern 3	Mean	437	126	0.5					

P5-7

top	GCHEM				POROS				
(m)	Tmax	HI	TOC	Refl	Spot	Aver	Min	Max	Spot

Barnett 3	Mean				20.82				
Bougainville 1	Mean	424	40	2	0.5				
Cambridge 1	Mean	431	50	1.9	0.5				
Curlew 1	Mean	409	22	0.6					
Flat Top 1	Mean	432	39	0.6	0.7		23	29	
Kinmore 1	Mean	414	27	1.4	0.4	26.5			
Kulshill 2	Mean								
Lacrosse 1	Mean				0.4				
Lesueur 1	Mean								
Penguin 1	Mean	432	27	1.6		13.22	6.67	22.89	
Petrel 1	Mean			0.5		10.1			0.3
Petrel 2	Mean	439	48	0.9	1	5.25			1.1
Petrel 4	Mean					10.85	19.7		63.1
Tern 1	Mean	440	47	0.7	1.1		12		
Tern 2	Mean			0.7		18.79			8.1
Tern 3	Mean	423	45	0.4		15.93	14.61		14.4
Turtle 1	Mean								
Turtle 2	Mean								

P2-4

top	GCHEM				POROS				
(m)	Tmax	HI	TOC	Refl	Spot	Aver	Min	Max	Spot

Barnett 1	Mean	429	199	1.5	0.4	26.02		25	27.5	839.8
Barnett 2	Mean	432	41	2.9	0.3					
Barnett 3	Mean					18.83				
Berkley 1	Mean	432	104	1.3						
Bougainville 1	Mean	419	65	1.1	0.5					
Cambridge 1	Mean	404	129	1.4	0.5			22	28.5	
Flat Top 1	Mean	434	125	12.6	0.7		15	22	30	160

Kinmore 1	Mean	435	64	6.4	0.5		20.5		
Kulshill 1	Mean	352	20	3.1	0.5	29.39			601.8
Kulshill 2	Mean								
Lacrosse 1	Mean				0.6				
Lesueur 1	Mean								
Matilda 1	Mean	433	68	1.5			29.5	33	
Penguin 1	Mean	433	35	1.1		18.58	20.22	12.11	29.56
Petrel 2	Mean	435	35	1.4	1	7.74			
Tern 1	Mean	445	37	1.3	1.5	8.64	6.67		
Tern 2	Mean	447	26	1.6	0.8	16.53			
Turtle 1	Mean					25.87			914.9
Turtle 2	Mean				0.4	27.07			847.9

P1

top	GCHEM					POROS				
(m)	Tmax	HI	TOC	Refl	Spot	Aver	Min	Max	Spot	
Barnett 1	Mean	404	94	0.6	0.5	19.17	22	25	28	408.8
Barnett 2	Mean	430	140	0.4	0.3					
Barnett 3	Mean					10.82				
Berkley 1	Mean	431	78	0.7						
Bougainville 1	Mean	428	79	2.2	0.6	15.17				55.9
Cambridge 1	Mean	425	90	0.7	0.5			27.25	32.75	
Flat Top 1	Mean	444	104	4.6	0.7		15			
Keep River 1	Mean	373	5	0.9	0.9	10.46				41.9
Kinmore 1	Mean	436	125	6	0.6		13.5			
Kulshill 1	Mean	403	36	1.3	0.5	19.08				171
Kulshill 2	Mean									
Lacrosse 1	Mean	429	132	0.8	0.5					
Lesueur 1	Mean									
Matilda 1	Mean	436	95	0.9				22.38	29	
Moyle 1	Mean					17.75				39.2
Tern 1	Mean									
Turtle 1	Mean					15.66				278.9
Turtle 2	Mean				0.4	16.17	19.33			38.1

Weaber 2A

Mean

Crb5-6

	top (m)				GCHEM		POROS			Spot
		Tmax	HI	TOC	Refl	Spot	Aver	Min	Max	
Barnett 1	Mean	421	161	0.4	0.6	15.84	21	16.17	18.67	26.1
Barnett 2	Mean	427	370	12.9	0.6					
Barnett 3	Mean					16.29				
Berkley 1	Mean									
Bonaparte 1	Mean					26	22	15	30	1200
Cambridge 1	Mean	429	110	0.9	0.7			19.88	22.5	
Kinmore 1	Mean						6.5			
Kulshill 1	Mean	418	48	2.4	0.7	11.39				53.5
Kulshill 2	Mean					11.03				1.8
Lacrosse	Mean	431	50	0.9	0.6	16.29				128.5
Lesueur 1	Mean			0.3		7.54				
Matilda 1	Mean	430	69	0.5				14.42	18.5	
Pelican	Mean						27	24	30	
Sandpiper 1	Mean							15	20	
Tern 1	Mean					2.32				0.1
Turtle 1	Mean					18.63				653
Turtle 2	Mean						11			
Weaber 2A	Mean									

Crb4

	top (m)				GCHEM		POROS			Spot
		Tmax	HI	TOC	Refl	Spot	Aver	Min	Max	
Barnett 2	Mean	439	133	0.3				15	13.5	16.5
Bonaparte 1	Mean	421	149	0.5	0.5					
Cambridge 1	Mean							13	9	17.5
Keep River 1	Mean	421	64	0.4	0.6			5.17	10.5	
Kinmore 1	Mean	348	11	0.8	1.8	2.24				0.1
Kulshill 1	Mean									
Kulshill 2	Mean	398	30	0.6	1	3.76				1.5

Lacrosse 1	Mean				7.91			6.9
Lesueur 1	Mean				1.64			0.1
Matilda 1	Mean			0.2	0.8			31.5
Pelican	Mean	432	88	0.3			13.75	17.5
Turtle 1	Mean					24.75	15.75	31
Turtle 2	Mean							
Weaber 2A	Mean				9.34	11.9		0.1
	Mean							

Crb3

	top	GCHEM				POROS				
	(m)	Tmax	HI	TOC	Refl	Spot	Aver	Min	Max	Spot
Barnett 2	Mean	427	68	0.4						
Bonaparte 1	Mean									
Keep River 1	Mean									
Kinmore 1	Mean	495	23	0.9		8.63	18.04	13.11	20.67	26.5
Kulshill 1	Mean	293	5	0.7	4.3	0.68				0.1
Ningbing 1	Mean									
Pelican	Mean	316	13	0.5		3.25				0.1
Turtle 1	Mean			0						
Weaber 2A	Mean						14	7	30	
	Mean					6.97				
	Mean						6			

Crb1-2

[illegible]

Keep River 1

D9-10

Kinmore 1

Kulshill 1

Ningbing 1

Pelican

Island 1

top					GCHEM		POROS			
(m)	Tmax	HI	TOC		Refl	Spot	Aver	Min	Max	Spot
Mean	431	103	0.3	0.7						
Mean	287	11	0.1	3.8	0.78					4.6
Mean										
Mean	330	16	0.3	2.7	1.17					0.1
Mean	421	36	0.3	0.9						
Mean							14	7	30	

Kinmore 1

Pelican

Island 1

D7-8

top					GCHEM		POROS			
(m)	Tmax	HI	TOC		Refl	Spot	Aver	Min	Max	Spot
Mean										
Mean										
Mean							14	7	30	

Kinmore 1

Pelican

Island 1


O2-D6

top					GCHEM		POROS			
(m)	Tmax	HI	TOC		Refl	Spot	Aver	Min	Max	Spot
Mean										
Mean										
Mean							14	7	30	

APPENDIX: 5


**ORGCHEM AND RESFACS SUMMARY CHARTS
BY TIMESLICE**

Mean Porosity by timeslice (Petrel Sub-basin)




Mean Permeability by timeslice (Petrel Sub-basin)


■ Permeability




Mean V reflect% by timeslice (Petrel Sub-basin)




Max Vr% by timeslice (Petrel Sub-basin)




Min Vr% by timeslice (Petrel Sub-basin)




Mean HI by timeslice (Petrel Sub-basin)




Max HI by timeslice (Petrel Sub-basin)



Mean TOC % by timeslice (Petrel Sub-basin)




Max TOC% by timeslice (Petrel Sub-basin)



PETREL SUB-BASIN

H versus AGE




248




286

Permian



PETREL SUB-BASIN

TOC versus AGE




HARLAND AGE

248




286

Permian




Oil & gas shows by timeslice (Petrel Sub-basin)



APPENDIX: 6

ORGCHEM DATA MAPS

PETREL SUB-BASIN




TOC

TIMESLICE
D9-10

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
LONDON, ENGLAND
AUSTRALIAN GEOLOGICAL SURVEY
CENTRAL, NORTH SEA

PETREL SUB-BASIN




HI

TIMESLICE
D9-10

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
VERTICAL, HORIZONTAL, DISTANCE, SCALE
AUSTRALIAN STANDARD, 1:50,000
GRAPHIC, SCALE 1:50,000



VR


TIMESLICE
D9-10

○ 0.38 MINIMUM VALUE
50.67 MAXIMUM VALUE
NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES

UNIVERSITY OF MELBOURNE LIBRARY
AUSTRALIAN NATIONAL UNIVERSITY
GEOL. MUSEUM 100 100

PETREL SUB-BASIN




TOC

TIMESLICE
Crb1-2

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES

MAPS AND INFORMATION COLLECTION
AUSTRALIAN GEOLOGICAL SURVEY
GEOTECHNICAL UNIT 100 000



HI


TIMESLICE
Crb1-2

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
WASHINGTON, D.C. 20250

PETREL SUB-BASIN




VR

TIMESLICE
Crb1-2

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
UNIVERSAL TRANSVERSE MERCATOR PROJECTION
AUSTRALIAN GEODETIC DATUM 1983
GEOIDAL DATUM 1983 TO 1982




TOC

TIMESLICE
Crb3

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
NORTH, MAGNETIC DECLINATION
AUSTRALIAN STANDARD TIME
CENTRAL, GREENWICH TO 120°E

PETREL SUB-BASIN



HI

TIMESLICE
Crb3


○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100

KILOMETRES

UNIVERSITY OF WISCONSIN RESEARCH INSTITUTION
AUSTRALIAN RESEARCH, SPENDING
CENTRAL, RESEARCH 100 00 000

PETREL SUB-BASIN




VR

TIMESLICE
Crb3

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
SOURCE: FREEMAN ENGINEERING CONSULTANTS
ALBERTA, CANADA, 1980
GEOLOGICAL SURVEY OF CANADA

PETREL SUB-BASIN




TOC

TIMESLICE
Crb4

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
VERTICAL SCALE: 1:100,000
HORIZONTAL SCALE: 1:100,000
SOURCE: AGSO 1990

PETREL SUB-BASIN



HI

TIMESLICE
Crb4


○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100

KILOMETRES

UNITED STATES GEOLOGICAL SURVEY
AUSTRALIAN GEOLOGICAL SURVEY
GEOLOGICAL SURVEY OF AUSTRALIA

PETREL SUB-BASIN




VR

TIMESLICE
Crb4

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
UNIVERSITY OF MELBOURNE LIBRARY
AUSTRALIAN NATIONAL ARCHIVE
SERIALS SECTION 100 OF 100

PETREL SUB-BASIN




TOC

TIMESLICE
Crb5-6

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
LITHOLOGY, STRATIGRAPHY, GEOPHYSICS
AUSTRALIAN GEOLOGICAL SURVEY
GEOTECHNICAL SURVEY

PETREL SUB-BASIN




HI

TIMESLICE
Crb5-6

○ 8.38 MINIMUM VALUE
8.67 MAXIMUM VALUE
NO. OF SAMPLES
8.48 MEAN VALUE

0 100
KILOMETRES
UNIVERSITY OF WISCONSIN
AUSTRALIAN REGIONAL GEOSCIENCE
CENTRE, MOUNTAIN VIEW, VIC

PETREL SUB-BASIN




VR

TIMESLICE
Crb5-6

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
LITHOLOGICAL, STRATIGRAPHIC CORRELATION
AUSTRALIAN GEOLOGICAL SURVEY
GEOTECHNICAL, GEOPHYSICAL AND
GEOCHEMICAL DATA

PETREL SUB-BASIN




TOC

TIMESLICE
P1

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
GEOLOGICAL RESEARCH PROJECT
AUSTRALIAN GEOLOGICAL SURVEY
SHEET 100 OF 100

PETREL SUB-BASIN



HI


TIMESLICE
P1

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES

NATIONAL STRATEGIC RESOURCES COMMISSION
AUSTRALIAN GEOLOGICAL SURVEY
GEOLOGY BRANCH 100 OF 100

PETREL SUB-BASIN




VR

TIMESLICE
P1

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
VERTICAL, TYPICAL SECTION, RELATIVE
HORIZONTAL, TYPICAL SECTION, SPREAD
SECTION, TYPICAL SECTION, SPREAD

PETREL SUB-BASIN




TOC

TIMESLICE
P2-4

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
UNIVERSITY OF WISCONSIN
AUSTRALIAN GEOLOGICAL SURVEY
GEOLOGICAL MAP OF AUSTRALIA

PETREL SUB-BASIN



HI


TIMESLICE
P2-4

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
GEOLOGICAL SURVEY ORGANISATION
AUSTRALIAN GEOLOGICAL SURVEY
GEOTECHNICAL DIVISION

VR


TIMESLICE
 P2-4



○ 0.38 MINIMUM VALUE
 0.67 MAXIMUM VALUE
 5 NO. OF SAMPLES
 0.48 MEAN VALUE

0 100
 KILOMETRES
 NATIONAL GEOPHYSICAL ORGANIZATION
 AUSTRALIAN GEOLOGICAL SURVEY
 1977, REVISED 1980

PETREL SUB-BASIN




TOC

TIMESLICE
P5-7

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
GEOLOGICAL SURVEY OF AUSTRALIA
AUSTRALIAN GEOLOGICAL SURVEY ORGANISATION
GEOLOGICAL SURVEY OF AUSTRALIA

PETREL SUB-BASIN




HI

TIMESLICE
P5-7

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
UNIVERSITY OF WISCONSIN
GEOLOGICAL ENGINEERING PROGRAM
GEOLOGICAL ENGINEERING
GEOLOGICAL ENGINEERING

PETREL SUB-BASIN



VR


TIMESLICE

P5-7

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
UNIVERSITY OF WISCONSIN RESEARCH CENTER
GEOLOGICAL SURVEY, MADISON
WISCONSIN 53706-1393

PETREL SUB-BASIN




TOC

TIMESLICE
Tr1-2

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
VERTICAL SCALE: 1:100,000
HORIZONTAL SCALE: 1:100,000
CENTRE: 110° 00' E

PETREL SUB-BASIN



HI

TIMESLICE

Tr1-2

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE


0 100

KILOMETRES

GENERAL GEOSCIENCE INFORMATION
AUSTRALIAN GEOLOGICAL SURVEY
GEOSCIENCE INFORMATION

VR


TIMESLICE
 Tr1-2



○ 0.38 MINIMUM VALUE
 0.67 MAXIMUM VALUE
 5 NO. OF SAMPLES
 0.48 MEAN VALUE

0 100
 KILOMETRES
UNITED STATES GEOLOGICAL SURVEY
 AUSTRALIAN GEOLOGICAL SURVEY
 GEOTECHNICAL DIVISION

PETREL SUB-BASIN




TOC

TIMESLICE
Tr3-6

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
ORIGINAL TERRITORY INDICATES PROJECTION
AUSTRALIAN GEOLOGICAL SURVEY
GEOSCIENCE AUSTRALIA

PETREL SUB-BASIN




HI

TIMESLICE
Tr3-6

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
SOURCES: AUSTRALIAN GEOLOGICAL SURVEY
AUSTRALIAN GEOLOGICAL SURVEY
AUSTRALIAN GEOLOGICAL SURVEY

PETREL SUB-BASIN




VR

TIMESLICE
Tr3-6

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
UNIVERSITY OF WISCONSIN
AUSTRALIAN GEOLOGICAL SURVEY
GEOLOGICAL SURVEY OF AUSTRALIA




TOC

TIMESLICE
J1-J5

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
UNIVERSITY OF MELBOURNE
AUSTRALIAN NATIONAL UNIVERSITY
GEOLOGICAL SURVEY OF AUSTRALIA

PETREL SUB-BASIN




HI

TIMESLICE
J1-J5

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
AUSTRALIAN GEOLOGICAL SURVEY ORGANISATION
SHEET NO. 100

PETREL SUB-BASIN



VR

TIMESLICE
J1-J5


○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
NO. OF SAMPLES
0.48 MEAN VALUE

0 100

KILOMETRES

UNIVERSITY OF MELBOURNE
AUSTRALIAN GEOLOGICAL SURVEY
GEOTECHNICAL ENGINEERING

PETREL SUB-BASIN




TOC

TIMESLICE
J6-K2

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE





HI

TIMESLICE
J6-K2


0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100

KILOMETRES

UNIVERSITY, TRANSMITTING TELETYPE RELAY
AUSTRALIAN NATIONAL UNIVERSITY
CENTRE, SYDNEY 100 00 000

PETREL SUB-BASIN



VR


TIMESLICE
J6-K2

○ 0.39 MINIMUM VALUE
0.67 MAXIMUM VALUE
0.48 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES

AGSO, PERTH, AUSTRALIA
AGSO, PERTH, AUSTRALIA
AGSO, PERTH, AUSTRALIA

PETREL SUB-BASIN



TOC

TIMESLICE
K3-K4

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
MAPS, PROFILES AND PLANS
PRINTED ON 100% RECYCLED PAPER
GEOGRAPHIC INFORMATION SYSTEMS

Map of the Antarctic Peninsula showing sampling locations for the 1966-67 season. The map includes the coastline of the peninsula and several labeled points:

- Pit 1 (57)
- Pit 2 (32)
- Penguin 1 (15)
- Penguinville 1 (71)
- Pit Top 1 (83/72)
- Pit 1 (99)


A scale bar at the bottom indicates distances from 0 to 100 miles.



0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE



PETREL SUB-BASIN



VR


TIMESLICE
K3-K4

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES

UNIVERSITY OF WISCONSIN
AUSTRALIAN GEOLOGICAL SURVEY
GEOPHYSICS SECTION
GEOPHYSICS SECTION

PETREL SUB-BASIN




TOC

TIMESLICE
K5-K11

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
SOURCES: PETROBRAS, PETROBRAS, PETROBRAS
AUSTRALIAN GEOLOGICAL SURVEY
GEOLOGICAL SURVEY OF AUSTRALIA

PETREL SUB-BASIN




HI

TIMESLICE
K5-K11

0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
UNIVERSITY OF WISCONSIN
AUSTRALIAN GEOLOGICAL SURVEY
GEOLOGICAL MAP OF THE

PETREL SUB-BASIN




VR

TIMESLICE
K5-K11

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
AUSTRALIAN GEOLOGICAL SURVEY ORGANISATION
AUSTRALIAN GEOLOGICAL SURVEY ORGANISATION
GEOLOGICAL SURVEY OF AUSTRALIA

PETREL SUB-BASIN



TOC

TIMESLICE
Cz1-7

○ 0.38 MINIMUM VALUE
0.67 MAXIMUM VALUE
5.0 NO. OF SAMPLES
0.48 MEAN VALUE

0 100
KILOMETRES
NATIONAL GEOSCIENCE RESEARCH ORGANISATION
AUSTRALIAN RESEARCH ORGANISATION
GEOSCIENCE RESEARCH ORGANISATION


APPENDIX 7

WELL ORGCHEM PROFILES


APPENDIX 7
DOWN HOLE PROFILES OF TOC, HI T_{max} AND VITRINITE REFLECTANCE
for the wells listed below:-

BARNETT 1
BARNETT 2
BERKLEY 1
BONAPARTE 1 (TOC only)
BONAPARTE 2
BOUGAINVILLE 1
CAMBRIDGE 1
CURLEW 1
FLAT TOP 1 (+ plot of TOC over extended range)
GULL 1
KEEP RIVER 1
KINMORE 1 (+ plot of TOC over extended range)
KULSHILL 1(+ plot of TOC over extended range)
LACROSSE 1
LESUEUR 1
MATILDA 1
NINGBING 1
PENGUIN 1
PETREL 1 (TOC only)
PETREL 2
TERN 1

BARNETT 2



Barnett 1




BONAPARTE-1

POINT SPRING
SANDSTONE
TANMURRA
?MILLIGANS


MILLIGANS

BURT
RANGE


COCKATOO
SANDSTONE




BERKLEY-1




Bonaparte 2




HI




Vit Ro %




BOUGAINVILLE-1




CAMBRIDGE 1



CURLEW-1




Flat Top 1




Geochemical analyses indicated the presence of degraded oil in the H5 limestone

FLAT TOP-1



GULL 1




KEEP RIVER-1

TERTIARY
TREACHERY
SHALE
KURIYIPPI
TANMURRA
?TANMURRA
?MILLIGANS


MILLIGANS
SEPTIMUS
ENGA
SANDSTONE
BURT RANGE
DOLOMITE
NINGBING
LIMESTONE

SANDSTONE

BASEMENT




KINMORE 1








KINMORE 1


TOC %




KULSHILL 1




KULSHILL 1




LACROSSE 1




LESUEUR 1




MATILDA-1




Ningbing 1




PENGUIN 1




PETREL 1



PETREL 2



TERN 1



APPENDIX: 8

BURIAL HISTORY MODELS FOR SELECTED WELLS



APPENDIX 8
BURIAL HISTORY MODELS
for the wells listed below:-

CURLEW 1
FLAMINGO 1
GULL 1
KEEP RIVER 1
KULSHILL 1
SKULL 1
TERN 1


Curlew-1

Petrel Sub-basin


Heat Flow = 54 mW/m²




Curlew-1 Petrel Sub-basin



Curlew-1 Petrel Sub-basin





Flamingo-1 **Sahul Platform**



Flamingo-1 Sahul Platform


Heat Flow = 32 mW/m²






Flamingo-1 Sahul Platform


Gull-1 Petrel Sub-basin







Gull-1
Petrel Sub-basin


Gull-1 Petrel Sub-basin




Keep River-1 **Petrel Sub-basin**




Keep River-1 Petrel Sub-basin




Keep River-1 Petrel Sub-basin




Kulshill-1 Petrel Sub-basin








Kulshill-1 Petrel Sub-basin




Skull-1 Petrel Sub-basin




Skull-1 Petrel Sub-basin




Skull-1 Petrel Sub-basin




Tern-1 Petrel Sub-basin



Tern-1 Petrel Sub-basin



Tern-1 Petrel Sub-basin



APPENDIX: 9

TIME STRUCTURE CONTOURS AND ISOCHRONS DERIVED FROM AGSO DEEP SEISMIC DATA

APPENDIX 9
TWT STRUCTURE CONTOURS AND ISOCHRONS
DERIVED FROM AGSO DEEP SEISMIC DATA

TWT STRUCTURE CONTOUR MAPS


Top Bonaparte
Top Milligans
Top Point Spring
Base Diamictite (top Kuriyippi)
Top Treachery
Top Keyling
Top H5 (Fossil Head)
Top H4
Top Mount Goodwin
Top Cape Londonderry
Top Malita
Top Plover
Top Flamingo
Top Bathurst Island

TWT ISOCHRON MAPS


Top Milligans to top Bonaparte
Top Point Spring to top Milligans
Base Diamictite (top Kuriyippi) to top Point Spring
Base Diamictite (top Kuriyippi) to top Bonaparte
Top Treachery to base Diamictite (top Kuriyippi)
Top Keyling to base Diamictite (top Kuriyippi)
Top Keyling to top Treachery
Top H5 (Fossil Head) to top Keyling
Top H4 to H5 (Fossil Head)
H4 to base Diamictite
Top Mount Goodwin to H4
Top Cape Londonderry to top Mount Goodwin
Top Malita to top Cape Londonderry
Top Plover to top Malita
Top Flamingo to top Plover
Top Bathurst Island to top Flamingo

TWT STRUCTURE CONTOUR MAP

Top Bonaparte




TWT STRUCTURE CONTOUR MAP Top Milligans




TWT STRUCTURE CONTOUR MAP

Top Point Spring




TWT STRUCTURE CONTOUR MAP

Base Diamictite (top Kuriyippi)




TWT STRUCTURE CONTOUR MAP

Top Treachery




TWT STRUCTURE CONTOUR MAP

Top Keyling




TWT STRUCTURE CONTOUR MAP

Top H5 (Fossil Head)




TWT STRUCTURE CONTOUR MAP

Top H4




TWT STRUCTURE CONTOUR MAP

Top Mount Goodwin




TWT STRUCTURE CONTOUR MAP

Top Cape Londonderry




TWT STRUCTURE CONTOUR MAP

Top Malita




TWT STRUCTURE CONTOUR MAP

Top Plover




TWT STRUCTURE CONTOUR MAP

Top Flamingo




TWT STRUCTURE CONTOUR MAP

Top Bathurst Island




TWT ISOCHRON MAP

Top Milligans to Top Bonaparte




TWT ISOCHRON MAP

Top Point Spring to Top Milligans




TWT ISOCHRON MAP

Base Diamictite (top Kuriyippi) to Top Point Spring




TWT ISOCHRON MAP

Base Diamictite (top Kuriyippi) to Top Bonaparte




TWT ISOCHRON MAP

Top Treachery to Base Diamictite (top Kuriyippi)




TWT ISOCHRON MAP

Top Keyling to Base Diamictite (top Kuriyippi)




TWT ISOCHRON MAP

Top Keyling to Top Treachery




TWT ISOCHRON MAP

H5 (top Fossil Head) to Top Keyling




TWT ISOCHRON MAP

H4 to H5 (top Fossil Head)




TWT ISOCHRON MAP

H4 to Base Diamictite




TWT ISOCHRON MAP

Top Mount Goodwin to H4




TWT ISOCHRON MAP

Top Cape Londonderry to Top Mount Goodwin




TWT ISOCHRON MAP

Top Malita to Top Cape Londonderry




TWT ISOCHRON MAP

Top Plover to Top Malita




TWT ISOCHRON MAP

Top Flamingo to Top Plover



TWT ISOCHRON MAP

Top Bathurst Island to Top Flamingo



APPENDIX: 10

PETROLEUM EXPLORATION DRILLING AND HYDROCARBON INDICATIONS

APPENDIX 12
PETROLEUM EXPLORATION DRILLING AND HYDROCARBON INDICATIONS
for the wells listed below:-

BARNETT 1
BARNETT 2
BERKLEY 1
BILLABONG 1
BONAPARTE 1
BONAPARTE 2
BOUGAINVILLE 1
CAMBRIDGE 1
CURLEW 1
FISHBURN 1
FLAT TOP 1
FRIGATE 1
GARIMALA 1
GULL 1
KEEP RIVER 1
KINMORE 1
KULSHILL 1
KULSHILL 2
LACROSSE 1
LESUEUR 1
MATILDA 1
MOYLE 1
NEWBY 1
NINGBING 1
PELICAN ISLAND 1
PENGUIN 1
PETREL 1
PETREL 1A
PETREL 2
PETREL 3
PETREL 4
PETREL 5
SANDPIPER 1
SKULL 1
SPIRIT HILL 1
TERN 1
TERN 2
TERN 3
TERN 4
TURTLE 1
TURTLE 2
WEABER 1
WEABER 2A

PETROLEUM EXPLORATION DRILLING

Following are brief summaries of petroleum exploration wells drilled within the Petrel Sub-basin. The sequences penetrated in terms of the petroleum systems recognised in the sub-basin are noted for each well.

BARNETT 1, 1985, 2350 m (Lee and Baffray, 1985)

Larapintine-Gondwanan Transition/Gondwanan 1

Barnett 1 was drilled in 1985 by Aquitaine in NT/P 28 on a domal structure which Gunn and Ly (1989) speculated was part of the axial dome formed by the injection of oceanic material during "upper" Milligans Formation time. Barnett 1 was drilled on a broad flat anticline (4 to 16 km²), terminated on the eastern flank by a series of north-south trending normal faults which down fault the adjacent compartment. The structure is controlled by an "intra-Milligans Formation" (Bonaparte Formation) horst block, the Turtle-Barnett High. Drapes across the eroded structure provides closures for the Tanmurra and younger formations, including the Kulshill Group. The structural setting is similar to the nearby Turtle 1 well, which had good oil shows within the Kulshill Group.

Barnett 1 had significant oil shows in the Permo-Carboniferous Kulshill Group. Oil was recovered from an RFT (Repeat Formation Test) between 2095.5 and 2036 m at the top of the Point Spring Sandstone, and several gas peaks occurred between 2195 m to 2245 m. Barnett 2 was intended to test the Kulshill Group in a slightly up-dip position as a secondary target. The primary target was the previously undrilled deeper section in the "upper" Milligans Formation which produced oil at Turtle 2.

BARNETT 2 - 1989, 2817 m (Faehrmann, 1990)

Larapintine 3/Larapintine-Gondwanan Transition/Gondwanan 1

Barnett 2 was drilled to test the Barnett structure updip of Barnett 1. The primary objective was the previously undrilled "upper Milligans Formation" (Bonaparte Formation, *Grandispora* sp. cf. *G. praecipua* zone). The Kulshill Formation was a secondary target.

Barnett 2 produced a flow of 921 BOPD from the interval between 1491 and 1506 m in the Kulshill Group. The well reached TD within the "upper" Milligans Formation at a depth in excess of 2800 m and was cased as a suspended oil producer.

Four DST's were conducted.

<i>DST</i>	<i>Perforated Intervals</i>	<i>Recovery</i>
1	2393.0-2408.0	Water (42 000 ppm equiv NaCl)
	2415.0-2421.0	90 MSCF/day (SG = 0.685, air = 1)
	2413.5-2419.5	Trace oil 44° API
2	1929.0-1935.0	Water (950 ppm equiv NaCl)
3	1491.0-1497.0	752 BOPD oil 38.6° API (jet pump)
4	1491.0-1497.0	No natural flow
	1500.5-1506.5	921 BOPD oil 38.6° API (jet pump)

Table 13 DST's in Barnett 2

BERKLEY 1 - 1982, 873 m (Harrison, M. and Scott, P., 1982)

Gondwanan 1

Berkley 1 was drilled as a shallow test of a structure on the southwest basin flank of the basin. The well encountered Permian section over high velocity Proterozoic dolerite (60 m penetrated) that had been interpreted pre-drill as a supposed reef structure.

BILLABONG 1 - 1992, 1852 m

Westralian 1, 2

The well bottomed in Callovian Plover Formation without encountering any shows.

BONAPARTE 1 - 1964, 3209 m (Le Blanc, 1964)

Larapintine-Gondwanan Transition

Bonaparte 1 drilled the upper Carboniferous Border Creek Formation, upper Viséan to ?Namurian Tanmurra Formation, and the upper Devonian to upper Viséan Bonaparte Formation (Beds) as described by Playford (1971). Bonaparte Formation (Beds) are Viséan - upper Tournasian in age, unconformably overlying older section based on the Ostracod studies of Jones (1989). The upper part of the "Bonaparte Formation" probably corresponds to the upper and lower Milligans Formation offshore.

The well produced gas-cut salt water at 1715-1736 m from the Milligans Formation (Brown, 1979).

BONAPARTE 2 - 1964, 2136 m (Le Blanc, 1965)

Larapintine 3/Larapintine-Gondwanan Transition

Bonaparte 2 drilled the upper Carboniferous to lower Permian plus a similar section to Bonaparte 1.

The well produced a gas flow from the Milligans Formation at a depth of 1436-1468 m and 1430-1450 m (Brown, 1979) .

BOUGAINVILLE 1 - 1972, 2680 m (Laws and Campbell, 1972)

Westralian 1, 2/Gondwanan 2

Bougainville 1 was drilled on an 80 km² fault independent anticline with 70 msec TWT closure on seismic horizon H5, at a depth of 670 msec TWT (approximately 1400 m). This depth corresponds in the well to a thick limestone near the base of the Permian Hyland Bay Formation, a level of significant sonic velocity change in the well.

The structure is believed to be the result of a deep seated diapiric salt intrusion. The structure trends north-west and the crestal region is extensively modified by associated normal faulting. The well was located slightly off the crest.

Slight traces of fluorescence were noted towards the base of the Fossil Head Formation. Log analysis revealed all reservoirs to be water saturated. Variations in salinity indicated flushing of at least some reservoirs, presumably by water migrating along the adjacent fault planes.

CAMBRIDGE 1 - 1984, 2228 m (Western Mining Corporation Ltd, 1985)

Larapintine-Gondwanan Transition/Gondwanan 1

The well was drilled on a fault controlled dip closure covering all levels from middle Permian to early Carboniferous.

Shows of oil were obtained between 568 to 650 m in the Hyland Bay and Fossil Head Formations. Two DST's were run but no oil was recovered.

CURLEW 1 - 1974, 2035 m (Arco Australia Limited, 1974)

Westralian 1, 2

Curlew 1 was drilled to test a domal closure over an apparent deep seated salt piercement feature on the eastern flank of the Petrel Sub-basin (Lavering and Ozimic, 1988, 1989). The structure is closed at the near-base Tertiary level, but structural closure at the near base late Cretaceous level is fault dependent, implying Tertiary age trap formation. Seismic interpretation indicated diapiric growth with the development of prominent rim

synclines during the Permian to Tertiary. The structure is very similar to one tested by the Gull 1 well some 43 km to southwest, but at Curlew 1 structural growth ceased at an earlier stage in the Tertiary as evidenced by onlap of the near top Bathurst Island Group rocks.

The primary objectives of the well were Jurassic sandstones. Minor gas shows were observed in the late Jurassic and Cretaceous Flamingo Group and Plover Formation. Five formation interval tests (FITs) and three drill stem tests (DSTs) were run over the Jurassic Flamingo Group and Plover Formation. A show comprising 300 mL of light oil (similar to diesel) and 0.55 cu. ft of gas was recovered from the late Jurassic in FIT 4. Water with an NaCl equivalent salinity of 56 000 ppm was also recovered. The only geochemical analysis available is equivocal, but on the balance of the petrophysical and engineering data it seems that the recovered oil is a contaminant (K. Abdelmalek, AGSO, personal communication, 1995). This oil is thought to represent contamination from diesel pumped down the hole at this level when the drill pipe became stuck.

FISHBURN 1 - 1992, 2870 m

Westralian 1, 2/Gondwanan 2

Fishburn 1 was drilled on a tilted fault block along a Permo-Triassic hinge line. The primary objective was the Jurassic Plover Formation, with the Permian Hyland Bay Formation identified as a secondary objective. The target intervals came in as prognosed. There were no significant hydrocarbon indications in the Plover Formation. However, a 50 m gas column was intersected in the Hyland Bay.

Preliminary evaluation indicated that the volume of gas is not presently commercial.

FLAT TOP 1 - 1970, 2174 m (Mulle and Branger, 1970)

Westralian 1, 2 /Gondwanan 2

Flat Top 1 was drilled as a follow-up to Newby 1, to evaluate further the potential of pinchouts associated with the northeastern edge of the basin. No structural closure was present at any level in the well.

Flat Top 1 penetrated some 1200 m of Permo-Triassic rocks unconformably overlying an undated quartzite presumed to be Proterozoic basement. The quartzite is very indurated with a very low drill penetration rate, however it contains some organic matter and may be Palaeozoic in age (Bradshaw, 1990). The presence of Proterozoic basement at 7105 ft in Flat Top 1 suggests block faulting has occurred at the edge of the Darwin Shelf

Good quality sandstone reservoirs were encountered over the Permian to Cretaceous sections with porosities ranging from 15 to 30% and permeabilities ranging from fair to good. However, a FIT run at 1,473 m over the upper Fossil Head Formation yielded a trace of ethane together with formation water (37 000 ppm NaCl). Later analyses of cuttings from the well detected migrated oil in the limestone at 1713 m (Robertson Research, 1986).

FRIGATE 1 - 1978, 1585 m (Arco Australia Limited, 1978)

Westralian 1, 2

Frigate 1 was located on a 50 km² faulted (but not fault controlled) anticline with about 90 msec closure on the base of Cretaceous.

Good porosity was encountered at the base Cretaceous target horizon but only minor ditch gas increases were observed despite being structurally higher than both the Tern and Petrel gas fields.

GARIMALA 1 - 1988, 2553 m Nugent (1989)

Larapintine 3/ Larapintine-Gondwanan Transition

The well is located in the onshore Petrel Sub-basin, at the northeast margin of the Carlton Shelf. Garimala 1 is located on a four-way dip closure of the Bonaparte Formation (presumed basinal facies of the Cockatoo Limestone) and the Milligans Formation. The Garimala structure is located over the leading edge of a rotated pre-Devonian fault block adjacent to the main edge fault of the Carlton Shelf.

DST 1 conducted of the interval 1037 to 995 m where a gas peak of 60 units was recorded in the upper Milligans Formation, recovered only rat hole mud with no sign of hydrocarbons. DST 2 tested the Bonaparte Formation between 2401 and 2381 m recovering 0.75 MMCFD decreasing to 0.47 MMCFD over a period of 2 hrs.

Milligans Formation shows were reported between 755 and 1317.5 m in the well (Nugent, 1989).

No vitrinite reflectance measurements have been determined to date for the well. The palynologists report indicated that the spores below 1600 m were mostly carbonised beyond recognition indicating a rapid change to dry gas window maturity conditions.

A large sonic break occurs between the upper and lower Milligans Formation but no significant sonic break between the lower Milligans and the Bonaparte Formation. The higher velocity is due to silicified sandstones.

Both fining upward and coarsening upward cycles appear to be present in the Bonaparte Formation. These are interpreted as Bouma cycles with sporadic prograding or avulsing fan channels. This may be a deeper water equivalent of the red beds and carbonates observed in the Kulshill wells.

GULL 1 - 1971, 3421 m (Arco Australia Ltd, 1971)

Westralian 1, 2

The Gull 1 well was located on a large seismically defined anticline over 50 km² in area. The well penetrated Miocene to Triassic section with two G1 level gas shows at 597 m and 2134 m.

KEEP RIVER 1 - 1969, 4762 m (Australian Aquitaine Petroleum, 1969)

Larapintine 3/Larapintine-Gondwanan Transition

Keep River 1 was drilled on the western flank of the Pincombe Ridge in the onshore Petrel Sub-basin. The well was designed to test a partially fault dependent closure at Palaeozoic levels along a structural high trend separating the Carlton and Burt Range Sub-basins. The nature of the up-dip closure to the southwest was obscured by poor quality seismic data. Northwest trending, down to the basin, cross-faults may provide the critical counter-dip closure (Petroconsultants, 1990).

The well penetrated early Permian Kulshill Formation, Visean Tanmurra and Milligans Formations, middle to late Tournasian Septimus and Enga Formations, early to middle Tournasian Burt Range Formation, Famennian Ningbing Limestone and Frasnian Cockatoo Formation (Brown, 1979). A thicker than expected Palaeozoic section was encountered with gas shows throughout the lower Carboniferous Milligans Formation and from fractures within the late Devonian section. Eight DST's produced up to 3 MMCFPD from the early Carboniferous Milligans Formation. Flow rate decreased rapidly during each test.

KINMORE 1 - 1974, 3250 m (Laws and Clerc, 1974)

Larapintine-Gondwanan Transition/Gondwanan 1

Kinmore 1 is located down-dip from the crest of a diapiric structure. Seismic data and the melange of lower Carboniferous lithologies in the interval 2931 to 3046 m suggest that the well entered the side of the diapir below the highest extent of the salt. In the centre of the Kinmore structure it appears that the salt approaches within 1000 m of the surface.

The well intersected sequences on the southeastern flank of the intrusive, which is interpreted to have grown relatively continuously since the late early Permian.

The structure was mapped on the near base of the greywacke member (or Keyling Formation) of the Kulshill Group. Structural closure occurs over an area exceeding 55 km² although the structure is disrupted by a series of major normal faults upon which closure depends. The structure exhibited in excess of 350 m of vertical closure.

Only minor traces of gas were encountered despite adequate reservoir and cap rocks being penetrated. The highest (up to 20 000 ppm C1) appear to correspond to thin coals in the sandstone member of the Kulshill Formation.

KULSHILL 1, 1965, 4394 m (Duchemin et al., 1966)

Larapintine-Gondwanan Transition/Gondwanan 1

Kulshill 1 and 2 were drilled to investigate the Palaeozoic stratigraphy and prospectivity of the Kulshill structure. This structure was delineated from refraction and surface mapping as a highly faulted dome or horst.

Both oil and gas shows were encountered in the early Permian and upper part of the early Carboniferous sedimentary rocks. Only gas was recorded below the Tanmurra Formation. DSTs produced only water and gas cut mud. Oil staining was observed through the Kulshill Group. Six DSTs were run over the Kulshill Group to evaluate these shows, but only small recoveries of fresh water and/or drilling mud were obtained. Gas shows were also encountered over the same interval and within the older Carboniferous and Devonian sections.

KULSHILL 2 - 1966, 1961 m (Creevey, 1966)

Larapintine-Gondwanan Transition/Gondwanan 1

Kulshill 2 was drilled up-dip of Kulshill 1, 5 km away on another fault bound compartment of the Kulshill structure. Oil and gas shows were encountered over a much more restricted interval than in Kulshill 1. The well encountered fluorescence in the Treachery Shale and fair to good oil shows in the Point Spring Sandstone. Numerous gas shows were also noted in the Milligans Formation.

LACROSSE 1 - 1969, 3054 m (Arco Australia Limited, 1969)

Larapintine-Gondwanan Transition/Gondwanan 1

The well tested a 20 km² fault block mapped on the near base of upper Carboniferous. Lacrosse 1 was the first well to be drilled in the offshore "Bonaparte Gulf Basin". A weak gas show was observed in the Hyland Bay Formation at 533 m and oil shows from 1710 m to 1740 m in the Kulshill Group.

LESUEUR 1 - 1980, 3589 m (Lane, 1981)

Larapintine 3/Larapintine-Gondwanan Transition/Gondwanan 1

Lesueur 1 was drilled on a rollover structure against a basin margin fault. The well penetrated a condensed basin sequence ranging from the Triassic Mount Goodwin Formation to the Viséan upper Milligans Formation (called Bonaparte Formation in the well completion report).

Several oil and gas shows were encountered during the drilling of Lesueur 1 mostly between 3000 m and 3500 m in the Tanmurra and Milligans (called Bonaparte in the WCR) Formations.

MATILDA 1 - 1985, 2313 m (Western Mining Corporation Ltd, 1985a)

Larapintine 3/Larapintine-Gondwanan Transition/Gondwanan 1

Matilda 1 was drilled on a faulted salt diapir induced closure of regional extent. Two poor (L1, G1) oil/gas shows were encountered in the Fossil Head and upper Kulshill Formations.

The well was targeted on the Tanmurra Formation with the Bonaparte Beds as a secondary play.

MOYLE 1 - 1966, 539 m (Brophy, 1966)

Gondwanan 1

Moyle 1 was drilled on the Darwin Shelf of the onshore Petrel Sub-basin. The well intersected a thin Permian sequence overlying presumed Proterozoic basement.

The well was primarily a stratigraphic test to ascertain the thickness of Palaeozoic section in this portion of the basin. There were no gas or oil shows in any of the sedimentary formations penetrated. However, the well did establish that the deepest seismic reflection recorded in this region coincided with the top of presumed Proterozoic crystalline basement.

NEWBY 1, 1148 m (Australian Aquitaine Petroleum, 1970)

Westralian 1, 2

Newby 1 was drilled to explore the stratigraphy and hydrocarbon potential of erosional pinch outs on the Moyle Platform. A Mesozoic section unconformably overlying Proterozoic basement established the presence of a Palaeozoic pinchout to the west, however, no hydrocarbon shows were encountered.

NINGBING 1 - 1982, 1269 m Garside (1982)

Larapintine 3

Ningbing 1 was drilled to test a small structural closure at the top of the Ningbing Limestone interpreted as a possible carbonate build-up. The well intersected the Tournasian to late Visean Bonaparte Formation, Famennian Ningbing Limestone and Jeremiah Formation and the Frasnian Cockatoo Formation.

Ningbing produced good fluorescence and a slight oil bleed from fractures in core at 1013 m (Garside, 1982). Two DST's conducted failed to produce any significant shows.

DST 1 -- 995 - 1034 m test failed, tool only opened for 3 min, 56.8 m of rat hole mud recovered.
--

DST 2 -- 1001.88 m - 1071.99 m recovered 200 m of gas cut fresh muddy water, (About 1000 ppm NaCl, C1 7012 ppm, C2 2127 ppm, C3 1520 ppm, iC4 238 ppm, nC4 606 ppm) G2

Table 12 DST results for Ningbing 1

PELICAN ISLAND 1 - 1972, 1981 m (Arco Australia Limited, 1972)

Larapintine-Gondwanan Transition/Gondwanan 1

Drilled a 60 km² closure on the top of the Tanmurra Formation. Encountered several thin gas shows and one oil show prior to intersecting salt at the top of the dome.

PENGUIN 1 - 1972, 2757 m (Arco Australia Limited, 1972a)

Westralian 1, 2/Gondwanan 2

Penguin 1 was drilled on a large 60 km² fault independent anticline mapped on the H5 limestone. The well recovered gas below the H5 limestone at the same stratigraphic level as the Petrel 1 blowout. The gas show rated G4.

PETREL 1 - 1969, 3980 m (Arco Australia Limited and Australian Aquitaine Petroleum Pty Ltd, 1969)

Westralian 1, 2/Gondwanan 2

Petrel 1 was drilled in the offshore portion of the Petrel Sub-basin. Petrel 1 was only the second offshore well (Lacrosse 1 being the first). The well tested a large gently folded anticline oriented roughly parallel to the northwest axis of the basin. Closure is greater than 119 km² in area and vertical closure exceeds 83 m (Lavering and Ozimic, 1989). The structure was interpreted to have formed during the late Permian and grown during the Triassic and Jurassic. Later structuring is considered to have produced regional tilting to the northwest. Structural closure on seismic horizon H5 (near the top of the lower Permian) is approximately 200 m over an area of about 570 km². Closure on seismic horizon H3 (base of Jurassic) however is only about 30 m over an area of 125 km². No closure is evident above H3.

The well reached a total depth of 3980 m without encountering any hydrocarbon indications except for the final 2 m interval in which high pressure gas was intersected. Owing to a series of mechanical failures, a blow-out occurred and the drillhole was lost. No tests were conducted. The following year a relief well, Petrel 1A, was drilled. The Petrel 2 confirmation well was drilled in 1970/71, and was followed by the drilling of Petrel 3 in 1981, Petrel 4 in 1988 and recently Petrel 5 in 1994. The accumulation is currently being assessed for commercial development with gas reserves estimated at between 100 and 440 x 10⁹ m³ (3.3 to 13.6 TCF).

PETREL 1A - 1970, 4090 m (Arco Australia Limited and Australian Aquitaine Petroleum Pty Ltd, 1971)

Westralian 1, 2/Gondwanan 2

Petrel 1A was drilled as a relief well for Petrel 1. No gas was encountered in the well but a very high mud weight (12.8 ppg) was run. At TD, mud, water and cement were pumped into the well reducing the gas flow at Petrel 1, thereby indicating fluid connectivity between the wells.

PETREL 2 - 1971, 4725 m (Arco Australia Limited, 1971c)

Westralian 1, 2/Gondwanan 2

The well was sited about 4 km south-east of the original discovery drillhole. Petrel 2 was drilled as a follow-up to the initial gas discovery (blowout) well Petrel 1. Late Permian

sandstones of the Cape Hay Member located between 3653 to 3671 m (11 982- 12 040 ft) tested dry gas at a rate of 186 000 - 411 000 m³/day (6.6 - 14.5 MMCFPD) on a 1.27 cm (1/2") choke (DST 6). The Petrel Field is currently shut-in awaiting development .

PETREL 3 - 1982, 3970 m (Garside and Forder, 1982)

Westralian 1, 2/Gondwanan 2

Petrel 3 was drilled to test the southeast extension of the Petrel Anticline and collect reservoir data.

PETREL 4 - 1988, 3975 m

Westralian 1, 2/Gondwanan 2

The gas reservoir occurs at top of the Cape Hay Member steam mouth bar sand. The reservoir is probably controlled by primary facies with preservation due to diagenetic inhibition as described by Bhatia et al. (1984).

Petrel 4, like the other wells in the Petrel Field, is sealed intraformationally by about 15 m of sub-fissile shale overlain by another 65 m of non-porous limestone and siltstone to next reservoir sand which had no hydrocarbons. The gas accumulation is sealed by Hyland Bay Formation (H4 Member) not the regional seal of Mount Goodwin Formation.

Good porosity was encountered in the Triassic but no hydrocarbons were present. Sand at top Bathurst Island Formation from log and lithology descriptions is not interpreted as a Maastrichtian fan, but rather a barrier bar.

PETREL 5 - 1994

Westralian 1, 2/Gondwanan 2

Petrel 5 was a stepout well to further the Petrel Field. Detailed results are confidential at the time of writing. The Petrel wells have continued to successfully prove up the giant (approximately 13 TCF) Petrel Gas Field.

SANDPIPER 1 - 1971, 1892 m (Arco Australia Limited and Australian Aquitaine Petroleum Pty Ltd, 1972)

Westralian 1, 2

Sandpiper 1 tested Jurassic and Cretaceous section but intersected salt prior to reaching the predicted level of the Hyland Bay Formation.

SKULL 1 - 1984, 2000 m (Barnes and Lee, 1984)

Larapintine 3/Larapintine-Gondwanan Transition

The well was designed to test a small fault dependant structural closure at the top of the Ningbing Limestone.

No shows were recorded but minor gas peaks associated with tight quartzose sandstones through the Milligans Formation (up to 80 000 ppm C1). Oil droplets were noted in the coal maceral description report on the 673 m sample at the top of the Milligans Formation.

Although targeted on the limestones of the Ningbing Group, Skull 1 drilled mainly clastic Milligans Formation. The Kulshill and Tanmurra Formations were penetrated in the shallow section of the well.

SPIRIT HILL 1 - 1960, 915 m (Oil Development N.L., 1961)

Larapintine 3/Larapintine-Gondwanan Transition

Spirit Hill 1 penetrated Visean Milligans Formation, Tournasian Burt Range Formation and ?Famennian Buttons Formation. Spirit Hill 1 was the first petroleum well drilled in the Bonaparte Basin. It was a continuously cored diamond drill hole with the objectives being to determine the subsurface stratigraphic sequence on the Spirit Hill Anticline and the prospectivity of the Burt Range Formation located adjacent to the Burt Range Sub-basin. Slight traces of residual oil were detected in the cores of the Milligans and Burt Range Formations. A subsequent seismic survey and field mapping indicated that the well was located at least 4 km down-dip of a subcrestal culmination and some 6 km down-dip of the regional anticlinal crest.

TERN 1 - 1971, 4352 m (Arco Australia Ltd, 1971a)

Westralian 1, 2/Gondwanan 2

Tern 1 was drilled near the crest of a 70 km² structure with minor fault disruption on the near base upper Permian (seismic horizon H5) map of ARCO AUSTRALIA LIMITED (1971). It was a gas discovery in the "Tern Sand" at the top of the Hyland Bay Formation. The well encountered very hard indurated sandstones at the base of the well in the Kulshill Formation at 14 278 feet. The slow drilling conditions resulted in an early termination of the well still within the Permian section.

TERN 2 - 1982, 3140 m (Chan, 1981)

Westralian 1, 2/Gondwanan 2

Drilled 9.8 km southeast of Tern 1, Tern 2 appraised the "Tern Sand" reservoir of the Hyland Bay Formation. The well is 10 msec below and down dip from the H4 seismic horizon in Tern 1. The structure is some 75 km² in area with an amplitude anomaly extending well beyond the area of structural closure.

TERN 3 - 1982, 2683 m (Chan, 1982)

Westralian 1, 2/Gondwanan 2

Tern 3 was drilled on a separate culmination about 8 km south of the Tern gas field. The structure mapped on seismic horizon H4 flanks an interpreted salt diapir and appears to be a stratigraphic trap with dubious closure. The well stopped in the middle of the upper cycle of the Cape Hay Member of the Hyland Bay Formation, failing to test the lower potential reservoir sequence.

Based on the results of the cluster dipmeter, the structural dip in the Tern Member of the Hyland Bay Formation at Tern 3 is about 8 to 10 ° S with the uncorrected crossbed dips in the sandstone reservoir dipping about 10 ° NE. True cross-bed dips are therefore about 15° NNE suggesting deltaic progradation from the south. This is supported by the results from the Flat Top 1 well which exhibits a more marine influence (thicker limestones and little coal in the H4 to H5 interval) within the Hyland Bay Formation.

The southerly structural dip at Tern 3 suggests the structure is not closed, or even part of the Tern Anticline.

TERN 4

Westralian 1, 2/Gondwanan 2

This well achieved a significant gas flow but the details have not yet been released. (See the section, Significant hydrocarbon occurrences). With the exception of Tern 3 which was dry, these wells have successfully proved the 1.3 TCF Tern Gasfield. Chomat and Coisy (1985) described this field.

TURTLE 1 - 1984, 2700 m (Western Mining Corporation Ltd, 1984)

Larapintine-Gondwanan Transition/Gondwanan 1

The primary objective in Turtle 1 were the sands of the Kulshill Formation and the carbonates of the Tanmurra Formation. At the well location, drape closure increased with depth over a pre-Tanmurra faulted basement block.

Three intervals produced oil, all from the Kulshill Formation. They were, 952-955 m, 1466-1468 m and 1615.7-1624 m..

The (lower) Tanmurra and Bonaparte Formations showed poor reservoir characteristics having average porosities of 5% and 9% respectively, and average permeabilities of 15 md and 0 md respectively.

TURTLE 2 - 1989, 2760 m (Western Mining Corporation Ltd, 1990)

Larapintine-Gondwanan Transition/Gondwanan 1

Turtle 2 was drilled as an updip test of the oil shows in Turtle 1. The well was positioned over stacked crestal culminations in the Kinmore and Kulshill Groups.

The Kulshill Group sedimentary rocks were more sandy in Turtle 2 than in Turtle 1. Degraded oil shows were encountered in the top of the Keyling, Treachery Shale and Kuriyippi Formations. Reservoirs were fair to excellent with the major control over reservoir degradation being the growth of interstitial calcite and kaolinite cements.

Good non-degraded oil and gas shows were encountered in the basal Point Spring Sandstone, and throughout the Tanmurra Limestone and Milligans Formation. Reservoir characteristics varied from poor to occasionally fair with grain compaction and kaolinite-calcite cements being the main agents for porosity occlusion.

A show was obtained in H5 limestone and a well developed coarsening upward cycle was encountered in the upper Fossil Head Formation. Good cycle development was also present in the Hyland Bay Formation. Degraded oil shows were encountered in the top of the Keyling, Treachery Shale and Kuriyippi Formations. Good non-degraded oil and gas shows were encountered in the basal Point Spring Sandstone, and throughout the Tanmurra Limestone and Milligans Formation.

Four DST's and two RFT's were carried out with results as follows.

DST 1/1A	Milligans Formation (2721-2632 m)	Recovered 600 BBL of formation fluid and filtrate, including 22 BBL of 34.5° API oil.
DST 2	Lower Tanmurra Formation (2607-2571 m)	Recovered 900 BBL of formation fluid and filtrate, including 30 BBL of 36° API oil.
DST 3	Basal Point Spring Sandstone/top Tanmurra Formation (2447-2420 m)	Failed
DST 4	Top Kuriyippi Formation (1607-1604.5 m)	Failed
RFT 1	Top Keyling Formation (927.1 m)	Recovered 4 gallons of heavy viscous 14.3° API oil
RFT2	Top Kuriyippi Formation (1645 m)	Failed

Table 14 DST results from Turtle 2

An untested oil leg was also present at the Treachery Shale/Keyling Formation boundary.

Oil produced from the Milligans and Tanmurra Formations are thought to have been produced from a badly damaged fracture system.

WEABER 1 - 1982, 1950 m (Garside, 1983; Santos, 1983)

Larapintine 3

Weaber 1 was drilled on a structural closure interpreted as a possible Famennian carbonate bank, a lateral equivalent of the Ningbing reef limestones encountered in Keep River 1. A second objective was the Langfield Group.

Willink (1989) reported that no indications of live oil were detected during drilling, although minor gas detector anomalies were observed in two early Carboniferous sandstones above the Tournaisian unconformity. Fluorescence with cut was recorded in the Enga Sandstone between 1395 m and 1415 m, but was attributed to pipe-dope contamination. Logs showed the primary objective Ningbing limestones to be tight. Fair porosities, high resistivities and high SP deflections were recorded over the Enga Sandstone and an overlying thin Carboniferous sandstone between 1300 m and 1304 m. Although recognising the potential presence of probable gas in these sands, Aquitaine interpreted them to be fresh water filled. As a result, no tests were carried out and the well was abandoned.

Northern Territory Mines Department personnel inspected the abandoned Weaber 1 location in 1984 and found gas bubbling through water inside the surface casing. Santos, the new operator of the permit, re-evaluated the logs and concluded that the two Carboniferous sandstone intervals were gas bearing.

After re-entry of Weaber 1 in 1985 by Santos, four DSTs were run.

DST 1 was a valid test of the interval 1281 to 1313 m. Gas flowed to surface after 12 minutes, and flowed steadily after 34 minutes at the rate of 2.0 MMCFPD through a 1/2" choke with stabilised surface pressure of 321 psi. No fluid recovery was reported.

DST 2 was an invalid test and DST 3 was also invalid test. DST 4, a valid test of interval 1273 to 1421 m KB, tested both upper and lower sandstone beds in an open hole test below the 95/8" casing. Gas flowed to surface after 9 minutes. Gas flowed during two flow periods as follows:

1st flow period: Gas flowed at a rate of 3.6 MMSCFPD through a 1/2" choke at an average surface pressure of 585 psi.

2nd flow period: Gas flowed at a rate of 4.5 MMSCFPD through a 1/2" choke at an average surface pressure of 735 psi. No fluid recovery was reported.

Later analysis of pressure data revealed that formation damage may have impaired the test results and that flow rates as high as 480 000 m³/day could be achieved from the Enga Sandstone.

WEABER 2 - 1988, 446 m and WEABER 2A - 1988, 1657 m (Turner and Badcock, 1989)

Larapintine 3

A denser grid of 60 fold seismic data was acquired over the Weaber prospect in 1987. A much larger time closure was interpreted to be present and Weaber 1 was considered to have been drilled down-flank on this structure. Weaber 2A was spudded in 1988 on the crest of the time high some 2.3 km west-northwest of Weaber 1 and unexpectedly found the objective Enga Sandstone some 100 m deeper than in Weaber 1. The seismic data had been interpreted to show strong erosional relief at the Burt Range Unconformity level. Alternatively, shallow faults may sole out at this level and be effectively unrelated to deeper structuring. A gas flow was obtained from the Milligans Formation. The immature nature of the reservoir sequences implies that the gas migrated into place.

Significant gas shows were recorded through two sands in the early Carboniferous Milligans Formation. Two drill stem tests were run over the sands at Weaber 2. DST 1, run over the interval 1016-1044 m, was a misrun due to tool plugging during the flow period. DST 2, run after electric logging over the interval 1020-1037 m, flowed gas at a rate of 0.134 MMCFPD through a 13 mm (1/2") top choke. 59 m (1.4 BBLS) of slightly gas cut muddy filtrate ($R_w = 0.344 @ 250$) and mud were recovered.