


# AUSTRALIAN GEOMAGNETISM REPORT



BMR  
5550  
.389.5  
AUS.8  
copy 2

MAGNETIC  
OBSERVATORIES

VOLUME 38 No.5

MAY 1990

MINERAL RESOURCES, GEOLOGY & GEOPHYSICS

**DEPARTMENT OF PRIMARY INDUSTRIES AND ENERGY**

Minister for Resources:  
The Hon. Alan Griffiths MP

**BUREAU OF MINERAL RESOURCES, GEOLOGY AND GEOPHYSICS**

DIRECTOR:  
R.W.R. Rutland AO

This report was prepared by:  
Geomagnetism Section  
Division of Geophysics

CHIEF OF DIVISION (Acting): P.L. McFadden

For further information write to:

GEOMAGNETISM SECTION  
BUREAU OF MINERAL RESOURCES  
G.P.O. Box 378  
CANBERRA, A.C.T., 2601  
AUSTRALIA.



Published by the B.M.R. G. & G.

ISSN 1035-1515

© Commonwealth of Australia 1990

## CONTENTS

|                                                  | Page |
|--------------------------------------------------|------|
| Contributing Observatories & Instrumentation ... | 4    |
| K-Indices .....                                  | 5    |
| Principal Magnetic Storms .....                  | 9    |
| Monthly Mean Values .....                        | 10   |
| International Quiet & Disturbed Days .....       | 10   |
| Sudden Commencements & other Rapid Variations .  | 11   |

~~~~~ \*\*\*\*\* ~~~~~

The observers at Casey, Davis and Macquarie Island are officers of the Antarctic Division, The Department of the Arts, Sport, the Environment, Tourism and Territories. Their contributions are gratefully acknowledged. These observers and the Bureau of Mineral Resources' (BMR) geophysicist at Mawson are members of the Australian National Antarctic Research Expeditions (ANARE).

Data from the Port Moresby Geophysical Observatory are contributed by the Geological Survey of Papua New Guinea.

The terminology used in this report is that accepted by the International Association of Geomagnetism and Aeronomy (IAGA). The unit of field intensity is the nanoTesla (nT). All times are in Universal Time (UT).

### CONTRIBUTING OBSERVATORIES

| OBSERVATORY     | OBSERVER<br>IN CHARGE | GEOGRAPHIC |           | GEOMAGNETIC |        |
|-----------------|-----------------------|------------|-----------|-------------|--------|
|                 |                       | LAT.       | LONG.     | LAT.        | LONG.  |
| PORT MORESBY    | I.D.Ripper            | 9° 25'S    | 147° 09'E | -18.1°      | 219.8° |
| CHARTERS TOWERS | J.M.Millican          | 20° 05'S   | 146° 15'E | -28.7°      | 220.3° |
| LEARMONTH       | M.W.McMullan          | 22° 13'S   | 114° 06'E | -33.2°      | 185.5° |
| GNANGARA        | P.J.Gregson           | 31° 47'S   | 115° 57'E | -42.7°      | 188.0° |
| CANBERRA        | P.A.Hopgood           | 35° 19'S   | 149° 22'E | -43.3°      | 226.6° |
| MACQUARIE IS.   | J.Rich                | 54° 30'S   | 158° 57'E | -60.4°      | 244.7° |
| MAWSON          | A.M.Lewis             | 67° 36'S   | 62° 53'E  | -73.2°      | 106.3° |
| DAVIS           | M.Hesse               | 68° 35'S   | 77° 58'E  | -76.8°      | 124.0° |
| CASEY           | H.Beggs               | 66° 17'S   | 110° 32'E | -77.3°      | 182.7° |

\* Geomagnetic co-ordinates based on the 1980 DGRF Geomagnetic North pole position of 78.8°N, 70.9°W

### MAGNETOGRAPHS

| <u>OBSERVATORY</u> | <u>CODE</u> | <u>MODEL (TYPE/RES.)</u> | <u>ELEMENT/SCALE-VALUE</u> |     |     |  |
|--------------------|-------------|--------------------------|----------------------------|-----|-----|--|
| PORT MORESBY       | PMG         | La Cour (A)              | H/3                        | D/5 | Z/4 |  |
| CHARTERS TOWERS    | CTA         | EDA/Elsec (D/1)          | X                          | Y   | Z   |  |
| LEARMONTH          | LRM         | EDA/Elsec (D/1)          | X                          | Y   | Z   |  |
| GNANGARA           | GNA         | Eschenhagen(A)           | H/3                        | D/7 | Z/6 |  |
| CANBERRA           | CNB         | Elsec (D/.1)             | D                          | I   | F   |  |
| MACQUARIE IS.      | MCQ         | PEM (D/.1)               | X                          | Y   | Z   |  |
| MAWSON             | MAW         | PEM (D/.1)               | X                          | Y   | Z   |  |

A = analogue, 20mm/hr, scale values in nT/mm

D/1 = digital, 1 minute readings, 1 nT resolution

D/.1 = digital, 1 minute readings, 0.1 nT resolution

PEM = BMR Photo-electronic magnetograph

### MAGNETOMETERS

Absolute data are based on observations made with QHM's, BMZ's, fluxgate-theodolites, declinometers, proton vector magnetometers and proton precession magnetometers.

Errors in preliminary values obtained from magnetograms are not likely to exceed 5 nT or 0.5 minutes of arc.

**PORT MORESBY**

**MAGNETIC K-INDICES - MAY 1990**

Range for lower limit of K=9 is 300nT

| DAY | K-INDICES |   |   |   |   |   |   |   | K-SUM |
|-----|-----------|---|---|---|---|---|---|---|-------|
| 01  | 3         | 3 | 2 | 2 | 2 | 1 | 2 | 1 | 16    |
| 02  | 1         | 1 | 3 | 4 | 4 | 1 | 1 | 1 | 16    |
| 03  | 2         | 3 | 3 | 4 | 3 | 2 | 3 | 3 | 23    |
| 04  | 3         | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 19    |
| 05  | 2         | 2 | 3 | 4 | 1 | 1 | 2 | 1 | 16    |
| 06  | 2         | 2 | 2 | 2 | - | - | - | - | --    |
| 07  | -         | - | 2 | 1 | 3 | 2 | 1 | 2 | --    |
| 08  | 2         | 3 | 1 | 2 | 2 | 2 | 1 | 3 | 16    |
| 09  | 3         | 4 | 5 | 4 | 3 | 2 | 2 | 4 | 27    |
| 10  | 3         | 5 | 5 | 5 | 3 | 2 | 2 | 2 | 27    |
| 11  | 3         | 4 | 4 | 3 | 4 | 2 | 3 | 2 | 25    |
| 12  | 2         | 1 | 2 | 1 | 0 | 0 | 1 | 2 | 09    |
| 13  | 1         | 1 | 1 | 2 | 2 | 3 | 3 | 2 | 15    |
| 14  | 2         | 1 | 2 | 1 | 0 | 0 | 2 | 1 | 09    |
| 15  | 1         | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 10    |
| 16  | 1         | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 09    |
| 17  | 2         | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 17    |
| 18  | 2         | 2 | 4 | 4 | 4 | 4 | 3 | 3 | 26    |
| 19  | 3         | 3 | 2 | 2 | 3 | 2 | 2 | 3 | 20    |
| 20  | 3         | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 20    |
| 21  | 3         | 1 | 1 | 3 | 3 | 3 | 2 | 3 | 19    |
| 22  | 4         | 5 | 6 | 5 | 5 | 5 | 3 | 2 | 35    |
| 23  | 2         | 3 | 3 | 3 | 2 | - | - | - | --    |
| 24  | 0         | 1 | 1 | 1 | 0 | 1 | 3 | 1 | 08    |
| 25  | 3         | 3 | 3 | 4 | 4 | 3 | 3 | 2 | 25    |
| 26  | 3         | 3 | 2 | 3 | 4 | 3 | 5 | 5 | 28    |
| 27  | 3         | 5 | 6 | 5 | 4 | 5 | 3 | 2 | 33    |
| 28  | 2         | 2 | 2 | 2 | 1 | 2 | 2 | 1 | 14    |
| 29  | 2         | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 17    |
| 30  | 2         | 3 | 3 | 5 | 3 | 2 | 2 | 3 | 23    |
| 31  | 3         | 3 | 1 | 2 | 2 | 2 | 2 | 2 | 17    |

Mean of K-Sum is 19.2

**Frequency of K-Indices**

|     |   |    |    |    |    |    |   |   |   |   |   |
|-----|---|----|----|----|----|----|---|---|---|---|---|
| K : | 0 | 1  | 2  | 3  | 4  | 5  | 6 | 7 | 8 | 9 | - |
| f : | 6 | 47 | 87 | 64 | 19 | 14 | 2 | 0 | 0 | 0 | 9 |

**GNANGARA**

**MAGNETIC K-INDICES - MAY 1990**

Range for lower limit of K=9 is 450nT

| DAY | K-INDICES |   |   |   |   |   |   |   | K-SUM |
|-----|-----------|---|---|---|---|---|---|---|-------|
| 01  | 2         | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 11    |
| 02  | 1         | 2 | 3 | 3 | 5 | 1 | 1 | 2 | 18    |
| 03  | 2         | 2 | 1 | 3 | 3 | 2 | 3 | 4 | 20    |
| 04  | 3         | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 19    |
| 05  | 2         | 1 | 2 | 4 | 1 | 1 | 3 | 1 | 15    |
| 06  | 1         | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 10    |
| 07  | 1         | 1 | 2 | 1 | 1 | 2 | 0 | 0 | 08    |
| 08  | 1         | 2 | 2 | 1 | 1 | 1 | 1 | 2 | 11    |
| 09  | 3         | 2 | 2 | 3 | 4 | 2 | 3 | 4 | 23    |
| 10  | 4         | 4 | 4 | 4 | 3 | 3 | 3 | 2 | 27    |
| 11  | 3         | 3 | 3 | 1 | 4 | 2 | 3 | 3 | 22    |
| 12  | 2         | 2 | 1 | 0 | 0 | 0 | 0 | 1 | 06    |
| 13  | 0         | 0 | 0 | 1 | 1 | 4 | 3 | 2 | 11    |
| 14  | 1         | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 02    |
| 15  | 2         | 1 | 2 | 1 | 1 | 0 | 0 | 1 | 08    |
| 16  | 2         | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 06    |
| 17  | 3         | 2 | 2 | 0 | 1 | 0 | 1 | 1 | 10    |
| 18  | 2         | 1 | 3 | 4 | 4 | 4 | 5 | 4 | 27    |
| 19  | 4         | 3 | 2 | 1 | 4 | 2 | 2 | 4 | 22    |
| 20  | 2         | 2 | 3 | 2 | 2 | 3 | 4 | 3 | 21    |
| 21  | 3         | 1 | 2 | 3 | 3 | 4 | 3 | 3 | 22    |
| 22  | 4         | 4 | 4 | 4 | 5 | 4 | 4 | 2 | 31    |
| 23  | 2         | 1 | 2 | 3 | 2 | 2 | 1 | 1 | 14    |
| 24  | 0         | 0 | 1 | 1 | 0 | 1 | 1 | 1 | 05    |
| 25  | 3         | 3 | 2 | 4 | 5 | 3 | 4 | 2 | 26    |
| 26  | 3         | 2 | 2 | 2 | 3 | 3 | 5 | 5 | 25    |
| 27  | 3         | 4 | 5 | 3 | 3 | 4 | 3 | 1 | 26    |
| 28  | 1         | 3 | 2 | 1 | 0 | 3 | 1 | 1 | 12    |
| 29  | 2         | 1 | 3 | 2 | 2 | 2 | 2 | 3 | 17    |
| 30  | 2         | 2 | 2 | 3 | 3 | 2 | 4 | 2 | 20    |
| 31  | 2         | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 17    |

**Mean of K-Sum is 16.5**

**Frequency of K-Indices**

|            |    |    |    |    |    |   |   |   |   |   |   |
|------------|----|----|----|----|----|---|---|---|---|---|---|
| <b>K :</b> | 0  | 1  | 2  | 3  | 4  | 5 | 6 | 7 | 8 | 9 | - |
| <b>f :</b> | 27 | 61 | 73 | 50 | 30 | 7 | 0 | 0 | 0 | 0 | 0 |

**CANBERRA**

**MAGNETIC K-INDICES - MAY 1990**

Range for lower limit of K=9 is 450nT

| DAY | K-INDICES |   |   |   |   |   |   |   | K-SUM |
|-----|-----------|---|---|---|---|---|---|---|-------|
| 01  | 2         | 3 | 0 | 1 | 2 | 2 | 2 | 1 | 13    |
| 02  | 0         | 2 | 2 | 4 | 5 | 0 | 1 | 1 | 15    |
| 03  | 2         | 2 | 2 | 3 | 4 | 2 | 3 | 3 | 21    |
| 04  | 2         | 2 | 1 | 3 | 3 | 1 | 1 | 1 | 14    |
| 05  | 1         | 1 | 3 | 4 | 1 | 1 | 3 | 1 | 15    |
| 06  | 1         | 2 | 1 | 2 | 1 | 0 | 1 | 0 | 08    |
| 07  | 1         | 1 | 1 | 1 | 1 | 2 | 0 | 0 | 07    |
| 08  | 0         | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 11    |
| 09  | 3         | 2 | 3 | 3 | 4 | 1 | 1 | 4 | 21    |
| 10  | 2         | 3 | 4 | 5 | 3 | 2 | 2 | 1 | 22    |
| 11  | 3         | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 21    |
| 12  | 1         | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 04    |
| 13  | 0         | 1 | 1 | 1 | 1 | 3 | 3 | 2 | 12    |
| 14  | 0         | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 03    |
| 15  | 1         | 2 | 0 | 1 | 1 | 1 | 0 | 0 | 06    |
| 16  | 0         | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 01    |
| 17  | 0         | 1 | 2 | 1 | 1 | 1 | 0 | 0 | 06    |
| 18  | 1         | 1 | 4 | 4 | 4 | 5 | 4 | 3 | 26    |
| 19  | 2         | 4 | 2 | 1 | 3 | 3 | 2 | 2 | 19    |
| 20  | 2         | 2 | 1 | 2 | 2 | 3 | 3 | 2 | 17    |
| 21  | 3         | 1 | 0 | 3 | 2 | 4 | 3 | 3 | 19    |
| 22  | 3         | 4 | 5 | 3 | 5 | 4 | 3 | 2 | 29    |
| 23  | 1         | 1 | 1 | 3 | 1 | 2 | 0 | 1 | 10    |
| 24  | 0         | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 02    |
| 25  | 2         | 3 | 2 | 3 | 4 | 2 | 3 | 2 | 21    |
| 26  | 2         | 2 | 1 | 3 | 4 | 3 | 3 | 5 | 23    |
| 27  | 4         | 5 | 6 | 4 | 3 | 4 | 2 | 1 | 29    |
| 28  | 0         | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 09    |
| 29  | 2         | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 15    |
| 30  | 1         | 3 | 2 | 4 | 3 | 2 | 3 | 2 | 20    |
| 31  | 2         | 2 | 1 | 2 | 2 | 2 | 2 | 1 | 14    |

Mean of K-Sum is 14.6

**Frequency of K-Indices**

|     |    |    |    |    |    |   |   |   |   |   |   |
|-----|----|----|----|----|----|---|---|---|---|---|---|
| K : | 0  | 1  | 2  | 3  | 4  | 5 | 6 | 7 | 8 | 9 | - |
| f : | 40 | 71 | 66 | 43 | 20 | 7 | 1 | 0 | 0 | 0 | 0 |

**MAWSON**

**MAGNETIC K-INDICES - MAY 1990**

Range for lower limit of K=9 is 1500nT

| DAY | K-INDICES |   |   |   |   |   |   |   | K-SUM |
|-----|-----------|---|---|---|---|---|---|---|-------|
| 01  | 4         | 4 | 3 | 3 | 2 | 1 | 2 | 3 | 22    |
| 02  | 2         | 4 | 4 | 2 | 4 | 2 | 2 | 5 | 25    |
| 03  | 3         | 5 | 5 | 4 | 3 | 2 | 3 | 6 | 31    |
| 04  | 6         | 3 | 4 | 3 | 3 | 3 | 5 | 4 | 31    |
| 05  | 4         | 4 | 4 | 4 | 3 | 3 | 5 | 3 | 30    |
| 06  | 2         | 4 | 3 | 2 | 2 | 2 | 2 | 4 | 21    |
| 07  | 2         | 2 | 3 | 1 | 2 | 2 | 0 | 1 | 13    |
| 08  | 4         | 5 | 4 | 2 | 2 | 2 | 1 | 5 | 25    |
| 09  | 5         | 5 | 4 | 5 | 3 | 3 | 5 | 5 | 35    |
| 10  | 6         | 5 | 7 | 4 | 4 | 3 | 7 | 4 | 40    |
| 11  | 6         | 6 | 4 | 4 | 4 | 4 | 4 | 4 | 36    |
| 12  | 5         | 4 | 4 | 1 | 0 | 0 | 0 | 3 | 17    |
| 13  | 3         | 3 | 2 | 1 | 1 | 3 | 4 | 5 | 22    |
| 14  | 3         | 2 | 2 | 1 | 0 | 0 | 1 | 3 | 12    |
| 15  | 4         | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 09    |
| 16  | 1         | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 04    |
| 17  | 1         | 3 | 3 | 1 | 1 | 0 | 3 | 2 | 14    |
| 18  | 2         | 2 | 3 | 4 | 5 | 5 | 5 | 6 | 32    |
| 19  | 4         | 6 | 3 | 3 | 3 | 3 | 4 | 5 | 31    |
| 20  | 5         | 5 | 3 | 3 | 3 | 4 | 6 | 5 | 34    |
| 21  | 5         | 5 | 2 | 3 | 3 | 4 | 5 | 5 | 32    |
| 22  | 3         | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 33    |
| 23  | 4         | 4 | 3 | 3 | 2 | 4 | 3 | 5 | 28    |
| 24  | 3         | 2 | 2 | 1 | 1 | 2 | 3 | 5 | 19    |
| 25  | 5         | 5 | 4 | 4 | 3 | 5 | 4 | 5 | 35    |
| 26  | 5         | 5 | 4 | 4 | 4 | 3 | 6 | 6 | 37    |
| 27  | 4         | 7 | 6 | 5 | 3 | 5 | 3 | 6 | 39    |
| 28  | 4         | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 24    |
| 29  | 3         | 3 | 4 | 3 | 3 | 2 | 3 | 6 | 27    |
| 30  | 5         | 5 | 5 | 6 | 4 | 4 | 7 | 5 | 41    |
| 31  | 4         | 5 | 4 | 3 | 2 | 2 | 5 | 4 | 29    |

**Mean of K-Sum is 26.7**

**Frequency of K-Indices**

|            |    |    |    |    |    |    |    |   |   |   |   |
|------------|----|----|----|----|----|----|----|---|---|---|---|
| <b>K :</b> | 0  | 1  | 2  | 3  | 4  | 5  | 6  | 7 | 8 | 9 | - |
| <b>f :</b> | 15 | 19 | 36 | 59 | 57 | 44 | 14 | 4 | 0 | 0 | 0 |

PRINCIPAL MAGNETIC STORMS - MAY 1990

| OBSERVATORY  | Commencement |        | SSC-amplitude |           |       | Max. 3hr K-index |                  | Ranges |        |       | UT End |     |    |
|--------------|--------------|--------|---------------|-----------|-------|------------------|------------------|--------|--------|-------|--------|-----|----|
|              | day          | hr min | type          | D(°)      | H(nT) | Z(nT)            | day (3hr-period) | K      | D(°)   | H(nT) | Z(nT)  | day | hr |
| Port Moresby | 09           | 20 ..  | ...           | ..        | ..    | ..               | 10(2,3,4)        | 5      | 6      | 160   | 60     | 10  | 18 |
|              | 21           | 19 ..  | ...           | ..        | ..    | ..               | 22(3)            | 6      | 5      | 190   | 60     | 23  | 10 |
|              | 26           | 20 37  | SSC*          | -0.9*     | +24   | +23              | 27(3)            | 6      | 6      | 190   | 70     | 27  | 18 |
| Gnangara     | NIL          |        |               | PRINCIPAL |       |                  | MAGNETIC         |        | STORMS |       |        |     |    |
| Canberra     | 21           | 19 ..  | ...           | ..        | ..    | ..               | 22(3,5)          | 5      | 17.0   | 116   | 55     | 22  | 18 |
|              | 26           | 20 37  | SSC*          | +3.4*     | +15   | +5*              | 27(3)            | 6      | 14.8   | 168   | 81     | 27  | 18 |

**MAY 1990**

**PRELIMINARY MONTHLY MEAN VALUES**

| OBSERVATORY     | H     | D   |         | Z      | F     |
|-----------------|-------|-----|---------|--------|-------|
|                 | nT    | deg | min     | nT     | nT    |
| PORT MORESBY    | 35914 | 06° | 36.2' E | -23712 | 43036 |
| CHARTERS TOWERS | 31747 | 07° | 47.1' E | -38260 | 49717 |
| LEARMONTH       | 29487 | 00° | 33.0' W | -44425 | 53320 |
| GNANGARA        | 23187 | 03° | 06.1' W | -53807 | 58590 |
| CANBERRA        | 23652 | 12° | 30.7' E | -53669 | 58650 |
| MACQUARIE IS.   | 12570 | 29° | 43.3' E | -63522 | 64754 |
| MAWSON          | 18493 | 64° | 20.6' W | -46025 | 49601 |
| DAVIS           | 16670 | 77° | 25.0' W | -52030 | 54635 |
| CASEY           | 9620  | 87° | 45.0' W | -63511 | 64235 |

The values are derived from magnetograms for selected quiet days except at Davis and Casey, where they are derived from semi-weekly absolute measurements.

**INTERNATIONAL QUIET AND DISTURBED DAYS**

Quietest days (1- 5): 16 14 17 06 15  
Quietest days (6-10): 12 07 28 24 01  
Most Disturbed days : 26 27 10 22 18

MAY 1990

SUDDEN COMMENCEMENTS AND OTHER RAPID VARIATIONS

| OBSERVATORY  | DAY | TYPE AND<br>QUALITY | TIME | SENSE AND AMPLITUDE<br>OF CHIEF MOVEMENT |       |       |
|--------------|-----|---------------------|------|------------------------------------------|-------|-------|
|              |     |                     |      | H(nT)                                    | D(nT) | Z(nT) |
| PORT MORESBY | 18  | ssc B               | 0725 | +19                                      | -5    | +16   |
|              | 26  | ssc*B               | 2037 | +24                                      | -9*   | +23   |
| GNANGARA     | 18  | ssc*B               | 0740 | +18                                      | +4*   | +5*   |
|              | 26  | ssc*A               | 2037 | +20                                      | +44*  | +34*  |
| CANBERRA     | 18  | ssc B               | 0741 | +19                                      | -5    | +3    |
|              | 26  | ssc*B               | 2037 | +15                                      | +23*  | +5*   |

AUSTRALIAN GEOMAGNETISM REPORT VOLUME 38 No.5 MAY 1990