

60p12
COMMONWEALTH OF AUSTRALIA.

DEPARTMENT OF NATIONAL DEVELOPMENT.
BUREAU OF MINERAL RESOURCES
GEOLOGY AND GEOPHYSICS.

RECORDS.

1954/47

A BIBLIOGRAPHY OF AUSTRALIAN FORAMINIFERA.

by

Irene Crespin.

A BIBLIOGRAPHY OF AUSTRALIAN FORAMINIFERA.

by Irene Crespin¹

Bureau of Mineral Resources, Geology and
Geophysics, Canberra, Australia.

With the increasing number of workers engaged in the study of the foraminifera in Australia and elsewhere and with the increased amount of literature that has appeared on the subject since 1930, it is considered that a bibliography of Australian Foraminifera would be of some value. The intensive investigations undertaken in the last few years in connexion with the search for oil, with its ultimate discovery in North-West Australia in December, 1953, together with the important part played by the micropalaeontologists in this exploratory work, make it necessary for workers to have literature on foraminifera easily accessible.

The present bibliography is an attempt to list all known works in which reference is made to fossil and Recent foraminifera in the Australian region up to 1954. However, it is realised that some small papers may have been overlooked. All papers, whether they contain systematic descriptions, or refer to stratigraphy, or are of a general geological character, are included. Consequently this bibliography is divided into two sections:

- A. Works containing systematic descriptions of genera, species and varieties.
- B. Works in which lists of foraminifera and stratigraphical and general geological references are given.

It was considered desirable to include papers on Recent Foraminifera which described new species from seas in the immediate vicinity of the Australian coastline, such as those in the "Challenger" report on 1884. New species were described from Port Jackson (in the vicinity of Sydney) New South Wales; Moncoeur Island in Bass Strait; 10 miles south-east of Wilson's Promontory, Victoria; and from Booby and Raine Islands in Torres Strait, north of the Continent. Heron-Allen and Earland's work on the Foraminifera

¹ Published with permission of the Director of the Bureau of Mineral Resources, Geology and Geophysics, Melbourne, Australia.

of Lord Howe Island (1924) is included because this island, though situated approximately 500 miles north-east of Sydney, is included politically in the electorate of East Sydney. Many of the new species described by Parr (1950) in his magnificent work on the Foraminifera collected by the British Australian and New Zealand Antarctic Expedition, 1929-31, came from the seas around south-eastern Australia.

The numerous departmental records prepared by the micropalaeontologists attached to the Bureau of Mineral Resources and relating to the foraminifera are not listed, although certain Mines Departments of the States of the Commonwealth who have been supplied with copies of these records have included them in their reference lists.

Short bibliographies of Australian Foraminifera have appeared from time to time. The most complete one was on Australian Tertiary Foraminifera up to 1941 given by the late Dr. F. A. Singleton in the Tertiary Geology of Australia (1941). Many of the rarer papers listed were found amongst the charred remains of the magnificent Chapman Library on Foraminifera which suffered severe damage in the disastrous fire at the Bureau in April 1953, or in the card catalogue prepared prior to the fire. Acknowledgment of assistance is given to many helpers, especially Mr. E. D. Gill of the National Museum, Melbourne.

The earliest reference to Australian foraminifera that has been found was in 1843, when Ehrenberg recorded a species of Biloculina and two species of Rotalia from Australia waters. Carpenter, in his works of 1850 and 1856, made reference to and figured some larger forms of Recent foraminifera. The earliest reference to fossil foraminifera appears to be that by Parker and Jones in 1860, when they described a bryozoal limestone from Mt. Gambier, South Australia.

All forms described in the publications in Section A of the bibliography are listed for convenience of workers. In the case where species described by Cushman are redescribed in his Monographs and Special Publications, these are also listed.

A. Publications containing systematic descriptions of
New Genera, Species and Varieties of Australian
Foraminifera with lists of new forms therein

Brady, H.B.

- 1879 - Notes on Some of the Reticularian Rhizopoda of the
"Challenger" Expedition. II. Additions to the knowledge
of the Porcellaneous and Hyaline types. Quart.J. Microscop.
Sci., n.s. 19, 261-299, pl.8.

Frondicularia compta.

- 1881 - Notes on Some of the Reticularian Rhizopoda of the
"Challenger" Expedition. III. 1. Classification,
2. Notes on new species. 3. Note on Biloculina Mud.
Ibid., n.s. 21, 31-71.

Species not figures but neotypes have been
selected by British Museum (Natural History).

Bulimina williamsoniana; Miliolina transverse ^{striat}
Miliolina separans; Miliolina rupertiana; Miliolin
incrassata; Hauerina circinata; Lagena favoso-
punctata ~~sp. nov.~~; Lagena hertwigiana; Lagena
schulzeana; Polystomella imperatrix; Polystomella
verriculata.

- 1884 - Report on the Foraminifera collected by H.M.S. "Challenger"
during the years 1873-1876. Rep. Sci. Results "Challenger"
Zool. 2 vols. Text 1-184, pls. 1-115.

Biloculina ringens Lam. var. striolata nov.;
Spriloculina convexiuscula; Miliolina crassatina
nom. nov.; Cornuspira lacumosa; Textularia jugosa;
Textularia crispata; Textularia transversaria;
Bolivina nitida; Lagena spiralis; Lagena formosa
Schwager var. brevis nov.; Lagena quadrangularis;
Polymorphina sequenzana; Sagrina limbata;
Spirillina limbata Brady var. denticulata nov.;
Truncatulina tenuimargo; Rotalia papillosa;
Rotalia papillosa Brady var. compressiuscula nov.;
Rotalia clathrata.

Brady, H.B., Parker, W.K., and Jones, T.R.

- 1870 - A Monograph of the genus Polymorphina. Trans. Linn. Soc.
Lond., 27, 197-253, pls. 39-42.

Polymorphina regina.

Carpenter, W.B., Parker, W.K. and Jones T.R.

- 1862 - Introduction to the Study of the Foraminifera. Ray Society
London. 1-349, pls. 1-22.

Discorbina dimidiata Type Text figs. p.201

Chapman, F.

- 1898 - On Haddonina, a new genus of the Foraminifera from Torres
Strait. J. Linn. Soc. (Zool.) 26, 452-456, pl. 28.

Haddonina; Haddonina torresiensis.

Chapman, F. cont'd.

- 1904 - One Some Foraminifera and Ostracoda from the Jurassic
(Lower Oolite) Strata, near Geraldton, Western Australia.
Proc.roy.Soc.Vict. n.s. 16 (2), 185-206, pls. 22, 23.

Textularia crater; Bulimina gregorii; Vaginulina
schibenbachi Reuss var. interrupta nov.;
Cristellaria daintreei; Cristellaria costata
(F. & M.) var. compressa nov.; Cristellaria
costata (F. & M.) var. seminuda nov.

- 1904 - On some Cainozoic Foraminifera from Brown's Creek, Otway
Coast. Rec.geol.Surv.Vict. 1 (3), 227-230, pl. 22.

Lituola simplex; Ammodiscus incertus (d'Orb.) var.
macilenta nov.; Cyclammina complanata; Cyclammina
paupera.

- 1907 - Recent Foraminifera of Victoria - Some Littoral
Gatherings. J.Quekett microscop.Club, London, 117-146,
pls. 9, 10.

Clavulina parisiensis d'Orb. var. multicamerata nov.
Spirillina denticulo-granulata; Lagena acuticost-
ata Reuss var. ramulosa nov.

- 1907 - Tertiary Foraminifera of Victoria, Australia - The Bal-
combian Deposits of Port Phillip: Part I. J.Linn.Soc.-
(Zool.) 30, 10-35, pls.1-4.

Biloculina angusta; Bulimina elegantissima d'Orb.
var. apiculata nov.

- 1909 - On Some Microzoa from the Wianamatta Shales, New South
Wales. Rec.geol.Surv.N.S.W., 8 (4), 334-338, pl.54.

Nubecularia nitida; Discorbina cymbaloporoides;
Pulvinulina insignis.

- 1910 - A Study of the Batesford Limestone. Proc.roy.Soc.Vict.,
n.s. 22 (2), 263-314, pls. 52-55.

Verneuilina ensiformis; Pulvinulina scabricula;
Polytrema minutum; Gypsina howchini.

- 1913 - Description of New and Rare Fossils obtained by Deep
Boring in the Mallee, Part I - Plantae; and Rhizopoda
to Brachiopoda. Ibid., n.s. 26 (1), 165-191, pls. 14-19.

Ammodiscus ovalis; Fronicularia lorifera;
Polystomella striatopunctata (F. & M.) var.
evoluta nov.

- 1 1915 - Report on the Foraminifera and Ostracoda obtained by the
F.I.S. "Endeavour" from the east coast of Tasmania and
off Cape Wiles, South Australia. Biol.Results. "Endeavour"
1909-1914, 3 (1), 3-51, pls. 1-3.

Spiroloculina dorsata Reuss var. circularis nov.;
Spiroloculina grata Terquem var. reticosa nov.;
Cornuspira carinata (Costa) var. expansa nov.

Chapman, F. cont'd.

- 1916 - On some smaller Fossils from the Red Limestone of Grange Burn near Hamilton with a note on a new species.
Vict.Nat.,Melb., 32 (10), 144-146, Text fig.

Bolivina hentvana.

- 1917 - Monograph of the Foraminifera and Ostracoda of the Gingen Chalk. Bull.geol.Surv.W.Aust. 72 (6), 1-81, pls. 1-14.

Massilina ginginensis; Sagraina maitlandiana;
Sagraina monile; Bigenerina compressiuscula.

- 1918 - Devonian Foraminifera: Tamworth District, New South Wales. Proc.Linn.Soc.N.S.W., 43 (2), 385-394, pls. 39-42.

Psammosphaera neminghensis; Valvulina oblonga;
Pulvinulina bensoni.

- 1922 - Report on an Examination of Material obtained from a Bore at Torquay. Rec.geol.Surv.Vict., 4 (2), 315-324, pl. 3.

Spiroloculina torquayensis; Carpenteria proteiformis Goes var. plecte nov.

- 1922 - Sherbornina: A new Genus of the Foraminifera from Table Cape, Tasmania. J.Linn.Soc.(Zool.) 34, 501-503, pl. 32.

Sherbornina; Sherbornina atkinsoni.

- 1923 - Report on Fossils from an Upper Cambrian Horizon at Loyola, near Mansfield. Appendix. I. in Phosphate Deposits in the Mansfield District by A. W. Howitt. Bull.geol.Surv.Vict., 46, 34-45, pl. 11-13.

Reophax antiquorum.

- 1926 - Geological Notes on Neumerella and the Section from Bairnsdale to Orbost. Proc.roy.Soc.Vict. n.s. 38, 125-142, pl. 10.

Jaculella neumerellensis.

- 1927 - On a Limestone containing Lepidocyclina and other Foraminifera from the Cape Range, Exmouth Gulf, W.A. Ibid. 39 (2), 125-148, pl. 12.

Bolivina spiroplectiformis

- 1933 - Some Palaeozoic Fossils from Victoria. Ibid. n.s. 45 (2), 245-248, pl. 11.

Hemigordius lilydalensis; Trochammina bursaria.

Chapman, F. cont'd.

- 1941 - Report on Foraminiferal Soundings and Dredging of the F.I.S. "Endeavour" along the Continental Shelf of the South-East Coast of Australia. Trans.roy.Soc.S.Aust., 65 (2), 145-211, pl.7-9.

Planularia australis; Lagenonodosaria scalaris (Batsch) var. seminuda nov.; Bulimina notovata; Bolivinita quadrilatera (Schwager) var. tortilis nov.; Parafrondicularia helenae; Notorotalia decurrens; Chilostomella cushmani; Sigmoilina latissima.

Chapman, F. and Crespin, I.

- 1928 - (In Chapman) - The Sorrento Bore, Mornington Peninsula with a description of New or Little-known Fossils. Rec.geol.Surv.Vict., 5 (1), 1-195, pls. 1-11.

Spiroloculina dispansa; Frondicularia nuda; Truncatulina mundula Brady, Parker & Jones var. carinata nov.

- 1930 - Rare Foraminifera from Deep Borings in the Victorian Tertiaries - Victoriella, gen. nov., Cycloclypeus communis Martin, and Lepidocyclina borneensis Provale. Proc.roy.Soc.Vict., n.s. 42 (2), 110-114, pls. 7-8.

Victoriella.

- 1930 - Rare Foraminifera from Deep Borings in the Victorian Tertiaries. Part II. Ibid. n.s. 43 (1), 96-100, pl.5.

Cyclammina rotundata; Cyclammina longicompressa; Lingulina bartrum Chapman var. metungensis nov.; Vaginulina gippslandica; Carpenteria rotaliformis; Carpenteria alternata; Lamarckina glencoensis.

- 1932 - Rare Foraminifera from Deep Borings - Part III. Ibid., n.s. 44 (1), 92-99, pls. 11-13.

Lepidocyclina (Nephrolepidina) howchini; Lepidocyclina (Nephrolepidina) hamiltonensis.

Chapman, F. and Howchin, W.

- 1905 - A Monograph of the Foraminifera of the Permo-Carboniferous Limestones of New South Wales. Mem.geol.Surv.N.S.W., 14, 1-22.

Haplophragmium pokolbiense; Pelosina hemisphaerica; Placopsilina tenuitesta; Lituola cristellarioides; Stacheia simulans; Monogerina pyramidis; ?Pleurostomella antiqua; Geinitzina triangularis; Anomalina supracarbonica.

Chapman, F., Howchin, W. and Parr, W.J.

- 1934 - A Revision of the Nomenclature of the Permian Foraminifera of New South Wales. Proc.roy.Soc.Vict., n.s., 47 (1), 175-189, text figs.

Lingulina davidi; Ammodiscus planoconvexus.

Chapman, F. and Parr, W.J.

- 1926 - Tertiary Foraminifera of Victoria, Australia. The Balcombian Deposits of Port Phillip. Part II. J.Linn.Soc. (Zool.) 36, 373-399, pls. 17-21.

Uvigerina pygmaea d'Orb. var. macilenta nov.

- 1931 - Notes on New and Aberrant Types of Foraminifera.

Proc.roy.Soc.Vict., n.s. 43 (2), 236-238, pl. 9.

Hofkerina gen. nov.; Heronallenia gen. nov.

- 1935 - Foraminifera from soundings made by the trawler

"Bonthorpe" in the Great Australian Bight. J.roy.Soc.

W.Aust., 21, pl. 1-6.

Pyrgo fornasinii nom mut.; Clavulina serventyi.

- 1937 - On the discovery of Fusulinid Foraminifera in the Upper Palaeozoic of North-West Australia. With a note on a new Bivalve. Vict.nat.Melb., 53, 175-179, pl.16.

Verbeekina sp.; Neoschwagerina sp.

- 1938 - Australian and New Zealand Species of the Foraminiferal Genera Operculina and Operculinella. Proc.roy.Soc.Vict., n.s. 50 (2), 279-299, pls. 16-17.

Operculina victoriensis.

Chapman, F., Parr, W.J., and Collins, A.C.

- 1934 - Tertiary Foraminifera of Victoria, Australia. The Balcombian Deposits of Port Phillip. Part III.

J.Linn.Soc.(Zool.) 38 (262), 553-577, pls. 8-11.

Discorbis bertheloti (d'Orb.) var. papillata nov.; Discorbis balcombensis; Discorbis tuberculata (Balkwill & Wright) var. australiensis nov.; ?Pulvinulinella tenuimarginata; Rotalia howchini; Globorotalia dehiscens; Cibicides victoriensis.

Collins, A.C.

- 1953 - Pleistocene Foraminifera from Port Fairy, Western Victoria. Mem.nat.Mus.Melb., 18, 93-105, pl. 1.

Quinqueloculina moynensis; Fabularia lata; Planispirinella tenuis; Buliminella gracilis.

Crespin, Irene.

- 1941 - The Genus Cyclocypeus in Victoria. Proc.roy.Soc.Vict., n.s. 53 (2), 301-314, pls. 12-15.

Cyclocypeus victoriensis; Cyclocypeus victoriensis var. gippslandica nov.

Crespin, Irene cont'd.

- 1943 - The Genus Lepidocyclina in Victoria. Ibid., n.s.
55 (2), 157-180, pls. 3-9.

Lepidocyclina (Trybliolepidina) batesfordensis;
Lepidocyclina (Trybliolepidina) gippslandica.

- 1944 - Some Lower Cretaceous Foraminifera from bores in the
Great Artesian Basin, Northern New South Wales.
J.roy.Soc.N.S.W., 78, 17-24, pl.1.

Haplophragmoides chapmani; Trochammina raggatti;
Trochammina parvula; Spiroplectammina cushmani;
Marginulina subcretacea; Lenticulina warregoensis;
Lenticulina gunderbookaensis; Planulina cretacea.

- 1945 - Some Permian Foraminifera from Eastern Australia.
Proc.roy.Soc.Qd., 56 (3), 23-30, pl.3.

Nodosaria springsurensis; Nodosaria serocoldensis;
Dentalina gravi; Frondicularia parri.

- 1950 - Some Tertiary Foraminifera from Victoria, Australia.
Contr.Cushman Fdn., 1 (3,4), 70-75, pl. 10.

Bathysiphon angleseaensis; Ammodiscus parri;
Quinqueloculina singletoni; Quinqueloculina
ornithopetra; Frondicularia victoriae;
Dimorphina janjukensis.

- 1952 - Two new species of Lepidocyclina from Cape Range, north-
western Australia. Ibid., 3 (1), 28-32, pls. 6-8.

Lepidocyclina (Eulepidina) badjirraensis;
Lepidocyclina (Eulepidina) manduensis.

- 1953 - Lower Cretaceous Foraminifera from the Great Artesian
Basin, Australia. Ibid., 4 (1), 26-36, pls. 5,6.

Pelosina lagenoides; Haplophragmoides dickinsoni;
Ammobaculites fisheri; Ammobaculites minimus;
Spiroplectammina edgelli; Ammobaculoides coonan-
ensis; Ammobaculoides pitmani; Ammobaculoides
romaensis; Textularia anacooraensis;
Verneuilina howchini; Bigenerina leoblichae;
Trochammina minuta; Lenticulina australiensis;
Marginulina marreensis; Pseudoglandulina regularis;
Lagena apiculata Reuss var. phialaeformis nov.;
Valvulineria infracretacea nom.nov.; Anomalina
mawsoni.

Crespin, Irene, and Parr, W.J.

- 1940 - Arenaceous Foraminifera from the Permian rocks of New
South Wales. J.roy.Soc.N.S.W., 64, 300-311, pls. 12,13.

Ammodiscus multicinctus; Ammobaculites woolnoughi;
Trochammina pulvillus; Digitina gen.nov.;
Digitina recurvata.

Cushman, J.A.

- 1927 - Some New Genera of the Foraminifera. Contr.Cushman Lab.,
2 (4), pp. 77-81.

Tubulogerina mooraboolensis gen. nov. et sp. nov.

- 1927 - Foraminifera of the Genus Siphonina and related genera.
Proc.U.S.nat.Mus., 72 (2), 1-15, pls. 1-4.

Siphonina australis; Siphoninoides laevigata
(Howchin) redescribed & figured; Siphoninoides
echinata (H.B.Brady) redescribed and figured.

- 1929 - The Genus Bolivina and its species. Contr.Cushman Lab.,
5 (2), 28-34, pl.5.

Bolivina folia (Parker and Jones) var.
ornata nov.; Bolivina australis.

- 1933 - An Illustrated Key to the Genera of Foraminifera.
Cushman Lab.Spec.Publ. 5, pls. 1-40.

Tubulogenerina mooraboolensis Cushman refigured;
Trillina howchini Schlumberger refigured.

- 1936 - New Genera and Species of the Families Verneulinidae and
Valvulinidae and of the Subfamily Virgulininae. Ibid.,
Spec.Publ. 6, 1-70, pls. 1-7.

Gaudryina collinsi; Gaudryina (Siphogaudryina)
victoriana; Gaudryina (Pseudogaudryina) crespinae;
Gaudryina (Pseudogaudryina) parri; Clavulinoides
parri; Clavulinoides szabo (Nantken) var.
victoriensis nov.; Dorothia parri; Goesella
parri; Goesella chapmani; Verneulina parri;
Listerella victoriensis; Listerella howchini;
Bolivina hebes Macfayden var. victoriensis nov.;
Bolivina sublobata; Bolivina victoriana;
Bolivina crespinae.

- 1936 - Some New Species of Nonion. Contr.Cushman Lab.,
12 (3), 63-69, pl. 12.

Nonion victoriense

- 1936 - Some New Species of Elphidium and related Genera. Ibid.,
12 (4), 78-91, pls. 14-15.

Elphidium howchini; Elphidium crespinae;
Elphidium chapmani; Elphidium crassatum (fig. on
plate as Elphidium victoriana); Elphidium parri;
Elphidium pseudoinflatum; Elphidium pseudonodosum
(fig. on plate as Elphidium australe);
Elphidium papillosum; Elphidium subinflatum;
Elphidium hispidulum; Elphidium sculpturatum;
Polystomellina australis; Polystomellina miocenica.

Cushman, J.A. cont'd.

1937 - A Monograph of the Foraminiferal Family Valvulinidae.

Ibid., No. 8, 1-210, pls. 1-24.

Following Species redescribed and figured:

Clavulina multicamerata Chapman; Cribobulimina polystoma (Parker & Jones); Dorothia parri Cushman; Goesella chapmani Cushman; Listerella howchini Cushman; Listerella victoriensis Cushman.

1937 - A Monograph of the Subfamily Virguliniinae of the Foraminiferal Family Buliminidae. Ibid., Spec.Publ. 9, 1-228, pls. 1-24.

Following species redescribed and figured:

Bolivina hebes Macfadyen var. victoriensis Cushman; Bolivina victoriana Cushman; Bolivina crespinae Cushman; Rectobolivina bifrons (Brady) var. sydneyensis Goddard and Jensen; Tubulogenerina mooraboolensis Cushman.

1937 - A Monograph of the Foraminiferal Family Verneuilinidae.

Ibid., Spec.Publ. 7, 1-157, pls. 1-20.

Following species redescribed and figured:

Verneuilina parri Cushman; Gaudryina collinsi Cushman; Gaudryina (Siphogaudryina) victoriana Cushman; Gaudryina (Pseudogaudryina) crespinae Cushman; Gaudryina (Pseudogaudryina) parri Cushman; Gaudryina (Pseudogaudryina) hastata Parr; Clavulinoides parri Cushman; Clavulinoides szabo (Hantken) var. victoriensis Cushman.

1939 - A Monograph of the Foraminiferal Family Nonionidae.

Prof.Pap.U.S.geol.Surv. 191, 1-176, pls. 1-20.

Following species redescribed and figured:

Nonion victoriense Cushman; Astrononion australe Cushman & Edwards; Elphidium howchini Cushman; Elphidium crassatum Cushman; Elphidium chapmani Cushman; Elphidium crespinae Cushman; Elphidium evolutum (Chapman); Elphidium hispidulum Cushman; Elphidium macellum (F.&M.) var. limbatum Chapman; Elphidium parri Cushman; Elphidium pseudoinflatum Cushman; Elphidium pseudoinflatum Cushman; Elphidium pseudonodosum Cushman; Elphidium papillosum Cushman; Elphidium sculpturatum Cushman; Elphidium subinflatum Cushman; Polystomellina australis Cushman; Polystomellina miocenica Cushman

1944 - The Genus Articulina. Cushman Lab.Spec.Publ. 10, 1-21, pls. 1-4.

Articulina crespinae; Articulina parri;
Articulina victoriana.

Cushman, J.A. cont'd.

- 1945 - The Species of the Subfamily Reussellinae of the Foraminiferal Family Buliminidae. Contr.Cushman Lab., 21 (2), 23-54, pls. 5-8.

Following species redescribed and figured;

Reussella ensiformis (Chapman); Reussella decorata (Heron-Allen and Earland); Pavonina triformis Parr.

- 1946 - The Genus Hauerina and its species. Ibid., 22 (1), 2-15, pls. 1,2.

Hauerina parri; Hauerina tateana (Howchin) redescribed and figured.

- 1946 - The Genus Sigmollina and its species. Ibid., 22 (2), 29-45, pls. 5-8.

Sigmollina chapmani; Sigmollina sigmoidea (H. B. Brady) var. compressa nov.; Sigmollina australis (Parr) recorded and figured.

- 1946 - Sigmollina victoriensis Cushman, a new name. Ibid., 22 (3), 103.

- 1946 - The Genus Ceratobulimina and its species. Ibid., 22 (4), 107-117, pls. 17-19.

Following species redescribed and figured:

Cerabobulimina westraliensis Parr; Ceratobulimina dehiscens (Heron-Allen & Earland); Ceratobulimina (Ceratocancris) australis Cushman & Harris.

Cushman, J.A., and Edwards, Patricia G.

- 1937 - Astrononion, a New Genus of the Foraminifera and its species. Ibid., 13 (1), 29-36, pl. 3.

Astrononion australe.

Cushman, J.A., and Harris, R.W.

- 1927 - Some Notes on the Genus Ceratobulimina. Ibid., 3 (4), 171-177, pls. 29-30.

Ceratobulimina hauerii (d'Orb.) var. australis nov.; Ceratobulimina dehiscens (Heron-Allen & Earland) record and figured.

Cushman, J.A., and Ozawa, Y.

- 1930 - A Monograph of the Foraminiferal Family Polymorphinidae, recent and Fossil. Proc.U.S.nat.Mus., 77 (6), 1-185, pls. 1-40.

Guttulina regina (Brady, Parker & Jones) var. crassicostata nov.; Guttulina (Sigmoidina) silvestrii; Pseudopolymorphina rutila (Cushman) var. parri nov.; Polymorphina howchini; Sigmomorphina chapmani (Heron-Allen & Earland) redescribed and figured.

Cushman, J.A., and Parker, Frances, L.

- 1937 - Notes on some Oligocene species of *Bulimina* and *Buliminella*. Ibid., 13 (1), 36-40, pl. 4.

Buliminella apiculata (Chapman) var. *hebetata* nov.;
Buliminella apiculata (Chapman) recorded and
figured.

- 1946 - *Bulimina* and related Foraminiferal Genera. Prof.Pap.
U.S.geol.Surv., 210-D, 55-176, pls. 15-30.

Redescribed and figured:

Buliminella westraliensis Parr; *Buliminella*
madagascarensis (d'Orb.) var. *spicata* Cushman
& Parker; *Bulimina notovata* Chapman.

Cushman, J.A., and Todd, Ruth.

- 1942 - The Genus *Cancris* and its species. Contr.Cushman Lab.,
18 (4), 72-94, pls. 17-24.

Cancris intermedius; *Cancris ovatus*.

- 1944 - The Genus *Spiroloculina* and its species. Cushman Lab.
Spec.Publ. 11, 1-82, pls. 2-9.

Records and figures:

Spiroloculina torquayensis Chapman;
Spiroloculina dispansa Chapman & Crespin.

- 1949 - Species of the Genus *Chilostomella* and related genera.
Contr.Cushman Lab., 25 (4), 84-99, pls. 15-16.

Record and figures:

Chilostomella cushmani Chapman.

Earland, A.

- 1902 - On *Cymbalopora bulloides* (d'Orbigny) and its internal
Structures. J.Quekett microscop. Club, ser. 2, 8 (51),
309-322, pl. 16, text-fig.

Edgell, H.S.

- 1954 - The Stratigraphical Value of *Bolivinoidea* in the Upper
Cretaceous of Northwest Australia. Contr.Cushman Fdn.
5 (4), 68-75, pls. 13-14.

Bolivinoidea decorata (Jones) *australis* sub sp.nov.;

Ellis, F.B., and Messina, A.R.

- 1940+- Catalogue of Foraminifera. Amer.Mus.Nat.Hist.Spec.Publ.

Goddard, E.J.

- 1907 - The Results of Deep Sea Investigations in the Tasman

Goddard, E.J. cont'd.

Sea. 4. Foraminiferal sand dredged Twenty-two miles east of Sydney at a depth of Eighty Fathoms. Rec.Aust. Mus. 6 (4), 271-311.

Cristellaria haswelli; Lagena sulcata (W.&J.) var. annularis nov.

Goddard, E.J., and Jensen, H.I.

1907 - Contributions to a knowledge of Australian Foraminifera.

Part II. Proc.Linn.Soc.N.S.W., 32 (2), 308-318, pl.6.

Fron dicularia trimorpha; Nodosaria roemeri
Neugeboren var. semicostata nov.; Reophax lodderae.

Heron-Allen, E., and Earland, A.

1924 - The Foraminifera of Lord Howe Island, South Pacific.

J.Linn.Soc. (Zool.), 35, 599-646, pls. 35-37.

Miliolina auberiana (d'Orb.) var. semireticulata nov.
Craterites gen.nov.; Craterites rectus;
Diffusulina gen.nov.; Diffusulina humilis;
Bolivina limbata Brady var. abbreviata nov.;
Discorbina lauriei nom.nov. for D.tabernacularis
Sidebottom; Discorbina pyramidalis;
Spirillina campanula.

1924 - The Miocene Foraminifera of the "Filter Quarry" Moorabool

River, Victoria, Australia. J.roy.microscop.Soc., (2),
121-186, pls. 7-14.

Nubecularia lucifuga Defr. var. producta nov.;
Cornuspira obscura; Verneuilina decorata;
Chrysalidina costata; Bipenerina ferox;
Bulimina convoluta Willm. var. dehiscens nov.;
Lagena balaniformis; Lagena curvi-costata;
Lagena orbignyana Seq. var. bifida nov.;
Fron dicularia compta; Fron dicularia compta var.
villosa nom.nov.; Fron dicularia australis;
Polymorphina chapmani; Uvigerina canariensis
d'Orb. var. australis nov.; Discorbina margaritifera
Discorbina globigeriniformis; Discorbina inflata;
Discorbina hallotis; Planorbulina larvata P.& J.
var. inaequilateralis nov.; Planorbulina plana;
Pulvinulina scabra Brady var. Umbilicata nov.

Howchin, W.

1889 - The Foraminifera of the Older Tertiary of Australia

(No. 1 Muddy Creek, Victoria). Trans.roy.Soc.S.Aust.,
12, 1-20, pl.1.

Hauerina intermedia; Spiroloculina tateana;
Miliolina angularis; Discorbina cruciformis;
Truncatulina echinata Brady var. laevigata nov.;
Pulvinulina semiornata; Orbitoides stellata.

Howchin, W. cont'd.

- 1891 - The Foraminifera of the Older Tertiary, Muddy Creek, Victoria - Addenda et Corrigenda. Ibid., 14 (2), 355-356, pl. 13.

Rhabdogonium exsculptum.

- 1891 - The Foraminifera of the Old Tertiary (No. 2 Kent Town Bore, Adelaide). Ibid., 14 (2), 350-354, pl. 13.

Truncatulina margaritifera (Brady) var. adelaidensis nov.

- 1893 - On the Occurrence of Foraminifera in the Permo-Carboniferous Rocks of Tasmania. Rep.Aust.Ass.Adv.Sci. (Adelaide) 5, 344-348.

Nubecularia lucifuga Defr. var. stephensi nov.

- 1895 - Carboniferous Foraminifera of Western Australia with Descriptions of New Species. Trans.roy.Soc.S.Aust., 19, 194-200, pl. 10.

Cornuspira schlumbergeri; Nodosaria irwinensis; Fronicularia woodwardi.

- 1895 - Two new species of Cretaceous Foraminifera. Ibid., 19, 200, pl.10.

Patellina jonesi; Haplophragmium australis.

Howchin, W., and Parr, W.J.

- 1938 - Notes on the Geological Features and Foraminiferal Fauna of the Metropolitan Abattoirs Bore, Adelaide. Ibid., 62 (2), 287-317, pls. 15-19.

Quinqueloculina adelaidensis; Spiroloculina lapidigera; Nodobacularella cultrata; Elphidium rotatum; Elphidium adelaidense; Discorbis cycloclypeus; Sigmomorphina subregularis; ?Operculina umbonifera; Rotalia verriculata.

Jensen, H.I.

- 1904 - Contributions to a Knowledge of Australian Foraminifera. Proc.Linn.Soc. N.S.W., 29 (4), 829-820, pls.23.

Reophax euneata; Polyammina alveoliniformis; Polystomella hedleyi.

Moore, C.

- 1870 - Australian Mesozoic Geology and Palaeontology.

Quart.J.geol.Soc.Lond., 26, 226-261.

Cristellaria cultrata Montf. var. radiata nov.; Cristellaria acutauricularis F.&M. var. longistriata nov.

Parr, W.J.

- 1931 - A new Species of the Foraminifera. Cassidulinoides chapmani. Vict.Nat., 48 (5), 99, 100. Text. fig.
- 1932 - Victorian and South Australian Shallow Water Foraminifera.
Part I. Proc.roy.Soc.Vict., n.s. 44 (1), 1-14, pl.1.
Proteonina spiculifera; Reophax friabilis;
Quinqueloculina australis; Quinqueloculina ammophila; Bolivina subreticulata.
- 1932 - Victorian and South Australian Shallow Water Foraminifera.
Part II. Ibid., n.s. 44 (2), 218-234, pls. 21-22.
Gaudryina hastata; Vaginulina vertebralis;
Reussia armata; Discorbis australis; Discorbis vesicularis (P. & J.) var. acervulinoides nov.;
Discorbis collinsi; Anomalina nonionoides.
- 1933 - Notes on Australian and New Zealand Foraminifera. No.2:
The Genus Pavonina and its relationships. Ibid., n.s.
45 (1), 28-31, pl. 7.
Pavonina triformis.
- 1938 - Upper Eocene Foraminifera from deep borings in King's
Park, Perth, Western Australia. J.roy.Soc.W.Aust.,
24, 69-101, pls. 1-3.
Pseudoglandulina clarkel; Lagena luciae;
Lagena perthensis; Lagena terribilis;
Vaginulina subplumoides; Buliminella westraliensis;
Angulogerina subangularis; Bolivinaopsis crespinae;
Guembelina venezuelana Nuttall var. rugosa nov.;
Heronallenia pusilla; Ceratobulimina westraliensis;
Pulvinellina obtusa (B. & H.) var. westraliensis nov.;
Anomalina perthensis; Anomalina westraliensis;
Cibicides pseudoconvexus; Cibicides umbonifer;
Globorotalia chapmani.
- 1939 - Foraminifera of the Pliocene of South-eastern Australia.
Min. & Geol. J.Vict., 1 (4), 65-70, pl.1.
Pseudopolymorphina victoriensis; Glandulina kalimnensis;
Siphonodosaria australis;
Rotalia hamiltonensis; Planulina kalimnensis.
- 1941 - A New Genus Planulinoides, and some species of Foraminifera
from Southern Australia. Ibid., 2 (5), 305, text fig.
- 1941 - Foraminifera and a Tubicolous Worm from the Permian of
of North-West Division of Western Australia. J.roy.Soc.
W.Aust., 27, 97-115, pls. 1,2.
Ammodiscus nitidus; Ammodiscus wandageeensis;
Hyperammia coleyi; Hyperammoides acicula;
Tolypammia undulata; Glomospira adhaerens;
Psammospaera pusilla; Crithionina teichertii;

Parr, W.J. cont'd.

Reophax subasper; Reophax tricameratus;
Trochammina subobtusa.

1942 - New Genera of Foraminifera from the Tertiary of Victoria.

Min. & Geol. J. Vict., 2 (6), 361-363, text figs. 1-5.

Crespinella gen. nov.
Austrotrillina gen. nov.

1945 - Recent Foraminifera from Barwon Heads, Victoria.

Proc. roy. Soc. Vict., n.s. 56 (2), 189-218, pls. 7-12.

Webbinella bassensis; Quinqueloculina subpolygona;
Quinqueloculina baragwanathi; Triloculina bassensis;
Vaginulina bassensis; Lagena distoma-margaritifera
P.&J. var. victoriensis nov.; Fissurina
subquadrata; Fissurina contusa; Rectobolivina
digitata; Discorbis kennedyi; Elphidium argenteum.

1946 - Post-Tertiary Foraminifera from a Bore near Rosebud,
Victoria. Mem. nat. Mus. Melb., 14, (2), 123-128, text
figs. a, b.

Bolivina rugosa.

1947 - The Lagenid Foraminifera and their relationships.

Proc. roy. Soc. Vict., n.s. 58 (1, 2), 116-130, pls. 6, 7.

1947 - An Australian record of the foraminiferal genus Hantkenina.

Ibid., n.s. 58 (1, 2), 45-47, text figs. 1-6.

Hantkenina alabamensis Cushman subsp. compressa nov.

1950 - Foraminifera. E.A.N.Z. Ant. Res. Exped. 1929-1931, Rep.

Ser. B. (Zool., Bot.) 5 (6), Adelaide.

Textularia australis; Botellina tasmanica;
Psammophax tasmanica; Reophax brevis; Reophax
pseudodistans Cush. var. tenuis nov.; Cyclammina
tasmanica; Siphotextularia obesa; Trochammina
appressa; Trochammina spiculolega; Trochammina
gaboensis; Trochammina sorosa; Trochammina
tasmanica; Eggerella subconica; Dorothia pusilla;
Cornuspira tasmanica; Spiroloculina subimpressa;
Spiroloculina sublimbata; Spiroloculina anguste-
oralis; Sigmoilina sabulosa; Triloculina striatula
Triloculina lamellidens; Pyrgo subglobulus;
Oolina tasmanica; Fissurina bassensis; Fissurina
quinqueannulata; Fissurina collinsi; Fissurina
subcircularis; Fissurina bimarginata; Fissurina
aperturo-alata; Fissurina basifimbriata;
Fissurina pacifica; Parafissurina basicarinata;
Parafissurina biannulata; Parafissurina quadrata;
Parafissurina scaphaeformis; Parafissurina subcir-
ularis; Parafissurina subalata; Parafissurina
tasmanica; Parafissurina tricarinata; Lenticulina
subgibba; Lenticulina (Robulus) tasmanica;
Lenticulina (Robulus) suborbicularis; Lenticulina
(Robulus) australis; Lenticulina (Robulus)
altifrons; Vaginulinopsis tasmanica; Vaginulin-
opsis procelata; Marginulina perobesa; Vaginulina
rheophagica; Amphicorvne scalaris (Batsch)

Parr, W.J. Cont'd.

var. compacta nov.; Dentalina translucens;
Dentalina subemaciata; Frondicularia bassensis;
Siphoglobulina siphonifera; Buliminella basicostata;
Bulimina submarginata; Virgulina rotundata;
Bolivina bassensis; Uvigerina bassensis;
Ehrenbergina pacifica Cush. var. aspinosa nov.;
Spirillina pectimarginata Chapman, Parr and
Collins var. aspinosa nov.; Spirillina multispira;
Turrispirillina depressa; Discorbis umbonifer;
Discorbis lobatulus; Heronallenia laevis;
Heronallenia parva; Ceratobuliminoides bassensis;
Valvulineria polita; Valvulineria porifera;
Eponides pusillus; Mississippina pacifica;
Ahomalina tasmanica; Anomalina bassensis;
Dyocibicides laevis; Robertina tasmanica.

Parris, W.J. and Collins, A.C.

1930 - Notes on Australian and New Zealand Foraminifera. No. 1 -
The Species of Patellina and Patellinella with a
description of a new genus Annulopatellina. ^{Proc. roy. Soc. Vict.,} ~~ibid.~~, n.s.
43 (1), 89-95, pl. 4.

Patellina annectens; Annulopatellina gen. nov.

1937 - Notes on Australian and New Zealand Foraminifera. No. 3:
Some Species of the Family Polymorphinidae. Ibid., n.s.
50 (1), 190-211, pls. 12-15.

Guttulina regina (P.&J.) var. chapplei nov.;
Guttulina clifdenensis; Pyrulina crespinae;
Pseudopolymorphina doanei (Galloway & Wissler)
var. beaumarisensis nov.; Pseudopolymorphina
tasmanica; Polymorphina myrae; Sigmomorphina
haeusleri; Sigmomorphina wynyardensis;
Sigmomorphina batesfordensis; Sigmoidella
novozealandica.

Schlumberger, C.

1891 - Description of a new species of Fabularia. Trans. roy.
Soc. S. Aust., 14 (2), 346-349, text figs. 1-4, pl. 13.

Fabularia howchini.

1893 - Note sur les Genres Trillina et Linderina. Bull. Soc. géol.
Fr. [3] 21 (2), 119-120, woodcut fig. 1, pl. 3.

Trillina howchini sp. nov.

Sidebottom, H.

1918 - Report on the Recent Foraminifera dredged off the East
Coast of Australia. H.M.S. "Dart" (14th May, 1895), Lat.
29°22'S., Long. 153°51'E. 465 fathoms, Pteropod Ooze.

Trillina howchini sp. nov. pl. 1, 2, 121-122, 123-124,
243-264, pl. 4.

Trillina howchini sp. nov. pl. 1, 2, 121-122, 123-124,
243-264, pl. 4.

B. Publications in which lists of and references to
Australian Foraminifera are given.

Baker, G.

- 1943 - Eocene Deposits south-east of Princetown, Victoria. With Appendix on Foraminifera by M.F. Glaessner and W.J. Parr. Proc.roy.Soc.Vict., n.s. 55 (2), 234-254.
- 1944 - The Geology of Port Campbell District. Ibid., 56 (1), 77-108.
- 1950 - Geology and Physiography of the Moonlight Head District, Victoria. Ibid., n.s. 60, 17-42.
- 1953 - The relationship of Cyclammina-bearing sediments to the Older Tertiary Deposits south-east of Princetown, Victoria. Mem.nat.Mus.Melb., 18, 125-134.

Bannik, D.D.

- 1948 - Een Monografie van het Genus Operculina d'Orbigny, 1826. Thesis Rijksuniv. Leiden, 1-159, pls. 1-19.

Baragwanath, W.

- 1937 - Boring for Oil, Lakes Entrance. Rec.geol.Surv.Vict., 5, (4), (22.2.28), 561-566.
- 1937 - Oil in Gippsland. Ibid., 5 (4), (17.4.29), 644-645.

Barnes, T.A.

- 1951 - Underground water survey of portion of the Murray Basin (Counties Albert and Alfred). Bull.geol.Surv.S.Aust., 25.

Boutakoff, N., and Sprigg, R.S.

- 1953 - Summary Report on the Petroleum Possibilities of the Mt. Gambier Sunklands. Min.& Geol.J.Vict., 5 (2), 28-37.

Campbell, W.D.,

- 1910 - The Irwin River Coalfield and the adjacent districts from Arrino to Northampton. Bull.. geol.Surv.W.Aust., 38, 1-108.

Carpenter, W.B.

- 1850 - Structure of Nummulina, Orbitolites and Orbitoides. Quart.J. geol.Soc.Lond., 6, 21-38, pls. 3-8.
- 1856 - Researches on the Foraminifera. Part II. On the Genera Orbiculina, Alveolina, Cycloclypeus and Heterostegina. Phil.Trans., 547-549, pls. 28-31.
- 1883 - Report on Specimens of the genus Orbitolites collected by H.M.S. "Challenger" during 1873-1876. ^{Rep.} Scient.Res.Challenger. Zool. 7 (21), 1-47, pls. 1-8.

Carpenter, W.B., Parker, W.K. and Jones, T.R.

- 1862 - Introduction to the Study of the Foraminifera. Ray Society,
London, 1-319, pls. 1-22.

Chapman, F.

- 1902 - Recent Foraminifera - Shoreham District. Vict.Nat.Melb.,
19 (8), 112.
- 1903 - Note on the Occurrence of Pelagic Foraminifera, Cymbalopora
(Tretomphalus) bulloides, on the coast of South Australia.
Ibid., 19 (11), 153-154.
- 1905 - Notes on the Older Tertiary Foraminiferal Rocks on the West
Coast of Santo, New Hebrides. Proc.Linn.Soc.N.S.W., 30
(2), 261-274, pls. 5-8.
- 1907 - Notes on Fossils from the Collie Coalfield, Western Australia,
in the Collection of the National Museum, Melbourne.
Bull.geol.Surv.W.A., 27, Pal.Contr. 9-18, pl.2.
- 1908 - A Sketch of the Life History of the Foraminifera. Vict.Nat.
Melb., 25 (8), 123-124.
- 1908 - On Dimorphism in the Recent Foraminifer, Alveolina bosci
Defr. sp. J.roy.microscop.Soc., 151-153, pls. 2,3.
- 1910 - Victorian Foraminifera - Recent and Fossil. Ibid., 26 (12)
190-195.
- 1912 - Notes on a Collection of Tertiary Limestones and their
Fossil Contents from King Island. Mem.nat.Mus.Melb., 4,
29-53.
- 1912 - Report on a sample of Globigerina Ooze from 112 fathoms,
East of Tasmania. Zool.Results Fishing Exper. by F.I.S.
"Endeavour" 1909-10, 3, 309-311, pl.3.
- 1913 - Victorian Fossiliferous Limestone and their correlatives in
other lands. Vict.Nat.Melb., 30 (8), 139-141.
- 1914 - Descriptions of New and Rare Fossils obtained in the Mallee.
Part III. Ostracoda to Fishes. With a complete list of
Fossils found in the borings. Proc.roy.Soc.Vict., n.s. 27
(1), 28-71, pls. 6-10.
- 1914 - On the Succession and Homotaxial Relationships of the
Australian Cainozoic System. Mem.nat.Mus.Melb., 5, 5-52.
- 1914 - AUSTRALASIAN FOSSILS. (Fossil Foraminifera, Chapter VI)
Melbourne, Geo.Robertson.

Chapman, F. cont'd.

- 1914 - Miscellaneous Reports on Fossils. A Polyzoal and Foraminiferal Limestone from Cape Schanck. Rec.geol.Surv.Vict., 3 (3), 318-319.
- 1914 - On the Palaeontology of the Silurian of Victoria. Rep. Aust.Assoc.Adv.Sci., (Melbourne), 14, 207-235.
- 1915 - On the Age and Sequence of the Tertiary Strata of South-Eastern Australia. Rep.Brit.Ass.Adv.Sci., 84th Meeting Australia, 1914, 371-372.
- 1915 - Report on a Collection of Fossils made by Dr. A.Wade from the Cainozoic Series of South Australia. Appendix II. in Supposed Oil-bearing Areas of South Australia. Bull.geol.Surv.S.Aust., 4, 44-50.
- 1915 - Notes on Foraminifera and Ostracoda found in a sample of sand at Williamstown Beach. Vict.Nat.Melb., 32, (3), 49-52, text figs.
- 1916 - Cainozoic Geology of the Mallee and other Victorian Bores. Rec.geol.Surv.Vict., 3 (4), 327-411, pls. 63-68.
- 1917 - Excursion to Altona Bay, Williamstown. Vict.Nat.Melb., 34, 16-18.
- 1920 - Notes on a Collection of Tertiary Fossils from Ooldea and Watson, South Australia. Proc.roy.Soc.Vict., n.s. 32 (2), 225-245, pls. 16-17.
- 1921 - Fossils and Oil Discovery. Aust.Business, 1 (7), 13-15.
- 1921 - Foraminifera. Presidential Address. Proc.microscop.Soc.Vict., 3 (10), 40-41.
- 1922 - The Geology of the Mallee. Vict.Nat.Melb., 37 (11), 124-127.
- 1923 - The Fossiliferous Beds of Violet Creek, near Hamilton. Ibid., 40 (8), 148-151.
- 1924 - Microscopy in Oil Finding. Proc.microscop.Soc.Vict., 3 (42), 169-171.
- 1925 - The Classification and Shell Structure of the Foraminifera. Ibid., 4 (5), 20-23.
- 1925 - Foraminifera and Oil. Valuable Aid to Research. How Data should be collected. Melbourne Argus, 19/9/25. 2 text figs.
- 1925 - Tertiary Fossils from Bore Cores, Port Fairy, Rec.geol.Surv.Vict., 4 (4), 481-483.

Chapman F., cont'd.

- 1926 - Cretaceous and Tertiary Foraminifera of New Zealand with an Appendix on the Ostracoda. Palaeont.Bull.geol.Surv.N.Z., 11, 1-119.
- 1926 - On Age and Content of Limestone Specimens from the Negri Series, Kimberley Division. Bull.geol.Surv.W.Aust., 88, 34-35.
- 1926 - The Biology of the Foraminifera. Proc.Microscop.Soc.Vict., 4 (21), 97-100.
- 1929 - Illustrated Guide to the Collections of Fossil Exhibits in the National Museum of Victoria. 1-55. Melb.Govt.Printer.
- 1929 - OPEN-AIR STUDIES IN AUSTRALIA. London. Dent.
- 1930 - The Value of Foraminifera as Guide Fossils: With special reference to the Australian Cainozoic sediments. Proc.4th Pac.Sci.Cong.Java: 1929, 2B. 763-768.
- 1930 - Microzoa and their Value in the Examination of Deep Borings in Australia and Elsewhere. Proc.^{microscop.} Soc.Vict., 5 (22), 88-90.
- 1931 - A Report on Samples obtained by Borings into Michaelmas Reef, about 22 miles N.E. of Cairns, Queensland. Rep.Gt Barrier Comm., 3, 32-42, pls. 9-10.
- 1931 - Suggested Classification of the Foraminifera. Rep.Aust.Ass. Adv.Sci., (Brisbane 1930), 20, 192. (Paper referred to by title only).
- 1931 - The Occurrence of some British and Australian Foraminifera in Cambrian Rocks. Ibid., 20, 192. (Paper referred to by title only).
- 1932 - Note on glauconite grits and cherts of Cretaceous age associated with Nullagine Series of Western Australia. Ibid., (Sydney) 21, 87. (Abstract only)
- 1933 - Note on our Present Knowledge of the Permian Foraminifera of Western Australia. Ibid., (Perth), 1933, 21, 453-454.
- 1934 - The Foraminifera, their Collection, Preparation and Identification. Proc.Microscop.Soc.Vict., 6 (20), 76-79.
- 1934 - BOOK OF FOSSILS. Shakespeare Head, Sydney.

Chapman F., Cont'd.

- 1935 - Note on the Correlation of the Carboniferous and Permian Formations of Australia. Rep.Aust.Ass.Adv.Sci. (Melbourne), 22,460.
- 1936 - Fifty years in Micropalaeontological Work. Proc.microscop. Soc.Vict., 6 (45), 188-191.
- 1938 - Notes on Tertiary Correlation. Rep.Aust.Ass.Adv.Sci. (Auckland, 1937), 23,446.
- 1938 - The Importance of Foraminifera in Modern Geological Work. Proc.microscop.Soc.Vict., 8 (4), 24-30.
- 1941 - Report on a Collection of Fossils from Marrawah, Smithton. Appendix in Nye - Lower Tertiary Sediments of North-West Tasmania. Pap.roy.Soc.Tasm., 16, 17.

Chapman, F., and Crespin, Irene.

- 1932 - The Tertiary Geology of East Gippsland, Victoria, as shown in Boring and Quarry Sections. Bur.Min.Resour.Aust.Bull., 1, 3-15, pl.1.
- 1935 - Foraminiferal Limestones of Eocene Age from North-West Australia. Proc.roy.Soc.Vict., n.s. 48, (1), 55-62, pls. 3,4.
- 1935 - The Sequence and Age of the Tertiaries of Southern Australia. Rep.Aust.Ass.Adv.Sci. (Melbourne), 22, 118-126.

Chapman, F., and Parr, W.J.

- 1932 - Revision of the East Indian and Australian species of Operculina. Rep.Aust.Ass.Adv.Sci. (Sydney), 21,87, (Abstract only).
- 1936 - A Classification of the Foraminifera. Proc.roy.Soc.Vict., n.s. 49, 139-151.

Clapp, F.G.

- 1925 - A Few Observations on the Geology and Geography of North-West and Desert Basins of Western Australia. Proc.Linn. Soc.N.S.W., 50 (2), 47-66.

Clarke, E.de C. and others.

- 1947 - Geology of Perth Area. Handbook for Western Australia. Aust.Ass.Adv.Sci., 96-97.

Clarke, E.de C. Prendergast, K.L., Teichert, C., and Fairbridge, R.W.

- 1949 - Permian Succession and Structure in the Northern Part of the Irwin Basin, Western Australia. J.roy.Soc.W.Aust., 35, 31-48, text figs. 1-16.

Clarke, W.B.

- 1878 - REMARKS ON THE SEDIMENTARY FORMATIONS OF NEW SOUTH WALES. 4th ed. Sydney, Govt.Printer.

Coleman, P.

- 1952 - Foraminiferal Investigations in the Perth Basin, Western Australia. J.roy.Soc.W.Aust., 36, 31-43.

Condit, D. Dale.

- 1935 - Oil Possibilities in Northwest District, Western Australia. Econ.Geol., 30 (8), 860-878.

Condit, D.D., Raggatt, H.G., and Rudd, E.A.

- 1936 - Geology of Northwest Basin, Western Australia. Bull.Amer. Assoc.Petrol.Geol., 20 (8), 1028-1070.

Condon, M.A., Johnstone, D., Perry, W.J., and Crespin, I.

- 1953 - The Cape Range Structure, Western Australia. Part I. Stratigraphy and Structure. Part II. Micropalaeontology. Bur.Min.Resour.Aust.Bull., 21, 7-75, pls. 1-10.

Cooke, C.W. and Cushman, J.A.

- 1922 - The Byram Calcareous Marl of Mississippi and its Foraminifera. Prof.pap.U.S.geol.Surv. 129-E, 79-105, pls.14-28.

Coulson, A.

- 1934 - Geological Notes on Lake Coonawarre near Geelong. Proc.roy.Soc.Vict., n.s. 48 (1), 1-10.
- 1940 - The Sand Dunes of the Portland District and their relation to Post-Pliocene Uplift. Ibid., n.s. 52 (2), 315-332.

Crespin, Irene.

- 1923 - Excursion to Green Gully Keilor. Vict.Nat.Melb., 40, (3), 47-48.
- 1926 - The Geology of Green Gully, Keilor with special reference to the Fossiliferous Beds. Proc.roy.Soc.Vict., n.s. 38, 100-124, pls. 7,8.
- 1936 - The Larger Foraminifera of the Lower Miocene of Victoria. Bur.Min.Resour.Aust.Bull., 2, 2-13, pls. 1,2.
- 1938 - Upper Cretaceous Foraminifera from the Northwest Basin, Western Australia. J.Paleont., 12 (4), 391-395.
- 1938 - Tertiary Rocks in North-West Australia. Rep.Aust.Ass.Adv.Sci. (Auckland), 23, 443.

Crespin, Irene. cont'd.

- 1939 - Foraminifera in the Permian Rocks of Australia. Ibid. (Canberra), 24, 94.
- 1941 - Palaeontological Review of the Holland's Landing Bore. Min. & Geol.J.Vict., 2 (4), 252-256.
- 1943 - Permian Foraminifera from a Bore at Coorabin, New South Wales. Aust.J.Sci., 6 (2), 65.
- 1943 - The Stratigraphy of the Tertiary Marine Rocks in Gippsland, Victoria. Bur.Min.Resour.Aust.Bull. 9, (Pal.ser.4), Mineo.
- 1944 - Permian Foraminifera from Oonah, Tasmania. Aust.J.Sci., 7 (2), 59.
- 1944 - The Occurrence of Cycloclypeus in the Tertiary Deposits of South Australia. Trans.roy.Soc.S.Aust., 68 (1), 120-121.
- 1945 - The Hutton Creek Bore, Queensland. Comm.Aust.Min.Resour.Surv. Rep. No.14.
- 1945 - The Arcadia Bore, Queensland. Ibid., No.15.
- 1945 - Preliminary notes on a microfauna from the Lower Cretaceous deposits of the Great Artesian Basin. Ibid., No.16.
- 1945 - Note on Age and Palaeogeography of Brown Coal Deposits in Gippsland. Proc.roy.Soc.Vict., n.s. 57 (1,2) 49-56.
- 1945 - Middle Miocene Limestones from Cape Barren Island, Furneaux Group, Bass Strait. Pap.roy.Soc.Tasm., for 1944, 13,14.
- 1945 - Middle Miocene Limestone from King Island, Tasmania. Ibid., 15-18.
- 1946 - The Microfauna of the Lower Cretaceous Beds of the Great Artesian Basin. Rep.Aust.Ass.Adv.Sci. (Adelaide), 25,70, (Paper referred to by title only).
- 1946 - A Lower Cretaceous fauna in the Northwest Basin of Western Australia. J.Paleont., 20 (5), 505-509.
- 1946 - Foraminifera and other microfossils from some of the Tertiary Deposits in the vicinity of Aldinga Bay, South Australia. Trans.roy.Soc.S.Aust., 70(2), 297-301.
- 1947 - Foraminifera in the Permian rocks of Australia. Bur.Min. Resour.Aust.Bull. 15, 5-31, pls. 1,2.
- 1947 - Micro-Palaeontological Examination of No.1 Bore, Dimboola, Western Victoria. Appendix I in Gloe: State River & Water Supply Comm. 1, 149-158.

Crespin, Irene, cont'd.

- 1948 - Indo-Pacific Influences in Australian Tertiary Foraminiferal Assemblages. Trans.roy.Soc.S.Aust., 72 (1), 134-142.
- 1950 - Foraminifera in Australian Stratigraphy. Int.geol.Congr., 18th Sess., Lond., Proc.Int.Palaeont.Un., 15, 64-69.
- 1950 - Australian Tertiary Microfaunas and their relationships to Assemblages elsewhere in the Pacific region. J.Paleont., 24 (4), 421-429
- 1952 - Discussion. Foraminiferal Zones in the Tertiary of Australia by M.F. Glaessner. Geol.Mag., 89 (3), 225-228.
- 1952 - Occurrence of Hantkenina at Torquay, Australia and the age of the "Janjukian" and "Anglesean" Stages. Contr.Cushman.Fdn, 3, (3,4) 114.
- 1953 - The Cape Range Structure, Western Australia. Part II. Micropalaeontology. Bur.Min.Resour.Aust.Bull. 21, 43-75 pls. 7-10.
- 1954 - The Nelson Bore, North-western Victoria. Bur.Min.Resour.Aust.Rep. 11.
- 1954 - Stratigraphy and Micropalaeontology of the Tertiary Marine rocks between Adelaide and Aldinga, South Australia. Ibid. 12.

Crespin, Irene, and Cotton, B.C.

- 1952 - The Stratigraphy and Palaeontology of the subsurface deposits of the Adelaide Plains. Appendix III in Miles. Bull.geol.Surv.S.Aust., 27, 227-249.

Cushman, J.A.

- 1935 - New Species of Foraminifera from the Lower Oligocene of Mississippi. Contr.Cushman.Lab., 11 (2), 25-39.
- 1942 - A Report on samples obtained by boring at Heron Island, Great Barrier Reef, Australia. Rep.Great Barrier Reef Comm. 5, Appendix I, 112-119, pls. 11, 12.

Dakin, W.J.

- 1932 - Zoology of the Sydney District. Handbook for New South Wales. Aust.Ass.Adv.Sci. (Sydney), 89-103.

David, T.W.E.

David, T.W.E., and Browne, W.R.

- 1950 - The Geology of the Commonwealth of Australia. London
Arnold 3 vols.

Davies, A.M.

- 1934 - TERTIARY FAUNAS. Vol.II. The Sequence of Tertiary Faunas.
London. Thos.Murby.

Dennant, J.

- 1894 - The Eocene Deposits at Shelford. Geelong Nat. 4 (10),
10-19.

Edwards, A.B.

- 1941 - The North-West Coast of Tasmania. Appendix. Fossil
Assemblage, Mt. Cameron West. Proc.roy.Soc.Vict. n.s. 53
(2), 233-260, pls. 8-10.

Ehrenberg, C.G.

- 1843 - Vertretung des jetzt wirkenden kleinsten organischen
Lebens in Asien, Australien, und Afrika und Bildung
auch des Oolithkalkes der Juraformation aus kleinen
polythalamischen. Berichte preuss. Akad.Wiss. ^{100,133,137} / Lists one
species of Biloculina and two species of Rotalia.

Etheridge, R., Junr.

- 1876 - South Australian Post-Tertiary Foraminifera and Ostracoda.
Geol.Mag., n.s. (2), 3 (7), 334-335.
- 1878 - A Catalogue of Australian Fossils including Tasmania and
Island of Timor Stratigraphically and Zoologically arranged.
121-173, Cambridge Univ.Press.
- 1907 - Fossils of the Port Keats Bore, Thirty Miles North of Fossil
Head, Treachery Bay. Suppl.Parl.pap.S.Aust., No.55 for 1906.
1-21, pls. 1-12.

Etheridge, R. Junr. and Dun, W.S.

- 1902 - Catalogue of the Cretaceous fossils of Australia. In
Etheridge, A Monograph of the Cretaceous invertebrate
fauna of New South Wales. Palaeont.Mem.geol.Surv.N.S.W. 11,
Appendix 1, 51-84.

Fairbridge, R.W.

- 1948 - The Geology and Geomorphology of Point Peron, Western
Australia. J.roy.Soc.W.Aust., 34, 35-71.
- 1953 - AUSTRALIAN STRATIGRAPHY. Perth, W.A., Univ. Bookshop.

Finlay, H.J.

- 1939 - New Zealand Foraminifera: Key Species in Stratigraphy-
No.1. Trans.roy.Soc.N.Z., 68 (1), 527.
- 1939 - The Occurrence of Calcarina mackayi (Karrer) in Australia
and New Zealand. Rep.Aust.Ass.Adv.Sci. (Canberra) 24,
387-388.
- 1947 - The foraminiferal evidence for Tertiary Trans-Tasman Cor-
relation. Trans.roy.Soc.N.Z., 76 (3), 327-352.

Gill, E.D.

- 1943 - The geology of Warrnambool. Proc.roy.Soc.Vict., n.s. 55
(2) 133-152.
- 1953 - Geological Evidence in Western Victoria relative to the
Antiquity of the Australian Aborigine. Mem.nat.Mus.Melb.,
18, 25-92.
- 1953 - Catalogue of Quaternary Types and Figured Specimens in the
National Museum, Melbourne. Ibid., 157-168.

Glaessner, M.F.,

- 1943 - Problems of Stratigraphic Correlation in the Indo-Pacific
Region. Ibid., 55 (1), n.s. 41-80.
- 1945 - PRINCIPLES OF MICROPALAEONTOLOGY. Melb., Univ.Press.
- 1951 - Three Foraminiferal Zones in the Tertiary of Australia.
Geol.Mag., 88 (4), 273-283.
- 1953 - Conditions of Tertiary Sedimentation in Southern Australia.
Trans.roy.Soc.S.Aust., 76, 141-146.
- 1953 - Some Problems of Tertiary Geology in Southern Australia.
J.roy.Soc.N.S.W., 87, 31-45.

Glaessner, M.F., and Parr, W.J.

- 1943 - The Foraminifera of the Eocene Beds at Pebble Point,
Princetown. Appendix to G. Baker, 1943. Proc.roy.Soc.Vict.,
n.s., 55 (2), 252.

Glauert, L.

- 1926 - A List of Western Australian Fossils, Supplement No.1.
Bull.geol.Surv.W.Aust., 88, 36-71.

Grayson, H.T., and Mahony, D.J.

- 1910 - The Geology of the Camperdown and Mt. Elephant Districts.
Mem.geol.Surv.Vict., 9, 1-26.

Grimsdale, T.F.

- 1951 - Correlation, Age, Determination and the Tertiary Pelagic Foraminifera. Proc.3rd World Petrol.Cong., Sect.I, 463-475.

Guppy, D.J., Cuthbert, J.O., and Lindner, A.W.

- 1950 - Geology of the Nerrima Dome. Bur.Min.Resour.Aust.Rep. 4.

Hall, T.S.

- 1915 - The Age and Sequence of the Victorian Tertiaries. Brit. Ass.Adv.Sci. 84th meeting Australia, 1914, 372-274.

Hall, T.S. and Pritchard, G.B.

- 1892 - Notes on the Lower Tertiaries of the Southern Portion of the Moorabool Valley. Proc.roy.Soc.Vict., n.s. 4 (1), 9-26.

Heron-Allen, E. and Earland, A.

- 1913 - The Foraminifera in their role as world builders: a review of the foraminiferous limestones and other rocks of the eastern and western hemispheres. J.Quekett microscop.Club, 12, 1-16, pls. 1-3.

- 1914 - The Foraminifera of the Kerimba Archipelago (Portuguese ~~East~~ East Africa). Part I. Trans.Zool.Soc.Lond. 20, 363-390, pls.35-37.

- 1915 - Idem. Part II. Ibid., 20, 543-749, pls.40-53.

Hornibrook, N. de B.

- 1953 - Faunal Immigration to New Zealand. I. Immigration of Foraminifera to New Zealand in the Upper Cretaceous and Tertiary. J.Sci.Tech.N.Z., Sect.B, 34 (6), 436-448.

Howchin, W.

- 1885 - On Fossil Foraminifera from the Government Boring at Hergott Township, with General Remarks on the section and on other Forms of Microzoa observed therein. Trans.roy. Soc.S.Aust., 8, 79-93.
- 1885 - Occurrence of a Deep-sea Foraminifera in Australian Miocene Rocks. Amer.Nat. 19, 1092.
- 1886 - On the Occurrence of Astrorhiza angulosa as a Fossil in the Older Tertiary of Victoria. Trans.roy.Soc.S.Aust. 8, 160, 161.
- 1890 - The Estuarine Foraminifera of the Port Adelaide River. Ibid., 13, 161-169.
- 1890 - (Addendum to) Foraminifera of the Muddy Creek Beds. Ibid., 13 (2), 236.

Howchin, W. cont'd.

- 1893 - Notes on the Government Borings at Tarkimina and Mirabuck-
inna with special reference to the Foraminifera observed
therein. Ibid., 17 (2), 346-346.
- 1894 - A Census of the Fossil Foraminifera of Australia. Rep.Aust.
Ass.Adv.Sci. (Adelaide 1893) 5, 351-362.
- 1895 - Foraminifera of the Eocene Beds of Cape Otway. In Correl-
ation of the Marine Tertiaries of Australia. Part II,
Victoria by Tate and Denmant. Trans.roy.Soc.S.Aust., 19, 114.
- 1897 - Anniversary Address - Foraminifera. Ibid., 21, 106-121.
- 1899 - Supplemental Note on the Foraminifera of the Murray Desert
(in Tate). Ibid., 23 (1), 110, 111.
- 1907 - Foraminifera from a calcareous Marlstone, Gingin. Bull.geol.
Surv.W.Aust., 27, 38-43.
- 1911 - Notes on Recurrent Transgressions of the Sea at Dry Creek.
Trans.roy.Soc.S.Aust., 36, 34-39.
- 1915 - A List of Foraminifera and other Organic remains obtained
from Two Borings on the Lilydale Sheep-Station. Trans.
roy.Soc.S.Aust., 39, 345-351.
- 1916 - Notes on a High-level Occurrence of a Fossiliferous Bed of
Upper Cainozoic Age in the Neighbourhood of the Murray
Plains. Ibid., 45, 258-261.
- 1923 - Geological Sketch Section of Sea-cliffs on the Eastern
Side of Gulf St. Vincent; from Brighton to Sellick's Hill
with Descriptions. Ibid., 47, 279-315.
- 1928 - The Building of Australia and the Succession of Life: With
Special Reference to South Australia. Part II. Mesozoic
and Cainozoic. Handbk.Flora and Fauna S.Aust. 205-448.
- 1929 - GEOLOGY OF SOUTH AUSTRALIA. 2nd edition. Adelaide.
- 1935 - Notes on the Geological Sections obtained by Several
Borings situated on the Plain between Adelaide and Gulf
St. Vincent, Part I. Trans.roy.Soc.S.Aust., 59, 68-102.
- 1936 - Notes on the Geological Sections obtained by Several
Borings situated on the Plains between Adelaide and Gulf
St. Vincent, Part II. Cowandilla (Government) Bore. Ibid.,
60, 1-34.

Jack, R.L. and Etheridge, R.

- 1892 - The Geology and Palaeontology of Queensland and New Guinea.
Govt.Printer, Qld.

Jenkins, H.M.

- 1868 - On the Tertiary Deposits of Victoria. Geol.Mag., 5 (54),
 566-567.

Johnston, R.M.

- 1877 - Further Notes on the Tertiary Marine Beds of Table Cape.
Pap.roy.Soc.Tasm. for 1875, 79-90.
- 1887 - Reference list of tertiary Fossils of Tasmania. Ibid.,
 for 1886, 124-140.
- 1888 - Observations with respect to the Nature and Classification
 of the Rocks of Australasia. Ibid. for 1887, 135-208.
- 1888 - GEOLOGY OF TASMANIA. Govt.Printer, Tasmania.

Jones, T.R.

- 1882 - Catalogue of Fossil Foraminifera in the British Museum
 (Natural History), London.

Keble, R.A.

- 1950 - The Mornington Peninsula. Mem.geol.Surv.Vict., 17, 5-84.

Kenley, P.R.

- 1951 - Marine Eocene sediments near Casterton, Victoria. Aust.J.
Sci., 14, 91-92.

King, D.

- 1949 - Geological Notes on the Nullarbor cavernous limestone.
Trans.roy.Soc.S.Aust., 73, 52-58.

Kitson, A.E.

- 1902 - Report on the Bryozoan Limestone at Flinders. Rec.geol.
Surv.Vict., 1 (1), 49-51.
- 1903 - The Occurrence of Older Cainozoic Marine Fossils near
 Hexham, Western Victoria. Vict.Nat.Melb., 20 (7), 91-95.

Liebus, A.

- 1931 - Die Fossilen Foraminiferen. Knih.Stat.geol.Ustavu.Csl.rep.
 No.14, 5-159.

Lovering, J.F.

- 1953 - A Microfossil Assemblage from the Minchinbury Sandstone,
 Wianamatta Group. Aust.J.Sci. 15 (5), 171-173

Ludbrook, N.H.

- 1938 - The Stratigraphical Position of the "Adelaidean" Beds of
 Pliocene age beneath Adelaide, South Australia. Rep.Aust.
Ass.Adv.Sci.(Auckland,1937), 23,445-446.

Ludbrook, N.H. cont'd.

1941 - Gastropoda from the Abattoirs Bore, Adelaide, South Australia together with a list of some miscellaneous fossils from the Bore. Trans.roy.Soc.S.Aust., 65 (1), 79-102, pls. 4, 5.

1953 - Foraminifera in Sub-Recent Sediments at Lake Eyre, South Australia. Aust.J.Sci., 16 (3), 108-109.

Mahony, D.J.

1915 - The evolution of Victoria during the Kainozoic Period. Brit.Ass.Adv.Sci. 84th Meeting Australia, 1914. 376-377.

Maitland, A.G.

1919 - Summary of the Geology of Western Australia. Min.Handbk. geol.Surv.Mem.1. Chapter 1.

Mawson, D., and Chauman, F.

1922 - The Tertiary Brown-Coal Bearing Beds of Moorlands. Trans.roy.Soc.S.Aust., 46, 131-147.

Miles, K.M.

1952 - Geology and Underground Water Resources of the Adelaide Area. Five Appendices. Bull.geol.Surv.S.Aust., 27.

Mulder, J.F.

1896 - Catalogue of Fossils from Birregurra. Geelong.Nat., 5 (3), 13-17.

Newton, R.B.

1914 - The Australian Tertiaries. Geol.Mag., 6, 1 (605), 526-527.

1915 - On the Age of the Lower Tertiary Marine Rocks of Australia Rep.Brit.Ass.Adv.Sci. 84th Meeting Australia, 1914, 375.

Nuttall, W.L.F.

1927 - The Localities whence the Foraminifera figured in the Report of H.M.S. "Challenger" by Brady were derived. Ann.Mag.nat.Hist., 9 (19), 209-241.

Nye, P.B.

1941 - Lower Tertiary Sediments of Northwest Tasmania with Appendix by F. Chapman. Pap.roy.Soc.Tasm., 11-17.

Osborne, G.D.

1949 - The Stratigraphy of the Lower Marine Series of the Permian System in the Hunter River Valley, New South Wales. Proc.roy.Soc.N.S.W., 74, (345-346), (5-6) 203-223.

Parker, W.K., and Jones, T.R.

- 1860 - Note on the Foraminifera from the Bryozoan Limestone near Mount Gambier, South Australia. Quart.J.geol.Soc.Lond., 16 (3), 261.
- 1865 - On Some Foraminifera from the North-Atlantic and Arctic Oceans, including Davis Strait and Baffin's Bay. Phil. Trans.roy.Soc.Lond. 155 (1), 352-441, pls.13-19.

Parr, W.J.

- 1926 - Some Additional Microzoa from the Red Limestone at Grange Burn, Victoria. Vict.Nat.Melb., 43 (1), 17-20.
- 1941 - Fossil Assemblages, Mt. Cameron West. (with others). Appendix to Edwards. Proc.roy.Soc.Vict., n.s. 53 (2), 260.
- 1942 - The Age of the Lignite Deposits at Parwan. Min.& Geol.J., Vict., 2 (6), 363-364.
- 1943 - In B.C. Cotton and F.K. Godfrey. A systematic List of Echinodermata, Foraminifera, Hydroidea, Brachiopoda of Southern Australia. Malac.Soc.S.Aust.Publ. 3, 10-24.
- 1944 - The Foraminifera of the Tertiary Beds exposed in the Coastal Section between the mouth of the Gellibrand River and Curdie's Inlet. Appendix in Baker, Proc.roy.Soc.Vict., 46 (1), 108.

Pritchard, G.B.

- 1925 - The Character and Sequence of the Victorian Tertiaries. Rep.Pan-Pac.Sci.Cong.Aust., 1923, 934-939.

Raggatt, H.G.

- 1936 - Geology of the Northwest Basin, Western Australia with particular reference to the Stratigraphy of the Permian-Carboniferous. J.roy.Soc.N.S.W., 70, 100-174.
- 1952 - Foraminiferal Zones in the Tertiary of Australia by M.F. Glaessner. Correspondence. Geol.Mag., 89, (6), 437-438.

Raggatt, H.G., and Crespin I.

- 1940 - Possibility of Heavy-Mineral Correlation of some Permian Sedimentary Rocks, New South Wales by Dorothy Carroll. Discussion. Bull.Amer.Assoc.Petrol.Geol., 24, 1672.
- 1941 - Geological Notes on Natural Gas and Oil Corporation's Bore at Balmain, City of Sydney, New South Wales. Aust.J.Sci., 4 (3), 102-103.
- 1952 - Geology of Tertiary Rocks between Torquay and Eastern View, Victoria. Ibid., 14 (5), 143-147.

Raggatt, H.G., and Crespin I. cont'd.

- 1954 - Stratigraphy of Tertiary rocks between Torquay and Eastern View, Victoria. Proc.roy.Soc.Vict., (in press)

Reed, F.R.C.

- 1949 - GEOLOGY OF THE BRITISH EMPIRE. London, Edward Arnold. 2nd Edition.

Reeves, Frank

- 1947 - Geology of Roma District, Queensland, Australia. Bull.Amer. Assoc.Petrol.Geol., 31, (8), 1341-1383.

- 1951 - Australian Oil Possibilities. Ibid., 35 (12), 2479-2625.

Reynolds, M.A.

- 1953 - The Cainozoic Succession of Maslin and Aldinga Bays, South Australia. Trans.roy.Soc.S.Aust., 76, 114-160.

Rudd, E.A.

- 1939 - Eocene Outcrops in the North-West Basin, Western Australia. Rep.Aust.Ass.Adv.Sci.(Canberra), 24, 388.

Scouler, G.

- 1887 - Sketch of the Geology of the south and west parts of Lake Eyre Basin. Trans.roy.Soc.Aust., 9, 39-54.

Segnit, R.W.

- 1940 - Geology of Hallett Cove. Ibid., 64, 1-54.

Sherborn, C.D.

- 1888 - Bibliography of the Foraminifera, Recent and Fossil from 1565-1888. London.

- 1893 - An Index to the Genera and Species of the Foraminifera. Part I, A to Non. Smiths.Miscell.Coll. 37 (856), 1-240.

- 1896 - Idem. Part II. Non. to Z. Ibid. 37 (1031), 241-285.

Singleton, F.A.

- 1930 - A Summary of Recent Work on the Tertiary Deposits of Australia. Rep. 4th Pac.Sci.Cong.Java. 1954. 981-987.

- 1935 - Geology of Victoria: Cainozoic. Handbook for Victoria. Aust.Ass.Adv.Sci. (Melbourne). 128-135.

- 1938 - The Tertiary Sequence in South-East Australia. Rep.Aust. Ass.Adv.Sci. (Auckland, 1937), 23, 442.

- 1941 - The Tertiary Geology of Australia. Proc.roy.Soc.Vict., n.s. 53 (1), 1-125.

Stephens, P.

- 1869 - Remarks on the Geological Structure of the North Coast of Tasmania, with special reference to the Tertiary Marine Beds near Table Cape. Pap.roy.Soc.Tasm. for 1869, 19-21.
- 1889 - Foraminifera in the Upper Palaeozoic Rocks. Ibid., 54.

Sturmfels, E.K.

- 1950 - Preliminary Report on Geology and Coal Resources of Oaklands - Coorabin Coalfield, New South Wales. Bur.Min. Resour.Aust.Rep. 3, 1-52.

Sussmilch, C.A.

- 1922 - AN INTRODUCTION TO THE GEOLOGY OF NEW SOUTH WALES.
Angus and Robertson, SYDNEY.

Tate, R.

- 1877 - Ostracoda and Foraminifera in the Miocene of South Australia. Geol.Mag., n.s. 2,4 (11), 526-527.
- 1885 - Notes on the Physical and Geological Features of the Basin of the Lower Murray. Trans.roy.Soc.S.Aust., 7, 24-46.
- 1889 - Census of the Fauna of the Older Tertiary of Australia. J.roy.Soc.N.S.W., 22, 240-253.
- 1890 - On the Discovery of Marine Deposits of Pliocene Age in Australia. Trans.roy.Soc.S.Aust., 13 (2), 172-180.
- 1890 - The Stratigraphical Relations of the Tertiary Formations about Adelaide, with especial reference to the Croydon Bore. Ibid., 13 (2), 180-184.
- 1894 - Unrecorded Genera of the Older Tertiary Fauna of Australia, including diagnoses of some New Genera and Species. J.roy.Soc.N.S.W., 27, 167-197.
- 1897 - A Second Supplement to a Census of the Fauna of the Older Tertiary of Australia. Ibid., 31, 381-412.

Tate, R., and Dennant, J.

- 1895 - Correlation of the Marine Tertiaries of Australia. Part II. Victoria. Special Notes on the Eocene Beds of Cape Otway and River Aire with General Remarks. Ibid., 19 (1), 108-121.

Teichert, C.

- 1941 - Upper Paleozoic of Western Australia; Correlation and Paleogeography. Bull.Amer.Assoc.Petrol.Geol., 25 (3), 371-416.

Teichert, C. cont'd.

1947 - Stratigraphy of Western Australia. J.roy.Soc.W.Aust.
81-142.

1947 - New Nautiloides from the Older Tertiary of Victoria. Min.
& Geol.J.Vict., 3 (2), 48-51.

Thalmann, H.E.

1931+- Bibliography (and index to new genera, species, and
varieties) of Foraminifera. J.Paleont., 7 (3)†.

Theile, E.O., and Grant, F.E.

1902 - On the Fossil Contents of the Eocene Clays of the Altona
Coal Shaft. Proc.roy.Soc.Vict., n.s. 14 (2), 145-152.

Thibaut, J.

1953 - Revision du Genre Hantkenina Cushman 1925, avec étude
particulière des Hantkenines d'Aquitaine Occidentale.
Thesis.Fac.Sci.Univ.Paris, 1-57, pls. 1-16.

Thomas, D.E. and Baragwanath, W.

1949 - Geology of the Brown Coals of Victoria. Part I. Min. &
Geol.J.Vict., 3 (6), 28-55.

Twelvetrees, W.H.

1902 - Outlines of the Geology of Tasmania. Pap.roy.Soc.Tasm.
for 1900-1901, 70-73.

Vine, G.R.

1898 - On Some Miocene Foraminifera from Australia. Trans.& Ann.
Rept.Sheffield microscop.Soc., 6-9.

Voisey, A.H.

1938 - The Upper Palaeozoic Rocks of Tasmania. Proc.Linn.Soc.
N.S.W., 63, 309-333.

Watts, H.

1883 - Foraminifera of Victoria. Southern Sci.Rec., 3 (3), 76,77.

Woods, J.E.T.

1860 - On Some Tertiary Rocks in the Colony of South Australia.
(With Appendices by G. Busk, W.K. Parker and T.R. Jones).
Quart.J.geol.Soc.Lond., 16, (3), 253-260.

1862 - GEOLOGICAL OBSERVATIONS IN SOUTH AUSTRALIA. London,
Longman, Green.

1865 - The Geology of Portland. Lecture 2. The Marine Formation.
Melbourne, Cooper Guardian Office, 1-18.

Woods, J.E.T. cont'd.

- 1865 - On Some Tertiary Deposits in the Colony of Victoria (Muddy Creek. Quart.J.geol.Soc.Lond., 21, 389-394.
- 1865 - On Some Tertiary Fossils in South Australia. Trans.Phil. Inst.Vict., 6, 3-6.
- 1877 - History of Australian Tertiary Geology. Pap.roy.Soc.Tasm. for 1876, 76-78.
- 1878 - On the Tertiary Deposits of Australia. J.roy.Soc.N.S.W., 11, 65-79.
- 1878 - Palaeontological Evidence of Australian Tertiary Formations. Ibid., 11, 113-128.