

References

1. Webb, McKeown & Associates. 1999. Wallis Lake estuary processes study. Forster-Tuncurry: Great Lakes Council; unpublished consultants' report: 1–129.
 2. Logan GA, MacPhail M, Fredericks D, Smith C & Heggie D. 2001. Identification of urban and rural inputs to sediments in Lake Wallis. Canberra: AGSO professional opinion, 2001/2.
 3. Robinson N, Eglinton G, Brassell SC & Cranwell PA. 1984. Dinoflagellate origin for sedimentary 4 β -methyl steroids and 5 β (H)-stanols. *Nature*; 308:439–442.
 4. Volkman JK, Barrett SM & Blackburn SI. 1999. Eustigmatophyte microalgae are potential sources of C₂₉ sterols, C₂₂–C₂₈ *n*-alcohols and C₂₈–C₃₂ *n*-alkyl diols in freshwater environments. *Organic Geochemistry*; 30:307–318.
 5. Volkman JK. 1986. A review of sterol markers for marine and terrigenous organic matter. *Organic Geochemistry*; 9:83–99.
 6. Summons RE, Jahnke LL, Hope JM & Logan GA. 1999. 2-methylhopanoids as biomarkers for cyanobacterial oxygenic photosynthesis. *Nature*; 400: 544–557.
 7. Leeming R, Ball A, Ashbolt N & Nichols P. 1996. Using faecal sterols from humans and animals to distinguish faecal pollution in receiving waters. *Water Research*; 30(12):2893–2900.
 8. Meyers PA, Leenheer MJ, Eadie BJ & Maule SJ. 1984. Organic geochemistry of suspended and settling particulate matter in Lake Michigan. *Geochimica et Cosmochimica Acta*; 48(3):443–452.
 9. Volkman JK, Farrington JW, Gagosian RB & Wakeham SW. 1983. Lipid composition of coastal marine sediments from the Peru upwelling region. In: Bjoroy M, et al., eds. *Advances in organic geochemistry 1981*. Chichester: Wiley; 228–240.
 10. MacPhail MK. 2000. Wallis Lake, Great Lake Shire, NSW: Pollen evidence of urban impact on a coastal 'lagoon'. Forster-Tuncurry; unpublished consultants' report.
- Dr Graham Logan, Petroleum and Marine Division, AGSO, phone +61 2 6249 9460 or e-mail graham.logan@agso.gov.au
 - Dr David Fredericks, Petroleum and Marine Division, AGSO, phone +61 2 6249 9434 or e-mail david.fredericks@agso.gov.au
 - Craig Smith, Petroleum and Marine Division, AGSO, phone +61 2 6249 9560 or e-mail craig.smith@agso.gov.au
 - Dr David Heggie, Petroleum and Marine Division, AGSO, phone +61 2 6249 9589 or e-mail david.heggie@agso.gov.au ☎

Publications

involving AGSO authors

December 2000 to April 2001

ABSTRACTS & PROCEEDINGS

Archibald NJ, Hill EJ, **Direen** NG, et al. 2001. AGCRC–Fractal Graphics north-eastern Lachlan Orogen project. In: Korsch RJ & Lyons P, eds. *Integrated geophysical and geological studies of the north-eastern Lachlan Orogen*, New South Wales. Proceedings of the Eastern Lachlan Orogen Workshop, Mar 7–9. Canberra: Australian Geological Survey Organisation, record 2001/9; 59.

Archibald NJ, Hill EJ, Holden D, **Direen** NG, et al. 2001. 3D models of the north-eastern Lachlan Orogen. In: Korsch RJ & Lyons P, eds. *Integrated geophysical and geological studies of the north-eastern Lachlan Orogen*, New South Wales. Proceedings of the Eastern Lachlan Orogen Workshop, Mar 7–9. Canberra: Australian Geological Survey Organisation, record 2001/9; 66–68.

Archibald NJ, Hill EJ, **Direen** NG, et al. 2001. Wavelet-based edge detection processing (worming) and interpretation of magnetic and gravity data sets, north-eastern Lachlan Orogen. In: Korsch RJ & Lyons P, eds. *Integrated geophysical and geological studies of the north-eastern Lachlan Orogen*, New South Wales. Proceedings of the Eastern Lachlan Orogen Workshop, Mar 7–9. Canberra: Australian Geological Survey Organisation, record 2001/9; 60–65.

Barton CE & Colhoun EA. 2000. [abstract]. Climate change and secular variation recorded in Tasmanian lakes. *Palaeomagnetism, Rock Magnetism & Environmental Magnetism Workshop*, Canberra, May 3–4. Canberra: Australian Geological Survey Organisation, record 2000/36; 2–3.

Bradshaw MT. 2001. [abstract]. Australia and eastern Indonesia at the cross-roads of Gondwana and Tethys—the implications for petroleum resources. *SEAPEX Exploration Conference 2001*, Singapore, Apr 4–6.

Budd AR, Bastrakova IV & Wyborn LA. 2001. [abstract]. Proterozoic S-type granites of Australia. In: Chappell BW & Fleming P, eds. *S-type granites and related rocks. A symposium to mark the 70th birthday of Professor Allan White*, Jan 11–12. Canberra: Australian Geological Survey Organisation, record 2001/2; 25–26.

Champion DC & Bultitude RJ. 2001. [abstract]. Palaeozoic S-type granites of the Hodgkinson Province, far north Queensland. In: Chappell BW & Fleming P, eds. *S-type granites and related rocks. A symposium to mark the 70th birthday of Professor Allan White*, Jan 11–12. Canberra: Australian Geological Survey Organisation, record 2001/2; 27–28.

Cross AJ, Korsch RJ, Raymond OL, Lyons P, Dabrowski R & Mills AW. 2001. The PREDICT geological information system and its application to the north-eastern Lachlan Orogen. In: Korsch RJ & Lyons P, eds. *Integrated geophysical and geological studies of the north-eastern Lachlan Orogen*, New South Wales. Proceedings of the Eastern Lachlan Orogen Workshop, Mar 7–9. Canberra: Australian Geological Survey Organisation, record 2001/9; 36–39.

de Caritat P, Gibson DL, Hill SM, et al. 2000. [abstract]. Regolith research in the Broken Hill region: An overview of CRC LEME activities. In: Peljo M, comp. *Abstracts of conference papers, Broken Hill Exploration Initiative*, May 2000. Canberra: Australian Geological Survey Organisation, record 2000/10; 12–15.

de Caritat P, Killick MF, Lavitt N, Tonui E, Dann R & Turner ML. 2000. [abstract]. Characterisation of regolith, sediment and groundwater in the Mundi Mundi–Curnamona region. In: Peljo M, comp. *Abstracts of conference papers, Broken Hill Exploration Initiative*, May 2000. Canberra: Australian Geological Survey Organisation, record 2000/10; 16–19.

Direen NG, Crawford AJ & Willcox JB. 2000. [abstract]. Structure and geological evolution of the Koonenberry Fold Belt, NSW: Implications for mineralisation. In: Peljo M, comp. Abstracts of conference papers, Broken Hill Exploration Initiative, May 2000. Canberra: Australian Geological Survey Organisation, record 2000/10; 33–34.

Direen NG, Lyons P, Korsch RJ & Glen RA. 2001. Three-dimensional integrated geophysical appraisal of major structures in the north-eastern Lachlan Orogen. In: Korsch RJ & Lyons P, eds. Integrated geophysical and geological studies of the north-eastern Lachlan Orogen, New South Wales. Proceedings of the Eastern Lachlan Orogen Workshop, Mar 7–9. Canberra: Australian Geological Survey Organisation, record 2001/9; 54–58.

Finlayson DM, Korsch RJ & Glen RA. 2001. Contrasts in crustal architecture north and south of the Lachlan Transverse Zone, north-eastern Lachlan Orogen. In: Korsch RJ & Lyons P, eds. Integrated geophysical and geological studies of the north-eastern Lachlan Orogen, New South Wales. Proceedings of the Eastern Lachlan Orogen Workshop, Mar 7–9. Canberra: Australian Geological Survey Organisation, record 2001/9; 40–44.

Foster KA, Shirtliff G & Hill SM. 2000. [abstract]. Balaclava 1:25 000 regolith-landform map: Developing detailed mapping for regolith dominated terrains. In: Peljo M, comp. Abstracts of conference papers, Broken Hill Exploration Initiative, May 2000. Canberra: Australian Geological Survey Organisation, record 2000/10; 38–40.

Gibson DL. 2000. [abstract]. Regolith, landform history and sampling strategies in the Wonnaminta area, Koonenberry Belt. In: Peljo M, comp. Abstracts of conference papers, Broken Hill Exploration Initiative, May 2000. Canberra: Australian Geological Survey Organisation, record 2000/10; 41–44.

Gibson GM. 2000. [abstract]. Tectonic evolution of the Palaeoproterozoic Willyama Supergroup, Broken Hill: The early years. In: Peljo M, comp. Abstracts of conference papers, Broken Hill Exploration Initiative, May 2000. Canberra: Australian Geological Survey Organisation, record 2000/10; 45–47.

Glen RA, **Korsch** RJ, Jones LEA, Lawrie KC, Shaw RD & Johnstone DW. 2001. Crustal structure of the Ordovician Macquarie Arc, Eastern Lachlan Orogen, NSW, based on deep seismic reflection profiling. In: Korsch RJ & Lyons P, eds. Integrated geophysical and geological studies of the north-eastern Lachlan Orogen, New South Wales. Proceedings of the Eastern Lachlan Orogen Workshop, Mar 7–9. Canberra: Australian Geological Survey Organisation, record 2001/9; 45–48.

Glen RA, **Raymond** OL & Lyons P. 2001. Geological issues of the Eastern Belt of the north-eastern Lachlan Orogen. In: Korsch RJ & Lyons P, eds. Integrated geophysical and geological studies of the north-eastern Lachlan Orogen, New South Wales. Proceedings of the Eastern Lachlan Orogen Workshop, Mar 7–9. Canberra: Australian Geological Survey Organisation, record 2001/9; 7–11.

Hill LJ, Eggleton RA, **de Caritat** P & Field JB. 2000. [abstract]. Biogeochemical and geochemical dispersion and residence in landscapes of western New South Wales. In: Peljo M, comp. Abstracts of conference papers, Broken Hill Exploration Initiative, May 2000. Canberra: Australian Geological Survey Organisation, record 2000/10; 51–52.

Hill SM, Jones GL, **Foster** KA, et al. 2000. [abstract]. Mineralisation signatures in the regolith of the Broken Hill region. In: Peljo M, comp. Abstracts of conference papers, Broken Hill Exploration Initiative, May 2000. Canberra: Australian Geological Survey Organisation, record 2000/10; 53–56.

Jones LE, Drummond BJ & Goleby BR. 2001. Capabilities of the seismic reflection method in hard rock terranes. In: Korsch RJ & Lyons P, eds. Integrated geophysical and geological studies of the north-eastern Lachlan Orogen, New South Wales. Proceedings of the Eastern Lachlan Orogen Workshop, Mar 7–9. Canberra: Australian Geological Survey Organisation, record 2001/9; 12–25.

Jones LE & Johnstone DW. 2001. Acquisition and processing of the 1997 Eastern Lachlan (L146) and 1999 Lachlan (L151) seismic reflection surveys. In: Korsch RJ & Lyons P, eds. Integrated geophysical and geological studies of the north-eastern Lachlan Orogen, New South

Wales. Proceedings of the Eastern Lachlan Orogen Workshop, Mar 7–9. Canberra: Australian Geological Survey Organisation, record 2001/9; 26–35.

Klootwijk C. 2000. [abstract]. Alternative Late Palaeozoic cratonic polepaths: The slip-path and the KG-path. Palaeomagnetism, Rock Magnetism & Environmental Magnetism Workshop, Canberra, May 3–4. Canberra: Australian Geological Survey Organisation, record 2000/36; 21

Klootwijk C. 2000. [abstract]. Late Palaeozoic polepath for the New England Orogen: Constraints and implications from the Rocky Creek Block, Tamworth Belt. Palaeomagnetism, Rock Magnetism & Environmental Magnetism Workshop, Canberra, May 3–4. Canberra: Australian Geological Survey Organisation, record 2000/36; 19–20.

Korsch RJ. 2001. Integrated geophysical and geological studies of the north-eastern Lachlan Orogen, New South Wales: Outline and scope. In: Korsch RJ & Lyons P, eds. Integrated geophysical and geological studies of the north-eastern Lachlan Orogen, New South Wales. Proceedings of the Eastern Lachlan Orogen Workshop, Mar 7–9. Canberra: Australian Geological Survey Organisation, record 2001/9; 1–6.

Lyons P, Direen NG, Archibald NJ, Raymond OL & Korsch RJ. 2001. Mineral systems implications of multi-scale edge detection of crustal structures in the north-eastern Lachlan Orogen. In: Korsch RJ & Lyons P, eds. Integrated geophysical and geological studies of the north-eastern Lachlan Orogen, New South Wales. Proceedings of the Eastern Lachlan Orogen Workshop, Mar 7–9. Canberra: Australian Geological Survey Organisation, record 2001/9; 81–85.

Mackey TE. 2001. [CD-ROM]. Web-based mapping, GIS and image processing: The AGSO perspective. In: O'Donnell I, ed. Proceedings of the 5th National Forum on Information Management in the Geosciences: Geoscience Online, Canberra, Mar 28–29. Canberra: Australian Geological Survey Organisation, record 2001/13.

Maidment DW & Gibson GM. 2000. [abstract]. Regional lithological interpretation of the Broken Hill and Eurioiwie Blocks, NSW. In: Peljo M, comp. Abstracts of conference papers, Broken Hill Exploration Initiative, May 2000. Canberra: Australian Geological Survey Organisation, record 2000/10; 67–68.

O'Donnell I. 2001. [CD-ROM]. Report on GGIPAC. In: O'Donnell I, ed. Proceedings of the 5th National Forum on Information Management in the Geosciences: Geoscience Online, Canberra, Mar 28–29. Canberra: Australian Geological Survey Organisation, record 2001/13; 1.

Page RW, Stevens BP, **Gibson GM & Connor CH.** 2000. [abstract]. Geochronology of Willyama Supergroup rocks between Olary and Broken Hill, and comparison to northern Australia. In: Peljo M, comp. Abstracts of conference papers, Broken Hill Exploration Initiative, May 2000. Canberra: Australian Geological Survey Organisation, record 2000/10; 72–75.

Papp E, Foster KA, Shirliff G, Hill SM. 2000. [abstract]. Spectral characterisation of regolith units at Balaclava West, Broken Hill, NSW. In: Peljo M, comp. Abstracts of conference papers, Broken Hill Exploration Initiative, May 2000. Canberra: Australian Geological Survey Organisation, record 2000/10; 76–78.

Powell TG. 2001. [CD-ROM]. Information management in AGSO. In: O'Donnell I, ed. Proceedings of the 5th National Forum on Information Management in the Geosciences: Geoscience Online, Canberra, Mar 28–29. Canberra: Australian Geological Survey Organisation, record 2001/13.

Raymond OL & Scott M. 2001. AGCRC seismic lines 97AGSL2 and 97AGSL3 excursion notes. In: Korsch RJ & Lyons P, eds. Integrated geophysical and geological studies of the north-eastern Lachlan Orogen, New South Wales. Proceedings of the Eastern Lachlan Orogen Workshop, Mar 7–9. Canberra: Australian Geological Survey Organisation, record 2001/9; 86–96.

Raymond OL, Sherwin L, Lyons P & Scott M. 2001. The Jemalong Trough: Further evidence of Silurian–Devonian rifting in the Eastern Lachlan Orogen. In: Korsch RJ & Lyons P, eds. Integrated geophysical

and geological studies of the north-eastern Lachlan Orogen, New South Wales. Proceedings of the Eastern Lachlan Orogen Workshop, Mar 7–9. Canberra: Australian Geological Survey Organisation, record 2001/9; 69–76.

Roberts J, Opdyke ND, **Claoue-Long J, Irving E & Jones PJ.** 2000. [abstract]. Stratigraphic evidence for redefinition of the base of the Kiaman reversed superchron. Palaeomagnetism, Rock Magnetism & Environmental Magnetism Workshop, Canberra, May 3–4. Canberra: Australian Geological Survey Organisation, record 2000/36; 43.

Root J. 2001. [CD-ROM]. Online geoscience information: Where to next? In: O'Donnell I, ed. Proceedings of the 5th National Forum on Information Management in the Geosciences: Geoscience Online, Canberra, Mar 28–29. Canberra: Australian Geological Survey Organisation, record 2001/13.

Skirrow RG. 2000. Gold-copper-bismuth deposits of the Tennant Creek district, Australia: A reappraisal of diverse high-grade systems. In: Porter TM, ed. Proceedings of the Hydrothermal Iron Oxide Copper-Gold and Related Deposits: A Global Perspective conference, Perth, Dec 4–5. Glenside (SA): Australian Mineral Foundation; 149–160.

Skirrow RG, Ashley PM, McNaughton NJ & Suzuki K. 2000. [abstract]. Time-space framework of Cu-Au(-Mo) and regional alteration systems in the Curnamona province. In: Peljo M, comp. Abstracts of conference papers, Broken Hill Exploration Initiative, May 2000. Canberra: Australian Geological Survey Organisation, record 2000/10; 83–86.

Tan KP, Eggleton RA & **de Caritat P.** 2000. [abstract]. Geochemical mapping of element distribution in the regolith at Portia and North Portia prospects, Benagerie Ridge Magnetic Complex, Curnamona, South Australia. In: Peljo M, comp. Abstracts of conference papers, Broken Hill Exploration Initiative, May 2000. Canberra: Australian Geological Survey Organisation, record 2000/10; 92–93.

Williams PJ & **Skirrow RG.** 2000. Overview of iron oxide-copper-gold deposits in the Curnamona Province and Cloncurry district (eastern Mount Isa Block), Australia. In: Porter TM, ed. Proceedings of the Hydrothermal

Iron Oxide Copper-Gold and Related Deposits: A Global Perspective conference, Perth, Dec 4–5. Glenside (SA): Australian Mineral Foundation; 105–122.

ARTICLES

Auzende JM, van de Beuque S, Regnier M, Lafoy Y & **Symonds PA.** 2000. Origin of the New Caledonian ophiolites based on a French–Australian seismic transect. *Marine Geology*; 162(2–4):225–236.

Boreham CJ, Hope JM, Hartung-Kagi B & van Aarssen BJ. 2000. More sources for gas and oil in Perth Basin: Study highlights potential for multiple petroleum systems. *AGSO Research Newsletter*, Dec; 33:5–9.

Boreham CJ, Hope JM & Hartung-Kagi B. 2001. Understanding source, distribution and preservation of Australian natural gas: A geochemical perspective. *APPEA Journal*; 41(1):523–547.

Brauhart CW, **Huston DL & Andrew AS.** 2000. Oxygen isotope mapping in the Panorama VMS district, Pilbara Craton, Western Australia: Applications to estimating temperatures of alteration and to exploration. *Mineralium Deposita*; 35(8):727–740.

Brincat MP, **O'Brien GW, Lisk M, de Ruig M & George SC.** 2001. Hydrocarbon charge history of the northern Londonderry High: Implications for trap integrity and future prospectivity. *APPEA Journal*; 41(1):483–495.

de Caritat P, Killick MF, Lavitt N, Tan KP & Tonui E. 2000. 3D conceptual modelling to aid mineral exploration in the southern Callabonna Sub-basin. *MESA Journal*; 19:46–47.

de Caritat P, Reimann C, Bogatyrev I, et al. 2001. Regional distribution of Al, B, Ba, Ca, K, La, Mg, Mn, Na, P, Rb, Si, Sr, Th, U and Y in terrestrial moss within a 188 000 km² area of the central Barents region: Influence of geology, seaspray and human activity. *Applied Geochemistry*; 16(2):137–159.

Dentith MC, Dent VF & **Drummond BJ.** 2000. Deep crustal structure in the south-western Yilgarn Craton, Western Australia. *Tectonophysics*; 325(3–4):227–255.

- Drummond** BJ, Barton TJ, Korsch RJ, et al. 2000. Evidence for crustal extension and inversion in eastern Tasmania, Australia, during the Neoproterozoic and early Palaeozoic. *Tectonophysics*; 329(1–4):1–21.
- Drummond** BJ, Goleby BR, Owen AJ, et al. 2000. Seismic reflection imaging of mineral systems: Three case histories. *Geophysics*; 65(6):1852–1861.
- Drummond** BJ, Goleby BR & Swager CP. 2000. Crustal signature of late Archaean tectonic episodes in the Yilgarn Craton, Western Australia: Evidence from deep seismic sounding. *Tectonophysics*; 329(1–4):193–221.
- Edwards** DS, Kennard JM, Preston JC, Summons RE, Boreham CJ & Zumberge JE. 2000. Bonaparte Basin: Geochemical characteristics of hydrocarbon families and petroleum systems. *AGSO Research Newsletter*, Dec; 33:14–19.
- Fraser** G, McDougall I, Ellis DJ & Williams IS. 2000. Timing and rate of isothermal decompression in Pan-African granulites from Rundvagshetta, East Antarctica. *Journal of Metamorphic Geology*; 18(4):441–454.
- Fraser** G, Worley B & Sandiford M. 2000. High-precision geothermobarometry across the High Himalayan metamorphic sequence, Langtang Valley, Nepal. *Journal of Metamorphic Geology*; 18(6):665–681.
- Goleby** BR, Drummond BJ & Mifsud J. 2000. An approach to using seismic reflection imaging in mineral provinces—an example at a province scale. *Preview*; 88:17–19.
- Hallam A, Wignall PB, Yin J & **Riding** JB. 2000. An investigation into possible facies changes across the Triassic–Jurassic boundary in southern Tibet. *Sedimentary Geology*; 137(3–4):101–106.
- Hallsworth CR, Morton AC, **Claoue-Long** J & Fanning CM. 2000. Carboniferous sand provenance in the Pennine Basin, UK: Constraints from heavy mineral and detrital zircon age data. *Sedimentary Geology*; 137(3–4):147–185.
- Harris** PT. 2000. Ripple cross-laminated sediments on the East Antarctic shelf: Evidence for episodic bottom water production during the Holocene?. *Marine Geology*; 170(3–4):317–330.
- Hinrichs KU, **Summons** RE, Orphan V, Sylva SP & Hayes JM. 2000. Molecular and isotopic analysis of anaerobic methane-oxidizing communities in marine sediments. *Organic Geochemistry*; 31(12):1685–1701.
- Huston** DL. 2001. Geochemical dispersion about the Western Tharsis Cu-Au deposit, Mt Lyell, Tasmania. *Journal of Geochemical Exploration*; 72(1):23–46.
- Jackson** MJ, Southgate PN & Page RW. 2000. Gamma-ray logs and U-Pb zircon geochronology; essential tools to constrain lithofacies interpretation of Paleoproterozoic depositional systems. In: Grotzinger JP & James NP, eds. Carbonate sedimentation and diagenesis in the evolving Precambrian world. Society for Sedimentary Geology, special publication 67; 23–41.
- Kamenetsky VS, Binns RA, Gemmell JB, **Mernagh** TP, et al. 2001. Parental basaltic melts and fluids in eastern Manus backarc basin: Implications for hydrothermal mineralisation. *Earth & Planetary Science Letters*; 184(3–4):685–702.
- Kenig F, Popp BN & **Summons** RE. 2000. Preparative HPLC with ultrastable-Y zeolite for compound-specific carbon isotopic analyses. *Organic Geochemistry*; 31(11):1087–1094.
- Labrenz M, Druschel GK, Thomsen ET, **Logan** GA, et al. 2000. Formation of sphalerite (ZnS) deposits in natural biofilms of sulfate-reducing bacteria. *Science*; 290(5497):1744–1747.
- Lavering** I. 2000. The use of palaeoecology in petroleum exploration, production and environment protection. *PESA News*, Jun–Jul; 18.
- Mackey** TE, Gunn PJ, Meixner AJ & Blake DH. 2000. Mapping Australian geology under cover: A case study applied to the Boulia and Springvale 1:250 000 map sheets, Queensland. *Preview*; 87:28–32.
- Mackness BS, Whitehead PW & **McNamara** GC. 2000. New potassium-argon basalt date in relation to the Pliocene Bluff Downs Local Fauna, northern Australia. *Australian Journal of Earth Sciences*; 47(4):807–811.
- Messent B, **Edwards** DS, Baron HS & Witham B. 2000. Variations in fluorescent response of oil slicks using an airborne laser fluorosensor system. *AAPG Bulletin*; 84(9):1465.
- Page RW, Stevens B, **Gibson** GM & Conor CH. 2000. Geochronology of Willyama Supergroup rocks near Broken Hill. *Minfo: New South Wales Mining and Exploration Quarterly*; 68:28–30.
- Palmer** D, Fredericks DJ, Smith C & Heggie. 2000. Nutrients from sediments: Implications for algal blooms in Myall Lakes. *AGSO Research Newsletter*, Dec; 33:2–4.
- Petkovic** P, Collins CD & Finlayson DM. 2000. A crustal transect between Precambrian Australia and the Timor Trough across the Vulcan Sub-basin. *Tectonophysics*; 329(1–4):23–38.
- Pike** J. 2000. Minerals laboratory staff develops new ICP–MS preparation method. *AGSO Research Newsletter*, Dec; 33:12–14.
- Planke S, **Symonds** PA, Alvestad E & Skogseid J. 2000. Seismic volcano-stratigraphy of large-volume basaltic extrusive complexes on rifted margins. *Journal of Geophysical Research*, B: Solid Earth & Planets; 105(8):19 335–19 351.
- Powell** TG. 2001. Understanding Australia's petroleum resources, future production trends and the role of the frontiers. *APPEA Journal*; 41(1):273–286.
- Reimann C, Banks D & **de Caritat** P. 2000. Impacts of airborne contamination on regional soil and water quality: The Kola Peninsula, Russia. *Environmental Science & Technology*; 34(13):2727–2732.
- Rigg AJ, Allinson G, **Bradshaw** J, et al. 2001. The search for sites for geological sequestration of CO₂ in Australia: A progress report on GEODISC. *APPEA Journal*; 41(1):711–723.
- Rigg AJ & **Bradshaw** J. 2000. The GEODISC program: Research into geological sequestration of CO₂ in Australia. *AAPG Bulletin*; 84(9):1482.
- Ryburn** R. 2000. China plans to re-map by computer. *Australian Geologist*; 114:23–24.
- Ryburn** R. 2000. The importance of the 'backend' to online delivery of geoscience information. *AGSO Research Newsletter*, Dec; 33:10–11,20.

Sami TT, James NP, Kyser TK, **Southgate** PN, Jackson MJ & Page RW. 2000. Evolution of late Paleoproterozoic ramp systems, lower McNamara Group, north-eastern Australia. In: Grotzinger, JP & James NP, eds. Carbonate sedimentation and diagenesis in the evolving Precambrian world. Society for Sedimentary Geology, special publication 67; 243–274.

Sikes EL, Samson CR, Guilderson TP & Howard WR. 2000. Old radiocarbon ages in the south-west Pacific Ocean during the last glacial period and deglaciation. *Nature*; 405(6786):555–559.

Skirrow RG & Ashley PM. 2000. Proterozoic Cu-Au systems of the Curnamona Province—members of a global family? *MESA Journal*; 19:48–50.

Skirrow RG, Camacho A, Lyons P, et al. 2000. Metallogeny of the southern Sierras Pampeanas, Argentina: Geological, $^{40}\text{Ar}/^{39}\text{Ar}$ dating and stable isotope evidence for Devonian Au, Ag-Pb-Zn and W ore formation. *Ore Geology Reviews*; 17(1–2):39–81.

Smithies RH & **Champion** DC. 2000. The Archaean high-Mg diorite suite: Links to tonalite-trondhjemite-granodiorite magmatism and implications for Early Archaean crustal growth. *Journal of Petrology*; 41(12):1653–1671.

Stewart LK, **Heap** AD & Woolfe KJ. 2000. Evaluating the influence of tidal currents on the distribution of silt in Nara Inlet, central Great Barrier Reef, Australia. *Sedimentary Geology*; 136(1–2):59–69.

Tandon K, Lorenzo JM & **O'Brien** GW. 2000. Effective elastic thickness of the northern Australian continental lithosphere subducting beneath the Banda Orogen (Indonesia): Inelastic failure at the start of continental subduction. *Tectonophysics*; 329(1–4):39–60.

Taylor G, O'Sullivan PB, Pillans B, **Gibson** DL, Kohn BP & Pain CF. 2000. Long-term landscape evolution of the Northparkes region of the Lachlan Fold Belt, Australia:

Constraints from fission track and paleomagnetic data—discussion and reply. *Journal of Geology*; 108(6):749–752.

Wilford JR & Butrovski. 2000. Customised regolith maps incorporate hydrologic modelled attributes for geochemical exploration. *AGSO Research Newsletter*, Dec; 33:21–24.

Williams ND & **Holdway** DA. 2000. The effects of pulse-exposed cadmium and zinc on embryo hatchability, larval development, and survival of Australian crimson spotted rainbow fish (*Melanotaenia fluviatilis*). *Environmental Toxicology*; 15(3):165–173.

Winchester ST, **Foster** C & O'Leary T. 2000. The environmental response of Middle Ordovician large organic walled microfossils from the Goldwyer and Nita formations, Canning Basin, Western Australia. *Review of Palaeobotany & Palynology*; 113(1–3):197–212.

BOOKS & REPORTS

Blewett RS. 2000. [CD-ROM]. Facsimile copy of the Aerial Geological and Geophysical Survey of Northern Australia (AGGSNA) reports 1–26, 28, 46 and 51–59 for Western Australia on the Pilbara goldfield. Canberra: Australian Geological Survey Organisation, record 2000/5.

Blewett RS. 2000. [CD-ROM]. A 'virtual' structural field trip of the North Pilbara. Canberra: Australian Geological Survey Organisation, record 2000/45.

Blewett RS, Wellman P, Ratajkoski M & Huston DL. 2000. Atlas of north Pilbara geology and geophysics, 1:1.5 million scale. Canberra: Australian Geological Survey Organisation, record 2000/4.

Finlayson DM, Gudmundsson O, Itikarai I, et al. 2001. The Rabaul Earthquake Location and Caldera Structure (RELACS) program: Operations report. Canberra: Australian Geological Survey Organisation, record 2001/1.

Giddings JW, **Gibson** GM & Maidment DW. 2000. Rock property—structural geology synergy at work in Broken Hill: A case for structural control of linear magnetic anomalies. Canberra: Australian Geological Survey Organisation, record 2000/36.

Heap A, Bryce S, Ryan D, et al. 2001. Australian estuaries and coastal waterways—a geoscience perspective for improved and integrated resource management. A report to the National Land & Water Resources Audit, theme 7: Ecosystem health. Canberra: Australian Geological Survey Organisation, record 2001/7.

Jackson MJ, Southgate PN, Winefield PR, Barnett K & Zeilinger I. 2000. [CD-ROM]. Revised sub-division and regional correlations of the McArthur Basin succession based on NABRE's 1995–8 sequence stratigraphic studies. Canberra: Australian Geological Survey Organisation, record 2000/3.

Langford RL, Wyche S & **Liu** S-F. 2000. Geology of the Wiluna 1:100 000 sheet. Perth: Western Australia Geological Survey, explanatory notes.

Owen AJ, Bateman R, **Barton** TJ, Drummond BJ, Goleby BR & Sauter PC. 2001. Kalgoorlie seismic profiling 1997: Operations, processing and interpretation report. Canberra: Australian Geological Survey Organisation, record 2001/6.

Soames CL, Gudmundsson O & **Finlayson** DM. 2000. The Rabaul Earthquake Location and Caldera Structure (RELACS) Program: Post-survey data processing. Canberra: Australian Geological Survey Organisation, record 2000/40.

Wilson DJ. 2000. [CD-ROM]. AGSO marine survey 176: Direct hydrocarbon detection north-west Australia—Yampi Shelf, southern Vulcan Sub-basin and Sahul Platform (July/September 1996): Operational report & data compendium. Canberra: Australian Geological Survey Organisation, record 2000/42.

AGSO reference librarian Bev Allen compiled this list of papers and reports. For information about their availability phone Bev on +61 2 6249 9200 or e-mail bev.allen@agso.gov.au. For information about article or report contents contact the AGSO author (name in bold) by e-mailing ...@agso.gov.au or phoning reception on +61 2 6249 9111.