Appendix J - Validation Tests

1.		ABOU	T VALIDATION AND TESTING	3
2.		VALIDA	ATION TESTS	4
	2.1	GEODATA and Working Database (1:250 000 & 1:100 000 scale)		4
		2.1.1	Attribute Accuracy	4
		2.1.2	Logical Consistency	6
		2.1.3	Completeness	10
	2.2	NATMA	P	10
		2.2.1	Reproduction Material	10
		2.2.2	Marginalia	11
		2.2.3	Internal Type Selection and Placement	12
		2.2.4	Black Detail Internal	14
		2.2.5	General Cultural Detail	16
		2.2.6	Red Detail Internal	17
		2.2.7	Blue Detail Internal	18
		2.2.8	Brown Detail Internal	19
		2.2.9	Green Detail Internal	20
		2.2.10	Composite Screens / Patterns	20
3.		FORMS	S FOR VAT SUBMISSION	21
4.		VAT TE	EST TO REPORT NUMBER CROSS-REFERENCE	30
5		VAT RI	FPORT TO TEST NUMBER CROSS-REFERENCE	32

1. About Validation and Testing

The Validation and Testing cell (VAT) tests the GEODATA, Working Database and NATMAP for compliance to the Technical Specifications. The standard tests are outlined in this Appendix. Other tests may be carried out to ensure compliance to the Specification from time to time.

Testing is carried out using a mixture of UNIX scripts, ARC/INFO AMLs and on-screen checks. Many of the tests are automated, using customised ARC/INFO AMLs. These are supported by on screen graphical checks and visual inspection of the map.

Where feature populations are small or the tests are particularly important, the full population will be tested. Where feature populations are large, or a less stringent tolerance applies, a sample area or statistical subset may be tested. Statistical subsets are a random selection of features from the whole population, while a sample area tests all the relevant features within a selected geographical area.

Statistically acceptable procedures are adopted for tests that require sampling. The sampling procedures adopted are based on the Australian Standard AS1199-1988: Sampling procedures and tables for inspection by attribute.

The Acceptable Quality Level (AQL) is in the range of 0% to 5%. Generally, the AQL is applied to each relevant coverage in the database.

The following tables give the appropriate sample size for particular population sizes, and acceptance and rejection numbers for particular sample sizes and Acceptable Quality Levels (AQL's).

	AQL	0.50%	1%	2%	5%	10%
Population size	Sample Size	Ac, Re	Ac, Re	Ac, Re	Ac, Re	Ac, Re
2 to 8	2				0,1	
9 to 15	3			4	1	4
16 to 25	5			0,1	\	1,2
26 to 50	8		\	1	2,3	3,4
51 to 90	13	V	0,1	\psi	2,3	3,4
91 to 150	20	0,1	↑	1,2	3,4	5,6
151 to 280	32	↑	\	2,3	4,5	7,8
281 to 500	50	\	1,2	3,4	5,6	10,11
501 to 1200	80	1,2	2,3	4,5	8,9	14,15
1201 to 3200	125	2,3	3,4	6,7	12,13	21,22
3201 to 10000	200	3,4	5,6	8,9	17,18	1
10001 to 35000	315	4,5	7,8	12,13	21,22	
35001 to 150000	500	6,7	10,11	17,18	1	
150001 to 500000	800	8,9	14,15	21,22		
500001 and over	1200	12,13	21,22	↑		

- Use the first sampling plan below the arrow. If the sample size equals, or exceeds the
 - population size, carry out 100% inspection.
- ↑ Use the first sampling plan above the arrow.
- Ac Accept Number
- Re Reject Number

For some tests, no errors are allowed and the entire population is tested. For other tests, samples are tested to ensure that an error rate of between 0.5% and 5% is possible in the data.

Where records indicate that a particular test is passed every time for Work Units from a contractor, those tests will be classified into a 'spot' class. Spot tests are carried out on a random sample of work units. This procedure continues until the data begins to fail the test. When this happens the test will again be carried out on all Work Units until it can again be classified in the spot class. Where tests are automated or are critical, they are performed for each Work Unit, regardless of the past record.

This testing methodology ensures a 99% confidence that the error rate is less than the AQL.

Where errors are detected but the number of errors detected is less than the rejection number, the test is passed but noted in the 'other test errors' section of the VAT report. If the tile fails another test the tile should be examined for errors of this type and the errors must be fixed before the tile is submitted again. If the tile passes these errors are recorded and corrected when future revision takes place.

2. Validation tests

The following tables describe the tests carried out in VAT, the sample size and the AQL. Tests are numbered with gaps left in case additional tests need to be added later. The table at Appendix J chapter 4. VAT TEST TO REPORT NUMBER CROSS-REFERENCE cross-references the test numbers to the numbers found in VAT reports. The table at Appendix J chapter 5. VAT REPORT TO TEST NUMBER CROSS-REFERENCE cross references from the report numbers back to the test numbers.

2.1 GEODATA and Working Database (1:1250 000 & 1:100 000 scale)

2.1.1 Attribute Accuracy

Attribute accuracy is a measure of the degree to which the features and their attributes agree with the information on the source material. For this product, attribute accuracy is a measure of the degree to which the attribute values of a feature agree with the information on the source material.

TEST NO	ATTRIBUTES TESTED	TEST SAMPLE SIZE	AQL
1	Unique feature identifiers (UFIs) are valid and within the allocated range (1:250 000 only – UFIs are not assigned at 1:100 000 scale)	Full population	No errors
2	All features have a valid data quality pointer	Full population	2%

TEST NO	ATTRIBUTES TESTED	TEST SAMPLE SIZE	AQL
3	Attribute values other than for UFI and Data Quality Pointer are within the valid ranges as specified in the Data Dictionary	Full population	2%
4	Features have the correct feature code	Statistical subset	1%
5	The 'state' attribute of mainland and islands is correct	Full population	No errors
6	The sea has the correct name	Full population	No errors
7	Islands have the correct name	Statistical subset	5%
8	The entire neatline of the tile is coded as tile edge	Full population	1%
9	Watercourses have the correct name	Statistical subset	5%
10	Roads have the correct name	Statistical subset	5%
11	The perenniality of lakes is correct	Statistical subset	5%
12	The perenniality of watercourses is correct	Statistical subset	5%
13	Aircraft facility type is correct	Full population	5%
14	Aircraft facility name is correct	Full population	5%
15	Railway track status is correct	Statistical subset	5%
16	Railway track number is correct	Statistical subset	5%
17	Railway track gauge is correct	Statistical subset	5%
18	Railway names are correct	Statistical subset	5%
19	Road classification is correct	Statistical subset	5%
20	Road formation is correct	Statistical subset	5%
21	National route numbers on roads are correct and complete	Statistical subset	5%
22	State route numbers on roads are correct and complete	Statistical subset	5%
23	Localities have the correct name	Statistical subset	2%
24	Names of watercourses are carried the entire length where intended	Statistical subset	2%
25	Names of roads are carried the entire length where intended	Statistical subset	2%

TEST NO	ATTRIBUTES TESTED	TEST SAMPLE SIZE	AQL
26	National route numbers of roads are carried the entire length where intended	Statistical subset	2%
27	State route numbers of roads are carried the entire length where intended	Statistical subset	2%
28	Status of railways is carried the entire length of the feature where intended	Full population	2%
29	Name of Railways are carried for the entire length of the feature where intended.	Full population	2%
30	Gauge of railways is carried the entire length of the feature where intended	Full population	2%
31	Product of pipelines is carried the entire length of the feature where intended	Full population	2%
32	Relationship of pipelines is carried the entire length of the feature where intended	Full population	2%
33	All channels in a braided stream with primary banks carry the name of the watercourse	Statistical subset	5%
34	Built-up area names are correct	Statistical subset	5%
35	Reserve or prohibited areas are correct	Statistical subset	5%
36	Hierarchy of watercourses are correct	Statistical subset	5%
37	Waterbody names are correct	Statistical subset	5%

2.1.2 Logical Consistency

Logical consistency is a measure of the degree to which the data are internally consistent and comply with the technical specification in the way they are structured.

TEST NO	LOGICAL CONSISTENCY CHECK	TEST SAMPLE SIZE	AQL
40	Names of export files and data quality table are correct	Full population	No errors
41	Table names are valid	Full population	No errors
42	Item names in coverages are valid	Full population	No errors
43	Item names are present in coverage attribute files	Full population	No errors
44	Linear features have more than one coordinate pair	Full population	No errors
45	Label points and entity point features have only one coordinate pair	Full population	No errors

TEST NO	LOGICAL CONSISTENCY CHECK	TEST SAMPLE SIZE	AQL
47	Line segments are greater than 0.00022 degrees in length (250K) / 0.00010 degrees (100K)	Full population	5%
48	Line segments are less than 0.25368 degrees in length (250K) / 0.147 degrees (100K)	Full population	0.5%
49	The tile edge is correctly densified.	Full population	1%
50	The ArcInfo coverages can be generated, have attributes attached and be 'built'	Full population	No errors
51	There are no coincident line segments within a single coverage or intersecting arcs without a node or double digitised points	Full population	0.5%
52	In polygon coverages there are no label errors ie. every polygon has one and only one polygon label point	Full population	No errors
53	There are no pseudo nodes present, ie. nodes separating arcs with the same attributes excepting the cases outlined in Section 1 chapter 3.1	Full population	2%
54	There are no overshoots, ie. arc overhangs at intersections	Statistical subset	1%
55	There are no undershoots, ie. arcs failing to meet at intersections	Statistical subset	0.5%
56	There are no new polygons smaller than the minimum specified area	Full population	5%
57	In line coverages there are no small polygons	Statistical subset	5%
58	There are no new linear features shorter than the minimum length	Full population	5%
59	No arcs separate polygons with identical attributes, except for the UFI, ie. abutting polygons do not have the same attributes	Full population	1%
60	There are no artefacts such as spikes or deviations visible at 1:125 000 (250K)/1:50 000 (100K)	Statistical subset	5%
61	Homesteads are cloned to buildings coverage	Full population	5%
62	Separate covers have exactly coincident lines where intended.	Statistical subset	5%
63	The separation of the digital data linework from the source material due to filtering is not greater than 50 metres (250K) / 20 metres (100K)	Statistical subset	5%

TEST NO	LOGICAL CONSISTENCY CHECK	TEST SAMPLE SIZE	AQL
64	Road point bridges and tunnels, grids and gates are coincident with nodes in the road network	Full population	1%
65	Rail point bridges and tunnels and rail stations are coincident with nodes in the rail network	Full population	1%
66	On stream waterholes, waterfalls and locks are coincident with nodes in the stream network	Full population	1%
67	Well-defined point features are located within 100 metres (250K) / 40 metres (100K) of their position on the source material.	Full population	1%
68	There are no spot elevations or survey marks in the sea	Full population	1%
69	There are no spot elevations or survey marks in waterbodies	Full population	1%
70	Features coded as tile edge appear only on the tile edges.	Full population	1%
71	Features labelled as junction features occur only between waterbodies, waterbodies and the sea, double-sided streams and waterbodies or another double-sided stream.	Statistical subset	1%
72	Connector features occur only within a mainland waterbody	Full population	1%
73	Features labelled as island or reef are completely surrounded by sea	Full population	1%
74	Datum shifting has occurred and is correct within 3 metres	Full population	No errors
75	Tile quality and frequency tables are valid	Full population	No errors
76	Features labelled as waterbodies ie. lake, swamp etc., except sea, occur only within the mainland	Full population	1%
77	Features labelled as ferry routes occur only within waterbodies or the sea	Full population	0.5%
78	Mangroves are a clone of Mangrove Flat	Full population	1%
79	Spot heights and Horizontal control points agree with the contours	Full population	1%
80	Spot heights labelled as 'depression' and 'sand ridge' spot heights are valid ie. occur in a depression or on a sand ridge	Full population	5%
81	Features labelled as wrecks, offshore rock or	Full population	1%

TEST NO	LOGICAL CONSISTENCY CHECK	TEST SAMPLE SIZE	AQL
	localities (marine) do not fall on land		
82	Sand ridges, roads and railways do not fall within waterbodies	Full population	1%
83	Buildings, localities, caves or pinnacles do not fall within the sea	Full population	1%
84	Buildings and localities do not fall within waterbodies	Full population	1%
85	Polygons in the vegetation coverage do not exist incorrectly within other polygon features.	Full population	1%
86	In the data quality table the data quality pointer values are unique	Full population	No errors
87	All linear features that should meet the tile edge do	Full population	1%
88	There are nodes on polygon features where they cross the tile edge	Full population	1%
89	Linear features that cross the tile edge have the same attributes on both map sheets, where appropriate, excluding the UFI and data quality pointer	Statistical subset	5%
90	Polygon features that cross the tile edge have the same attributes on both map sheets, where appropriate, excluding the UFI and data quality pointer	Full population	1%
91	Features that cross the tile edge, join their corresponding feature correctly, ie. at the same point on the tile edge	Full population	1%
92	Data format, projection and data type are correct	Full population	No errors
93	GEODATA and Working Database resolution is correct	Full population	No errors
94	Features are matched between GEODATA and Working Database coverages	Full population	No errors
95	Tile extents for GEODATA and Working Database are correct	Full population	No errors
96	Road junctions, passes or populated places are coincident with roads where specified	Full population	5%
97	Coastline is cloned as zero height contour	Full population	1%
98	State border is consistent with the border information in COAST-100K data where	Full population	No errors

TEST NO	LOGICAL CONSISTENCY CHECK	TEST SAMPLE SIZE	AQL
	specified.		
99	Features are consistent with Appendix C Fences and Water Facilities Guide	Full population	1%
100	Ferry routes are connected to road or rail network	Full population	5%

2.1.3 Completeness

Completeness is the measure of the degree to which all features listed in the technical specifications have been captured, in accordance with the selection criteria, definitions and other rules specified.

	COMPLETENESS CHECK	TEST SAMPLE SIZE	AQL
106	All features on the source materials have been captured where they meet selection criteria	Statistical subset	2%
107	Revision has been applied correctly	Sample area	2%
108	Data falls within the tile edge.	Full population	1%
109	Spatial position or attributes of features in overlap areas are identical to adjoining tiles where specified	Full population	5%

2.2 NATMAP

2.2.1 Reproduction Material

Reproduction Material is the plate making film negatives that will be used to print the map. All tests on the reproduction material are mandatory.

Test No	CHECK	AQL
120	Chemical proof is produced from film negatives supplied	No errors
121	Proof registration is correct and registration control marks exist	No errors
122	Colour control exists and is correct	No errors
123	Masking of features on film negatives is correct	1%
124	Film negatives are correctly labelled	No errors

2.2.2 Marginalia

The marginalia is all the information contained in the map surrounds, the area of the map to the left and below the neatline. All tests on the marginalia are mandatory and errors are not acceptable.

TEST NO	DIAGRAMS/ NOTES etc.	CHECK	AQL
130	Printing Date	Commonwealth of Australia Copyright date appears	No errors
131	Map Reliability	Date of information appears	No errors
132	Commonwealt h Coat of Arms	Appears and is in the correct position. Correct Coat of Arms used and the colour is correct	No errors
133	Bar Code	Is unique to Map and able to be read by scanner	No errors
134	Map Scale	Appears and is correct	No errors
135	GEOCAT Number	Appears and is in the correct position. The GEOCAT (project) number is correct as per the Project File.	No errors
136	Map Name	Spelling is correct Appears twice, panel 1 and bottom right hand corner	No errors
137	Map Number	Number relates to sheet name Appears twice, panel 1 and bottom right hand corner	No errors
138	Map Edition	Edition number is correct, Appears twice, panel 1 and bottom right hand corner	No errors
139	State Names	State names are correct Appears twice, panel 1 and bottom right hand corner	No errors
140	Map of Australia Location Box	Location box is placed into correct position & correct colour used.	No errors
141	141 Index to Adjoining Maps box 250k map names and numbers appear and are correct 100K map names and numbers appear and are correct Extended sheet lines have been adjusted in diagram Text is not cluttered.		No errors
142	Text Panels	No textual or typographical errors in marginalia	No errors
143	Datum Information	Horizontal accuracy figures are correct Vertical accuracy figures are correct Contour interval in metres is correct	No errors
144	North Point Diagram	True north is vertical Diagram reflects assigned values Assigned values are correct	No errors
145	Grid Reference Point	The grid reference point agrees with the sample given Spelling of the sheet name and reference point is correct	No errors

TEST NO	DIAGRAMS/ NOTES etc.	CHECK	AQL
146	100 000 square metre identification panel	Letters are as per information supplied Location of Grid Reference letters (not on neatline)	No errors
147	Climate Graph	Is present and Correct for stated locality/s	No errors
148	Legend	Symbology is the same as appears on the map	No errors
149	Geographical Values	Values are correct for this map Interval is correct (10')	No errors
150	Grid Values	Offset from geographical values where necessary	No errors
151	Road Destinations Arrows and Text	The angle to and spelling of destinations are correct Do not clash with grid values Road Destination Arrows & Distances appear only on the west and south edges (250K only)	No errors
152	Scale Bar	Represented in kilometres only	No errors

2.2.3 Internal Type Selection and Placement

TEST NO	СНЕСК	TEST TYPE	AQL
	Cultural		
160	Feature names are positioned unambiguously	Sample Area	5%
161	Feature names are clear of other map detail	Sample Area	2%
162	All registered Aerodromes have been shown with correct symbology and name (Military airfields excepted). See Enroute Supplement Australia for registered airfields	Full Population	1%
163	Where a name has been abbreviated it complies with the approved abbreviations Section 2 chapter 7 and features have been abbreviated as required (eg. MOUNTAIN to MT (prefix) or MTN (suffix) for topo features	Sample Area	2%
164	All internal type is in the correct alignment	Full Population	1%
165	Reserve Area names are spelt correctly and avoid other detail Boundary descriptions are present where symbology is absent	Full Population	2%
166	Descriptive Notes are wholly in lower case	Sample	5%
167	Linear feature names do not extend into bleeds	Full Population	1%

TEST NO	СНЕСК	TEST TYPE	AQL
168	Linear feature names in bleeds are not broken	Full Population	1%
169	Labelled and named features have the correct font and point size	Sample Area	5%
170	Road names are correct for continuity and point size	Sample	5%
171	Railway names are correct for continuity and point size	Sample	5%
172	Distances between pins on roads are correct (note pins are not to be on separate sheets)	Sample	2%
173	Pins are clearly visible and in the correct position	Sample	2%
174	National and state route markers have the correct value and are centred over the road	Sample	2%
175	Horizontal control point identification is correct (ie. either height, topo feature name or alphanumeric identifier shown as per criteria)	Sample	2%
176	Spelling (and name order) of major and well known features, such as roads, rivers and localities is correct	Full Population	0%
177	Correct case used on named features, such as homesteads etc	Sample	2%
178	No extraneous type (not associated with a feature or incomplete) has been shown	Full Population	0%
179	Positioning of type conforms to the type placement principles	Sample	5%
	Hydrographic		
180	Names of rivers and creeks are correct for spelling, continuity and type size, both internally and to adjoining sheets	Sample	5%
181	Names of Lakes and other area features are correct for spelling, type size and position	Sample	5%
182	Ocean and Sea names are correct	Full Population	0%
	Grid		
185	Full grid values are shown at the south west corner of the sheet	Full Population	0%
186	Internal laddered grid values are correct and shown	Full Population	0%
187	100 000 metre square identification Letters are correctly positioned around the "0" value grid lines both inside and or outside the neatline	Full Population	0%

TEST NO	СНЕСК	TEST TYPE	AQL
188	100 000m UTM grid zone designation note (aligned along grid) UTM zone values are correct	Full Population	0%
	Relief		
190	Spot elevations and trig values agree with contours and depression contours	Sample	2%
191	Contour values are correct, of sufficient density and read uphill	Sample Area	1%
192	The highest elevation (including the bleed area) has been shown (1:250K only)		0%

2.2.4 Black Detail Internal

Internal Black Detail includes all map features that are to be depicted with black symbology.

TEST NO	СНЕСК	TEST TYPE	AQL
	General		
195	Features meet the neatline on the Western and Southern edges where appropriate	Sample	1%
196	The final text is not cluttered or ambiguous of content	Sample Area	5%
197	Features that appear on previous edition appear on map as specified	Sample Area	2%
198	All source materials have been used to ensure revision has been carried out and accuracy requirements met	Sample	1%
199	Symbology is correct for all features and appears only where appropriate	Sample	1%
200	Symbols do not clash with type or other symbols	Sample Area	5%
201	Annotations missing symbols or symbols missing annotations	Sample Area	5%
	Rail		
205	Railways are correct	Full Population	1%

TEST NO	СНЕСК	TEST TYPE	AQL
206	Railway stations are correct	Full Population	5%
207	Stations and bridges are coincident with railway line	Full Population	5%
208	Correct gauge is shown	Full Population	5%
209	Symbology is correct for all railway line and point features	Full Population	1%
210	Railways are displaced for hydrographic features	Sample Area	5%
	Landing Grounds		
215	All registered Airports and Aerodromes are correctly shown and labelled (Enroute supplement Australia)	Full Population	1%
216	Direction of runways for Aircraft facilities is correct	Sample	5%
217	Symbology is correct for line weight, pattern and colour	Sample	1%
	Relief		
220	Trig symbols are correctly orientated	Sample	2%
221	Trig symbols and spot elevations are positioned accurately between contours	Sample	2%
222	Only permanently marked and monumented horizontal control points are shown	Sample	2%
223	Coastline is broken (symbolised to '0') on map where coincident with cliffs	Sample	5%
224	Contours are broken (symbolised to '0') on map where coincident with cliffs	Sample	5%
225	Cuttings and Embankments are correctly aligned to roads/railways	Full Population	5%
	Graticule		
228	Symbology for Graticule correct	Full Population	0%

2.2.5 General Cultural Detail

TEST NO	СНЕСК	TEST TYPE	AQL
230	Buildings and homesteads don't fall on roads or railways or within waterbodies, sea or watercourse areas	Sample Area	5%
231	Bridges are coincident with roads or rails and traverse streams	Sample	5%
232	Fences don't run through vehicle tracks	Sample	5%
233	Fences, bores, tanks, windpumps, and wells only appear within specified areas, see Appendix C	Full Population	0%
234	Fences are labelled where appropriate eg. dog proof fence	Sample Area	5%
235	Gates and grids are correctly aligned to fences and centred on roads	Sample Area	5%
236	Fences do not continue through symbolised yards	Sample Area	5%
237	Locks are aligned correctly and centred on streams	Full Population	5%
238	Powerline Pylon symbol orientation is correct (250K only – 100K symbol does not include Pylons) Powerlines are not shown within built up areas	Sample	5%
239	Windpumps and mines have correct orientation	Sample	1%
240	Wharves are parallel to the coast	Full Population	5%
241	Orientation of tunnels and linear features disappearing underground	Full Population	5%
242	Features that appear on previous edition appear on map as specified	Sample Area	2%
243	Ferry routes are shown and labelled	Full Population	2%
244	Large buildings are shown to scale	Full Population	5%
245	Homestead names are correct	Sample Area	5%
246	Buildings or other cultural features do not fall in built-up areas	Sample Area	5%

2.2.6 Red Detail Internal

Internal Red Detail includes all map features that are to be depicted with red symbology.

TEST NO	СНЕСК	TEST TYPE	AQL
	Roads		
250	Road classification is correct	Sample Area	5%
252	Intersections between different road classifications are clear of artefacts and undershoots, particularly road_principle to vehicle_track	Sample Area	5%
253	Major roads continue through built-up areas. Minor roads totally contained in built-up areas have not been shown.	Sample Area	5%
254	Roads are abutting reserve area boundaries where applicable	Sample Area	5%
255	Roads are abutting built up area boundaries where applicable	Sample Area	5%
256	Distance markers appear at end of the value	Sample	1%
257	Roads are displaced for railways, rivers etc.	Sample	5%
258	National and State route markers are cleared of all detail	Sample	1%
259	Features that appear on previous edition appear on map as specified	Sample Area	2%
260	All source materials have been used to ensure revision has been carried out and accuracy requirements met	Sample	1%
261	Symbology is correct for all road line and point features	Sample	1%
	Built Up Area		
265	Boundaries don't overlap into other polygons, including - waterbodies, vegetation areas, relief areas, offshore etc.	Full Population	1%
266	Polygon boundary is coincident with roads where necessary	Sample Area	5%
267	Features that appear on previous edition appear on map as specified	Sample Area	2%

TEST NO	СНЕСК	TEST TYPE	AQL
268	All source materials have been used to ensure revision has been carried out and accuracy requirements met	Sample	1%
269	Symbology is correct for all Built up areas and populated places	Full Population	1%

2.2.7 Blue Detail Internal

Internal Blue Detail includes all map features that are to be depicted with blue symbology.

TEST NO	СНЕСК	TEST TYPE	AQL
276	The grid meets the neatline and fits the graticule	Full Population	0%
277	Waterbodies do not overlap other area features eg. built up areas	Sample	5%
278	Orientation of flow arrow heads is correct	Sample	5%
279	Orientation of rapids symbols are correct	Sample	5%
280	Minor streams and channels fit the road pattern Streams don't flow down roads, Confluences don't occur on roads	Sample Area	5%
281	Features that appear on previous edition appear on map as specified	Sample Area	2%
282	All source materials have been used to ensure revision has been carried out and accuracy requirements met	Sample	1%
283	Symbology is correct for all features and appears only where appropriate	Sample	1%
284	Symbology of waterbodies is correct with relation to perenniality	Sample Area	5%
	Offshore		
290	Reef polygons are contained completely within the sea	Full Population	1%
291	Reefs are named where appropriate	Sample	2%
292	Features that appear on previous edition appear on map as specified	Sample Area	2%
293	All source materials have been used to ensure revision has been carried out and accuracy requirements met	Sample	1%
294	Symbology of offshore area and point features is correct	Sample	1%

TEST NO	СНЕСК	TEST TYPE	AQL
	Grid		
297	Correct symbology for grid lines (10 000m and 100 000m)	Full population	0%

2.2.8 Brown Detail Internal

Internal Brown Detail includes all map features that are to be depicted with brown symbology.

TEST NO	СНЕСК	TEST TYPE	AQL
300	Sand does not appear in vegetated areas, waterbodies and braided watercourses	Full Population	5%
301	Sand ridges are identified by descriptive notes and average heights where available	Sample	5%
302	Sand ridges do not cross streams	Sample	1%
303	Sand ridges do not enter lakes	Sample	1%
304	Features that appear on previous edition appear on map as specified	Sample Area	2%
305	All source materials have been used to ensure revision has been carried out and accuracy requirements met	Sample	1%
306	Symbology for sand, foreshore flats and sand ridges is correct	Sample	1%
	Contours		
310	Index contours exist and are drawn with the correct symbology	Sample Area	1%
311	Depression contours and depression ticks are orientated correctly	Sample	5%
312	Contours are broken for double line perennial watercourses, open-cut mines and cliffs	Sample	5%
313	Features that appear on previous edition appear on map as specified	Sample Area	2%
314	All source materials have been used to ensure revision has been carried out and accuracy requirements met	Sample	1%
315	Check symbology for contours is correct	Sample	1%

2.2.9 Green Detail Internal

Internal Green Detail includes all map features that are to be depicted with green symbology.

TEST NO	СНЕСК	TEST TYPE	AQL
	Vegetation		
320	Vegetation does not overlap into perennial waterbodies, built-up areas, relief areas etc.	Full Population	5%
321	Windbreaks do not cross roads or perennial waterbodies	Full Population	1%
322	Vegetation has been updated and captured in sufficient detail	Sample Area	5%
323	Features that appear on previous edition appear on map as specified	Sample Area	2%
324	All source materials have been used to ensure revision has been carried out and accuracy requirements met	Sample	1%
325	Symbology for all vegetation features is correct	Sample	1%
	Boundaries		
330	Boundaries are abutting roads and other boundaries where appropriate	Sample	5%
331	State Border is labelled both sides	Full Population	1%
332	The verge falls on the inside of Reserve Area boundaries	Sample	2%
333	Features that appear on previous edition appear on map as specified	Sample Area	2%
334	All source materials have been used to ensure revision has been carried out and accuracy requirements met	Sample	1%
335	Symbology for all reserve area boundaries are correct	Sample	1%
336	Reserve area lines are not symbolised where coincident with coastline	Sample	5%
337	Reserve area line symbology is correctly offset	Sample	2%

2.2.10 Composite Screens / Patterns

A number of area features are made up of composite screens and/or different colour or

patterns. Checks will be carried out against the appropriate specification.

TEST NO	СНЕСК	TEST TYPE	AQL
340	Area features made up of composite screens/patterns or different colours are correct. eg. Forests, Rainforest, Parks, Mangroves, Orchards & Pine Plantations etc.	Sample	0%

3. FORMS FOR VAT SUBMISSION

On the following pages are the VAT submission form and attachments J1, J2 and J3 for the 1:250 000 and 1:100 000 scale products. These forms will be completed by producers and submitted to VAT with all the specified material.

250K VAT SU	BMISSION FORM		
TILE NO:	TILE NAME:	DATE:	PHONE
COMPANY:		CONTACT NAME:	
PREVIOUS MAP	NTMS / JOG		
Has this map/tile beer	n previously submitted?	Date:	
Elevation range for sp	oot heights and survey marks:	Min to Ma	x metres
Has Imagery been use	ed? [Yes]		
Dates of Imagery: S	pot /		
Version and Amendm	ent number of Technical Speci		s map/tile
Include with your sub	mission:		
1. Repromat for map	production		
2. One hard copy ch	nemical proof of the map		
3. The Working Data	abase		
4. TOPO-250K GEO	DDATA		
5 All source materia	als supplied including remote ser	sed imagery revision i	oformation (ie. mans

- All source materials supplied including remote sensed imagery, revision information (ie. maps, plans, listings etc), repromat and project files
- 6. Listing of Working Database coverages
- 7. Listing of GEODATA coverages
- 8. Printout of TQI (tile quality information) table for each coverage
- 9. Printout of FRQ (frequency) table for each coverage
- 10. Printout of UFI range for each theme
- 11.Printout of the DQT (Data Quality Table)
- 12.Listing of sources used for attribute information and their reliability date 'Attachment J1'
- 13.Listing of sources used for feature positioning and their reliability date 'Attachment J2'
- 14.Listing of comments about production or revision 'Attachment J3'
- 15. Scanning transformation RMS error report(s) for all newly scanned data
- 16. Digital listing of Production Notes to be supplied

Signed:	
---------	--

100K VAT SUBMISSION FORM

TILE NO				DATE:PHONE
COMPA	NY:		CONTAC	CT NAME:
PREVIO	OUS MAP	NTMS / R	ASC	
Has this	s map/tile been pre	eviously submit	ted?	Date:
Elevation	on range for spot h	eights and surv	vey marks: Min	to Max metres
Has Ima	agery been used ?	[Yes]		
Dates o		/		Landsat
Version	and Amendment	number of Tech	nical Specifications	used for this map/tile
Include	with your submiss	sion:		
1	. Repromat for ma	p production		
2	. One hard copy ch	nemical proof of t	he map	
3	. The Working Data	abase		
4	. TOPO-100K GEO	DDATA		
5	. All source materia plans, listings etc	• •	_	nagery, revision information (ie. maps
6	. Listing of Working	g Database cove	rages	
7	. Listing of GEODA	ATA coverages		
8	. Printout of TQI (ti	le quality informa	ation) table for each co	verage
9	. Printout of FRQ (frequency) table	for each coverage	
1	0. Printout of the DC	QT (Data Quality	Table)	
1	 Listing of sources 	s used for attribut	e information and thei	r reliability date - 'Attachment J1'
1	2. Listing of sources	used for feature	positioning and their	reliability date - 'Attachment J2'
1	3. Listing of comme	nts about produc	tion or revision - 'Attac	chment J3'
1	4. Scanning transfor	rmation RMS erro	or report(s) for all new	ly scanned data
1	5. Digital listing of P	roduction Notes	to be supplied	
Signed:				

ATTACHMENT J1 (250K)

Indicate below the source materials used

SOURCES USED FOR FEATURE POSITIONING					
COVERAGE	IMAGERY	250K	OTHER SOURCES	DATE	
A		REPROMAT	AAA etc.		
Aeronautical Point					
Buildings Area					
Buildings Point					
Builtup Areas					
Carto Features					
Contours					
Drainage					
Framework					
Localities					
Marine Facilities					
Morphology					
Navigation					
Offshore					
Pipelines					
Powerlines					
Rail Transport					
Relief Area					
Reserved Areas					
Road Transport		□			
Sand Ridges					
Security Areas					
Seismic Lines					
Spot Heights		□			
Survey Marks		П			
Utilities		П			
Vegetation					
Vegetation Misc					
Waterbodies					
Waterpoints					

ATTACHMENT J2 (250K)

Indicate below the **source materials** used

SOURCES USED FOR ATTRIBUTE INFORMATION				
COVERAGE	250K REPROMAT	OTHER SOURCES AAA ERS etc.	DATE	
Aeronautical Point				
Buildings Area				
Buildings Point				
Builtup Areas				
Carto Features				
Contours				
Drainage				
Framework				
Localities				
Marine Facilities				
Morphology				
Navigation				
Offshore				
Pipelines				
Powerlines				
Rail Transport				
Relief Area				
Reserved Areas				
Road Transport				
Sand Ridges				
Security Areas				
Seismic Lines				
Spot Heights				
Survey Marks				
Utilities				
Vegetation				
Vegetation Misc				
Waterbodies				
Waterpoints				

ATTACHMENT J1 (100K)

Indicate below the source materials used

SOURCES USED FOR FEATURE POSITIONING					
COVERAGE	IMAGERY	100K REPROMAT	OTHER SOURCES AAA etc.	DATE	
Aeronautical Point		CEPROWAT	AAA etc.		
Auxiliary Contours		٥			
Buildings Area	П	٥			
Buildings Point		П			
Builtup Areas					
Carto Features					
Contours		_			
Drainage					
Framework					
Localities		□			
Marine Facilities		□			
Morphology					
Navigation					
Offshore					
Pipelines					
Powerlines					
Rail Transport					
Relief Area					
Reserved Areas					
Road Transport					
Sand Ridges					
Security Areas					
Seismic Lines		□			
Spot Heights					
Survey Marks					
Utilities					
Vegetation					
Vegetation Misc					
Waterbodies					
Waterpoints		□			

ATTACHMENT J2 (100K)

Indicate below the source materials used

	300R	CES USED FOR ATTRIBUTE INFORMATION	ı
COVERAGE	100K	OTHER SOURCES	DATE
	REPROMAT	AAA ERS etc.	
Aeronautical Point	O		
Auxiliary Contours	0		
Buildings Area	□		
Buildings Point	o		
Builtup Areas	o		
Carto Features	o		
Contours			
Drainage	o		
Framework	o		
Localities			
Marine Facilities			
Morphology			
Navigation			
Offshore	0		
Pipelines	_		
Powerlines	_		
Rail Transport	0		
Relief Area	0		
Reserved Areas	0		
Road Transport	_		
Sand Ridges			
Security Areas	0		
Seismic Lines	0		
Spot Heights	_		
Survey Marks	_		
Utilities	П		
Vegetation			
Vegetation Misc	□		
Waterbodies	0		

An	pendix	.T I	Pad	е	2

Waterpoints		

ATTACHMENT J3

COMMENTS ABOUT PRODUCTION OR REVISION

COVERAGE	FEATURE CLASS	IDENTIFIER/ REFERENCE	COMMENTS	DATE

Report No

Test No

4. VAT TEST TO REPORT NUMBER CROSS-REFERENCE

Test numbers that do not have a matching report number are unused.

Test No	Report No
1	70
2	71/72
3	52/53
4	73
5	90
6	91
7	92
8	75
9	99
10	79
11	101
12	97
13	93
14	95
15	83
16	85
17	84
18	86
19	77
20	78
21	81
22	82
23	89
24	105
25	107
26	108
27	109
28	110
29	113
30	111
31	114
32	115
33	103
34	88
35	96
36	98
37	102
38	-
39	-
40	4/5
41	4/5
42	6/7
43	6/7
44	9
45	17
46	- 17
47	14
47	15
49	54
50	16

matching re	eport numbe
Test No	Report No
51	17
52	18
53	19
54	24
55	20
56	21
57	22
58	23
59	26
60	30
61	36
62	29
63	31
64	33
65	34
66	35
67	58
68	39
69	43
70	74/76
71	46
72	47
73	42
74	
75	10
	61 40
76 77	
	48
78	38
79	49
80	104
81	50
82	44
83	41
84	45
85	51
86	60
87	25
88	27
89	121
90	122
91	120
92	1
93	2
94	3
95	28
96	32
97	37
98	55
99	56

100

Test No	Report No
101	-
102	-
103	-
104	-
105	-
106	62
107	63
108	12
109	123
110	-
111	-
112	-
113	-
114	-
115	_
116	_
117	_
118	_
119	_
120	140
121	141
122	142
123	144
124	145
125	143
126	_
127	_
128	_
129	-
130	151
	151
131	152
132	153
133	154
134	155
135	156
136	157
137	158
138	159
139	160
140	161
141	162
142	173
143	163
144	164
145	165
146	166
147	167
148	168
149	169
150	170

103(140	Report No
151	171
152	172
153	-
154	-
155	-
156	-
157	-
158	-
159	-
160	300
161	301
162	216
163	303
164	304
165	289
166	305
167	306
168	307
169	308
170	192
171	205
172	193
173	193
174	
174	190 251
175	310
176	
	309
178	312
179	302
180	238
181	237
182	236
183	-
184	-
185	170
186	177
187	178
188	179
189	-
190	49
191	259
192	253
193	-
194	-
195	315
196	302
197	234/316
198	317
199	235/318
200	320
	

57

Test No	Report No
201	321
202	-
203	-
204	-
205	200
206	202
207	34
208	201
209	206
210	203
211	-
212	-
213	-
214	-
215	215
216	217
217	218
218	-
219	-
220	267
221	250
222	252
223	245
224	257
225	260
226	-
227	_
228	180
229	-
230	227
231	230
232	224
233	223
234	225
235	226
236	224
237	233
238	220
239	231
240	29
241	29
242	234
242	222
243	229
	229
245	
246	232
247	-
248	-
249	-
250	185

Test No	Report No
251	-
252	20/22
253	187
254	286
255	188
256	195
257	189
258	191
259	196
260	317
261	197
262	137
263	-
	-
264	-
265	210
266	211
267	212
268	317
269	213
270	-
271	-
272	-
273	-
274	-
275	-
276	175
277	239
278	243
279	224
280	241
281	246
282	317
283	247
284	101
285	-
286	_
287	-
288	-
	-
289	-
290	42
291	296
292	297
293	317
294	298
295	-
296	-
297	176
298	-
299	-
300	261

Test No	Report No
301	262
302	263
303	44
304	266
305	317
306	269
307	-
308	-
309	-
310	254
311	255
312	256
313	266
314	317
315	268
316	-
317	-
318	-
319	_
320	276
321	277
322	278
323	279
324	317
325	280
326	-
327	-
328	-
329	-
330	286
331	285
332	291
333	290
334	317
335	291
336	287
337	288
338	_
339	-
340	319
341	-
342	-
343	_
344	-
345	_
346	-
347	-
348	-
349	-
350	-
550	

Test No

Report No

5. VAT REPORT TO TEST NUMBER CROSS-REFERENCE

Report numbers that do not have a matching test number are unused.

Report No	Test No
1	92
2	93
3	94
4	40/41
5	40/41
6	42/43
7	42/43
8	-
9	44
10	74
11	74
12	100
	108
13	-
14	47
15	48
16	50
17	45/51
18	52
19	53
20	55/252
21	56
22	57/252
23	58
24	54
25	87
26	59
27	88
28	95
29	62/240
	60
30	63
31	96
32	
33	64
34	65/207
35	66
36	61
37	97
38	78
39	68
40	76
41	83
42	73/290
43	69
44	82/303
45	84
46	71
47	72
48	77
49	79/190
50	81
	ΟI

	i test numbe
Report No	Test No
51	85
52	3
53	3
54	49
55	98
56	99
57	100
58	67
59	-
60	86
61	75
62	106
63	107
64	-
65	_
66	_
67	_
68	-
69	-
	1
70	
71	2
72	2
73	4
74	70
75	8
76	70
77	19
78	20
79	10
80	-
81	21
82	22
83	15
84	17
85	16
86	18
87	-
88	34
89	23
90	5
91	6
92	7
93	13
94	-
95	14
96	35
	12
97	
98	36
99	9
100	-

Report No	Test No
101	11/284
102	37
103	33
104	80
105	24
106	
107	25
108	26
109	27
110	28
111	
	30
112	
113	29
114	31
115	32
116	-
117	-
118	-
119	-
120	91
121	89
122	90
123	109
124	-
125	_
126	_
127	_
128	_
129	-
	-
130	-
131	-
132	-
133	-
134	-
135	-
136	-
137	-
138	-
139	-
140	120
141	121
142	122
143	-
144	123
145	124
146	-
147	
148	_
149	-
150	-
130	-

151	130
152	131
153	132
154	133
155	134
	135
156	
157	136
158	137
159	138
160	139
161	140
162	141
163	143
164	144
165	145
166	146
167	147
168	148
169	149
170	150/185
171	151
172	152
173	142
174	
175	276
176	297
177	186
178	187
179	188
180	228
181	220
	-
182	-
183	-
184	-
185	250
186	-
187	253
188	255
189	257
190	174
191	258
192	170
193	172
194	173
195	256
196	259
197	261
198	-
199	_
200	205
	200

Report No	Test No
201	208
202	206
203	210
204	-
205	171
206	209
207	-
208	-
209	-
210	265
211	266
212	267
213	269
214	_
215	215
216	162
217	216
218	217
219	-
220	238
221	241
222	243
223	233
224	232/236/279
225	234
226	235
227	230
228	245
229	244
230	231
231	239
232	246
233	237
234	197/242
235	199
236	182
237	181
238	180
239	277
240	
241	280
242	-
243	278
244	
245	223
246	281
247	283
248	200
249	-
250	221
200	ZZ I

Report No	Test No
251	175
252	222
253	192
254	310
255	310
256	312
257	224
258	-
259	191
260	225
261	300
262	301
263	302
264	-
265	_
266	304/313
267	
	220
268	315
269	306
270	-
271	-
272	-
273	-
274	-
275	-
276	320
277	321
278	322
279	323
280	325
281	-
282	-
283	-
284	-
285	331
286	254/330
287	336
288	337
289	165
290	333
291	332/335
292	-
293	_
294	_
295	_
296	291
297	292
298	294
299	-
300	160

Report No	Test No
301	161
302	179/196
303	163
304	164
305	166
306	167
307	168
308	169
309	177
310	176
311	-
312	178
313	-
314	-
315	195
316	197
317	198
318	199
319	340
320	200
321	201
322	-
323	-
324	-
325	_
326	_
327	_
328	-
329	-
330	-
331	-
332	_
333	_
334	-
335	_
336	_
337	_
338	-
339	_
340	_
341	_
342	_
343	_
344	_
345	_
346	_
347	
348	
349	
350	-
330	